

| Feature | | | Scei | nario | | Step | | | |
|--|--------------|---|------|-------|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| validate if the user is able to add an item to the cart and total is getting calculated properly | 2 m 15.834 s | 1 | 0 | 1 | 0 | 5 | 3 | 1 | 1 |

FAIL & SKIP SCENARIOS -- 3 --


| # | Feature Name | Scenario Name |
|---|--|---|
| 1 | validate if the user is able to add an item to the cart and total is getting calculated properly | Validate if the user is able to add an item to the cart |

| TAG | | Scer | nario | | | Fear | | |
|-------|---|------|-------|---|---|------|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Cart | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | validate if the user is able to add an item to the cart and total is getting calculated properly | 1 | 0 | 1 | 0 | 2 m 15.834 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---|--------------|
| 1 | validate if the user is able to add an item to the cart and total is getting * | Validate if the user is able to add an item to the cart | 5 | 3 | 1 | 1 | 2 m 15.829 s |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

validate if the user is able to add an item to the cart and total is getting calculated properly



Validate if the user is able to add an item to the cart



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user navigates to the baskinrobbins website | PASSED | 32.400 s |
| 2 | When user click on order online in the navigation header | PASSED | 35.806 s |
| 3 | And user enter valid store locator address | PASSED | 6.056 s |
| 4 | And user click on ordernow from the store | FAILED | 53.353 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.171) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b225686c1ee8cad9c4baf7a616f903fe, findElement {using=xpath, value=//*[@id="store-BR-300682"]/div[2]/div[2]/div[2]/div[1]/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: C:\Users\shiva.n\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:50820}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50820/devtoo, se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b225686c1ee8cad9c4baf7a616f903fe at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy37.toString(Unknown Source) | | |
| | at java.base/java.lang.String.valueOf(String.java:4216) | | |
| | at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) | | |
| | at org.tillster.chowking.utils.Genericmethods.webClick(Genericmethods.java:106) | | |
| | at org.tillster.chowking.pages.Cartpage.oderNowFromStore(Cartpage.java:115) | | |
| | at org.tillster.chowking.stepdefinations.Addtocartpage.user_click_on_ordernow_from_the_store(Addtocartpage.java:49) | | |
| | at ?.user click on ordernow from the store(file:///C:/Users/shiva.n/eclipse-workspace/BDD%20Framework/Tillster-testcases/src/test/ | | |
| | resources/org/tillster/chowking/features/Addingitemsincart.feature:9) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | Then user navigate to list of availble products on the page | SKIPPED | 0.001 s |
| | AFTER - org.tillster.chowking.stepdefinations.Driverfactory.teardown(io.cucumber.java.Scenario) | FAILED | 0.022 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | | |
| | (Session info: chrome=115.0.5790.171) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: | | |
| | 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b225686c1ee8cad9c4baf7a616f903fe, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | | |
| | 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: C:\Users\shiva.n\AppData\Lo}, | | |
| | goog:chromeOptions: {debuggerAddress: localhost:50820}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |
| | windows, proxy: Proxy(), se:cdp: ws://localhost:50820/devtoo, se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: | | |
| | false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: | | |
| | true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: b225686c1ee8cad9c4baf7a616f903fe | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | | | 1 |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:316) at org.tillster.chowking.stepdefinations.Driverfactory.teardown(Driverfactory.java:105) | | |