

| Feature  | Scenario     |   |   |   | Step |   |   |   |   |
|--|--------------|---|---|---|------|---|---|---|---|
| Name   | Duration     | T | P | F | S    | T | P | F | S |
| validate if the user is able to add an item to the cart and total is getting calculated properly | 2 m 22.944 s | 1 | 0 | 1 | 0    | 5 | 3 | 1 | 1 |

FAIL & SKIP SCENARIOS -- 3 --


| # | Feature Name   | Scenario Name   |
|---|--|---|
| 1 | validate if the user is able to add an item to the cart and total is getting calculated properly | Validate if the user is able to add an item to the cart |

| TAG   |   | Scer | nario |   |   | Fea | ture |   |
|-------|---|------|-------|---|---|-----|------|---|
| Name  | T | P    | F     | S | T | P   | F    | S |
| @Cart | 1 | 0    | 1     | 0 | 1 | 0   | 1    | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name   | T | P | F | S | Duration     |
|---|--|---|---|---|---|--------------|
| 1 | validate if the user is able to add an item to the cart and total is getting calculated properly | 1 | 0 | 1 | 0 | 2 m 22.944 s |




| # | Feature Name   | Scenario Name   | T | P | F | S | Duration     |
|---|--|---|---|---|---|---|--------------|
| 1 | validate if the user is able to add an item to the cart and total is getting * | Validate if the user is able to add an item to the cart | 5 | 3 | 1 | 1 | 2 m 22.942 s |


<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

## validate if the user is able to add an item to the cart and total is getting calculated properly



## Validate if the user is able to add an item to the cart



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given user navigates to the baskinrobbins website   | PASSED | 38.694 s |
| 2 | When user click on order online in the navigation header  | PASSED | 47.072 s |
| 3 | And user enter valid store locator address  | PASSED | 5.635 s  |
| 4 | And user click on ordernow from the store   | FAILED | 49.655 s |
|   | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.171) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e1261b382d7c14ce992a062e39ee409, findElement {using=xpath, value=//*[@id="store-BR-300682"]/div[2]/div[2]/div[2]/div[1]/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: C:\Users\shiva.n\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:53232}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53232/devtoo, se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e1261b382d7c14ce992a062e39ee409  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   |         |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   |         |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  |         |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)   |         |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  |         |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  |         |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  |         |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  |         |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  |         |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  |         |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  |         |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  |         |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy37.toString(Unknown Source)  |         |          |
|   | at java.base/java.lang.String.valueOf(String.java:4216)  |         |          |
|   | at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)  |         |          |
|   | at org.tillster.chowking.utils.Genericmethods.webClick(Genericmethods.java:106)  |         |          |
|   | at org.tillster.chowking.pages.Cartpage.oderNowFromStore(Cartpage.java:115)  |         |          |
|   | at org.tillster.chowking.stepdefinations.Addtocartpage.user_click_on_ordernow_from_the_store(Addtocartpage.java:49)  |         |          |
|   | at ?.user click on ordernow from the store(file:///C:/Users/shiva.n/eclipse-workspace/BDD%20Framework/Tillster-testcases/src/test/   |         |          |
|   | resources/org/tillster/chowking/features/Addingitemsincart.feature:9)  |         |          |
|   | * Not displayable characters are replaced by '?'.  |         |          |
|   | Then user navigate to list of availble products on the page  | SKIPPED | 0.002 s  |
|   | AFTER - org.tillster.chowking.stepdefinations.Driverfactory.teardown(io.cucumber.java.Scenario)  | FAILED  | 0.006 s  |
|   | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.171) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e1261b382d7c14ce992a062e39ee409, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: C:\Users\shiva.n\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:53232}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:532324 vio, se:cdpVersion: 115.0.5790.171, setWindowRect: true, strict-lieInteractability: |         |          |
|   | false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e1261b382d7c14ce992a062e39ee409   |         |          |
|   | true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e1261b382d7c14ce992a062e39ee409 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  |         |          |
|   | true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e1261b382d7c14ce992a062e39ee409  |         |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:316) at org.tillster.chowking.stepdefinations.Driverfactory.teardown(Driverfactory.java:105)   |        |          |