

<https://github.com/Shivaanica15/SE3040-lab03.git>

The screenshot shows the GitHub repository page for 'SE3040-lab03' by user 'Shivaanica15'. The repository is public. The page includes a search bar, navigation tabs (Code, Issues, Pull requests, Actions, Projects, Wiki, Security, Insights, Settings), and repository statistics (Pin, Watch 0, Fork 0, Star 0). Below the repository name, there are two main sections: 'Start coding with Codespaces' and 'Add collaborators to this repository'. A 'Quick setup' section provides instructions for setting up the repository on a desktop or via command line. The command line instructions are as follows:

```
...or create a new repository on the command line
echo "# SE3040-lab03" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/Shivaanica15/SE3040-lab03.git
```

```
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git checkout -b feature/Shivaanica-IT23276628/init-setup
Switched to a new branch 'feature/Shivaanica-IT23276628/init-setup'
```

```
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> npm init -y
Wrote to C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03\package.json:
```

```
{
  "name": "se3040-lab03",
  "version": "1.0.0",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "description": ""
}
```

```
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>
```

```

PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> npm init -y
{
  "version": "1.0.0",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "description": ""
}

PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> @'
>> console.log('Hello from Shivaanica-IT23276628');
>> '@ | Set-Content app.js
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git add app.js package.json
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git commit -m "Init npm and add app.js"
[feature/Shivaanica-IT23276628/init-setup (root-commit) 56cf28a] Init npm and add app.js
 2 files changed, 13 insertions(+)
 create mode 100644 app.js
 create mode 100644 package.json
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git push -u origin feature/Shivaanica-IT23276628/init-setup

```



SE3040-lab03

Public

 Pin
  Watch 0
  Fork 0
  Star 0

 feature/Shivaanica-IT23276628/init...
  1 Branch
  0 Tags

Add file

Code

About

No description, website, or topics provided

 Activity
  0 stars
  0 watching
  0 forks

Releases

 Shivaanica15
 Init npm and add app.js
 56c128a · 2 minutes ago
 1 Commit

app.js	Init npm and add app.js	2 minutes ago
package.json	Init npm and add app.js	2 minutes ago

 README

Switch branches/tags

Find or create a branch...

Branches

Tags

✓ feature/Shivaanica-IT23276628/in...

default

View all branches

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell + v [ ] [ ] ... | [ ] >

• [feature/Shivaanica-IT23276628/init-setup e7e7e60] Add README
  1 file changed, 2 insertions(+)
  create mode 100644 README.md
• PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 369 bytes | 369.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Shivaanica15/SE3040-lab03.git
   56cf28a..e7e7e60 feature/Shivaanica-IT23276628/init-setup -> feature/Shivaanica-IT23276628/init-setup
• PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git branch main
• PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git push -u origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'main' on GitHub by visiting:
remote:   https://github.com/Shivaanica15/SE3040-lab03/pull/new/main
remote:
To https://github.com/Shivaanica15/SE3040-lab03.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
• PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
• PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> 
```

Add Node .gitignore #1

 Open Shivaanica15 wants to merge 1 commit into `feature/Shivaanica-IT23276628/init-setup` from `main` 

 Conversation 0  Commits 1  Checks 0  Files changed 1



Shivaanica15 commented 7 minutes ago

Owner ...

No description provided.



Add Node .gitignore

65fc46e



No conflicts with base branch

Merging can be performed automatically.

Merge pull request

You can also merge this with the command line. [View command line instructions.](#)

Still in progress? [Convert to draft](#)



Commit message

Merge pull request #1 from Shivaanica15/main

Extended description

Add Node .gitignore

Commit email

vasanthakumarshivaanica@gmail.com ↕

Confirm merge

Cancel

Still in progress? [Convert to draft](#)



Add Node .gitignore #1

Shivaanica15 merged 1 commit into [feature/Shivaanica-IT23276628/init-setup](#) from [main](#)



Add Node .gitignore

65fc46e



Pull request successfully merged and closed

You're all set — the [main](#) branch can be safely deleted.

Delete branch



Add a comment

Write

Preview

H B I @

Add your comment here...

Markdown is supported

Paste, drop, or click to add files

Comment

Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

ProTip! Add [.patch](#) or [.diff](#) to the end of URLs for Git's plaintext views.

powershell + ▾ [icon] [icon] ... | [icon] [icon]

```

>> fs.readFile('file.txt', 'utf8', function (err, data) {
>>   if (err) throw err;
>>   console.log(data);
>> });
>> '@ | Set-Content examples\01-read-file.js
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> '@'
>> Hello from file.txt
>> '@ | Set-Content file.txt
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> node examples\01-read-file.js
Hello from file.txt

PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git add examples\01-read-file.js file.txt
warning: in the working copy of 'examples/01-read-file.js', LF will be replaced by CRLF the next time Gi
t touches it
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git commit -m "Add read file example"
[feature/Shivaanica-IT23276628/read-file 36df676] Add read file example
2 files changed, 6 insertions(+)
create mode 100644 examples\01-read-file.js
create mode 100644 file.txt
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git push -u origin feature/Shivaanica-IT2327662
8/read-file
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (5/5), 613 bytes | 613.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/Shivaanica-IT23276628/read-file' on GitHub by visiting:
remote:   https://github.com/Shivaanica15/SE3040-lab03/pull/new/feature/Shivaanica-IT23276628/read-fi
le
remote:
To https://github.com/Shivaanica15/SE3040-lab03.git
* [new branch]   feature/Shivaanica-IT23276628/read-file -> feature/Shivaanica-IT23276628/read-file
branch 'feature/Shivaanica-IT23276628/read-file' set up to track 'origin/feature/Shivaanica-IT23276628/r
ead-file'.
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>

```

```

PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git checkout feature/Shivaanica-IT23276628/read-file
● Switched to branch 'feature/Shivaanica-IT23276628/read-file'
Your branch is up to date with 'origin/feature/Shivaanica-IT23276628/read-file'.
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>
○ PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> # if the commit is not on this branch yet, cherry-pick it:
● PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git cherry-pick b671a11
○ On branch feature/Shivaanica-IT23276628/read-file
Your branch is up to date with 'origin/feature/Shivaanica-IT23276628/read-file'.

You are currently cherry-picking commit b671a11.
  (all conflicts fixed: run "git cherry-pick --continue")
  (use "git cherry-pick --skip" to skip this patch)
  (use "git cherry-pick --abort" to cancel the cherry-pick operation)

nothing to commit, working tree clean
The previous cherry-pick is now empty, possibly due to conflict resolution.
If you wish to commit it anyway, use:

    git commit --allow-empty

Otherwise, please use 'git cherry-pick --skip'
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>
○ PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git push -u origin feature/Shivaanica-IT23276628/read-file
● 8/read-file
branch 'feature/Shivaanica-IT23276628/read-file' set up to track 'origin/feature/Shivaanica-IT23276628/read-file'.
Everything up-to-date
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git checkout main
● Switched to branch 'main'
warning: cancelling a cherry picking in progress
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git branch --unset-upstream
● PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git branch -u origin/main
● branch 'main' set up to track 'origin/main'.
○ PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>

```

Add submission

File submissions

Maximum file size: 10 MB, maximum number of files: 1

 Add...



You can drag and drop files here to add them.

Save changes

Cancel

```
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git checkout feature/Shivaanica-IT23276628/read-file
● Switched to branch 'feature/Shivaanica-IT23276628/read-file'
Your branch is up to date with 'origin/feature/Shivaanica-IT23276628/read-file'.
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git status -sb
● ## feature/Shivaanica-IT23276628/read-file...origin/feature/Shivaanica-IT23276628/read-file
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git log --oneline -n 1
● 36df676 (HEAD -> feature/Shivaanica-IT23276628/read-file, origin/feature/Shivaanica-IT23276628/read-file)
Add read file example
● PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> New-Item -ItemType Directory -Path examples -Force | Out-Null
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>
○ PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> '@'
>> const fs = require('fs');
>> fs.readFile('file.txt', 'utf8', function (err, data) {
>>   if (err) throw err;
>>   console.log(data);
>> });
>> '@ | Set-Content examples\01-read-file.js
● PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>
○ PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> '@'
>> Hello from file.txt
>> '@ | Set-Content file.txt
● PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>
○ PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> node examples\01-read-file.js
● Hello from file.txt

PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03>
○ PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git add examples\01-read-file.js file.txt
● warning: in the working copy of 'examples/01-read-file.js', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git commit -m "Add read file example"
○ On branch feature/Shivaanica-IT23276628/read-file
Your branch is up to date with 'origin/feature/Shivaanica-IT23276628/read-file'.

nothing to commit, working tree clean
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git push
● Everything up-to-date
○ PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> [ ]
```



```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell + - [ ] [X] ... | [ ] [X] X

Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (5/5), 620 bytes | 310.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Shivaanica15/SE3040-lab03.git
   65fc46e..4755a31 feature/Shivaanica-IT23276628/write-file -> feature/Shivaanica-IT23276628/write-file
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git cherry-pick --skip
error: no cherry-pick in progress
fatal: cherry-pick failed
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git branch --unset-upstream
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git branch -u origin/main
branch 'main' set up to track 'origin/main'.
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git reset --hard origin/main
HEAD is now at 65fc46e Add Node .gitignore
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git pull
Already up to date.
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> git pull
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (5/5), 2.11 KiB | 134.00 KiB/s, done.
From https://github.com/Shivaanica15/SE3040-lab03
   1cc7be9..cbcd42c feature/Shivaanica-IT23276628/init-setup -> origin/feature/Shivaanica-IT23276628/init-setup
   4755a31..1d973c8 feature/Shivaanica-IT23276628/write-file -> origin/feature/Shivaanica-IT23276628/write-file
Already up to date.
PS C:\Users\Vasanthakumar\Documents\GitHub\SE3040-lab03> 
```

Manage access

Add people

☐ Select all

Type ▾

Find a collaborator...



NirugikaSelvarajah

Awaiting NirugikaSelvarajah's response

Pending Invite



< Previous Next >