


# EXPERIMENT-2

## c-prog in Linux

1. Enter editing mode by using any editor like VI editor or nano. In this case I will be using vi editor
2. Use the command vi "name of the file".c to enter editing mode
3. Press "I" to enter editing mode and then type the code

```
#include <stdio.h>
#define PI 3.14
int main() {
    float radius, area;
    printf("Enter your radius: ");
    scanf("%f", &radius);
    area = PI*radius*radius;
    printf("Area of Circle: %f", area);
    return 0;
}
```

4. From running this code we will get an answer for the area of the circle where Radius(R) is 5 and the formulae is  $PI \times radius \times radius$
6. Then we will exit the file by pressing esc to exit the editing mode and entering command mode then type ":wq"
7. Then we will show the different compiling stages of this program with the answer

A terminal window with a dark background and a light blue title bar. The title bar contains icons for various applications and a tab bar with tabs numbered 1, 2, 3, 4, and a terminal icon. The terminal window has a menu bar with 'Session', 'Actions', 'Edit', 'View', and 'Help'. The prompt is '(kali@kali)-[~]'. The command 'ls -l' has been executed, showing a directory listing. The output shows a total size of 88. The files and directories listed are: 'area' (16008 bytes, Aug 17 07:43), 'area.c' (193 bytes, Aug 17 07:36), 'area.i' (21526 bytes, Aug 17 07:43), 'area.o' (1696 bytes, Aug 17 07:43), 'area.s' (1122 bytes, Aug 17 07:43), 'Desktop' (4096 bytes, Aug 12 14:39), 'Documents' (4096 bytes, Aug 12 14:33), 'Downloads' (4096 bytes, Aug 12 14:33), 'Music' (4096 bytes, Aug 12 14:33), 'Pictures' (4096 bytes, Aug 17 07:40), 'Projects' (4096 bytes, Aug 12 14:33), 'Public' (4096 bytes, Aug 12 14:33), 'Templates' (4096 bytes, Aug 12 14:33), and 'Videos' (4096 bytes, Aug 12 14:33). The prompt is now '\$ ' with a cursor.

```
(kali@kali)-[~]  
$ ls -l  
total 88  
-rwxrwxr-x 1 kali kali 16008 Aug 17 07:43 area  
-rw-rw-r-- 1 kali kali 193 Aug 17 07:36 area.c  
-rw-rw-r-- 1 kali kali 21526 Aug 17 07:43 area.i  
-rw-rw-r-- 1 kali kali 1696 Aug 17 07:43 area.o  
-rw-rw-r-- 1 kali kali 1122 Aug 17 07:43 area.s  
drwxr-xr-x 4 kali kali 4096 Aug 12 14:39 Desktop  
drwxr-xr-x 2 kali kali 4096 Aug 12 14:33 Documents  
drwxr-xr-x 2 kali kali 4096 Aug 12 14:33 Downloads  
drwxr-xr-x 2 kali kali 4096 Aug 12 14:33 Music  
drwxr-xr-x 2 kali kali 4096 Aug 17 07:40 Pictures  
drwxr-xr-x 2 kali kali 4096 Aug 12 14:33 Projects  
drwxr-xr-x 2 kali kali 4096 Aug 12 14:33 Public  
drwxr-xr-x 2 kali kali 4096 Aug 12 14:33 Templates  
drwxr-xr-x 2 kali kali 4096 Aug 12 14:33 Videos  
  
(kali@kali)-[~]  
$
```

In this area.i, area.o, area.s are different compiling stages us humans can only edit the area.i stage rest are in binary or other language for the system to understand and if we edit them incorrectly the whole process will be ruined