

Shival-Gupta / address-resolution-platform ▾

🔍 Type / to search

<> Code

⌚ Issues

🔗 Pull requests

🔗 Agents

⌚ Actions

📁 Projects

📖 Wiki

🛡 Security and quality

📈 Insights

⚙ Settings



address-resolution-platform

Public

📌 Pin

👁 Watch

0

▾

🍴 Fork

0

▾

★ Star

0

▾

About

⚙

High-performance enterprise address resolution & deduplication engine with multi-tier fuzzy matching and ML reranking.

[🔗 projects.shivalgupta.me/address-resolution-platform/](https://projects.shivalgupta.me/address-resolution-platform/)

- 📖 Readme
- 📄 MIT license
- 👥 Contributing
- 🛡 Security policy
- 📈 Activity
- ★ 0 stars
- 👁 0 watching
- 🍴 0 forks

Releases

- 🏷 1 tag
- [Create a new release](#)

Packages

No packages published

[Publish your first package](#)


Contributors 1



Shival-Gupta

Shival Gupta

Languages



m..

1 Branch

1 Tag

Go to file

T

Go to file

Add file

<> Code

 Shival-Gupta	presentation upload	aec3f99 · 3 minutes ago	7 Commits
	.github	docs: add MIT license, security policy, PR te...	last week
	app	fix(orchestrator): initialize fused_matches a...	3 weeks ago
	scripts	feat(core): complete address resolution plat...	3 weeks ago
	tests	feat(core): complete address resolution plat...	3 weeks ago
	.cursorrules	feat(core): complete address resolution plat...	3 weeks ago
	.env.example	feat(core): complete address resolution plat...	3 weeks ago
	.gitignore	feat(core): complete address resolution plat...	3 weeks ago
	AGENTS.md	feat(core): complete address resolution plat...	3 weeks ago
	CLAUDE.md	feat(core): complete address resolution plat...	3 weeks ago
	CONTEXT.md	feat(core): complete address resolution plat...	3 weeks ago
		feat(core): complete address resolution plat...	3 weeks ago

 CONTRIBUTING.md		
 Dockerfile	feat(core): complete address resolution plat...	3 weeks ago
 GEMINI.md	feat(core): complete address resolution plat...	3 weeks ago
 LICENSE	docs: add MIT license, security policy, PR te...	last week
 README.md	docs: add comprehensive walkthrough.md ...	3 weeks ago
 SECURITY.md	docs: add MIT license, security policy, PR te...	last week
 TODO.md	feat(core): complete address resolution plat...	3 weeks ago
 architecture.md	feat(core): complete address resolution plat...	3 weeks ago
 docker-compose.yml	feat(core): complete address resolution plat...	3 weeks ago
 implementation_plan.md	feat(core): complete address resolution plat...	3 weeks ago
 index.html	website update	9 minutes ago
 presentation.pdf	presentation upload	3 minutes ago
 presentation.pptx	presentation upload	3 minutes ago
 pyproject.toml	feat(core): complete address resolution plat...	3 weeks ago
 requirements.txt	feat(core): complete address resolution plat...	3 weeks ago
 walkthrough.md	docs: add comprehensive walkthrough.md ...	3 weeks ago

 **README**

 Contributing

 MIT license

 Security



Address Resolution Platform

Enterprise GIS Address Disambiguation & Hybrid Search Engine

 CI   python  3.11+  FastAPI  0.111+  Pydantic  V2  License  MIT

Classification: Production Enterprise System — SAP S/4HANA & GIS Integration

SLA: p95 < 20ms (Tier 1), p95 < 80ms (Tier 2), p99 < 250ms (Tier 3), Uptime 99.9%

Status: Production-Ready — v1.0.0

 Deep Dive Documentation: [Read the Full System Architecture & Walkthrough Guide](#)

What is This Platform?

Enterprise ERP systems (SAP S/4HANA) and spatial databases (GIS PostGIS) require canonical, structured premise identifiers (`PR-{{PINCODE}}-{{PREMISE_NO}}-{{FLAT_NO}}`). In real-world operations across India and emerging markets, user-submitted address data is unstructured, unordered abbreviated, and contains spelling inconsistencies.

This platform provides **sub-20ms address disambiguation** at consumer-grade UX quality with enterprise accuracy for billing and spatial mapping.

Canonical Resolution Example

```
Input 1: "#7-B, 42, M. Gandhi Rd., Patna (800001)"
Input 2: "Flat 7B, 42 Gandhi Rd., 800001 Patna, Bihar, India"
Input 3: "42 MG Rd, #7B, Patna, BR 800001, IN"
Input 4: "7B - 42 MG Road, Patna 800001, Bihar"
Input 5: "42/7B MG Rd, Patna-800001"
```

All Resolve Deterministically To ->



SAP Premise ID: PR-800001-42-7B

Canonical Address: 42 Mahatma Gandhi Road, Flat 7B, Patna, Bihar 800001, India

4-Tier Cascaded Funnel Architecture

Raw Address Query

- [Tier 0: Normalizer & Slot Extractor]
 - Regex tokenization, slot extraction (premise, flat, PIN, locality)
 - Indian abbreviation dictionary (60+ thoroughfare & state rules)
 - Spatial Partitioning by 6-digit PIN code (candidate pool $\leq 15,000$)
- [Tier 1: DuckDB Lexical Engine]
 - RapidFuzz Token Set Ratio (60%) + Character Trigram Similarity (40%)
 - Auto-resolves if confidence ≥ 0.92 (p95: 1.25ms | \$0.00 cost)
- [Tier 2: Semantic Vector Engine]
 - Number-Blindness Guardrail (hard-filter premise_number & flat_no)
 - Dense vector embeddings (google-genai text-embedding-004)
 - Reciprocal Rank Fusion (RRF k=60)
 - Auto-resolves if confidence ≥ 0.88 (p95: 15.0ms)
- [Tier 3: LLM Disambiguator & Circuit Breaker]
 - Structured output disambiguation with Gemini Flash
 - CLOSED / OPEN / HALF_OPEN state machine
 - Fail-open graceful degradation to Tier 1/2 results on outage

For complete technical specifications, see [walkthrough.md](#).

 Empirical Benchmark Results

Evaluated against the synthetic Indian address permutation test suite:

Search Method	Accuracy (%)	p50 Latency (ms)	p95 Latency (ms)	p99 Latency (ms)	SLA Target Met
Greedy Exact Match	5.00%	0.20 ms	0.50 ms	0.80 ms	—
Vanilla Levenshtein	55.00%	4.50 ms	8.00 ms	12.00 ms	—
Tier 1 (DuckDB + RapidFuzz)	96.80%	1.26 ms	34.19 ms	37.31 ms	Target ≥ 87 (Passed)
Tier 1 + Tier 2 (Lexical + Semantic)	100.00%	1.32 ms	35.86 ms	38.40 ms	Target ≥ 98 (Passed)

 Quick Start & Run Instructions

1. Local Development

```
# 1. Clone repository
git clone https://github.com/Shival-Gupta/address-resolution-platform.git
cd address-resolution-platform

# 2. Setup virtual environment
python -m venv .venv
.venv\Scripts\activate      # Windows
# source .venv/bin/activate # Linux / macOS

# 3. Install dependencies
pip install -r requirements.txt
```



```
# 4. Copy environment settings
cp .env.example .env

# 5. Generate mock dataset (1,000 records + 8,000 permutations)
python app/db/mock_data.py --records 1000 --seed 42

# 6. Start development server
uvicorn app.main:app --reload --host 0.0.0.0 --port 8000
```

2. Docker & Containerized Execution

```
# Build and run containerized server
docker-compose up --build -d

# Verify health status
curl http://localhost:8000/health
```



API Usage & Endpoints

All endpoints are protected via `X-API-Key: test_api_key` OR `Authorization: Bearer test_api_key`.

Method	Endpoint	Description	SLA
POST	/v1/resolve	Full 4-tier cascaded address resolution returning SAP ID	< 80ms
POST	/v1/suggest	Fast typeahead suggestions (Tier 1 Lexical only)	< 20ms
POST	/v1/batch	Queue asynchronous batch resolution job (202 Accepted)	Background
GET	/v1/health	System readiness, DuckDB record counts, and Circuit Breaker state	< 5ms
GET	/v1/metrics	Observability & OpenTelemetry metrics	< 5ms

Resolve Example (POST /v1/resolve)

```
curl -X POST http://localhost:8000/v1/resolve \  
-H "X-API-Key: test_api_key" \  
-H "Content-Type: application/json" \  
-d '{  
  "raw_address": "Flat 7B, 42 Gandhi Rd., 800001 Patna, Bihar, India"  
'
```

Response (200 OK):

```
{  
  "query": "Flat 7B, 42 Gandhi Rd., 800001 Patna, Bihar, India",  
  "candidates": [  
    {  
      "sap_premise_id": "PR-800001-42-7B",  
      "canonical_address": "42 Mahatma Gandhi Road, Flat 7B, Patna, Bihar 800001, India",  
      "confidence_score": 0.9412,  
      "match_tier": 1,  
      "confidence_degraded": false,  
      "match_rationale": null  
    }  
  ],  
  "resolved": {  
    "sap_premise_id": "PR-800001-42-7B",  
    "canonical_address": "42 Mahatma Gandhi Road, Flat 7B, Patna, Bihar 800001, India",  
    "confidence_score": 0.9412,  
    "match_tier": 1,  
    "confidence_degraded": false,  
    "match_rationale": null  
  },  
  "latency_ms": 1.35,  
  "tiers_invoked": [0, 1],  
  "pincode_missing": false  
}
```



Testing & Code Quality

```
# Run full unit and integration test suite (96 tests)
pytest tests/ -v --tb=short

# Run benchmark evaluation
python scripts/benchmark.py --output table

# Strict linter and formatter
ruff check app/ tests/ scripts/
ruff format --check app/ tests/ scripts/

# Strict static type checking
mypy app/ --strict
```



Guide for Future AI Agents & Developers

When extending or maintaining this repository:

1. Review the architectural blueprints in [walkthrough.md](#) and [CONTEXT.md](#) .
2. Read [AGENTS.md](#) for role and scope boundaries.
3. Strict invariants:
 - **Number-Blindness Guardrail:** Never run cosine distance without pre-filtering on premise/flat numbers.
 - **Circuit Breaker:** Always preserve fail-open degradation for external AI calls.
 - **Pydantic V2:** Always use `model_validate()` and `model_dump()` , frozen schemas only.