



NOTES: UNLESS OTHERWISE SPECIFIED:


1. APPLICABLE STANDARDS/SPECIFICATIONS:
ASME Y14.5-2009, DIMENSIONING AND TOLERANCING.
ASME Y14.38-1999, ABBREVIATIONS AND ACRONYMS.
APPLIED MATERIALS 0251-05096: INCH/MILLIMETER
CONVERSION PROCEDURE.
2. SHALL COMPLY WITH PRODUCT EHS REQUIREMENTS
PER APPLIED MATERIALS 0250-27105.
3. APPLIED MATERIALS PACKAGING ENGINEERING MUST
APPROVE ALL ENGINEERING CHANGES.
4. IF EXACT NOMINAL SIZES DUE TO METRIC EQUIVALENTS
ARE NOT AVAILABLE FOR ITEMS WHERE DIMENSIONS ARE
NOT CRITICAL SUCH AS CLEATS/LUMBER, METRIC
SUBSTITUTIONS ARE PERMITTED. CONSULT PACKAGING
ENGINEERING FOR CLARIFICATIONS OF CRITICAL VS.
NON-CRITICAL DIMENSIONS.
5. CRATING AND STENCILING PER APPLIED MATERIALS
0251-70054, LOCATIONS APPROXIMATELY WHERE SHOWN.
LEAVE ONE LINE OF BLANK SPACE ABOVE CAP STENCIL AS
A PLACEHOLDER FOR ASSY STENCIL, IF USED.
6. LABELING MUST BE PER APPLIED MATERIALS 0251-07710.
7. MUST MEET GENERAL PACKAGING REQUIREMENTS PER
APPLIED MATERIALS 0250-00098.




DETAIL J



6	13		KLIMP #4	(TC2-5306577)
5	1		TOP PANEL ASSY, .25 IN PLYWOOD, CLEATED PER 0251-70054	(TC2-5306597)
4	1		RIGHT END PANEL ASSY, .25 IN PLYWOOD, CLEATED PER 0251-70054	(TC2-5306558)
3	1		LEFT END PANEL ASSY, .25 IN PLYWOOD, CLEATED PER 0251-70054	(TC2-5306586)
2	1		BACK PANEL ASSY, .25 IN PLYWOOD, CLEATED PER 0251-70054	(TC2-5306554)
1	1		FRONT PANEL ASSY, .25 IN PLYWOOD, CLEATED PER 0251-70054	(TC2-5306601)
ITEM	QTY	PART NO.	DESCRIPTION	TcENG NO.

APPROVALS	DATE	TOLERANCES	<div> APPLIED MATERIALS® 3050 BOWERS AVE., SANTA CLARA, CA 95054</div> <div>TITLE CRATE CAP, ID 46.00 x 38.00 x 91.50 IN</div> <div>SIZE <input type="checkbox"/> PART NO. 0205-13058 REV. 01</div> <div>WEIGHT -- LB REF SHEET 1 OF 6</div> <div>TcENG NO. TC2-5306534</div>
DESIGNED BY Keelyn Nori	19-Apr-2025	DECIMALS .XX ± .12 ANGLES ± 1° SURFACES <input checked="" type="checkbox"/>	
DRAWN BY Keelyn Nori	19-Apr-2025	.XXX ±	
REVISED BY Keelyn Nori	19-Apr-2025	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES, REMOVE BURRS AND SHARP EDGES.	
MFG ENGR	.	MATERIAL SEE BOM	
CHECKED BY	.	FINISH NONE	
THIRD ANGLE PROJECTION			
APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.			






TITLE
CRATE CAP, ID 46.00 x 38.00 x 91.50 IN

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.

SIZE	IPART NO.	REV.
D	0205-13058	01
WEIGHT	--LB REF	SHEET 2 OF 6


TcENG NO. TC2-5306534



TITLE
CRATE CAP, ID 46.00 x 38.00 x 91.50 IN

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT
AND THE INFORMATION CONTAINED IN IT ARE
CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED
IN WHOLE OR IN PART WITHOUT THE EXPRESS
WRITTEN CONSENT OF APPLIED MATERIALS INC.

SIZE	D	PART NO.	0205-13058	REV	01
WEIGHT	- - LB REF			SHEET	3 OF 6
TcENG NO.		TC2-5306534		1	




TITLE
CRATE CAP, ID 46.00 x 38.00 x 91.50 IN

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.

SIZE	IPART NO.	REV.
D	0205-13058	01
WEIGHT	--LB REF	SHEET 4 OF 6

TcENG NO. TC2-5306534



TITLE
CRATE CAP, ID 46.00 x 38.00 x 91.50 IN

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.

SIZE	D	IPART NO.	0205-13058	REV.	01
WEIGHT	--LB REF				SHEET 5 OF 6

TCENG NO. TC2-5306534

