





NOTES: UNLESS OTHERWISE SPECIFIED:


1. APPLICABLE STANDARDS/SPECIFICATIONS:  
ASME Y14.5-2009, DIMENSIONING AND TOLERANCING.  
ASME Y14.38-1999, ABBREVIATIONS AND ACRONYMS.  
APPLIED MATERIALS 0251-05096: INCH/MILLIMETER CONVERSION PROCEDURE
2. SHALL COMPLY WITH PRODUCT EHS REQUIREMENTS PER APPLIED MATERIALS 0250-27105
3. APPLIED MATERIALS PACKAGING ENGINEERING MUST APPROVE ALL ENGINEERING CHANGES
4. IF EXACT NOMINAL SIZES DUE TO METRIC EQUIVALENTS ARE NOT AVAILABLE FOR ITEMS WHERE DIMENSIONS ARE NOT CRITICAL SUCH AS CLEATS / LUMBER, METRIC SUBSTITUTIONS ARE PERMITTED. CONSULT PACKAGING ENGINEERING TO CLARIFY CRITICAL VS. NON- CRITICAL DIMENSIONS
5. CRATING AND STENCILING PER APPLIED MATERIALS 0251-70054, LOCATIONS APPROXIMATELY WHERE SHOWN
6. INSTALL SHEETS OF BARRIER AND POLY FILM PER APPLIED MATERIALS 0251-70054 USING SANDWICH METHOD. DRAPE ITEM 37 OVER PACKED PRODUCT AND VACUUM HEAT SEAL,
7. SECURE PRODUCT IN BLOCKING USING ITEMS 33-35.
8. STD CRATE INSIDE DIMENSIONS (ID In/[mm])      74.63 X 42.50 X 14.00  
   [1896 X 1029 X 356]  
  
STD CRATE OUTSIDE DIMENSIONS (OD In/[mm])    76.63 X 44.50 X 19.25  
   [1946 X 1080 X 489]
9. PRODUCT WEIGHT: LBS / (kg.) 90 / (41)± 5%  
GROSS WEIGHT:    LBS / (kg.) 310 / (141)± 5%
10. ITEMS 18, 19, 37, NOT SHOWN.
11. LABELING MUST BE PER APPLIED MATERIALS 0251-07710
12. MUST MEET GENERAL PACKAGING REQUIREMENTS PER APPLIED MATERIALS 0250-00098



37	1	54.50 X 86.63, BARRIER SHEET	
36	14	KLIMP #4	
35	14	#8 X 2.00, SCREW, F.H., PHIL., ANODIZED	
34	2	.75 X 9.00 X 3.00, HOLD-DOWN, PLYWOOD	
33	2	.75 X 3.00 X 3.00, HOLD-DOWN, PLYWOOD	
32	3	1.50 X 2.50 X 40.88, JOIST, LUMBER	
31	2	.75 X 2.50 X 74.50 CLEAT	
30	1	.75 X 3.50 X 37.50 CLEAT	
29	2	.75 X 3.50 X 69.63 CLEAT	
28	2	.75 X 3.50 X 44.50 CLEAT	
27	1	.25 X 44.50 X 76.62 PANEL	
26	6	.75 X 3.50 X 7.75 CLEAT	
25	4	.75 X 3.50 X 76.62 CLEAT	
24	2	.25 X 14.75 X 76.62 PANEL	
23	2	.75 X 3.50 X 11.25 CLEAT	
22	4	.75 X 3.50 X 35.50 CLEAT	
21	4	.75 X 3.50 X 18.25 CLEAT	
20	2	.25 X 42.50 X 18.25 PANEL	
19	1	82.50 X 114.62, BARRIER SHEET	
18	2	.004 X 82.50 X 114.62, POLY SHEET, CLEAR	
17	1	1.50 X 3.50 X 7.00, BLOCKING, LUMBER	
16	2	.25 X 1.250 X 10.000, FOAM LINING	
15	2	.25 X 2.000 X 10.000, FOAM LINING	
14	2	1.50 X 3.00 X 10.00, BLOCKING, LUMBER	
13	2	1.50 X 2.00 X 10.00, BLOCKING, LUMBER	
12	2	.25 X 1.250 X 14.000, FOAM LINING	
11	2	.25 X 3.500 X 14.000, FOAM LINING	
10	2	1.50 X 3.00 X 14.00, BLOCKING, LUMBER	
9	2	1.50 X 3.50 X 14.00, BLOCKING, LUMBER	
8	4	.25 X 1.750 X 12.000, FOAM LINING	
7	4	.25 X 3.500 X 12.000, FOAM LINING	
6	8	1.50 X 3.50 X 12.00, BLOCKING, LUMBER	
5	8	1.50 X 5.00 X 3.50, BLOCKING, LUMBER	
4	4	1.50 X 5.00 X 12.00, BLOCKING, LUMBER	
3	2	.75 X 2.50 X 5.00, RISER, PLYWOOD	
2	1	.75 X 42.50 X 74.62, DECK, PLYWOOD	
1	3	3.50 X 3.50 X 44.50, SKID, LUMBER	

Item No	Qty	Description					
APPROVALS		DATE	TOLERANCES		<div> APPLIED MATERIALS<sup>®</sup></div> <div>3050 BOWERS AVE., SANTA CLARA, CA 95054</div> <div>TITLE</div> <div>CRATE, MANUAL IO DOOR AND WASP, 2.5K DLG</div>		
DESIGNED BY Keelny Nori		05 - Mar- 2024	DECIMALS XX ± 12	ANGLES ± °			
DRAWN BY Keelny Nori		05 - Mar- 2024					
REVISED BY Name		DD - MMM- YYYY	UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES. REMOVE BURRS AND SHARP EDGES.				
MFG ENGINEER Mahadev Vadenayapura		05 - Mar- 2024					
CHECKED BY Name		DD - MMM- YYYY	MATERIAL				
APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESSED WRITTEN CONSENT OF APPLIED MATERIALS, INC.			SEE BOM				
FINISH			NONE		SIZE	PART NO D 0205 - 10967	
					WEIGHT	REV 01	
					- LB REF Sheet1 Of 5		





8

7

6

5


4

3


2


1


END PANEL ITEMS 20-23 LAYOUT



SIDE PANEL ITEMS 24-26 LAYOUT





APPLIED MATERIALS<sup>®</sup>

3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE

CRATE, MANUAL IO DOOR  
AND WASP, 2.5K DLG

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.				SIZE	D	PART NO.	0205 - 10967	REV	01
				WEIGHT	- LB REF			Sheet4 OF 5	

8

7

6

5

4

3

2



1

D

C

B

A



8

7

6


5

4

3

2

1

APPLIED MATERIALS<sup>®</sup>  
3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE  
CRATE, MANUAL IO DOOR  
AND WASP, 2.5K DLG

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.	SIZE D	PART NO. 0205 - 10967	REV 01
WEIGHT - LB REF		Sheet5 OF 5	