



ECO	STATUS


NOTES: UNLESS OTHERWISE SPECIFIED:


1. APPLICABLE STANDARDS/SPECIFICATIONS:  
ASME Y14.5-2009, DIMENSIONING AND TOLERANCING.  
ASME Y14.38-1999, ABBREVIATIONS AND ACRONYMS.  
APPLIED MATERIALS 0251-05096: INCH/MILLIMETER  
CONVERSION PROCEDURE
2. SHALL COMPLY WITH PRODUCT EHS REQUIREMENTS PER  
APPLIED MATERIALS 0250-27105.
3. APPLIED MATERIALS PACKAGING ENGINEERING MUST  
APPROVE ALL ENGINEERING CHANGES.
4. IF EXACT NOMINAL SIZES DUE TO METRIC EQUIVALENTS  
ARE NOT AVAILABLE FOR ITEMS WHERE DIMENSIONS ARE  
NOT CRITICAL SUCH AS CLEATS/LUMBER, METRIC  
SUBSTITUTIONS ARE PERMITTED. CONSULT PACKAGING  
ENGINEERING FOR CLARIFICATIONS OF CRITICAL VS.  
NON-CRITICAL DIMENSIONS.
5. CRATING AND STENCILING PER APPLIED MATERIALS  
0251-70054, LOCATIONS APPROXIMATELY WHERE SHOWN.
6. STD CRATE INSIDE DIMS ID (IN/MM): 94.00 X 52.00 X 10.00 IN  
(2388 X 1321 X 254 MM )  
STD CRATE OUTSIDE DIMS OD (IN/MM): 96.00 X 54.00 X 19.00 IN  
(2438 X 1372 X 483 MM )
7. PRODUCT WEIGHT: LBS/ (kg.) 250 / (113) +- 5%  
GROSS WEIGHT: LBS/ (kg.) 510 / (232) +- 5%
8. LABELING MUST BE PER APPLIED MATERIALS 0251-07710.
9. FLOORBOARD QUANTITY AND WIDTH CAN BE SUBSTITUTED  
BASED ON AVAILABILITY.
10. MUST MEET GENERAL PACKAGING REQUIREMENTS PER  
APPLIED MATERIALS 0250-00098.
11. ITEMS 23-26 NOT SHOWN.



27	16	KLIMP #4	
26	1	1D 94.00 X 52.00 X 10.00 BARRIER BAG	
25	1	106.00 X 64.00 BARRIER SHEET	
24	2	TILTWATCH XTR WITH COMPANION LABEL	
23	2	SHOCK WATCH 2 - 50G W/ COMPANION LABEL	
22	16	3/8 FLAT WASHER, ZN-PLATED STEEL	
21	16	3/8 X 3.00 LAG SCREW, ZN-PLATED STEEL	
20	1	1.00 X 48.00 X 94.00 FOAM, EPE, 2.2 PCF	
19	3	0.75 X 3.50 X 47.00 CLEAT	
18	2	0.75 X 3.50 X 54.00 CLEAT	
17	2	0.75 X 3.50 X 89.00 CLEAT	
16	2	0.25 X 48.00 X 54.00 PANEL, PLYWOOD	
15	2	1.00 X 9.00 X 94.00 FOAM, EPE, 2.2 PCF	
14	10	0.75 X 3.50 X 8.00 CLEAT	
13	4	0.75 X 3.50 X 96.00 CLEAT	
12	2	0.25 X 15.00 X 96.00 PANEL, PLYWOOD	
11	2	1.00 X 9.00 X 50.00 FOAM, EPE, 2.2 PCF	
10	2	0.75 X 3.50 X 4.50 CLEAT	
9	4	0.75 X 3.50 X 11.50 CLEAT	
8	4	0.75 X 3.50 X 45.00 CLEAT	
7	2	0.25 X 11.50 X 52.00 PANEL, PLYWOOD	
6	1	1.00 X 48.00 X 92.00 FOAM, EPE, 2.2 PCF	
5	1	1.50 X 4.00 X 52.00 FLOORBOARD, LUMBER	
4	8	1.50 X 11.25 X 52.00 FLOORBOARD, LUMBER	
3	2	3.50 X 3.50 X 96.00 SKID, LUMBER	
2	6	1.50 X 4.50 X 16.00 RUB STRIP, LUMBER	
1	6	1.50 X 4.50 X 16.00 RUB STRIP, CHAMFERED, LUMBER	

ITEM		QTY	DESCRIPTION				TC PART No.							
APPROVALS			DATE		TOLERANCES			<div> <b>APPLIED MATERIALS®</b></div> <div>3050 BOWERS AVE., SANTA CLARA, CA 95054</div> <div>TITLE:</div> <div>CRATE</div> <div>C-SIDE WALL,</div> <div>DLG 2.5K</div>						
DESIGNED BY		C. PETRONE		10/12/2023		DECIMALS   ANGLES   SURFACES								
DRAWN BY						.XX ± .13   ± °   ✓								
REVISED BY						.XX ± .125								
MFG ENGR		K. NORI		10/12/23		UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES. REMOVE BURRS AND SHARP EDGES.								
CHECKED BY							MATERIAL		SEE BOM					
APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS, INC.							FINISH		NONE					
							SIZE		D		PART NO.		0205-10864	
							WEIGHT		510 LBS		SHEET		Sheet 1 of 4	






3050 BOMERS AVE., SANTA CLARA, CA 95054

TITLE  
CRATE  
C-SIDE WALL,  
DLG 2.5K

UNLESS OTHERWISE SPECIFIED:  
ALL DIMENSIONS ARE IN INCHES.  
REMOVE BURRS AND SHARP EDGES.

SIZE D PART NO. 0205-10864 REV 01

WEIGHT 510 LBS SHEET Sheet 3 of 4



3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE

CRATE  
C-SIDE WALL,  
DLG 2.5K

SIZE	D	PART NO.	0205-10864	REV	01
WEIGHT	510 LBS			SHEET	Sheet 4 of 4

UNLESS OTHERWISE SPECIFIED:  
ALL DIMENSIONS ARE IN INCHES.  
REMOVE BURRS AND SHARP EDGES.