DEMO DATA — SYNTHETIC RECORD FOR CAREVOICE DEMONSTRATION PURPOSES ONLY

DEMO - Cedar Valley Care Hospital

Department of Pulmonary Function Laboratory • Accredited Diagnostic Facility

Patient Name: Aarav Demo	**Age / Gender:** 32Y / Male
Investigation: Pulmonary Function Test (Spirometry) Report	**Reported:** 20 Oct 2026
Specimen: Venous Blood / Routine	**Result Status:** FINAL / VERIFIED

Test Results & Biological Reference Intervals:

Test Parameter	Observed Result	Reference Interval	Flag
Forced Vital Capacity (FVC)	**4.62 L (98 % pred)**	>= 80 % predicted	NORMAL
Forced Expiratory Volume in 1s (FEV1)	**3.88 L (96 % pred)**	>= 80 % predicted	NORMAL
FEV1 / FVC Ratio	**84.0 %**	>= 70.0 % (Normal limit)	NORMAL
Forced Expiratory Flow (FEF 25-75%)	**4.10 L/s (92 % pred)**	>= 65 % predicted	NORMAL
Peak Expiratory Flow Rate (PEFR)	**580 L/min**	>= 80 % predicted	NORMAL

Clinical Impression & Medical Notes:

Spirometry demonstrates normal baseline ventilatory volumes and flow rates. No obstructive or restrictive ventilatory impairment observed.

Electronically authenticated via secure laboratory information system.

Authorized Signatory:
Dr. Asha Demo, MD (General Medicine)
Consultant Pathologist / Radiologist