Python Programming Fundamentals Cheat Sheet

Package/Method	Description	Syntax and Code Example
AND	Returns `True` if both statement1 and statement2 are `True`. Otherwise, returns `False`.	Syntax: `1. 1` `1. statement1 and statement2` Copied! Example: `1. 1` `2. 2` `3. 3` `4. 4` `5. 5` `6. 6` `7. 7` `8. 8` `9. 9` `1. marks = 90` `2. attendance_percentage = 87` `3.` `4. if marks >= 80 and attendance_percentage >= 85:` `5.  print("qualify for honors")` `6. else:` `7.  print("Not qualified for honors")` `8.` `9. # Output = qualify for honors` Copied!
Class Definition	Defines a blueprint for creating objects and defining their attributes and behaviors.	Syntax: `1. 1` `1. class ClassName: # Class attributes and methods` Copied! Example: `1. 1` `2. 2` `3. 3` `4. 4` `1. class Person:` `2.  def __init__(self, name, age):` `3.  self.name = name` `4.  self.age = age` Copied!
Define Function	A `function` is a reusable block of code that performs a specific task or set of tasks when called.	Syntax: `1. 1` `1. def function_name(parameters): # Function body` Copied! Example: `1. 1` `1. def greet(name): print("Hello,", name)` Copied!
Equal(==)	Checks if two values are equal.	Syntax: `1. 1` `1. variable1 == variable2` Copied! Example 1: `1. 1` `1. 5 == 5` Copied! returns True Example 2: `1. 1` `1. age = 25 age == 30` Copied! returns False

For Loop	A `for` loop repeatedly executes a block of code for a specified number of iterations or over a sequence of elements (list, range, string, etc.).	Syntax: ``` for variable in sequence: # Code to repeat ``` Copied! Example 1: ``` for num in range(1, 10): print(num) ``` Copied! Example 2: ``` fruits = ["apple", "banana", "orange", "grape", "kiwi"] for fruit in fruits: print(fruit) ``` Copied!
Function Call	A function call is the act of executing the code within the function using the provided arguments.	Syntax: ``` function_name(arguments) ``` Copied! Example: ``` greet("Alice") ``` Copied!
Greater Than or Equal To(>=)	Checks if the value of variable1 is greater than or equal to variable2.	Syntax: ``` variable1 >= variable2 ``` Copied! Example 1: ``` 5 >= 5 and 9 >= 5 ``` Copied! returns True Example 2: ``` quantity = 105 minimum = 100 quantity >= minimum ``` Copied!
Greater Than(>)	Checks if the value of variable1 is greater than variable2.	returns True Syntax: ``` variable1 > variable2 ``` Copied! Example 1: 9 > 6 returns True Example 2: ``` age = 20 max_age = 25 age > max_age ``` Copied!

		returns False Syntax: ``` 1 ``` ``` if condition: #code block for if statement ``` Copied!
If Statement	Executes code block `if` the condition is `True`.	Example: ``` 1 2 ``` ``` if temperature > 30: print("It's a hot day!") ``` Copied!
If-Elif-Else	Executes the first code block if condition1 is `True`, otherwise checks condition2, and so on. If no condition is `True`, the else block is executed.	Syntax: ``` 1 2 3 4 5 6 7 8 ``` ``` if condition1: # Code if condition1 is True elif condition2: # Code if condition2 is True else: # Code if no condition is True ``` Copied! Example: ``` 1 2 3 4 5 6 7 8 9 ``` ``` score = 85 # Example score if score >= 90: print("You got an A!") elif score >= 80: print("You got a B.") else: print("You need to work harder.") # Output = You got a B. ``` Copied!
If-Else Statement	Executes the first code block if the condition is `True`, otherwise the second block.	Syntax: ``` 1 2 ``` ``` if condition: # Code, if condition is True else: # Code, if condition is False ``` Copied! Example: ``` 1 2 3 4 ``` ``` if age >= 18: print("You're an adult.") else: print("You're not an adult yet.") ``` Copied!
Less Than or Equal To(<=)	Checks if the value of variable1 is less than or equal to variable2.	Syntax: ``` 1 ``` ``` variable1 <= variable2 ``` Copied! Example 1: ``` 1 ``` ``` 5 <= 5 and 3 <= 5 ```

		Copied! returns True Example 2: 1. 1 2. 2 3. 3 1. size = 38 2. max_size = 40 3. size <= max_size Copied! returns True
Less Than(<)	Checks if the value of variable1 is less than variable2.	Syntax: 1. 1 1. variable1 < variable2 Copied! Example 1: 1. 1 1. 4 < 6 Copied! returns True Example 2: 1. 1 2. 2 3. 3 1. score = 60 2. passing_score = 65 3. score < passing_score Copied! returns True
Loop Controls	`break` exits the loop prematurely. `continue` skips the rest of the current iteration and moves to the next iteration.	Syntax: 1. 1 2. 2 3. 3 4. 4 5. 5 6. 6 7. 7 1. for: # Code to repeat 2. if # boolean statement 3. break 4. 5. for: # Code to repeat 6. if # boolean statement 7. continue Copied! Example 1: 1. 1 2. 2 3. 3 4. 4 1. for num in range(1, 6): 2. if num == 3: 3. break 4. print(num) Copied! Example 2: 1. 1 2. 2 3. 3 4. 4 1. for num in range(1, 6): 2. if num == 3: 3. continue 4. print(num) Copied!
NOT	Returns `True` if variable is `False`, and vice versa.	Syntax: 1. 1

		1. !variable Copied! Example: 1. 1 1. !isLocked Copied! returns True if the variable is False (i.e., unlocked).
Not Equal(!=)	Checks if two values are not equal.	Syntax: 1. 1 1. variable1 != variable2 Copied! Example: 1. 1 2. 2 3. 3 1. a = 10 2. b = 20 3. a != b Copied! returns True Example 2: 1. 1 2. 2 1. count=0 2. count != 0 Copied! returns False
Object Creation	Creates an instance of a class (object) using the class constructor.	Syntax: 1. 1 1. object_name = ClassName(arguments) Copied! Example: 1. 1 1. person1 = Person("Alice", 25) Copied!
OR	Returns `True` if either statement1 or statement2 (or both) are `True`. Otherwise, returns `False`.	Syntax: 1. 1 1. statement1 || statement2 Copied! Example: 1. 1 2. 2 1. "Farewell Party Invitation" 2. Grade = 12 grade == 11 or grade == 12 Copied! returns True
range()	Generates a sequence of numbers within a specified range.	Syntax: 1. 1 2. 2 3. 3 1. range(stop) 2. range(start, stop) 3. range(start, stop, step) Copied! Example: 1. 1 2. 2 3. 3 1. range(5) #generates a sequence of integers from 0 to 4.

		2. range(2, 10) #generates a sequence of integers from 2 to 9. 3. range(1, 11, 2) #generates odd integers from 1 to 9. Copied! Syntax: 1. 1 1. return value Copied!
Return Statement	`Return` is a keyword used to send a value back from a function to its caller.	Example: 1. 1 2. 2 1. def add(a, b): return a + b 2. result = add(3, 5) Copied!
Try-Except Block	Tries to execute the code in the try block. If an exception of the specified type occurs, the code in the except block is executed.	Syntax: 1. 1 2. 2 1. try: # Code that might raise an exception except 2. ExceptionType: # Code to handle the exception Copied! Example: 1. 1 2. 2 3. 3 4. 4 1. try: 2. num = int(input("Enter a number: ")) 3. except ValueError: 4. print("Invalid input. Please enter a valid number.") Copied!
Try-Except with Else Block	Code in the `else` block is executed if no exception occurs in the try block.	Syntax: 1. 1 2. 2 3. 3 1. try: # Code that might raise an exception except 2. ExceptionType: # Code to handle the exception 3. else: # Code to execute if no exception occurs Copied! Example: 1. 1 2. 2 3. 3 4. 4 5. 5 6. 6 1. try: 2. num = int(input("Enter a number: ")) 3. except ValueError: 4. print("Invalid input. Please enter a valid number") 5. else: 6. print("You entered:", num) Copied!
Try-Except with Finally Block	Code in the `finally` block always executes, regardless of whether an exception occurred.	Syntax: 1. 1 2. 2 3. 3 1. try: # Code that might raise an exception except 2. ExceptionType: # Code to handle the exception 3. finally: # Code that always executes Copied! Example: 1. 1 2. 2 3. 3 4. 4 5. 5 6. 6 7. 7 1. try: 2. file = open("data.txt", "r") 3. data = file.read() 4. except FileNotFoundError: 5. print("File not found.") 6. finally:

```
7.     file.close()
```

Copied!

Syntax:

```
1. 1

1. while condition: # Code to repeat
```

Copied!

While Loop	A `while` loop repeatedly executes a block of code as long as a specified condition remains `True`.

Example:

```
1. 1
2. 2

1. count = 0 while count < 5:
2.     print(count) count += 1
```

Copied!