



Gramin Krishi Mausam Sewa
Agromet Advisory Bulletin for KASGANJ District
Chander Shekhar Azad University of Agriculture & Technology
Kanpur, Uttar Pradesh



Agromet Advisory Bulletin

Date : 2026-05-08

Weather Forecast of District KASGANJ (Uttar Pradesh) Issued On : 2026-05-08 (Valid Till 08:30 IST of the next 5 days)

Parameter	2026-05-09	2026-05-10	2026-05-11	2026-05-12	2026-05-13
Rainfall(mm)	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	35.0	37.0	38.0	39.0	40.0
Tmin(°C)	22.0	24.0	25.0	26.0	26.0
RH-I(%)	79	72	74	73	78
RH-II(%)	51	49	50	48	49
Wind Speed(kmph)	10	11	12	13	12
Wind Direction(Degree)	101	88	102	93	107
Cloud Cover(Octa)	0	0	1	1	2
Warning	No Warning	No Warning	No Warning	No Warning	No Warning

Forecast Summary:

According to the weather forecast received from the Indian Meteorological Department, clear sky weather in the next two days and light cloud cover in remaining days, there is a no possibility rain . The maximum temperature is between 35.0-40.0 °C, which is likely to be 1-2°C lower normal and the minimum temperature is between 22.0-26.0 °C, which is likely to be near its normal. The maximum and minimum range of relative humidity is between 72-79 and 48-51%. Wind direction is south-east, north-east and wind speed is between 10.0-13.0 kmph, with gusts expected to be 4-5 kmph higher speed than normal.

Weather Warnings (Valid Till 08:30 IST of the next day)

According to the weather forecast received from the India Meteorological Department, no weather warning has been issued for the next five days.

Likely impacts of weather warnings on Agriculture and associated Agromet advisories

In view of the prevailing weather conditions, provide light irrigation to summer vegetables and crops as needed to maintain adequate soil moisture. Avoid venturing outdoors unnecessarily during the afternoon hours. When working in the fields, cover your head with a cloth (Gamcha) and ensure you carry a water bottle with you.

General Advisory:

Farmers are advised to maintain proper moisture in standing vegetables and crops by doing light irrigation as per requirement. While working in the field, tie a towel on the head and keep a water bottle with you. Keep the threshed crop grains in a safe place. In view of the severe heat, give water to the animals 3-4 times a day and bathe them in the morning and evening. Use separate equipment for insecticides, fungicides and weedicide chemicals or wash the equipment with clean water and do not spray insecticides, fungicides and weedicide chemicals while standing in the opposite direction of the wind. If possible, spray in the evening, after spraying, wash hands thoroughly with soap or hand wash before eating or drinking and wash clothes and take a bath.

SMS Advisory:

Farmers are advised to maintain adequate moisture in their vegetables and crops by providing light irrigation as needed. They should avoid venturing outdoors unnecessarily during the afternoon hours.

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
MAIZE (Silking)	Keep maize crops free from weeds and maintain adequate soil moisture by providing light irrigation at intervals of 12–15 days, as needed. Since there is a possibility of infestation by stem borers or shoot flies in the maize crop, spray a solution prepared by mixing 200 g/ha of Emamectin Benzoate 5% SG or 1.0 L/ha of Dimethoate 30% EC in 600–700 liters of water to control these pests.
BLACK GRAM (Flower Initiation)	Keep Zaid black gram/green gram crops free from weeds. Thrips/green leaf pest is likely to be seen in black gram crop, so for its prevention, spray Oxidemetan-methyl 25% EC or Dimethoate 30% EC at the rate of 1.0 liter/ha by making a solution in 600-700 liters of water.

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
ONION (Physiological Maturity)	The best time to harvest onions is one week after 50% of the leaves fall. During the summer season, weeding should be done in the crops of vegetables, tomato, brinjal and chilli. In summer, pluck the ready crops of pumpkin, gourd, gourd, karela, cucumber, cucumber, melon, melon etc. and send them to the market.
MANGO (Fruit formation)	Do irrigation work in orchards of mango, guava, lemon plum, grapes, papaya and litchi etc. Irrigate the orchards to prevent fall of mango fruit or apply 4.5 SL of 20 ml alpha naphthalene acetic acid make a solution per liter of water and spray it. To prevent cuckoo disorder or internal rot disease in mango pods, make borax 0.8% solution in 0.8 g / liter water and spray 2 at 10 days interval.

Live Stock Specific Advisory:

Live Stock	Live Stock Specific Advisory
BUFFALO	Considering the current weather, farmers are advised to tie the animals in the open during the night. Tie the animals in a shade time place during the day. Do not tie the animals under the tree because this week the chances of falling trees twigs are high due to the speed of the winds. FMD for the prevention of foot-mouth disease to animal's vaccine and VQ for prevention of Lagadia fever. Give sufficient quantity of grains to the animals with green and dry fodder. Animals must be given clean and fresh water 3-4 times a day. Do not tie pregnant animals to the sloping place. The best time to give anthelmintic drugs for the prevention of insects in the stomach of animals.

Poultry Specific Advisory:

Poultry	Poultry Specific Advisory
HEN	Farmers are advised to add dietary supplements; vitamins and energy feed ingredients to the hens as well as add calcium content to the hen. Give medicine for the prevention of worms in the stomach of hen (Divmirg). To protect the chickens from heat, arrange curtains, fans and ventilation in the hen house. To reduce the temperature of the hen house, cover the roof of the shed with straw.

Likely impacts of weather warnings (General)

According to the weather forecast received from the India Meteorological Department, no weather warning has been issued for the next five days.

Impact based advisories (General)

In view of the prevailing weather conditions, provide light irrigation to summer vegetables and crops as needed to maintain adequate soil moisture. Avoid venturing outdoors unnecessarily during the afternoon hours. When working in the fields, cover your head with a cloth (Gamcha) and ensure you carry a water bottle with you.

Farmers are advised to download Unified “Mausam” and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: <https://play.google.com/store/apps/details/>

Meghdoot MobileApp link: <https://play.google.com/store/apps/details>

Damini MobileApp link : <https://play.google.com/store/apps/details>