#### PROPERTY SITE

apnaGhar



#### **GROUP PROJECT:-**

- 1) Kshitij kishore barya
- 2) Preetam kumar



SUBMITTED TO:- UPINDAR KAUR


# **INTRODUCTION**

- This website will help people all around the world to Search their dream home and sell properties
- apnaGhar is the India's no. 1 property portal, deals with every aspect of the consumer needs In the
- Real-estate Industry. Is a online forum where buyers, Sell and broker and can exchange Information
- About Real-estate properties Quickly, effectively and inexpensively. At apnaGhar, you can advertise
- A property, Search for a property, browse through properties; build your own property microsite.

# **OBJECTIVES**

- This website serves the purpose of buying /selling properties online so that people can easily buy/sell
- The properties from their own comfort zone, We also provide our professional brokers so that if any
- Costumer faces issues it can be helped by our broker's. We provide you homes, apartments, Rooms
- And wooden house on different-different locations over all around the world

## **FLOWCHART**



#### BY PREETAM KUMAR

- ☐ Here the user can see home, buy, Rent and etc feature of website
- ☐ Tags used here are :—
- ☐ Div tag
- ☐ Style tag
- ☐ Hover effect
- ☐ Class
- ☐ Link tag

#### Source code

```
DOCTYPE html
<html lang="en">
   <title>Responsive House Rent Website</title>
  <!-- Link To CSS -->
  (link rel="stylesheet" href="style.css")
  (!- Box Icons --)
  k rel="stylesheet" href="https://cdn.jsdelivr.net/npm/boxicons@latest/css/boxicons.min.css">
body
     <div class="nav container">
         <a href="index.html" class="logo"><i class="fa-solid fa-house"></i>>apnaGhar</a>
         <!-- Menu Icon -->
         kinput type="checkbox" name="" id="menu"
         <label for="menu" <i class='bx bx-menu' id="menu-icon"></i></i></label>
         <!-- Nav List -->
         <a href="index.html">Home</a>
             <a href="sectionmain.html">Buy</a>
             <a href="sectionmain.html">Rent</a>
             <a href="#buyrentsell">Sell</a>
             <a href="#about">About Us</a></a>
             <a href="#properties">Properties</a>
         <!-- Log In Button -->
         <a href="login.html" class="btn">Log In</a>
```

```
/* Google Fonts */
 @import url("https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700&display=swap");
   font-family: "Poppins", sans-serif;
   margin: 0;
   padding: 0;
   box-sizing: border-box;
   scroll-behavior: smooth;
   scroll-padding-top: 3rem;
   list-style: none;
   text-decoration: none;
 /* Variables */

    :root {
   --main-color: #2288ff;
   --second-color: #192f6a;
   --text-color: #314862;
   --bg-color: #fff;
✓ body {
   color: var(--text-color);

✓ section {
   padding: 4.5rem 0 3rem;
.container {
   max-width: 1068px;
   margin-left: auto;
   margin-right: auto;
```

```
header {
 display: block;
 width: 100%;
 background: var(--bg-color);
 /* position: fixed; */
 top: 0:
 left: 0;
 z-index: 100;
.nav {
 display: flex;
 align-items: center;
 justify-content: space-between;
 padding: 20px 35px;
.logo {
 display: flex;
 align-items: center;
 column-gap: 0.5rem;
 font-size: 1rem;
 font-weight: 700;
 color: var(--text-color);
 /* text-transform: uppercase; */
.logo .bx {
 font-size: 24px;
 color: var(--main-color);
.navbar {
 display: flex;
 box-shadow:  blue;
```

```
.navbar {
 display: flex;
 box-shadow: blue;
.navbar a {
 padding: 8px 17px;
 color: var(--text-color);
 font-size: 1rem;
 text-transform: uppercase;
 font-weight: 500;
.navbar a:hover {
  color: var(--main-color);
#menu-icon {
 font-size: 24px;
  cursor: pointer;
 display: none;
#menu {
  display: none;
.btn {
 padding: 8px 22px;
 background: var(--main-color);
 color: var(--bg-color);
 border-radius: 5rem;
.btn:hover {
 background: #3492fd;
```

#### By kshitij kishore barya

- ☐ This is the main page of our website Here user can see All property And about of apnaGhar
- ☐ Tags used :--
- ☐ Div tag
- ☐ Img tag
- ☐ Anchor tag
- ☐ br
- □ section

#### Source code

```
section class="home container" id="home">
  (div class="home-text")
     (h1) Find Your Next (br) Perfect Place To (br) Live. (/h1)
     <a href="sign-up.html" class="btn">Sign Up</a>
section class="about container" id="about")
  (img src="Images/about.jpg" alt="")
  (div class="about-text")
     <span About Us</span>
     Welcome to apnaGhar!
        apnaGhar was started because all of us believed that paying hefty brokerage can not be the only option to find a new home. 
         As tenants, we have been paying these brokerages year on year without seeing any advantage of the broker.
            The only reason he existed was that there was a huge information asymmetry
            in the market, appaGhar is a platform that removes this information 
     <a href="#" class="btn">Learn More</a>
section class="sales container" id="sales")
  (div class="box")
     <i class='bx bx-user' ></i>
     (h3)Make Your Dream True(/h3)
     Its our honor to provide you best of best property at your budget . 
  (div class="box")
     (i class='bx bx-desktop' ></i>)
     (h3)Start Your Membership(/h3>
     (p>Its our honor to provide you best of best property at your budget .
```

```
<div class="box">
       <i class='bx bx-home-alt' ></i>
       <h3>Enjoy Your New Home</h3>
       Its our honor to provide you best of best property at your budget .
c/sections
<!-- Properties -->
<section class="properties container" id="properties">
    <div class="heading">
       <span>Recent
       <h2>Our Featured Properties</h2>
       Here our best property listed <br/> at diffrent-diffrent places
    </div>
    <div class="properties-container container">
       <div class="box">
           <img src="Images/p1.jpg" alt="">
           <h3>$90400</h3>
           <div class="content">
               <div class="text">
                   <h3>The Palace</h3>
                   Indore, India
               </div
               <div class="icon">
                   <i class='bx bx-bed' ><span>5</span></i>
                   <i class='bx bx-bath' ><span>2</span></i>
               </div>
       </div>
       <!-- Box 2 -->
       <div class="box">
           <img src="Images/p2.jpg" alt="">
           <h3>$10,900</h3>
           <div class="content">
               <div class="text">
                   <h3>The Palace (h3>
                   Noida, Delhi
               </div>
```

```
<i class='bx bx-bed' ><span>5</span></i>
            <i class='bx bx-bath' ><span>2</span></i>
        </div>
    </div>
</div>
<div class="box">
   <img src="Images/p3.jpg" alt="">
    <h3>$11,890</h3>
    <div class="content">
        <div class="text">
            <h3>The Palace</h3>
           Manali, India
        </div>
        <div class="icon">
            <i class='bx bx-bed' ><span>5</span></i>
            <i class='bx bx-bath' ><span>2</span></i>
        </div>
    div
</div>
<div class="box">
    <img src="Images/p4.jpg" alt="">
   <h3>$13,580</h3>
    <div class="content">
        <div class="text">
           <h3>The Palace</h3>
            Mumbai, India
        </div>
        <div class="icon">
            <i class='bx bx-bed' ><span>5</span></i>
            <i class='bx bx-bath' ><span>2</span></i>
        </div>
   < div>
</div>
<div class="box">
   <img src="Images/p5.jpg" alt="">
    <h3>$15,000</h3>
   <div class="content">
```

```
<!-- Box 6 -->
        <div class="box">
            <img src="Images/p6.jpg" alt="">
            <h3>$12,000</h3>
            <div class="content">
                <div class="text">
                    <h3>The Palace< h3>
                    Phagwara, Pubjab
                <div class="icon">
                    <i class='bx bx-bed' ><span>5</span></i>
                    <i class='bx bx-bath' ><span>2</span></i>
                </div
            </div>
       </div>
   </div>
</section>
<!-- Newsletter -->
<section class="newsletter container">
   <h2>Have Question in mind? <br>Let us help you</h2>
    form action="">
        <input type="email" name="" id="email-box" placeholder="yourmail@gmail.com" required>
       <input type="submit" value="Send" class="btn">
   (form)
</section>
<1-- | Footen -->
(section class="footer">
    (div class="footer-container container")
        <h2>apnaGhar</h2>
        <div class="footer-box">
            <h3>Ouick Links</h3>
            <a href="#">Agency</a>
            <a href="#">Building</a>
            <a href="#">Rates</a>
        </div>
        <div class="footer-box">
            <h3>Locations</h3>
            <a href="#">Delhi</a>
            <a href="#">Mumbai</a>
            <a href="#">Noida</a>
        </div>
```

```
.home {
 margin-top: 5rem;
 background: url(Images/home.jpg);
 background-repeat: no-repeat;
 background-size: cover;
 background-position: center;
 height: 440px;
 border-radius: 1.5rem;
 display: flex;
  align-items: center;
.home-text {
  padding-left: 35px;
.home-text h1 {
 color: var(--bg-color);
  font-size: 2rem;
 margin-bottom: 1rem;
.about {
 display: grid;
  grid-template-columns: repeat(auto-fit, minmax(18rem, auto));
 gap: 2rem;
.about-img img {
 border-radius: 3rem 0 3rem 3rem;
.about-text span {
 font-size: 1rem;
 text-transform: uppercase;
  font-weight: 500;
 color: var(--main-color);
.about-text h2 {
 font-size: 1.7rem;
.about-text p {
  font-size: 0.938rem;
 margin: 1rem 0 1rem;
```

CSS

.sales {

```
display: grid;
 grid-template-columns: repeat(auto-fit, minmax(240px, auto));
 gap: 2.4rem;
.sales .box {
 padding: 20px;
 background: var(--bg-color);
 box-shadow: var(--box-shadow);
 text-align: center;
 border-radius: 2rem:
.sales .box:hover
 background: var(--main-color);
 color: var(--bg-color);
 transition: 0.4s all linear;
.sales .box .bx {
 padding: 10px;
 border-radius: 50%;
 background: #f6f6fe;
 color: var(--main-color);
  font-size: 20px;
.sales .box h3 {
  font-size: 1.1rem;
 margin: 1rem 0 0.4rem;
.sales .box p {
  font-size: 00.938rem;
/* Properties */
.heading {
 text-align: center;
 margin-bottom: 2rem;
.heading span {
  font-weight: 500;
 color: var(--main-color);
```

```
.properties {
 background: #fbfbfb;
 border-radius: 2rem;
.properties-container {
 display: grid;
 grid-template-columns: repeat(auto-fit, minmax(240px, auto));
 gap: 3rem;
 padding: 0 50px;
.properties-container .box {
 background: var(--bg-color);
 padding: 10px;
 border-radius: 1rem;
 box-shadow: var(--box-shadow);
.properties-container .box:hover {
 transform: translateY(-10px);
 transition: 0.5s;
.properties-container .box img {
 border-radius: 1rem;
 height: 220px;
 object-fit: cover;
 object-position: center;
.properties-container .box h3 {
 font-size: 1rem;
 font-weight: 600;
 float: right;
.properties-container .box .content {
 display: flex;
 justify-content: space-between;
 margin-top: 2rem;
.properties-container .box .content .text h3 {
 font-weight: 500;
```

```
.properties-container .box .content .icon .bx {
  display: flex;
  align-items: center;
  font-size: 20px;
.properties-container .box .content .icon span {
 font-size: 12px;
 font-weight: 500;
  margin-left: 4px;
.newsletter {
 display: flex;
  flex-direction: column;
  align-items: center;
  row-gap: 2rem;
 justify-content: center;
  text-align: center;
.newsletter h2 {
 font-size: 1.7rem;
.newsletter form {
 background: var(--bg-color);
  box-shadow: var(--box-shadow);
  padding: 6px 10px;
  border-radius: 5rem;
.newsletter form input {
 border: none;
 outline: none;
  font-size: 1rem;
.newsletter #email-box {
 width: 280px;
.newsletter .btn {
  padding: 12px 34px;
 font-weight: 500;
 text-transform: uppercase;
```

#### By Kshitij kishore barya

- When user click to buy and property
  Then this page will open where four
  Different types of houses will be there
- ☐ Tags used:--
- ☐ Div tag
- ☐ link tag
- □ section
- ☐ Anchor tag

```
<div class="head">
   <h1 class="HeadingProperties">Our Rental Properties</h1></h1>
div id="img-section">
   <div class="img-box">
        <a href="housepage3.html" target=" blank">
            kimg src="Images/house.jpg" alt="" height="300px" width="350px">
            <h2 class="centersub">House</h2>
             class="imgabout">We Provide best morden House in your budget.
              <div class="img-box">
      <a href="housepage.html" target=" blank">
          <img src="Images/room.jpg" alt="" height="300px" width="350px">
          <h2 class="centersub">Rooms</h2>
           class="imgabout" We Provide best morden rooms in your budget.
              <br/>br>all aur costumer like us!
   <div class="img-box">
      <a href="housepage2.html" target="_blank">
          <img src="Images/Apartment.jpg" alt="" height="300px" width="350px">
          <h2 class="centersub">Apartment</h2>
           class="imgabout">We Provide best morden Apartment in your budget.
```

```
.imgknows img{
   height: 464px;
   width: 101%;
   border-radius: 2px solid □black;
   margin: auto;
.img2{
   height: 20px;
   width: 30px;
.imgknows1{
   display: flex;
   flex-direction: column;
   margin: 0%;
.header{
   width: 100%;
   height: 70px;
   display: block;
   background-color: #5e666e;
.inner_header{
   width: 800px;
   height: 100%;
   display: block;
   margin: 0 auto;
.logo_container{
   height: 100%;
   display: table;
   float: left;
.logo_container h1{
   color: #FF5;
   height: 100%;
   display: table-cell;
   vertical-align: middle;
   font-family: "HP Simplified Jpan";
   font-size: 32nx:
```

```
.head
    padding: 10px;
 .HeadingProperties {
    font-size: 40px;
    text-align: center;
#img-section {
    height: 100%;
    padding: 9px;
    margin: 10px;
    display: flex;
#img-section .img-box img {
    height: 200px;
    margin: auto:
    display: block;
    flex-direction: column;
#img-section .img-box {
    padding: 3px;
    margin: 5px;
    border-radius: 5px;
 .img-box:hover{
    transform: scale(1.04);
    transition: all ease 0.3s;
    box-shadow: 2px 2px 12px @rgb(68, 59, 59);
```

```
#img-section .img-box {
   padding: 3px;
   margin: 5px;
   border-radius: 5px;
 .img-box:hover{
   transform: scale(1.04);
   transition: all ease 0.3s;
    box-shadow: 2px 2px 12px □rgb(68, 59, 59);
.centersub {
   font-size: 38px;
   margin: 5px;
   text-align: center;
.imgabout {
   font-style: oblique;
   font-size: 15px;
   text-align: center;
```

### FOOTER SECTION

#### BY-PREETAM KUMAR

- Here we had provided our social networks where user can contact us and location of our agency.
- Tags used here are -
- Div tag
- ☐ Section tag
- Anchor tag
- ☐ href tag
- ☐ H3 tag

```
(section class="footer")
    <div class="footer-container container">
        <h2>apnaGhar</h2>
        (div class="footer-box")
            <h3>Ouick Links</h3>
            <a href="#">Agency</a>
            <a href="#">Building</a>
            <a href="#">Rates</a>
        <div class="footer-box">
            ch3>Locations</h3>
            <a href="#">Delhi</a>
            <a href="#">Mumbai</a>
           <a href="#">Noida</a>
         (div class="footer-box")
            <h3>Contact</h3>
            <a href="#">9876567890</a>
            <a href="#">apnaGhar@gmail.com</a>
            (div class="social")
                <a href="#"><i class="fa-brands fa-facebook"></i></a>
                <a href="#"><i class="fa-brands fa-twitter-square"></i></a>
                <a href="#"><i class="fa-brands fa-instagram-square"></i></a>
                <a href="#"><i class="fa-brands fa-linkedin"></i></a>
<div class="copyright">
    © apnaGhar All Right Reserved
<script src="https://kit.fontawesome.com/76e6a95f48.js" crossorigin="anonymous"></script>
```

## FOOTER SECTION

```
<!-- Footer -->
   <section class="footer">
        <div class="footer-container container">
            <h2>apnaGhar</h2>
            <div class="footer-box">
                <h3>Ouick Links</h3>
                <a href="#">Agency</a>
                <a href="#">Building</a>
                <a href="#">Rates</a>
            </div>
            <div class="footer-box">
                <h3>Locations</h3>
                <a href="#">Delhi</a>
                <a href="#">Mumbai</a>
                <a href="#">Noida</a>
            </div>
            <div class="footer-box">
                <h3>Contact</h3>
                <a href="#">9876567890</a>
                <a href="#">apnaGhar@gmail.com</a>
                <div class="social">
                    <a href="#"><i class="fa-brands fa-facebook"></i></a>
                    <a href="#"><i class="fa-brands fa-twitter-square"></i></a></a></a>
                    <a href="#"><i class="fa-brands fa-instagram-square"></i></a></a>
                    <a href="#"><i class="fa-brands fa-linkedin"></i></a>
                </div>
            </div>
        </div>
   </section>
   <!-- Copyright -->
   <div class="copyright">
        © apnaGhar All Right Reserved
   </div>
   <script src="https://kit.fontawesome.com/76e6a95f48.js" crossorigin="anonymous"></script>
/body>
</html>
```

#### SIGN UP PAGE

#### BY- PREETAM KUMAR

- ☐ Here user can enter their details and sign up to our website.
- Tags used here are —
- □ Div tag
- Input tag
- Span tag
- Anchor tag
- Image tag
- ☐ H2 tag
- Paragraph tag

```
<!-- Sign Up -->
(div class="login container")
   <div class="login-container">
        \h2\Welcome , Let's get started
       Already have account <a href="login.html">Log In</a>
       (I- Login Form ->
       (form action="")
           <span>Full Name
           (input type="text" name="" id="" placeholder="Your Name" required)
           <span>Enter your email address(/span)
           <input type="email" name="" id="" placeholder="yourmail@gmail.com" required>
           (span)Phone (span)
           <input type="tel" name="" id="" placeholder="Enter your number" required>
           <span>Enter your password</span>
           <input type="password" name="" id="" placeholder="At least 8 characters" required>
           <input type="submit" value="Sign Up" class="buttom">
           (a href="login.html")Already have account(/a)
       /form
       <a href="login.html" class="btn">Log In</a>
   <!-- Log In Image →
   <div class="login-image">
       (img src="Images/sign-up.png")
```

### SIGN UP PAGE

```
<!- Sign Up ->
<div class="login container">
   <div class="login-container">
       <h2>Welcome , Let's get started</h2>
       Already have account <a href="login.html">Log In</a>
       <!-- Login Form -->
       form action=""
           <span>Full Name
           <input type="text" name="" id="" placeholder="Your Name" required>
           <span>Enter your email address
           <input type="email" name="" id="" placeholder="yourmail@gmail.com" required>
           <span>Phone
           <input type="tel" name="" id="" placeholder="Enter your number" required>
           <span>Enter your password
           <input type="password" name="" id="" placeholder="At least 8 characters" required>
           <input type="submit" value="Sign Up" class="buttom">
           <a href="login.html">Already have account</a>
       /form:
       <a href="login.html" class="btn">Log In</a>
   </div>
   <!-- Log In Image -->
   <div class="login-image">
       <img src="Images/sign-up.png">
   </div>
</div>
```

#### **LOGIN PAGE**

#### BY- PREETAM KUMAR

- ☐ Here user can login to the website by entering email id and password, which were set durin sign up.
- ☐ Tags used here are-
- Div tag
- ☐ Input tag
- ☐ Span tag
- Anchor tag
- ☐ Image tag
- ☐ H2 tag
- Paragraph tag

```
( - Log In -)
<div class="login container">
   <div class="login-container">
       <h2>Login To Continue</h2>
       Log in with your data that you entered br
       <!-- Login Form -->
       <form action="">
           <span>Enter your email address
           <input type="email" name="" id="" placeholder="yourmail@gmail.com" required>
           <span>Enter your password</span>
           <input type="password" name="" id="" placeholder="Password" required>
           <input type="submit" value="Log In" class="buttom">
           <a href="#">Forget Password?</a>
       (form)
       <a href="sign-up.html" class="btn">Sign up now</a>
   <!-- Log In Image -->
   <div class="login-image">
       <img src="Images/login.png" alt="">
```

### LOGIN PAGE

```
<!-- Log In -->
<div class="login container">
    <div class="login-container">
        <h2>Login To Continue</h2>
        Log in with your data that you entered <a href="https://documents.com/p>">br during your registration</a>
        <!-- Login Form -->
          form action=""
            <span>Enter your email address
            <input type="email" name="" id="" placeholder="yourmail@gmail.com" required>
            <span Enter your password</span>
            <input type="password" name="" id="" placeholder="Password" required>
            <input type="submit" value="Log In" class="buttom">
            (a href="#">Forget Password?</a>
        form
        <a href="sign-up.html" class="btn">Sign up now</a>
    </div>
    <!-- Log In Image -->
    <div class="login-image">
        <img src="Images/login.png" alt="">
    </div>
</div
```

```
/* Log IN */
.login {
 display: grid;
 grid-template-columns: 0.4fr 1fr;
 align-items: center;
 min-height: 100vh;
 margin-top: 2rem;
.login-container {
 display: flex;
 flex-direction: column;
 row-gap: 1rem;
.login-container h2 {
 font-size: 1.4rem;
.login-container p {
 font-size: 0.9rem;
.login-container form {
 display: flex;
 flex-direction: column;
.login-container form span {
 font-size: 0.9rem;
 color: #8a8a8a;
 margin-bottom: 4px;
.login-container form input {
 border: 1px solid ■#8a8a8a;
 outline: none;
 padding: 10px;
 margin-bottom: 1rem;
 background: var(--bg-color);
```

```
.login-container form input {
 border: 1px solid #8a8a8a;
 outline: none;
 padding: 10px;
 margin-bottom: 1rem;
 background: var(--bg-color);
.login-container form .buttom {
 outline: none;
 border: none;
 background: var(--main-color);
 color: var(--bg-color);
 font-size: 0.85rem;
 font-weight: 500;
.login-container form .buttom:hover {
 background: #3492fd;
.login-container form a {
 font-size: 0.9rem;
 text-align: right;
.login-container .btn {
 border-radius: 0;
 text-align: center;
```

### **CONCLUSION**

• In today's Web development, a good page design is essential. A bad design will lead to the loss of visitors and that can lead to a loss of business. In general, a good page layout has to satisfy the basic elements of a good page design. This includes color contrast, text organization, font selection, style of a page, page size, graphics used, and consistency. In order to create a well-designed page for a specific audience. The developer needs to organized and analyze the users' statistics and the background of the users. Although it can be hard to come up with a design that is well suited to all of the users, there will be a design that is appropriate for most of the audience. The better the page design, the more hits a page will get. That implies an increase in accessibility and a possible increase in business

#### REFERENCES

☐ Images and logo:--

link :- <a href="https://unsplash.com/">https://unsplash.com/</a>

link :- <a href="https://fontawesome.com/icons">https://fontawesome.com/icons</a>

☐ HTML and CSS help:-

link :- <a href="https://www.w3schools.com/html/">https://www.w3schools.com/html/</a>

link :- <a href="https://codewithharry.com/">https://codewithharry.com/</a>