PROPERTY SITE

apnaGhar



GROUP PROJECT:-

- 1) Trilok Singh Markam
- 2) Arsalan Rashid



SUBMITTED TO: - Deepali Bhagat

INTRODUCTION


- This website will help people all around the world to Search their dream home and sell properties
- apnaGhar is the India's no. 1 property portal, deals with every aspect of the consumer needs in the
- Real-estate Industry. Is an online forum where buyers, Sell and broker and can exchange Information • About Real-estate properties Quickly, effectively and inexpensively. At apnaGhar, you can advertise • A property, Search for a property, browse through properties; build your own property microsite.


OBJECTIVES

- This website serves the purpose of buying /selling properties online so that people can easily buy/sell
- The properties from their own comfort zone, we also provide our professional brokers so that if any
- Costumer faces issues it can be helped by our broker's. We provide you homes, apartments, Rooms
- And wooden house on different-different locations over all around the world

FLOWCHART

This is the main page were





If users have already registered, they

Can simply login with login page

NAVIGATION BAR

BY Arsalan Rashid

□ Here the user can see home, buy, Rent and etc feature of website
□ Tags used here are:—
□ Div tag
□ Style tag
□ Hover effect

Class

Link tag

Source code

```
LDOCTYPE html>
<html lang="en">
  <title>Responsive House Rent Website</title>
  <!-- Link To CSS -->
  (link rel="stylesheet" href="style.css">
  (|- Box Icons --)
  k rel="stylesheet" href="https://cdn.jsdelivr.net/npm/boxicons@latest/css/boxicons.min.css">
     <a href="index.html" class="logo"><i class="fa-solid fa-house"></i>apnaGhar</a>
        <!-- Menu Icon -->
        <label for="menu" <i class='bx bx-menu' id="menu-icon"></i></label>
        <!-- Nav List -->
        <a href="index.html">Home</a>
            <a href="sectionmain.html">Buy</a>
            <a href="sectionmain.html">Rent</a>
            <a href="#buyrentsell">Sell</a>
            <a href="#about">About Us</a></a>
            <a href="#properties">Properties</a>
        <!-- Log In Button -->
        <a href="login.html" class="btn">Log In</a>
  </header>
```

NAVIGATION BAR

```
/* Google Fonts */
 @import url("https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700&display=swap");
   font-family: "Poppins", sans-serif;
   margin: 0;
   padding: 0;
   box-sizing: border-box;
   scroll-behavior: smooth;
   scroll-padding-top: 3rem;
   list-style: none;
   text-decoration: none;
 /* Variables */

    :root {
   --main-color: #2288ff;
   --second-color: #192f6a;
   --text-color: #314862;
   --bg-color: #fff;
✓ body {
   color: var(--text-color);
v section {
   padding: 4.5rem 0 3rem;
.container {
   max-width: 1068px;
   margin-left: auto;
   margin-right: auto;
```

NAVIGATION BAR

```
header {
 display: block;
 width: 100%;
 background: var(--bg-color);
 /* position: fixed; */
 top: 0:
 left: 0;
 z-index: 100;
.nav {
 display: flex;
 align-items: center;
 justify-content: space-between;
 padding: 20px 35px;
.logo {
 display: flex;
 align-items: center;
 column-gap: 0.5rem;
 font-size: 1rem;
 font-weight: 700;
 color: var(--text-color);
  /* text-transform: uppercase; */
.logo .bx {
 font-size: 24px;
 color: var(--main-color);
.navbar {
 display: flex;
 box-shadow: __blue;
```

NAVIGATION BAR

```
.navbar {
  display: flex;
 box-shadow: | blue;
.navbar a {
 padding: 8px 17px;
  color: var(--text-color);
  font-size: 1rem;
  text-transform: uppercase;
  font-weight: 500;
.navbar a:hover {
  color: var(--main-color);
#menu-icon {
 font-size: 24px;
  cursor: pointer;
  display: none;
#menu {
  display: none;
.btn {
 padding: 8px 22px;
 background: var(--main-color);
  color: var(--bg-color);
  border-radius: 5rem;
.btn:hover {
  background: #3492fd;
```

By Trilok Singh Markam

☐ This is the main page of our website

Here user can see All property And about of apnaGhar

- ☐ Tags used: --
- Div tag
- Img tag
- Anchor tag br
- section

Source code

```
section class="home container" id="home">
  (div class="home-text")
      (h1)Find Your Next (br)Perfect Place To (br)Live.(/h1)
      <a href="sign-up.html" class="btn">Sign Up</a>
section class="about container" id="about")
  (div class="about-img")
      (img src="Images/about.jpg" alt="")
  (div class="about-text")
      <span About Us</span>
      Welcome to apnaGhar!
         Approacher is a disruptive real-estate platform that makes it possible to buy/sell/rent a house without paying any brokerage
          apnaGhar was started because all of us believed that paying hefty brokerage can not be the only option to find a new home. 
          As tenants, we have been paying these brokerages year on year without seeing any advantage of the broker.
             The only reason he existed was that there was a huge information asymmetry
              in the market, appaGhar is a platform that removes this information (/p)
      <a href="#" class="btn">Learn More</a>
section class="sales container" id="sales")
  (div class="box")
      <i class='bx bx-user' ></i>
      (h3)Make Your Dream True(/h3)
      Its our honor to provide you best of best property at your budget . 
  (div class="box")
      <i class='bx bx-desktop' ></i>
      (h3)Start Your Membership(/h3>
      Its our honor to provide you best of best property at your budget .
```

```
<div class="box">
       <i class='bx bx-home-alt' ></i>
       <h3>Enjoy Your New Home</h3>
       Its our honor to provide you best of best property at your budget .
c/sections
<!-- Properties -->
<section class="properties container" id="properties">
    <div class="heading">
       <span>Recent</span>
       <h2>Our Featured Properties</h2>
       Here our best property listed <br/> at diffrent-diffrent places
    </div>
    <div class="properties-container container">
       <div class="box">
           <img src="Images/p1.jpg" alt="">
           <h3>$90400</h3>
           <div class="content">
               <div class="text">
                   <h3>The Palace</h3>
                   Indore, India
               </div>
               <div class="icon">
                   <i class='bx bx-bed' ><span></i>
                   <i class='bx bx-bath' ><span>2</span></i>
               </div>
           </div>
       </div>
       <1-- Box 2 -->
        <div class="box">
           <img src="Images/p2.jpg" alt="">
           <h3>$10,900</h3>
           <div class="content">
               <div class="text">
                   <h3 The Palace /h3>
                   Noida, Delhi
               </div>
```

```
<i class='bx bx-bed' ><span>5</span></i>
            <i class='bx bx-bath' ><span>2</span></i>
        </div>
    </div>
</div>
<div class="box">
   <img src="Images/p3.jpg" alt="">
    <h3>$11,890</h3>
    <div class="content">
        <div class="text">
            <h3>The Palace</h3>
           Manali, India
        </div>
        <div class="icon">
            <i class='bx bx-bed' ><span>5</span></i>
            <i class='bx bx-bath' ><span>2</span></i>
        </div>
    div
</di>
<div class="box">
    <img src="Images/p4.jpg" alt="">
    <h3>$13,580</h3>
    <div class="content">
        <div class="text">
           <h3>The Palace</h3>
            Mumbai, India
        </div>
        <div class="icon">
           <i class='bx bx-bed' ><span>5</span></i>
            <i class='bx bx-bath' ><span>2</span></i>
        </div>
   </div>
</div>
<div class="box">
   <img src="Images/p5.jpg" alt="">
    <h3>$15,000</h3>
   <div class="content">
```

```
<!-- Box 6 -->
        <div class="box">
            <img src="Images/p6.jpg" alt="">
            <h3>$12,000</h3>
            <div class="content">
                <div class="text">
                    <h3>The Palace</h3>
                    Phagwara, Pubjab
                <div class="icon">
                    <i class='bx bx-bed' ><span>5</span></i>
                    <i class='bx bx-bath' ><span>2</span></i>
                </div>
            </div>
       </div>
   </div>
</section>
( -- Newsletter -->
<section class="newsletter container">
   <h2>Have Question in mind? <br>Let us help you</h2>
     form action="">
        <input type="email" name="" id="email-box" placeholder="yourmail@gmail.com" required>
       <input type="submit" value="Send" class="btn">
    </form>
</section>
<1-- Footen -->
(section class="footer">
    (div class="footer-container container")
        <h2>apnaGhar</h2>
        <div class="footer-box">
            <h3>Ouick Links</h3>
            <a href="#">Agency</a>
            <a href="#">Building</a>
            <a href="#">Rates</a>
        </div>
        <div class="footer-box">
            <h3>Locations</h3>
            <a href="#">Delhi</a>
            <a href="#">Mumbai</a>
            <a href="#">Noida</a>
        </div>
```

.about-text h2 {

.about-text p {

font-size: 1.7rem;

font-size: 0.938rem; margin: 1rem 0 1rem;

```
.home {
 margin-top: 5rem;
 background: url(Images/home.jpg);
 background-repeat: no-repeat;
 background-size: cover;
 background-position: center;
 height: 440px;
 border-radius: 1.5rem;
 display: flex;
  align-items: center;
.home-text {
 padding-left: 35px;
.home-text h1 {
 color: var(--bg-color);
  font-size: 2rem;
 margin-bottom: 1rem;
.about {
 display: grid;
 grid-template-columns: repeat(auto-fit, minmax(18rem, auto));
 gap: 2rem;
.about-img img {
 border-radius: 3rem 0 3rem 3rem;
.about-text span {
  font-size: 1rem;
  text-transform: uppercase;
  font-weight: 500;
  color: var(--main-color);
```

CSS

```
.sales {
 display: grid;
 grid-template-columns: repeat(auto-fit, minmax(240px, auto));
 gap: 2.4rem;
.sales .box {
 padding: 20px;
 background: var(--bg-color);
 box-shadow: var(--box-shadow);
 text-align: center;
 border-radius: 2rem;
.sales .box:hover
 background: var(--main-color);
 color: var(--bg-color);
 transition: 0.4s all linear;
.sales .box .bx {
 padding: 10px;
 border-radius: 50%;
 background: #f6f6fe;
 color: var(--main-color);
 font-size: 20px;
.sales .box h3 {
 font-size: 1.1rem;
 margin: 1rem 0 0.4rem;
.sales .box p {
  font-size: 00.938rem;
/* Properties */
.heading {
 text-align: center;
 margin-bottom: 2rem;
.heading span {
 font-weight: 500;
 color: var(--main-color);
```

.properties {

background: #fbfbfb;

font-weight: 500;

.properties-container .box .content .text h3 {

```
border-radius: 2rem;
.properties-container {
 display: grid;
 grid-template-columns: repeat(auto-fit, minmax(240px, auto));
 gap: 3rem;
 padding: 0 50px;
.properties-container .box {
 background: var(--bg-color);
 padding: 10px;
 border-radius: 1rem;
 box-shadow: var(--box-shadow);
.properties-container .box:hover {
 transform: translateY(-10px);
 transition: 0.5s;
.properties-container .box img {
 border-radius: 1rem;
 height: 220px;
 object-fit: cover;
 object-position: center;
.properties-container .box h3 {
 font-size: 1rem;
 font-weight: 600;
 float: right;
.properties-container .box .content {
 display: flex;
 justify-content: space-between;
 margin-top: 2rem;
```

width: 280px;

.newsletter .btn {

padding: 12px 34px; font-weight: 500;

text-transform: uppercase;

.properties-container .box .content .icon .bx { display: flex; align-items: center; font-size: 20px; } .properties-container .box .content .icon span { font-size: 12px; font-weight: 500; margin-left: 4px; .newsletter { display: flex; flex-direction: column; align-items: center; row-gap: 2rem; justify-content: center; text-align: center; .newsletter h2 { font-size: 1.7rem; .newsletter form { background: var(--bg-color); box-shadow: var(--box-shadow); padding: 6px 10px; border-radius: 5rem; .newsletter form input { border: none; outline: none; font-size: 1rem; .newsletter #email-box {

OTHER PAGES

By Trilok Singh Markam

- When user click to buy and property Then this page will open where four
 Different types of houses will be there
- Tags used: --
- ☐ Div tag
 - ☐ link tag
 - \square section
 - Anchor tag

```
<div class="head")</pre>
   <h1 class="HeadingProperties">Our Rental Properties</h1>
(div id="img-section">
   <div class="img-box">
         <a href="housepage3.html" target=" blank">
             (img src="Images/house.jpg" alt="" height="300px" width="350px")
             <h2 class="centersub">House</h2>
              class="imgabout">We Provide best morden House in your budget.
               all aur costumer like us!
   <div class="img-box">
       <a href="housepage.html" target="_blank">
           <img src="Images/room.jpg" alt="" height="300px" width="350px">
           <h2 class="centersub">Rooms</h2>
            class="imgabout" We Provide best morden rooms in your budget.
               <div class="img-box">
       <a href="housepage2.html" target=" blank">
           <img src="Images/Apartment.jpg" alt="" height="300px" width="350px">
           <h2 class="centersub">Apartment</h2>
           (p class="imgabout") We Provide best morden Apartment in your budget.
                all aur costumer like us!
```

OTHER PAGES

CSS

```
.imgknows img{
   height: 464px;
   width: 101%;
   border-radius: 2px solid □black;
   margin: auto;
.img2{
   height: 20px;
   width: 30px;
.imgknows1{
   display: flex;
   flex-direction: column;
   margin: 0%;
.header{
   width: 100%;
   height: 70px;
   display: block;
   background-color: #5e666e;
.inner header{
   width: 800px;
   height: 100%;
   display: block;
   margin: 0 auto;
.logo_container{
   height: 100%;
   display: table;
   float: left;
.logo_container h1{
   color: #FF5;
   height: 100%;
   display: table-cell;
   vertical-align: middle;
   font-family: "HP Simplified Jpan";
   font-size: 32nx:
```

```
.head{
     padding: 10px;
 .HeadingProperties [
     font-size: 40px;
     text-align: center;
 #img-section {
     height: 100%;
     padding: 9px;
    margin: 10px;
     display: flex;
 }
#img-section .img-box img {
     height: 200px;
    margin: auto;
    display: block;
     flex-direction: column;
 }
#img-section .img-box {
     padding: 3px;
     margin: 5px;
     border-radius: 5px;
  .img-box:hover{
     transform: scale(1.04);
     transition: all ease 0.3s;
     box-shadow: 2px 2px 12px □rgb(68, 59, 59);
```

```
#img-section .img-box {
    padding: 3px;
   margin: 5px;
    border-radius: 5px;
 .img-box:hover{
   transform: scale(1.04);
   transition: all ease 0.3s;
    box-shadow: 2px 2px 12px □rgb(68, 59, 59);
.centersub {
   font-size: 38px;
   margin: 5px;
   text-align: center;
.imgabout {
   font-style: oblique;
   font-size: 15px;
   text-align: center;
```

FOOTER SECTION

BY- Arsalan Rashid

- Here we had provided our social networks where user can contact us and location of our agency.
- Tags used here are -
- Div tag
- Section tag
- Anchor tag
- href tag
- ☐ H3 tag

```
<section class="footer">
    <div class="footer-container container">
        <h2>apnaGhar</h2>
        (div class="footer-box")
            <h3>Quick Links</h3>
            <a href="#">Agency</a>
            <a href="#">Building</a>
            <a href="#">Rates</a>
        (div class="footer-box")
            <h3>Locations</h3>
            <a href="#">Delhi</a>
            <a href="#">Mumbai</a>
            <a href="#">Noida</a>
        <div class="footer-box">
            <h3>Contact</h3>
            <a href="#">9876567890</a>
            <a href="#">apnaGhar@gmail.com</a>
            <div class="social">
                <a href="#"><i class="fa-brands fa-facebook"></i></a>
                <a href="#"><i class="fa-brands fa-twitter-square"></i></a>
                <a href="#"><i class="fa-brands fa-instagram-square"></i></a>
                <a href="#"><i class="fa-brands fa-linkedin"></i></a>
< -- Copyright -->
<div class="copyright">
    © apnaGhar All Right Reserved
</div>
<script src="https://kit.fontawesome.com/76e6a95f48.js" crossorigin="anonymous"></script>
```

FOOTER SECTION

```
<!-- Footer -->
    <section class="footer">
        <div class="footer-container container">
            <h2>apnaGhar</h2>
            <div class="footer-box">
                <h3>Ouick Links</h3>
                <a href="#">Agency</a>
                <a href="#">Building</a>
                <a href="#">Rates</a>
            </div>
            <div class="footer-box">
                <h3>Locations</h3>
                <a href="#">Delhi</a>
                <a href="#">Mumbai</a>
                <a href="#">Noida</a>
            </div>
            <div class="footer-box">
                <h3>Contact</h3>
                <a href="#">9876567890</a>
                 href="#">apnaGhar@gmail.com</a>
                <div class="social">
                    <a href="#"><i class="fa-brands fa-facebook"></i></a>
                    <a href="#"><i class="fa-brands fa-twitter-square"></i></a></a></a></a>
                    <a href="#"><i class="fa-brands fa-instagram-square"></i></a></a>
                    <a href="#"><i class="fa-brands fa-linkedin"></i></a>
                </div>
            </div>
        </div>
    </section>
    <!-- Copyright -->
    <div class="copyright">
        © apnaGhar All Right Reserved
    </div>
    <script src="https://kit.fontawesome.com/76e6a95f48.js" crossorigin="anonymous"></script>
</body>
</html>
```

SIGN UP PAGE

BY- Arsalan Rashid

- Here user can enter their details and sign up to our website.
- Tags used here are –
- Div tag
- Input tag
- ☐ Span tag
- Anchor tag
- Image tag
- ☐ H2 tag
- Paragraph tag

```
<!-- Sign Up -->
(div class="login container")
   <div class="login-container">
        \h2>Welcome , Let's get started</h2>
        Already have account (a href="login.html">Log In(/a)
       <!-- Login Form -->
       (form action="")
           <span>Full Name
           (input type="text" name="" id="" placeholder="Your Name" required)
           <span>Enter your email address(/span)
           <input type="email" name="" id="" placeholder="yourmail@gmail.com" required>
           (span)Phone (/span)
           <input type="tel" name="" id="" placeholder="Enter your number" required>
           <span>Enter your password
           <input type="password" name="" id="" placeholder="At least 8 characters" required>
           <input type="submit" value="Sign Up" class="buttom">
           (a href="login.html")Already have account(/a)
       </form>
       <a href="login.html" class="btn">Log In</a>
   < !-- Log In Image →
   <div class="login-image">
       (img src="Images/sign-up.png")
```

SIGN UP PAGE

```
<!-- Sign Up -->
<div class="login container">
   <div class="login-container">
       <h2>Welcome , Let's get started</h2>
       Already have account <a href="login.html">Log In</a>
       <!-- Login Form -->
       form action=""
           <span>Full Name
           <input type="text" name="" id="" placeholder="Your Name" required>
           <span>Enter your email address
           <input type="email" name="" id="" placeholder="yourmail@gmail.com" required>
           <span>Phone
           <input type="tel" name="" id="" placeholder="Enter your number" required>
           <span>Enter your password</span>
           <input type="password" name="" id="" placeholder="At least 8 characters" required>
           <input type="submit" value="Sign Up" class="buttom">
           <a href="login.html">Already have account</a>
       </forms
       <a href="login.html" class="btn">Log In</a>
   </div>
   <!-- Log In Image -->
   <div class="login-image">
       <img src="Images/sign-up.png">
   </div>
</div>
```

LOGIN PAGE

BY- Arsalan Rashid

- Here user can login to the website by entering email id and password, which were set during sign up.
- ☐ Tags used here are-
- Div tag
- Input tag
- ☐ Span tag
- Anchor tag
- ☐ Image tag
- ☐ H2 tag
- Paragraph tag

```
( - Log In -)
<div class="login container">
    <div class="login-container">
        <h2>Login To Continue</h2>
        Log in with your data that you entered <a href="https://documents.com/p>">broad your registration
        <!-- Login Form -->
        <form action="">
            <span>Enter your email address
            <input type="email" name="" id="" placeholder="yourmail@gmail.com" required>
            (span)Enter your password(/span)
            <input type="password" name="" id="" placeholder="Password" required>
            <input type="submit" value="Log In" class="buttom">
            <a href="#">Forget Password?</a>
        </form>
        <a href="sign-up.html" class="btn">Sign up now</a>
    <!-- Log In Image -->
    <div class="login-image">
        <img src="Images/login.png" alt="">
```

LOGIN PAGE

```
<!-- tog In -->
<div class="login container">
   <div class="login-container">
       <h2>Login To Continue</h2>
       <!-- Login Form -->
       <form action="""</pre>
          <span>Enter your email address
          <input type="email" name="" id="" placeholder="yourmail@gmail.com" required>
          <span>Enter your password</span>
          <input type="password" name="" id="" placeholder="Password" required>
          <input type="submit" value="Log In" class="buttom">
          <a href="#">Forget Password?</a>
       (form)
       <a href="sign-up.html" class="btn">Sign up now</a>
   </div>
   <!-- Log In Image -->
   <div class="login-image">
       <img src="Images/login.png" alt="">
   </div>
</ri>
```

CSS

```
/* Log IN */
.login {
 display: grid;
 grid-template-columns: 0.4fr 1fr;
 align-items: center;
 min-height: 100vh;
 margin-top: 2rem;
.login-container {
 display: flex;
 flex-direction: column;
 row-gap: 1rem;
.login-container h2 {
 font-size: 1.4rem;
.login-container p {
 font-size: 0.9rem;
.login-container form {
 display: flex;
 flex-direction: column;
.login-container form span {
 font-size: 0.9rem;
 color: #8a8a8a;
 margin-bottom: 4px;
.login-container form input {
 border: 1px solid #8a8a8a;
 outline: none;
 padding: 10px;
 margin-bottom: 1rem;
 background: var(--bg-color);
```

CSS

```
.login-container form input {
 border: 1px solid #8a8a8a;
 outline: none;
 padding: 10px;
 margin-bottom: 1rem;
 background: var(--bg-color);
.login-container form .buttom {
 outline: none;
 border: none;
 background: var(--main-color);
 color: var(--bg-color);
 font-size: 0.85rem;
 font-weight: 500;
.login-container form .buttom:hover {
 background: #3492fd;
.login-container form a {
 font-size: 0.9rem;
 text-align: right;
.login-container .btn {
 border-radius: 0;
 text-align: center;
```

CONCLUSION

In today's Web development, a good page design is essential. A bad design will lead to the loss of visitors and that can lead to a loss of business. In general, a good page layout has to satisfy the basic elements of a good page design. This includes colour contrast, text organization, font selection, style of a page, page size, graphics used, and consistency. In order to create a well-designed page for a specific audience. The developer needs to organize and analyze the users' statistics and the background of the users. Although it can be hard to come up with a design that is well suited to all the users, there will be a design that is appropriate for most of the audience. The better the page design, the more hits a page will get. That implies an increase in accessibility and a possible increase in business

REFERENCES

- ☐ Images and logo: --
- ☐ link: https://unsplash.com/
- link: https://fontawesome.com/icons
- ☐ HTML and CSS help: -

link: - https://www.w3schools.com/html/

link: - https://codewithharry.com/