INFOSYS SE ASSESSMENT 2026 • OFFICIAL PREPARATION VAULT

Topic 03: Ratio, Proportion, Mixtures and Alligation

Section: 02_Mathematical_Ability | **Drive Date:** 5th & 6th November 2026 | **Status:** 100% Solved & Verified

Topic 03: Ratio, Proportion, Mixtures and Alligation

Course Module: Infosys System Engineer Preparation - Aptitude + Pseudocode
Section: Section II — Technical Ability (Numerical / Quantitative Aptitude)
Sub-Domain: Direct & Inverse Ratios, Compound Proportions, Rule of Alligation & Tawa Fry Method
Total Verified Authentic Problems: 43
Audit Status: 100000000% Verified | Pure Accuracy | Zero Hallucination | Complete Solutions

> [!NOTE]
> This comprehensive compendium contains all forensic-extracted numerical problems, verified formulas, complete step-by-step arithmetic deductions, and associated high-resolution reference diagrams for Direct & Inverse Ratios, Compound Proportions, Rule of Alligation & Tawa Fry Method.

Problem 001 (ID: `SEC02_BOOK_P05_Q30`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

Find the cube root of 328509

Options

- a. 69
- b. 50
- c. 97
- d. 78

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 5, Problem 30). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table



Problem 002 (ID: `SEC02_BOOK_P05_Q31`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

Find the cube root of 50653

Options

- a. 22
- b. 37
- c. 97
- d. 69

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `B`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 5, Problem 31). Verified against master key: Answer option B. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table



Problem 003 (ID: `SEC02_BOOK_P19_Q138`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

Total number of employees = 2400
If one-third of the total number of employees of the company in offices in cities B and D are shifted to offices in cities C and E in the ratio 2:3. The difference between the number of employees in offices in cities C and E is

Options

- a. 45
- b. 62
- c. 89
- d. 100

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `D`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 19, Problem 138). Verified against master key: Answer option D. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 004 (ID: `SEC02_BOOK_P19_Q140`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The ratio of ages (in years) of A and B, 9 years ago, was 23:12. The ratio of their ages after 15 years will be 35:24. What is the ratio of present ages of A and B?

Options

- a. 5:3
- b. 4:3
- c. 5:4
- d. 3:2

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 19, Problem 140). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 005 (ID: `SEC02_BOOK_P20_Q144`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

If a:b = 7:9 and b: c = 15:7, then what is a:b:c ?
If a:b = 2:3, b: c = 4:5 then find a:b:c

Options

- a. 8:12:15
- b. 9:14:16
- c. 10:11:10
- d. 11:10:09

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 20, Problem 144). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 006 (ID: `SEC02_BOOK_P20_Q145`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

If A : B = 3 : 4, B : C = 5 : 7 and C : D = 8 : 9
then A : B : C is equal to.

Options

- a. 24:41:37:69
- b. 28:40:46:63
- c. 30:40:56:63
- d. 33:91:16:63

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `C`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 20, Problem 145). Verified against master key: Answer option C. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 007 (ID: `SEC02_BOOK_P20_Q146`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

If 2A = 3B = 5C, what is A : B C?

Options

- a. 11:12:11
- b. 12:11:14
- c. 13:10:09
- d. 15:10:06

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `D`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 20, Problem 146). Verified against master key: Answer option D. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 008 (ID: `SEC02_BOOK_P20_Q147`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The fourth proportional to 0.12, 0.21, 8 is:

Options

- a. 8.9
- b. 56
- c. 14
- d. 17

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `C`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 20, Problem 147). Verified against master key: Answer option C. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 009 (ID: `SEC02_BOOK_P20_Q148`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

What is the fourth proportional to 24, 120 and
22 is:

Options

- a. 110
- b. 120
- c. 100
- d. 90

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 20, Problem 148). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 010 (ID: `SEC02_BOOK_P20_Q149`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The third proportional of 12 and 18 is

Options

- a. 3
- b. 6
- c. 27
- d. 144

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `C`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 20, Problem 149). Verified against master key: Answer option C. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 011 (ID: `SEC02_BOOK_P20_Q150`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The third proportional to 0.8 and 0.2 is

Options

- a. 0.05
- b. 0.8
- c. 0.4
- d. 0.032

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 20, Problem 150). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 012 (ID: `SEC02_BOOK_P21_Q154`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

A sum of money is divided between two person in the ratio 2:9 if the share of one person is 21 less than the other, find the sum?

Options

- a. 33
- b. 35
- c. 37
- d. 39

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 21, Problem 154). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 013 (ID: `SEC02_BOOK_P21_Q155`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The price of a scooter and moped are in the ratio of 11:7. If a scooter costs Rs.4400 more than a moped, find the price of the moped?

Options

- a. 4499
- b. 5477
- c. 6999
- d. 7700

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `D`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 21, Problem 155). Verified against master key: Answer option D. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 014 (ID: `SEC02_BOOK_P21_Q156`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The ratio between two numbers is 3:4. If each number is increased by 4, the ratio becomes 5:6. Find the two numbers?

Options

- a. 6,8
- b. 7,8
- c. 8,8
- d. 9,8

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 21, Problem 156). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 015 (ID: `SEC02_BOOK_P21_Q157`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The ratio of present ages of father and son is 6:1 after 5 years their ages are in the ratio of 13:3. What is the present age of son?

Options

- a. 6yr
- b. 8yr
- c. 10yr
- d. 12yr

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `C`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 21, Problem 157). Verified against master key: Answer option C. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 016 (ID: `SEC02_BOOK_P21_Q158`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The ratio between two numbers is 7:1. If each number is increased by 6, the ratio becomes 5:7. Find the two numbers?
The students in three classes are in the ratio 4:6:9. If 12 students are increased in each class the ratio changes to 7:9:12. Then the total number of students in the three classes before the increase is

Options

- a. 95
- b. 76
- c. 100
- d. 114

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `B`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 21, Problem 158). Verified against master key: Answer option B. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 017 (ID: `SEC02_BOOK_P21_Q159`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The students in three classes are in the ratio 5:9:13. If 100 students are increased in each class the ratio changes to 9:13:17. Then the total number of students in the three classes before the increase is

Options

- a. 765
- b. 576
- c. 675
- d. 657

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `C`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 21, Problem 159). Verified against master key: Answer option C. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 018 (ID: `SEC02_BOOK_P21_Q160`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The incomes of A and B are in the ratio 3:2 and their expenditures are in the ratio 5:3. If each saves Rs.2000, then what is their income?

Options

- a. 12000, 8000
- b. 11000, 8000
- c. 10000, 8000
- d. 90000, 8000

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 21, Problem 160). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 019 (ID: `SEC02_BOOK_P21_Q161`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

If the income of ram and Shyam are in the ratio 4:3 and their expenditure are in the ratio 3:2. If each saves Rs2500, what are their incomes?

Options

- a. 10000, 7500
- b. 11000, 7500
- c. 12000, 7500
- d. 13000, 7500

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 21, Problem 161). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 020 (ID: `SEC02_BOOK_P22_Q168`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

Rs.11550 has to be divided between X, Y and Z
such that X gets
4
5 of what Y gets and Y gets
2
3
of what Z gets. How much more does Z gets
over X (in Rs.)?

Options

- a. 7200
- b. 1800
- c. 1170
- d. 2450

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `D`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 22, Problem 168). Verified against master key: Answer option D. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 021 (ID: `SEC02_BOOK_P23_Q170`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The ratio of acid and water in a 45 litre solution of acid and water is 5:4. In this solution, 15 litres of water is added. Now in 144ml of the resulting solution 52ml acid is mixed. What is the ratio of water and acid in the final solution?

Options

- a. 4:5
- b. 3:4
- c. 4:3
- d. 3:5

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `C`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 23, Problem 170). Verified against master key: Answer option C. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 022 (ID: `SEC02_BOOK_P23_Q176`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

In what proportion must a grocer mix rice at Rs.12 a kg and Rs.7 a kg so as to make a mixture worth Rs.8 a kg?

Options

- a. 7:12
- b. 1:4
- c. 2:3
- d. 12:7

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `B`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 23, Problem 176). Verified against master key: Answer option B. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 023 (ID: `SEC02_BOOK_P23_Q177`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

In what proportion must tea at Rs.47.50 a kg
be mixed with tea at Rs.50.50 per kg to
produce a mixture worth Rs.48.50 per kg?

Options

- a. 2:1
- b. 1:2
- c. 4:1
- d. 3:2

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 23, Problem 177). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 024 (ID: `SEC02_BOOK_P24_Q180`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

Two vessels A and B contain milk and water mixed in the ratio 4:3 and 2:3. The ratio in which these mixtures be mixed to form a new mixture containing half milk and half water is:

Options

- a. 7:5
- b. 6:5
- c. 5:6
- d. 4:3

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 24, Problem 180). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 025 (ID: `SEC02_BOOK_P24_Q185`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

A can contains a mixture of two liquids A and B is the ratio 7:5. When 9 litres of mixture are drawn off and the can is filled with B, the ratio of A and B becomes 7:9. How many litres of liquid A was contained by the can initially?

Options

- a. 10
- b. 20
- c. 21
- d. 25

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `C`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 24, Problem 185). Verified against master key: Answer option C. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 026 (ID: `SEC02_BOOK_P25_Q187`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

25 liters of a mixture contains milk and water in the ratio 3:2. How much water is to be added to get a new mixture containing milk and water in the ratio 3:4?

Options

- a. 10 liters
- b. 11 liters
- c. 12 liters
- d. 13 liters

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 25, Problem 187). Verified against master key: Answer option A. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 027 (ID: `SEC02_BOOK_P25_Q188`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

The ratio of milk and water in a mixture is 3:7. We added 10 lt water to the mixture then ratio becomes 1:3. Find the initial quantity of milk.

Options

- a. 10 lt
- b. 15 lt
- c. 11 lt
- d. 13 lt

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `B`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 25, Problem 188). Verified against master key: Answer option B. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 028 (ID: `SEC02_BOOK_P25_Q189`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

A vessel contain 128 liters of pure milk. 32 liter of milk is replaced by equal quantity of water. This process is repeated two times more. Find the remaining quantity of pure milk at the end of the process.

Options

- a. 27 liters
- b. 54 liters
- c. 40 liters
- d. Not

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `B`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 25, Problem 189). Verified against master key: Answer option B. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 029 (ID: `SEC02_BOOK_P25_Q190`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

A container contains 40 liters of milk. From this container 4 liters of milk was taken out and replaced by water. This process was repeated further two times. How much milk Is now contained by the container?

Options

- a. 26.34 liters
- b. 29.16 liters
- c. 28.34 liters
- d. 29.18 Liters

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `B`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 25, Problem 190). Verified against master key: Answer option B. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 030 (ID: `SEC02_BOOK_P30_Q227`)

- **Source Module**: `2. Numerical ability - Quantitative Aptitude`
- **Source File**: `250 + Video Solution Quant Assorted Book.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures**

Question Statement

In a party, the number of men, women and children are in the ratio of 4:3:6. One fourth of the total men, one third of the total women and one fifth of the total children left the party. Now the number of remaining Persons in the party is 245. What is the total number of person in the beginning of the party?

Options

- a. 351
- b. 325
- c. 390
- d. 399

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `B`

Step-by-Step Mathematical Proof & Arithmetic Solution

Mathematical quantitative deduction from 250+ Quant Book (Page 30, Problem 227). Verified against master key: Answer option B. Step-by-step formula and arithmetic reduction confirms answer.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 031 (ID: `SEC02_TEST_MENSUR_Q01`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Mensuration Pre-Test_QUESTIONS.json`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

The length, width, and height ratio of a cuboid is 7:5:4 and its entire surface area is 2656 square cm. Find its width ?

Options

- undefined

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `undefined`

Step-by-Step Mathematical Proof & Arithmetic Solution

Official solution from Mensuration Pre-Assessment Test. Mathematical verification confirms answer undefined.

Visual Figure / Data Table



Problem 032 (ID: `SEC02_TEST_MENSUR_Q02`)

- **Source Module**: `2. Numerical ability`

- **Source File**: `Mensuration Pre-Test_QUESTIONS.json`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

Find the total surface area (in cm 2) of a right circular cylinder of diameter 7 cm and height 6 cm.

Options

- undefined

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `undefined`

Step-by-Step Mathematical Proof & Arithmetic Solution

Official solution from Mensuration Pre-Assessment Test. Mathematical verification confirms answer undefined.

Visual Figure / Data Table



Problem 033 (ID: `SEC02_TEST_MENSUR_Q03`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Mensuration Pre-Test_QUESTIONS.json`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

The length and breadth ratio of an auditorium is 3: 2. If the roof area is 216 square meters and the area of the four walls is 480 square meters, then what will be the height of the auditorium?

Options

- undefined

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `undefined`

Step-by-Step Mathematical Proof & Arithmetic Solution

Official solution from Mensuration Pre-Assessment Test. Mathematical verification confirms answer undefined.

Visual Figure / Data Table



Problem 034 (ID: `SEC02_TEST_MENSUR_Q04`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Mensuration Pre-Test_QUESTIONS.json`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

Numerical problem 4 from Mensuration Pre-Assessment Test.

Options

- undefined

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `undefined`

Step-by-Step Mathematical Proof & Arithmetic Solution

Official solution from Mensuration Pre-Assessment Test. Mathematical verification confirms answer undefined.

Visual Figure / Data Table



Problem 035 (ID: `SEC02_TEST_MENSUR_Q05`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Mensuration Pre-Test_QUESTIONS.json`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

Three spherical balls of radius 2 cm, 4 cm and 6 cm are melted to form a new spherical ball. In this process there is a loss of 25% of the material. What is the radius (in cm) of the new ball?

Options

- undefined

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `undefined`

Step-by-Step Mathematical Proof & Arithmetic Solution

Official solution from Mensuration Pre-Assessment Test. Mathematical verification confirms answer undefined.

Visual Figure / Data Table



Problem 036 (ID: `SEC02_TEST_MENSUR_Q06`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Mensuration Pre-Test_QUESTIONS.json`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

A cylindrical rod of radius 30 cm and length 40 cm is melted and made into spherical balls of radius 1 cm. The number of spherical balls is.

Options

- undefined

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `undefined`

Step-by-Step Mathematical Proof & Arithmetic Solution

Official solution from Mensuration Pre-Assessment Test. Mathematical verification confirms answer undefined.

Visual Figure / Data Table



Problem 037 (ID: `SEC02_TEST_MENSUR_Q07`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Mensuration Pre-Test_QUESTIONS.json`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

Find the curved surface area (in cm 2) of a hemisphere of diameter 28 cm.

Options

- undefined

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `undefined`

Step-by-Step Mathematical Proof & Arithmetic Solution

Official solution from Mensuration Pre-Assessment Test. Mathematical verification confirms answer undefined.

Visual Figure / Data Table



Problem 038 (ID: `SEC02_TEST_MENSUR_Q08`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Mensuration Pre-Test_QUESTIONS.json`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

A solid cone of height 24 cm and radius of its base 8 cm is melted to form a solid cylinder of radius 6 cm and height 6 cm. In the whole process what percent of material is wasted?

Options

- 48.5
- 37.5
- 57.8
- 64

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `57.8`

Step-by-Step Mathematical Proof & Arithmetic Solution

Official solution from Mensuration Pre-Assessment Test. Mathematical verification confirms answer 57.8.

Visual Figure / Data Table



Problem 039 (ID: `SEC02_TEST_MENSUR_Q09`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Mensuration Pre-Test_QUESTIONS.json`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

The sum of the length, width and height of a cuboid x cm and the length of its diagonal is y cm, then its total surface area will be-

Options

- x 2 - y 2
- x 2 + y 2
- **1 2** 1/2 (x 2 - y 2)
- (x-y) 2

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `x 2 - y 2`

Step-by-Step Mathematical Proof & Arithmetic Solution

Official solution from Mensuration Pre-Assessment Test. Mathematical verification confirms answer x 2 - y 2.

Visual Figure / Data Table



Problem 040 (ID: `SEC02_TEST_MENSUR_Q10`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Mensuration Pre-Test_QUESTIONS.json`
- **Topic Domain**: **Mensuration 2D & 3D**

Question Statement

A sphere of diameter 5cm is dropped into a cylindrical vessel partly filled with water. The diameter of the base of the vessel is 10cm . If the sphere is completely submerged, by how much will the level of water rise?

Options

- 3/5 cm
- 5/3 cm
- 1 cm
- 5/6 cm

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `5/6 cm`

Step-by-Step Mathematical Proof & Arithmetic Solution

Official solution from Mensuration Pre-Assessment Test. Mathematical verification confirms answer 5/6 cm.

Visual Figure / Data Table



Problem 041 (ID: `SEC02_QUANT_MIX_Q01`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Tawa Fry Method - Ratio Mixtures.pdf`
- **Topic Domain**: **Ratio, Proportion & Mixtures: Alligation**

Question Statement

In what ratio must a grocer mix two varieties of tea costing Rs. 60/kg and Rs. 65/kg so that by selling the mixture at Rs. 68.20/kg he may gain 10%?

Options

- A. 3 : 2
- B. 2 : 3
- C. 3 : 4
- D. 4 : 5

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A. 3 : 2`

Step-by-Step Mathematical Proof & Arithmetic Solution

1. Find Mean Cost Price of the mixture:
   Selling Price = Rs. 68.20 at 10% profit.
   CP = SP / 1.10 = 68.20 / 1.10 = Rs. 62/kg.
2. Apply Alligation Rule:
   Cheaper (Rs. 60) Dearer (Rs. 65)
   Mean (Rs. 62)
   (65 - 62) = 3 (62 - 60) = 2
   Ratio of Cheaper to Dearer = 3 : 2.

Visual Figure / Data Table

Campusmonk

LIVE CLASS

Tawa Fry Method(Balancing Ratio's)

Pre- assessment : ***Question1 :***

Two numbers are in the ratio 3:5. If 13 is subtracted from each, the new number are in the ratio 10:21. If 15 is added to each of the original numbers, then the ratio becomes:

A) 5:7 B) 23:33 C) 4:5 D) 24:35

Question2 :

Two numbers are in the ratio 5:7. If 30 is added in each of the number, the new the ratio will be 3:4. Find the ratio of the number if 10 is subtracted from each number ?

TITA(Type In The Answer)

Question3 :

Salaries of Ravi and Sumit are in the ratio 2 : 3. If the salary of each is increased by Rs. 4000, the new ratio becomes 40 : 57. What is Sumit's Present salary?

A. Rs. 17,000

B. Rs. 20,000

C. Rs. 25,500

D. Rs. 38,000

Question4 :

The ratio between two numbers is 3:4. If each number be increased by 9 , the ratio becomes 18:23. Find the sum of the numbers.

TITA(Type In The Answer)

Question5 :

Present age of A and B is 8:5 and 12 years ago it was 5:2 , find the present age of A and B ?

TITA(Type In The Answer)

Question 6 :

CAMPUSMONK

Problem 042 (ID: `SEC02_QUANT_AGE_Q01`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `Problem on Ages.pdf`
- **Topic Domain**: **Ages, Partnership & Averages: Age Ratio Shift**

Question Statement

The ratio of present ages of A and B is 4 : 5. After 5 years, the ratio of their ages will become 5 : 6. Find the present age of A.

Options

- A. 20 years
- B. 25 years
- C. 16 years
- D. 24 years

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A. 20 years`

Step-by-Step Mathematical Proof & Arithmetic Solution

Let present ages of A and B be 4x and 5x.
After 5 years: (4x + 5) / (5x + 5) = 5 / 6.
Cross-multiplying:
6(4x + 5) = 5(5x + 5)
24x + 30 = 25x + 25
x = 5.
Present age of A = 4x = 4 * 5 = 20 years.
Present age of B = 5x = 25 years.

Visual Figure / Data Table



Problem 043 (ID: `SEC02_QUANT_MENS_Q01`)

- **Source Module**: `2. Numerical ability`
- **Source File**: `mensuration3D.pdf`
- **Topic Domain**: **Mensuration 2D & 3D: Cylinder Melting to Spheres**

Question Statement

A solid metallic cylinder of base radius 3 cm and height 5 cm is melted to make spherical balls of radius 1 cm. How many such balls can be made?

Options

- A. 33
- B. 34
- C. 30
- D. 35

Correct Answer

> [!IMPORTANT]
> **Verified Answer Key**: `A. 33`

Step-by-Step Mathematical Proof & Arithmetic Solution

Volume of cylinder = π * r^2 * h = π * 3^2 * 5 = 45π cm^3.
Volume of one spherical ball = (4/3) * π * R^3 = (4/3) * π * 1^3 = (4/3)π cm^3.

Number of balls = Volume of Cylinder / Volume of one ball
Number = 45π / [(4/3)π] = 45 * 3 / 4 = 135 / 4 = 33.75.
Since only complete solid balls can be formed, exactly 33 complete spherical balls can be made.

Visual Figure / Data Table

