🧩 Infosys SE Elite Crack Vault — CampusMonk WhatsApp Premium Puzzles 140Q Vault

> **Target Role: Infosys Systems Engineer (SE)** (3.6 – 4.0 LPA Recruitment Drive)
> **Payload Architecture: 140 High-Yield Numerical, Grid, Cryptarithmetic & Classic Puzzles**
> **Section Weightage: 4 Questions | 10 Minutes | 2 to 3 Marks Each (Score Multiplier Section)**
> **Verification Score:** 100.0% Answer Key Coverage (140 / 140) | 100.0% Step-by-Step Derivations

---

📑 Set 1: Top 30 High-Weightage Puzzles & Cryptarithms

Problem 001: High-Yield Puzzle (Item 18) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q001`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `14`

Step-by-Step Mathematical & Logical Derivation

9567 + 1085 = 10652. So M = 1, O = 0, N = 6, E = 5 and Y = 2, and their sum is 14.

Problem 002: High-Yield Puzzle (Item 162) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q002`

Question Statement & Options:

(a) N/A
(b) N/A

(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `158`

Step-by-Step Mathematical & Logical Derivation

Each term is double the previous term plus 2. So 78 × 2 + 2 = 158.

Problem 003: High-Yield Puzzle (Item 12) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q003`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `12`

Step-by-Step Mathematical & Logical Derivation

The magic sum is 15 (middle row 3 + 5 + 7). The missing numbers are 1, 7 and 4, so 1 + 7 + 4 = 12.

Problem 004: High-Yield Puzzle (Item 306) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q004`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `289`

Step-by-Step Mathematical & Logical Derivation

In each row, (first)^2 + (second)^2 = third. So $8^2 + 15^2 = 64 + 225 = 289$.

Problem 005: High-Yield Puzzle (Item 56) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q005`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `56`

Step-by-Step Mathematical & Logical Derivation

The differences are 4, 6, 8, 10, 12, so the next difference is 14. Hence 42 + 14 = 56.

Problem 006: High-Yield Puzzle (Item 04) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q006`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `2`

Step-by-Step Mathematical & Logical Derivation

Split the coins into 3, 3 and 2. Weigh 3 against 3 to find the heavy group, then one more weighing finds the coin. Two weighings are enough.

Problem 007: High-Yield Puzzle (Item 09) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q007`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `8`

Step-by-Step Mathematical & Logical Derivation

The completed rows are 1 2 3 4, 3 4 1 2, 2 1 4 3 and 4 3 2 1. The missing digits are 3, 3, 1 and 1, so the sum is 8.

Problem 008: High-Yield Puzzle (Item 67) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q008`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `65`

Step-by-Step Mathematical & Logical Derivation

Each term is double the previous term minus 1. So 33 × 2 - 1 = 65.

Problem 009: High-Yield Puzzle (Item 140) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q009`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `130`

Step-by-Step Mathematical & Logical Derivation

At 40 minutes the minute hand is at 240°. The hour hand is at 90° + 20° = 110°. The angle is 240° - 110° = 130°.

Problem 010: High-Yield Puzzle (Item 96) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q010`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `84`

Step-by-Step Mathematical & Logical Derivation

In each row, third number = first × second × 2. So 6 × 7 × 2 = 84.

Problem 011: High-Yield Puzzle (Item 51) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`

> **Question ID:** `CM_WA_PUZZLE_Q011`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `51`

Step-by-Step Mathematical & Logical Derivation

Second row: 14, 13, 11. Third row: 27, 24. Top brick: 27 + 24 = 51.

Problem 012: High-Yield Puzzle (Item 13) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q012`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `10`

Step-by-Step Mathematical & Logical Derivation

The pattern is +3, -2, +3, -2, and so on. After 12 comes 12 - 2 = 10.

Problem 013: High-Yield Puzzle (Item 12) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q013`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `10`

Step-by-Step Mathematical & Logical Derivation

The completed square is 9 2 7 / 4 6 8 / 5 10 3 with a magic sum of 18. Bottom row: 18 - 5 - 3 = 10.

Problem 014: High-Yield Puzzle (Item 193) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q014`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `191`

Step-by-Step Mathematical & Logical Derivation

Each term is double the previous term plus 1. So 95 × 2 + 1 = 191.

Problem 015: High-Yield Puzzle (Item 15) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q015`

Question Statement & Options:

If 1st January 2026 is a Thursday, which day of the week will 1st January 2028 be?

(a) Friday
(b) Saturday

(c) Sunday
(d) Monday

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `Saturday`

Step-by-Step Mathematical & Logical Derivation

2026 and 2027 are not leap years, so the gap is 730 days = 104 weeks + 2 days. Thursday + 2 days = Saturday.

Problem 016: High-Yield Puzzle (Item 17) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q016`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `16`

Step-by-Step Mathematical & Logical Derivation

The completed rows are 2 1 4 3, 4 3 2 1, 1 2 3 4 and 3 4 1 2. The missing digits are 1, 4, 2, 3, 4 and 2, so the sum is 16.

Problem 017: High-Yield Puzzle (Item 289) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q017`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `289`

Step-by-Step Mathematical & Logical Derivation

These are the squares of prime numbers: 2^2, 3^2, 5^2, 7^2, 11^2, 13^2. The next prime is 17, so $17^2 = 289$.

Problem 018: High-Yield Puzzle (Item 15) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q018`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `10`

Step-by-Step Mathematical & Logical Derivation

The numbers are 103, 112, 121, 130, 202, 211, 220, 301, 310 and 400, which gives 10 numbers.

Problem 019: High-Yield Puzzle (Item 18) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q019`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `12`

Step-by-Step Mathematical & Logical Derivation

In each column, top number × middle number = bottom number. So 6 × 2 = 12.

Problem 020: High-Yield Puzzle (Item 33) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q020`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `31`

Step-by-Step Mathematical & Logical Derivation

The pattern alternates between × 2 and + 1. After 30 comes 30 + 1 = 31.

Problem 021: High-Yield Puzzle (Item 20) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q021`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `8`

Step-by-Step Mathematical & Logical Derivation

Replacing the signs gives 12 + 8 - 6 × 2 = 12 + 8 - 12 = 8.

Problem 022: High-Yield Puzzle (Item 252) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q022`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `252`

Step-by-Step Mathematical & Logical Derivation

The terms follow $n^2 \times (n + 1)$. For $n = 6$: $36 \times 7 = 252$.

Problem 023: High-Yield Puzzle (Item 03) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q023`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `3`

Step-by-Step Mathematical & Logical Derivation

This is the classic 12-coin problem. Three weighings give 27 outcomes, enough to cover 24 cases (12 coins × heavy or light).

Problem 024: High-Yield Puzzle (Item 132) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q024`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `66`

Step-by-Step Mathematical & Logical Derivation

Number of handshakes = 12 × 11 ÷ 2 = 66.

Problem 025: High-Yield Puzzle (Item 840) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q025`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `720`

Step-by-Step Mathematical & Logical Derivation

These are factorials: 1!, 2!, 3!, 4!, 5!. The next term is 6! = 720.

Problem 026: High-Yield Puzzle (Item 06) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`

> **Question ID:** `CM_WA_PUZZLE_Q026`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `4`

Step-by-Step Mathematical & Logical Derivation

10a + b = 4(a + b) gives 6a = 3b, so b = 2a. The numbers are 12, 24, 36 and 48, which is 4 numbers.

Problem 027: High-Yield Puzzle (Item 144) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q027`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `108`

Step-by-Step Mathematical & Logical Derivation

The LCM of 4, 6 and 9 is 36. Its multiples are 36, 72, 108, so the smallest three-digit one is 108.

Problem 028: High-Yield Puzzle (Item 07) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q028`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `9`

Step-by-Step Mathematical & Logical Derivation

The last digits of powers of 7 repeat as 7, 9, 3, 1. Since 2026 leaves remainder 2 when divided by 4, the last digit is 9.

Problem 029: High-Yield Puzzle (Item 27) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q029`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `26`

Step-by-Step Mathematical & Logical Derivation

D = 4, O = 15 and G = 7. So the total is 4 + 15 + 7 = 26.

Problem 030: High-Yield Puzzle (Item 54) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 1: Top 30 High-Weightage Puzzles & Cryptarithms`
> **Question ID:** `CM_WA_PUZZLE_Q030`

Question Statement & Options:

(a) N/A
(b) N/A

(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `36`

Step-by-Step Mathematical & Logical Derivation

Let the number be 10a + b. Then a + b = 9 and 9(b - a) = 27, so b - a = 3. Hence a = 3 and b = 6, giving 36.

📄 Set 2: 30 New Numerical & Pattern Puzzles

Problem 031: High-Yield Puzzle (Item 73) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q031`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `69`

Step-by-Step Mathematical & Logical Derivation

The differences are 2, 4, 8, 16, so the next difference is 32. Hence 37 + 32 = 69.

Problem 032: High-Yield Puzzle (Item 163) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q032`

Question Statement & Options:

(a) N/A
(b) N/A

(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `161`

Step-by-Step Mathematical & Logical Derivation

Each term is double the previous term minus 1. So 81 × 2 - 1 = 161.

Problem 033: High-Yield Puzzle (Item 216) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q033`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `216`

Step-by-Step Mathematical & Logical Derivation

These are cubes: 1^3, 2^3, 3^3, 4^3, 5^3. The next term is $6^3 = 216$.

Problem 034: High-Yield Puzzle (Item 52) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q034`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `50`

Step-by-Step Mathematical & Logical Derivation

Each term is $n^2 + 1$ ($1^2 + 1$, $2^2 + 1$, ... $6^2 + 1 = 37$). The next term is $7^2 + 1 = 50$.

Problem 035: High-Yield Puzzle (Item 35) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q035`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `35`

Step-by-Step Mathematical & Logical Derivation

The terms are $11^2 - 1$, $10^2 - 1$, $9^2 - 1$, $8^2 - 1$, $7^2 - 1$. The next term is $6^2 - 1 = 35$.

Problem 036: High-Yield Puzzle (Item 48) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q036`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `47`

Step-by-Step Mathematical & Logical Derivation

Each term is the sum of the previous two terms. So 18 + 29 = 47.

Problem 037: High-Yield Puzzle (Item 62) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q037`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `60`

Step-by-Step Mathematical & Logical Derivation

The pattern alternates between + 2 and × 2. After 30 comes 30 × 2 = 60.

Problem 038: High-Yield Puzzle (Item 72) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q038`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `67`

Step-by-Step Mathematical & Logical Derivation

The pattern alternates between × 3 and + 1. After 66 comes 66 + 1 = 67.

Problem 039: High-Yield Puzzle (Item 30) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q039`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `29`

Step-by-Step Mathematical & Logical Derivation

In each row, third = first × second + first + second. So 4 × 5 + 4 + 5 = 29.

Problem 040: High-Yield Puzzle (Item 49) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q040`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `45`

Step-by-Step Mathematical & Logical Derivation

In each column, $(\text{top})^2$ - middle = bottom. So $7^2 - 4 = 49 - 4 = 45$.

Problem 041: High-Yield Puzzle (Item 08) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`

> **Question ID:** `CM_WA_PUZZLE_Q041`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `8`

Step-by-Step Mathematical & Logical Derivation

The completed square is 10 3 8 / 5 7 9 / 6 11 4 with a magic sum of 21. Top row: 21 - 10 - 3 = 8.

Problem 042: High-Yield Puzzle (Item 08) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q042`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `6`

Step-by-Step Mathematical & Logical Derivation

In each row, (first - second) ÷ 2 = third. So (14 - 2) ÷ 2 = 6.

Problem 043: High-Yield Puzzle (Item 20) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q043`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `18`

Step-by-Step Mathematical & Logical Derivation

650 + 68782 + 68782 = 138214. So W = 3, E = 8, N = 2, T = 1 and Y = 4, and their sum is 18.

Problem 044: High-Yield Puzzle (Item 36) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q044`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `35`

Step-by-Step Mathematical & Logical Derivation

AB + BA = 11(A + B) = 132, so A + B = 12. With A - B = 2, A = 7 and B = 5. Hence A × B = 35.

Problem 045: High-Yield Puzzle (Item 21) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q045`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `21`

Step-by-Step Mathematical & Logical Derivation

The completed rows are 3 4 1 2, 1 2 3 4, 4 3 2 1 and 2 1 4 3. The missing digits are 4, 2, 1, 4, 3, 2, 2 and 3, so the sum is 21.

Problem 046: High-Yield Puzzle (Item 04) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q046`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `2`

Step-by-Step Mathematical & Logical Derivation

The completed rows are 4 2 1 3, 1 3 4 2, 2 4 3 1 and 3 1 2 4. The first-row ? is 2.

Problem 047: High-Yield Puzzle (Item 03) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q047`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `3`

Step-by-Step Mathematical & Logical Derivation

Each weighing narrows the heavy coin to a group one third the size: 27 to 9 to 3 to 1. So 3 weighings are enough.

Problem 048: High-Yield Puzzle (Item 36) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q048`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `30`

Step-by-Step Mathematical & Logical Derivation

There are 16 squares of size 1, 9 of size 2, 4 of size 3 and 1 of size 4. Total = 16 + 9 + 4 + 1 = 30.

Problem 049: High-Yield Puzzle (Item 24) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q049`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `22`

Step-by-Step Mathematical & Logical Derivation

The hands overlap 11 times in every 12 hours, so they overlap 22 times in 24 hours.

Problem 050: High-Yield Puzzle (Item 20) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q050`

Question Statement & Options:

If today is a Monday, which day of the week will it be 100 days from today?

(a) Tuesday
(b) Wednesday
(c) Thursday
(d) Friday

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `Wednesday`

Step-by-Step Mathematical & Logical Derivation

100 days = 14 weeks + 2 days. So the day is Monday + 2 days = Wednesday.

Problem 051: High-Yield Puzzle (Item 19) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q051`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `20`

Step-by-Step Mathematical & Logical Derivation

The units digit is 7 in 10 numbers (7, 17, ... 97) and the tens digit is 7 in 10 numbers (70 to 79). Total = 20.

Problem 052: High-Yield Puzzle (Item 28) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 2: 30 New Numerical & Pattern Puzzles
> **Question ID:** CM_WA_PUZZLE_Q052

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — 28

Step-by-Step Mathematical & Logical Derivation

Multiples of 3: 20. Multiples of 5: 12. Multiples of both (15): 4. So 20 + 12 - 4 = 28.

Problem 053: High-Yield Puzzle (Item 06) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 2: 30 New Numerical & Pattern Puzzles
> **Question ID:** CM_WA_PUZZLE_Q053

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — 6

Step-by-Step Mathematical & Logical Derivation

Trailing zeros come from factors of 5: 25 ÷ 5 = 5 and 25 ÷ 25 = 1. So 5 + 1 = 6 zeros.

Problem 054: High-Yield Puzzle (Item 17) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q054`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `15`

Step-by-Step Mathematical & Logical Derivation

The primes are 2, 3, 5, 7, 11, 13, 17, 19, 23, 29, 31, 37, 41, 43 and 47, which is 15 primes.

Problem 055: High-Yield Puzzle (Item 03) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q055`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `4`

Step-by-Step Mathematical & Logical Derivation

$2^3 = 8$ leaves remainder 1 when divided by 7. Since $50 = 3 \times 16 + 2$, the remainder is the same as for $2^2 = 4$.

Problem 056: High-Yield Puzzle (Item 24) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`

> **Question ID:** `CM_WA_PUZZLE_Q056`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `22`

Step-by-Step Mathematical & Logical Derivation

3 @ 4 = 2 × 3 + 4 = 10. Then 10 @ 2 = 2 × 10 + 2 = 22.

Problem 057: High-Yield Puzzle (Item 166) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q057`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `164`

Step-by-Step Mathematical & Logical Derivation

4 # 3 = 4^2 - 3 = 13. Then 13 # 5 = 13^2 - 5 = 169 - 5 = 164.

Problem 058: High-Yield Puzzle (Item 66) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q058`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `64`

Step-by-Step Mathematical & Logical Derivation

Z = 26, E = 5, R = 18 and O = 15. So the total is 26 + 5 + 18 + 15 = 64.

Problem 059: High-Yield Puzzle (Item 15) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q059`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `13`

Step-by-Step Mathematical & Logical Derivation

Let the son be s, so the father is 50 - s. Then 45 - s = 4(s - 5), which gives 5s = 65 and s = 13.

Problem 060: High-Yield Puzzle (Item 34) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 2: 30 New Numerical & Pattern Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q060`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `30`

Step-by-Step Mathematical & Logical Derivation

14 × 16 = 224, so the numbers are 14 and 16. Their sum is 30.

📄 Set 3: 30 Advanced Recurrence & Logic Puzzles

Problem 061: High-Yield Puzzle (Item 42) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q061`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `38`

Step-by-Step Mathematical & Logical Derivation

The differences are 1, 3, 5, 7, 9, so the next difference is 11. Hence 27 + 11 = 38.

Problem 062: High-Yield Puzzle (Item 21) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q062`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `20`

Step-by-Step Mathematical & Logical Derivation

Two patterns are interleaved: 3, 6, 9, 12 (+3 each time) and 5, 10, 15, 20 (+5 each time). The next term is 20.

Problem 063: High-Yield Puzzle (Item 3125) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q063`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `3125`

Step-by-Step Mathematical & Logical Derivation

Each term is n raised to the power n: 1, 2^2 = 4, 3^3 = 27, 4 to the power 4 = 256. So the next is 5 to the power 5 = 3125.

Problem 064: High-Yield Puzzle (Item 342) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q064`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `336`

Step-by-Step Mathematical & Logical Derivation

Each term is $n^3 - n$: 0, 6, 24, 60, 120, 210. For n = 7: 343 - 7 = 336.

Problem 065: High-Yield Puzzle (Item 1440) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q065`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `1440`

Step-by-Step Mathematical & Logical Derivation

The multipliers are 2, 3, 4, 5 and then 6. So 240 × 6 = 1440.

Problem 066: High-Yield Puzzle (Item 30) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q066`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `29`

Step-by-Step Mathematical & Logical Derivation

The differences are 1, 2, 3, 4, 5, 6, so the next difference is 7. Hence 22 + 7 = 29.

Problem 067: High-Yield Puzzle (Item 26) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 3: 30 Advanced Recurrence & Logic Puzzles
> **Question ID:** CM_WA_PUZZLE_Q067

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — 25

Step-by-Step Mathematical & Logical Derivation

The differences are -1, -3, -5, -7, so the next difference is -9. Hence 34 - 9 = 25.

Problem 068: High-Yield Puzzle (Item 155) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 3: 30 Advanced Recurrence & Logic Puzzles
> **Question ID:** CM_WA_PUZZLE_Q068

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — 153

Step-by-Step Mathematical & Logical Derivation

Each term is double the previous term plus an increasing number: +1, +2, +3, +4, +5. So 74 × 2 + 5 = 153.

Problem 069: High-Yield Puzzle (Item 47) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q069`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `43`

Step-by-Step Mathematical & Logical Derivation

In each row, third = (first)^2 + second. So $6^2 + 7 = 36 + 7 = 43$.

Problem 070: High-Yield Puzzle (Item 17) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q070`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `13`

Step-by-Step Mathematical & Logical Derivation

In each column, bottom = (top)^2 + middle. So $3^2 + 4 = 9 + 4 = 13$.

Problem 071: High-Yield Puzzle (Item 10) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`

> **Question ID:** `CM_WA_PUZZLE_Q071`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `10`

Step-by-Step Mathematical & Logical Derivation

The completed square is 11 4 9 / 6 8 10 / 7 12 5 with a magic sum of 24. Middle row: 24 - 6 - 8 = 10.

Problem 072: High-Yield Puzzle (Item 08) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q072`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `5`

Step-by-Step Mathematical & Logical Derivation

In each row, first ÷ second = third. So 20 ÷ 4 = 5.

Problem 073: High-Yield Puzzle (Item 48) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q073`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `40`

Step-by-Step Mathematical & Logical Derivation

In each row, third = second × (first - 1). So 5 × (9 - 1) = 40.

Problem 074: High-Yield Puzzle (Item 198) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q074`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `162`

Step-by-Step Mathematical & Logical Derivation

162 = 18 × 9 and its digit sum is 1 + 6 + 2 = 9. No other three-digit number satisfies this.

Problem 075: High-Yield Puzzle (Item 31) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q075`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `31`

Step-by-Step Mathematical & Logical Derivation

96233 + 62513 = 158746. So D = 1, A = 5, N = 8, G = 7, E = 4 and R = 6, and their sum is 31.

Problem 076: High-Yield Puzzle (Item 16) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q076`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `14`

Step-by-Step Mathematical & Logical Derivation

The digit sets are {0, 1, 5} giving 4 numbers, {0, 2, 4} giving 4 numbers and {1, 2, 3} giving 6 numbers. Total = 14.

Problem 077: High-Yield Puzzle (Item 04) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q077`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `4`

Step-by-Step Mathematical & Logical Derivation

The completed rows are 1 3 2 4, 2 4 1 3, 3 1 4 2 and 4 2 3 1. The ? in the last row is 4.

Problem 078: High-Yield Puzzle (Item 18) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 3: 30 Advanced Recurrence & Logic Puzzles
> **Question ID:** CM_WA_PUZZLE_Q078

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — 15

Step-by-Step Mathematical & Logical Derivation

Let the missing number be x. The second row is 4 + x and x + 6, so the top is 2x + 10 = 40. Hence x = 15.

Problem 079: High-Yield Puzzle (Item 110) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 3: 30 Advanced Recurrence & Logic Puzzles
> **Question ID:** CM_WA_PUZZLE_Q079

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — 100

Step-by-Step Mathematical & Logical Derivation

At 20 minutes the minute hand is at 120°. The hour hand is at 210° + 10° = 220°. The angle is 220° - 120° = 100°.

Problem 080: High-Yield Puzzle (Item 20) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 3: 30 Advanced Recurrence & Logic Puzzles
> **Question ID:** CM_WA_PUZZLE_Q080

Question Statement & Options:

If the 7th of a month is a Wednesday, which day of the week is the 30th of that month?

(a) Wednesday
(b) Thursday
(c) Friday
(d) Saturday

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — Friday

Step-by-Step Mathematical & Logical Derivation

The 30th is 23 days after the 7th. 23 days = 3 weeks + 2 days, so Wednesday + 2 days = Friday.

Problem 081: High-Yield Puzzle (Item 08) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 3: 30 Advanced Recurrence & Logic Puzzles
> **Question ID:** CM_WA_PUZZLE_Q081

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — 6

Step-by-Step Mathematical & Logical Derivation

Fill 5, pour into 3 (2 left), empty 3, pour the 2 into 3, fill 5, pour into 3 until full. That is 6 steps and leaves 4 litres in the 5-litre jug.

Problem 082: High-Yield Puzzle (Item 36) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 3: 30 Advanced Recurrence & Logic Puzzles
> **Question ID:** CM_WA_PUZZLE_Q082

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — 36

Step-by-Step Mathematical & Logical Derivation

A 3 × 3 grid has 4 horizontal and 4 vertical lines. Rectangles = C(4, 2) × C(4, 2) = 6 × 6 = 36.

Problem 083: High-Yield Puzzle (Item 1155) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 3: 30 Advanced Recurrence & Logic Puzzles
> **Question ID:** CM_WA_PUZZLE_Q083

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — 1155

Step-by-Step Mathematical & Logical Derivation

The LCM of 5, 7 and 11 is 385. Its multiples are 385, 770 and 1155, so the smallest four-digit one is 1155.

Problem 084: High-Yield Puzzle (Item 742) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 3: 30 Advanced Recurrence & Logic Puzzles

> **Question ID:** `CM_WA_PUZZLE_Q084`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `735`

Step-by-Step Mathematical & Logical Derivation

The multiples are 7, 14, ... 98 (14 terms). Sum = 7 × (1 + 2 + ... + 14) = 7 × 105 = 735.

Problem 085: High-Yield Puzzle (Item 04) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q085`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `1`

Step-by-Step Mathematical & Logical Derivation

3 to the power 4 = 81 leaves remainder 1 when divided by 5. Since 100 = 4 × 25, the remainder is 1.

Problem 086: High-Yield Puzzle (Item 180) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q086`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `170`

Step-by-Step Mathematical & Logical Derivation

2 $ 3 = $2^2 + 3^2 = 13$. Then 13 $ 1 = $13^2 + 1^2 = 169 + 1 = 170$.

Problem 087: High-Yield Puzzle (Item 56) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q087`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `54`

Step-by-Step Mathematical & Logical Derivation

H = 16, E = 10 and N = 28. So the total is 16 + 10 + 28 = 54.

Problem 088: High-Yield Puzzle (Item 04) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q088`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `2`

Step-by-Step Mathematical & Logical Derivation

The numbers are 11 and 13, since 11 + 13 = 24 and 11 × 13 = 143. The difference is 2.

Problem 089: High-Yield Puzzle (Item 06) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q089`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `4`

Step-by-Step Mathematical & Logical Derivation

The digit pairs with product 12 are (2, 6) and (3, 4). Each gives two numbers: 26, 62, 34 and 43. Total = 4.

Problem 090: High-Yield Puzzle (Item 29) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 3: 30 Advanced Recurrence & Logic Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q090`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `25`

Step-by-Step Mathematical & Logical Derivation

The middle number is 21, so the numbers are 17, 19, 21, 23 and 25. The largest is 25.

📄 Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles

Problem 091: High-Yield Puzzle (Item 04) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q091

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — 1

Step-by-Step Mathematical & Logical Derivation

Take 1 coin from bag 1, 2 from bag 2, and so on up to 10 from bag 10, and weigh them together. The excess weight in grams equals the number of the heavier bag. So one weighing is enough.

Problem 092: High-Yield Puzzle (Item 21) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q092

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `17`

Step-by-Step Mathematical & Logical Derivation

Send 1 and 2 across (2 min), 1 returns (1 min), 5 and 10 cross (10 min), 2 returns (2 min), then 1 and 2 cross (2 min). Total = 2 + 1 + 10 + 2 + 2 = 17 minutes.

Problem 093: High-Yield Puzzle (Item 21) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q093`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `20`

Step-by-Step Mathematical & Logical Derivation

The completed rows are 2 4 1 3, 1 3 2 4, 4 1 3 2 and 3 2 4 1. The missing digits are 4, 1, 1, 4, 1, 2, 3 and 4, which add up to 20.

Problem 094: High-Yield Puzzle (Item 26) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q094`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `25`

Step-by-Step Mathematical & Logical Derivation

7483 + 7455 = 14938. So G = 1, A = 4, M = 9, E = 3 and S = 8, and their sum is 25.

Problem 095: High-Yield Puzzle (Item 11) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q095`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `11`

Step-by-Step Mathematical & Logical Derivation

The completed square is 12 5 10 / 7 9 11 / 8 13 6 with a magic sum of 27. Middle row: 27 - 7 - 9 = 11.

Problem 096: High-Yield Puzzle (Item 06) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q096`

Question Statement & Options:

On an island, knights always tell the truth and knaves always lie. A says, 'We are both knaves.' What are A and B?

(a) A is a knight, B is a knave
(b) Both are knights
(c) A is a knave, B is a knight
(d) Both are knaves

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `A is a knave, B is a knight`

Step-by-Step Mathematical & Logical Derivation

If A were a knight, the statement would be true, which is impossible. So A is a knave and the statement is false, which means B is not a knave. B is a knight.

Problem 097: High-Yield Puzzle (Item 07) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q097`

Question Statement & Options:

Five meetings P, Q, R, S and T are on different days from Monday to Friday. P is the day after Q. R is not on Monday or Friday. S is on Friday and T is two days before S. Which meeting is on Thursday?

(a) P
(b) Q
(c) T
(d) R

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `R`

Step-by-Step Mathematical & Logical Derivation

S is on Friday and T on Wednesday. P must follow Q, which fits only Monday and Tuesday, so Q is on Monday and P on Tuesday. That leaves R on Thursday.

Problem 098: High-Yield Puzzle (Item 09) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q098`

Question Statement & Options:

(a) N/A
(b) N/A

(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `8`

Step-by-Step Mathematical & Logical Derivation

Fill 4 and pour into 7 (twice, leaving 1 L in the 4-litre jug), empty the 7, move the 1 L into it, fill 4 and pour it in. The 7-litre jug holds 1 + 4 = 5 L after 8 steps.

Problem 099: High-Yield Puzzle (Item 100) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q099`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `10`

Step-by-Step Mathematical & Logical Derivation

A locker is toggled once for each of its divisors. Only perfect squares have an odd number of divisors, so only they stay open. There are 10 perfect squares up to 100.

Problem 100: High-Yield Puzzle (Item 10) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q100`

Question Statement & Options:

Using weights of 1 kg, 3 kg, 9 kg and 27 kg on both pans of a balance, what is the maximum weight up to which every whole-kg weight can be measured?

(a) 40 kg
(b) 27 kg
(c) 36 kg
(d) 41 kg

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `40 kg`

Step-by-Step Mathematical & Logical Derivation

Weights in powers of 3 can be placed on either pan or left out, which measures every whole number up to their total. 1 + 3 + 9 + 27 = 40 kg.

Problem 101: High-Yield Puzzle (Item 11) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q101`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `7`

Step-by-Step Mathematical & Logical Derivation

Take the goat over, return alone, take the wolf over, bring the goat back, take the cabbage over, return alone, then take the goat over. That is 7 one-way crossings.

Problem 102: High-Yield Puzzle (Item 03) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q102`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `4`

Step-by-Step Mathematical & Logical Derivation

The completed rows are 3 1 4 2, 4 2 3 1, 1 3 2 4 and 2 4 1 3. The ? in the second row is 4.

Problem 103: High-Yield Puzzle (Item 24) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q103`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `22`

Step-by-Step Mathematical & Logical Derivation

29786 + 850 + 850 = 31486. So S = 3, I = 1, X = 4, T = 8 and Y = 6, and their sum is 22.

Problem 104: High-Yield Puzzle (Item 07) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q104`

Question Statement & Options:

(a) N/A
(b) N/A

(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `6`

Step-by-Step Mathematical & Logical Derivation

The top-left is 3, so the top-right = 7 - 3 = 4 and the bottom-left = 8 - 3 = 5. The bottom-right = 11 - 5 = 6.

Problem 105: High-Yield Puzzle (Item 15) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q105`

Question Statement & Options:

P says, 'Q is a liar.' Q says, 'R is a liar.' R says, 'P and Q are both liars.' Each person is either always truthful or always lying. Who is truthful?

(a) P
(b) R
(c) Nobody
(d) Q

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `Q`

Step-by-Step Mathematical & Logical Derivation

If Q is truthful, R is a liar, so R's statement is false. P says Q is a liar, which is false, so P is a liar. This is consistent, so only Q is truthful.

Problem 106: High-Yield Puzzle (Item 16) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q106`

Question Statement & Options:

Ann, Ben and Cara own a cat, a dog and a parrot, one each. Ann does not own the dog, Ben owns neither the cat nor the dog, and Cara does not own the parrot. Who owns the dog?

(a) Ann
(b) Cara
(c) Ben
(d) Cannot be determined

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `Cara`

Step-by-Step Mathematical & Logical Derivation

Ben owns neither the cat nor the dog, so Ben owns the parrot. Ann does not own the dog, so Ann owns the cat and Cara owns the dog.

Problem 107: High-Yield Puzzle (Item 17) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q107`

Question Statement & Options:

Two ropes each burn for exactly 60 minutes, but unevenly. Rope 1 is lit at both ends and rope 2 at one end at the same time. When rope 1 burns out, rope 2's other end is lit. When does rope 2 burn out?

(a) 45 minutes
(b) 30 minutes
(c) 50 minutes
(d) 60 minutes

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `45 minutes`

Step-by-Step Mathematical & Logical Derivation

Rope 1 burns out in 30 minutes. Rope 2 then has 30 minutes of burning left, and lighting its other end halves that to 15 minutes. Total = 30 + 15 = 45 minutes.

Problem 108: High-Yield Puzzle (Item 18) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q108

Question Statement & Options:

A snail climbs 5 m up a 20 m well during the day and slips 3 m back at night. On which day does it reach the top?

(a) 8th day
(b) 10th day
(c) 11th day
(d) 9th day

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — 9th day

Step-by-Step Mathematical & Logical Derivation

Each full day and night gains 2 m, so after 8 days the snail is at 16 m. On the 9th day it climbs 5 m and reaches 21 m, which is past the top.

Problem 109: High-Yield Puzzle (Item 19) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q109

Question Statement & Options:

Three boxes A, B and C are weighed in pairs: A + B = 70 kg, B + C = 80 kg and A + C = 90 kg. What is the weight of the heaviest box?

(a) 40 kg
(b) 45 kg
(c) 50 kg
(d) 60 kg

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — 50 kg

Step-by-Step Mathematical & Logical Derivation

Adding all three gives 2(A + B + C) = 240, so A + B + C = 120. C = 120 - 70 = 50 kg, A = 40 kg and B = 30 kg. The heaviest box is 50 kg.

Problem 110: High-Yield Puzzle (Item 23) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q110

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — 21

Step-by-Step Mathematical & Logical Derivation

Send 2 and 3 across (3 min), 2 returns (2 min), 6 and 10 cross (10 min), 3 returns (3 min), then 2 and 3 cross (3 min). Total = 3 + 2 + 10 + 3 + 3 = 21 minutes.

Problem 111: High-Yield Puzzle (Item 02) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q111

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — 2

Step-by-Step Mathematical & Logical Derivation

The completed rows are 1 2 4 3, 3 4 1 2, 2 1 3 4 and 4 3 2 1. The ? in the last row is 2.

Problem 112: High-Yield Puzzle (Item 10380) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q112

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — 10038

Step-by-Step Mathematical & Logical Derivation

819 + 9219 = 10038. So A = 1, P = 0, L = 3 and E = 8, which makes APPLE = 10038.

Problem 113: High-Yield Puzzle (Item 09) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q113

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — 8

Step-by-Step Mathematical & Logical Derivation

The only valid square is 4 9 2 / 3 5 7 / 8 1 6. So the bottom-left cell is 8.

Problem 114: High-Yield Puzzle (Item 24) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q114

Question Statement & Options:

Two guards stand at two doors, and one door leads to treasure. One guard always lies and the other always tells the truth. Which single question to either guard lets you find the treasure door?

(a) Ask: are you the truthful one?
(b) Ask: is the left door correct?
(c) Ask: what would the other say?
(d) Ask: which of you is the liar?

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — Ask: what would the other say?

Step-by-Step Mathematical & Logical Derivation

Whichever guard you ask, the answer points to the wrong door: the liar misreports the truthful guard's answer, and the truthful guard reports the liar's false answer. So you pick the other door.

Problem 115: High-Yield Puzzle (Item 25) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q115

Question Statement & Options:

Six people A, B, C, D, E and F sit in a row facing north. C is second from the left, F is at the right end, and A is immediately right of C. E is not next to F, and B is immediately left of D. Who sits at the left end?

(a)
(b)
(c) E
(d)

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `E`

Step-by-Step Mathematical & Logical Derivation

The order from the left is E, C, A, B, D, F. So E sits at the left end.

Problem 116: High-Yield Puzzle (Item 04) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q116`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `1`

Step-by-Step Mathematical & Logical Derivation

Turn switch 1 on for a few minutes, then off, then turn switch 2 on and enter. The lit bulb is switch 2, the warm unlit bulb is switch 1 and the cold bulb is switch 3. One entry is enough.

Problem 117: High-Yield Puzzle (Item 27) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q117`

Question Statement & Options:

Two trains 100 km apart move towards each other at 30 km/h and 20 km/h. A bird flies back and forth between them at 60 km/h until they meet. How far does the bird fly?

(a) 100 km
(b) 150 km

(c) 180 km
(d) 120 km

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `120 km`

Step-by-Step Mathematical & Logical Derivation

The trains meet after 100 ÷ (30 + 20) = 2 hours. The bird flies for 2 hours at 60 km/h, so it covers 120 km.

Problem 118: High-Yield Puzzle (Item 09) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q118`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `6`

Step-by-Step Mathematical & Logical Derivation

Doubling the first statement, 6 apples = 4 mangoes. Since 4 mangoes = 6 oranges, 6 apples = 6 oranges.

Problem 119: High-Yield Puzzle (Item 15) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q119`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `11`

Step-by-Step Mathematical & Logical Derivation

This is a classic puzzle. Checking every safe arrangement on both banks shows that the shortest safe plan needs 11 one-way crossings.

Problem 120: High-Yield Puzzle (Item 30) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q120`

Question Statement & Options:

Fill the 3 × 3 grid with the letters A, B and C so that each row and column has every letter once. Which letter replaces the ?

(a)
(b)
(c)
(d) Cannot be determined

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `B`

Step-by-Step Mathematical & Logical Derivation

The only valid fill is A B C / B C A / C A B. So the bottom-right cell is B.

Problem 121: High-Yield Puzzle (Item 10348) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q121`

Question Statement & Options:

(a) N/A
(b) N/A

(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `10348`

Step-by-Step Mathematical & Logical Derivation

9454 + 894 = 10348. So C = 1, O = 0, M = 3, E = 4 and S = 8, which makes COMES = 10348.

Problem 122: High-Yield Puzzle (Item 16) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q122`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `12`

Step-by-Step Mathematical & Logical Derivation

If the smallest date is d, the block is d, d + 1, d + 7 and d + 8, which add up to 4d + 16. So 4d + 16 = 64 and d = 12.

Problem 123: High-Yield Puzzle (Item 33) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q123`

Question Statement & Options:

A says, 'B is a knight.' B says, 'A and I are of opposite types.' Knights always tell the truth and knaves always lie. What are A and B?

(a) Both are knaves
(b) A is a knight, B is a knave
(c) A is a knave, B is a knight
(d) Both are knights

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `Both are knaves`

Step-by-Step Mathematical & Logical Derivation

If A were a knight, B would be a knight, but then B's statement would be false, which is impossible. So A is a knave, which makes B a knave too, and B's false statement fits.

Problem 124: High-Yield Puzzle (Item 34) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q124`

Question Statement & Options:

Five runners A, B, C, D and E finish a race with no ties. E finishes first and C finishes last. B finishes before A, and D finishes immediately after B. Who finishes third?

(a)
(b)
(c)
(d)

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `D`

Step-by-Step Mathematical & Logical Derivation

E is 1st and C is 5th. B, D and A fill 2nd to 4th, with B before A and D right after B. The order is E, B, D, A, C, so D finishes third.

Problem 125: High-Yield Puzzle (Item 35) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q125`

Question Statement & Options:

A clock is set correctly at 12 noon and gains 5 minutes every hour. What time will it show when the correct time is 6 PM?

(a) 6:30 PM
(b) 6:25 PM
(c) 6:35 PM
(d) 7:00 PM

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `6:30 PM`

Step-by-Step Mathematical & Logical Derivation

In 6 hours the clock gains 6 × 5 = 30 minutes. So it shows 6:30 PM when the correct time is 6 PM.

Problem 126: High-Yield Puzzle (Item 16) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q126`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((B))** — `11`

Step-by-Step Mathematical & Logical Derivation

The maximum number of pieces with n cuts is n(n + 1)/2 + 1. For n = 4: 4 × 5/2 + 1 = 11.

Problem 127: High-Yield Puzzle (Item 04) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q127`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `4`

Step-by-Step Mathematical & Logical Derivation

The top row must be 1 and 2, and the bottom row 3 and 4. The left column adds to 4, so it is 1 and 3. That makes the top-right 2 and the bottom-right 4.

Problem 128: High-Yield Puzzle (Item 210) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q128`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `102`

Step-by-Step Mathematical & Logical Derivation

81 + 21 = 102. So G = 8, O = 1, T = 2 and U = 0, which makes OUT = 102.

Problem 129: High-Yield Puzzle (Item 39) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q129`

Question Statement & Options:

Three people speak. A: 'Exactly one of us is lying.' B: 'Exactly two of us are lying.' C: 'All three of us are lying.' Who is telling the truth?

(a)
(b)
(c) Nobody
(d)

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `B`

Step-by-Step Mathematical & Logical Derivation

C cannot be truthful, since that would make C a liar. If A were truthful, B and C would both be lying, which is two liars, not one. If B is truthful, A and C are the two liars, which fits.

Problem 130: High-Yield Puzzle (Item 40) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q130`

Question Statement & Options:

Four boxes red, blue, green and yellow are stacked one above another. Yellow is at the bottom, green is immediately above yellow, and red is above blue. Which box is at the top?

(a) Blue
(b) Green
(c) Yellow
(d) Red

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `Red`

Step-by-Step Mathematical & Logical Derivation

From the bottom, yellow is first and green is second. Red is above blue, so blue is third and red is on top.

Problem 131: High-Yield Puzzle (Item 63) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid`

> `Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q131`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `31`

Step-by-Step Mathematical & Logical Derivation

To leave one champion, 31 teams must be eliminated, and each match eliminates exactly one team. So 31 matches are played.

Problem 132: High-Yield Puzzle (Item 42) 🔴 `[🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q132`

Question Statement & Options:

Among four friends, A is taller than B, C is shorter than B, and D is taller than A. Who is the shortest?

(a)
(b)
(c)
(d)

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `C`

Step-by-Step Mathematical & Logical Derivation

The order from the tallest is D, A, B, C. So C is the shortest.

Problem 133: High-Yield Puzzle (Item 12) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q133`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `10`

Step-by-Step Mathematical & Logical Derivation

With n guests, the handshakes = n(n - 1)/2. Setting this equal to 45 gives n(n - 1) = 90, so n = 10.

Problem 134: High-Yield Puzzle (Item 44) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q134`

Question Statement & Options:

Three boxes are labelled 'Apples', 'Oranges' and 'Apples and Oranges', and every label is wrong. A fruit picked from the box labelled 'Apples and Oranges' is an apple. What does the box labelled 'Oranges' contain?

(a) Apples and oranges
(b) Only apples
(c) Only oranges
(d) Cannot be determined

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((A))** — `Apples and oranges`

Step-by-Step Mathematical & Logical Derivation

The box labelled 'Apples and Oranges' is mislabelled, so it holds only apples. The box labelled 'Oranges' cannot hold oranges, and apples are taken, so it holds the mixed fruit.

Problem 135: High-Yield Puzzle (Item 12) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q135

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — 12

Step-by-Step Mathematical & Logical Derivation

12 has the divisors 1, 2, 3, 4, 6 and 12, which is exactly 6 divisors. No smaller number has exactly 6.

Problem 136: High-Yield Puzzle (Item 74) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** Numerical & Logical Puzzle | **Set:** Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles
> **Question ID:** CM_WA_PUZZLE_Q136

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — 64

Step-by-Step Mathematical & Logical Derivation

Let the number be 10a + b. Then 10a + b = 6(a + b) + 4, which gives 4a - 5b = 4. The only solution with non-zero digits is a = 6 and b = 4, so the number is 64.

Problem 137: High-Yield Puzzle (Item 06) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q137`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((D))** — `6`

Step-by-Step Mathematical & Logical Derivation

In the worst case the first 5 marbles are all different colours. The 6th marble must match one of them, so 6 draws are needed.

Problem 138: High-Yield Puzzle (Item 20) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q138`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `12`

Step-by-Step Mathematical & Logical Derivation

In the worst case you pull out all 10 white socks first. The next 2 socks must be black, so you need 10 + 2 = 12 socks.

Problem 139: High-Yield Puzzle (Item 345) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q139`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `330`

Step-by-Step Mathematical & Logical Derivation

The digits of 1 to 9 add up to 45. The numbers 10 to 49 add up to 55 + 65 + 75 + 85 = 280 in digits, and 50 adds 5. Total = 45 + 280 + 5 = 330.

Problem 140: High-Yield Puzzle (Item 264) 🔴 [🔥 MUST-SOLVE | INFOSYS 2-3 MARKS]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Category:** `Numerical & Logical Puzzle` | **Set:** `Set 4: 50 Classic Weighing, River Crossing & Grid Puzzles`
> **Question ID:** `CM_WA_PUZZLE_Q140`

Question Statement & Options:

(a) N/A
(b) N/A
(c) N/A
(d) N/A

Correct Answer

> **IMPORTANT REQUIREMENT: Verified Answer Key**: Option **((C))** — `204`

Step-by-Step Mathematical & Logical Derivation

The number of k × k squares is $(9 - k)^2$. Total = $8^2 + 7^2 + 6^2 + 5^2 + 4^2 + 3^2 + 2^2 + 1^2 = 204$. QUICK ANSWER KEY Q1 to Q50 Q1 B Q2 A Q3 B Q4 B Q5 D Q6 C Q7 D Q8 A Q9 A Q10 A Q11 C Q12 B Q13 B Q14 B Q15 D Q16 B Q17 A

Q18 D Q19 C Q20 A Q21 D Q22 B Q23 A Q24 C Q25 C Q26 C Q27 D Q28 B Q29 B Q30 B Q31 D Q32 C Q33 A Q34 A Q35 A Q36 B Q37 D Q38 A Q39 D Q40 D Q41 C Q42 D Q43 A Q44 A Q45 D Q46 C Q47 D Q48 C Q49 C Q50 C