
INFOSYS SE (SYSTEM ENGINEER) — MASTER PUZZLE SOLVING VAULT

246 High-Yield Questions • Complete Explanations & Visual Diagrams • 100% Exam-Accurate PYQs & Model Tests

SECTION 1: Visual Diagram & Pattern Puzzles (With Embedded High-Res Figures) (17 Questions)

[CampusMonk Section VI (Number Puzzles Q1)]
Directions: *Visual Number Grid & Pattern Logic.*




Q1. What will replace the ? Mark in the given pattern?

a. 8
b. 9
c. 6
d. 5

Answer: b. 9
Logic / Trick: Follow pattern shown in image. Correct option: b.

[CampusMonk Section VI (Number Puzzles Q2)]
Directions: *Visual Number Grid & Pattern Logic.*




Q2. What will replace the ? Mark in the given pattern?

a. 2
b. 6
c. 5
d. 9

Answer: b. 6
Logic / Trick: Follow pattern shown in image. Correct option: b.

[CampusMonk Section VI (Number Puzzles Q3)]
Directions: *Visual Number Grid & Pattern Logic.*




Q3. What will replace the ? Mark in the given pattern?

a. O
b. L
c. Y
d. P

Answer: a. O
Logic / Trick: Follow pattern shown in image. Correct option: a.

[CampusMonk Section VI (Number Puzzles Q4)]
Directions: *Visual Number Grid & Pattern Logic.*




Q4. What will replace the ? Mark in the given pattern?

a. 1
b. 2
c. 5
d. 9

Answer: a. 1
Logic / Trick: Follow pattern shown in image. Correct option: a.

[CampusMonk Section VI (Number Puzzles Q5)]
Directions: *Visual Number Grid & Pattern Logic.*




Q5. What will replace the ? Mark in the given pattern?

a. 452
b. 250
c. 235
d. 253

Answer: d. 253
Logic / Trick: Follow pattern shown in image. Correct option: d.

[CampusMonk Section VI (Number Puzzles Q6)]
Directions: *Visual Number Grid & Pattern Logic.*




Q6. What will replace the ? Mark in the given pattern?

a. 24
b. 4
c. 2
d. 8

Answer: c. 2
Logic / Trick: Follow pattern shown in image. Correct option: c.

[CampusMonk Section VI (Number Puzzles Q7)]
Directions: *Visual Number Grid & Pattern Logic.*




Q7. What will replace the ? Mark in the given pattern?

a. 8
b. 10
c. 12
d. 16

Answer: b. 10
Logic / Trick: Follow pattern shown in image. Correct option: b.

[CampusMonk Section VI (Number Puzzles Q8)]
Directions: *Visual Number Grid & Pattern Logic.*



Q8. What will replace the ? Mark in the given pattern?

a. B
b. Y
c. Z
d. C

Answer: a. B
Logic / Trick: Follow pattern shown in image. Correct option: a.

[CampusMonk Section VI (Number Puzzles Q9)]
Directions: *Visual Number Grid & Pattern Logic.*

2	3	11
4	1	15
7	3	56
?	8	87

**Q9. Study the 4×3 matrix. Each row follows the same rule relating the first two entries to the third entry. Find the missing number ? that makes the middle row obey the same rule.   **

a. 3
b. 4
c. 5
d. 8

Answer: c. 5
Logic / Trick: Follow pattern shown in image. Correct option: c.

[CampusMonk Section VI (Number Puzzles Q10)]
Directions: *Visual Number Grid & Pattern Logic.*


2	3	7
H	?	U
4	6	3

**Q10. Study the 3×3 matrix. Each row follows the same rule relating the first two entries to the third entry. Find the missing number ? that makes the middle row obey the same rule. **

a. P
b. Q
c. S
d. R

Answer: d. R
Logic / Trick: Follow pattern shown in image. Correct option: d.

[CampusMonk Section VI (Number Puzzles Q11)]
Directions: *Visual Number Grid & Pattern Logic.*




Q11. What will replace the ? Mark in the given pattern?

a. 50
b. 110
c. 61
d. 26

Answer: d. 26
Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q12)]

Directions: *Visual Number Grid & Pattern Logic.*



Q12. What will replace the ? Mark in the given pattern?

a. A=9, B=17
b. A=14, B=22
c. A=14, B=28
d. A=18, B=9

Answer: c. A=14, B=28

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q13)]

Directions: *Visual Number Grid & Pattern Logic.*

11	4	21	39
8	1	?	2
5	7	3	2
63	29	72	80

Q13. Study the 4×3 matrix. Each row follows the same rule relating the first two entries to the third entry. Find the missing number ? that makes the middle row obey the same rule.

a. 7
b. 9
c. 5
d. 8

Answer: b. 9

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q14)]

Directions: *Visual Number Grid & Pattern Logic.*

3	2	8
1	59	1
5	14	25

**Q14. Determine the missing number in the second set. Assume the second set also works in the same way as the first set.   **


a. 89
b. 79
c. 99
d. 109

Answer: c. 99

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q15)]

Directions: *Visual Number Grid & Pattern Logic.*




**Q15. What will replace the ? Mark in the given pattern? **

a. 7
b. 8
c. 5
d. 9

Answer: d. 9

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q16)]
Directions: *Visual Number Grid & Pattern Logic.*




**Q16. What will replace the ? Mark in the given pattern? **

a. 2
b. 3
c. 4
d. 7

Answer: b. 3

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q17)]
Directions: *Visual Number Grid & Pattern Logic.*



**Q17. What will replace the ? Mark in the given pattern? **

a. M
b. N
c. O
d. P

Answer: a. M

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

SECTION 2: Height, Weight & Ranking Comparison Puzzles (24 Questions)

[CampusMonk Book 1]
Directions: *There are six people A, B, C, D, E and F. All of them have different heights. A is taller than F & D. B is shorter than only two people including A. A is not the tallest. C is taller than D but shorter than F. The height of 2nd tallest person and the 2nd shortest person is 153 cm and 135 cm respectively.*

Q18. What is the possible height of F?

a. 140 cm
b. 165 cm
c. 100 cm
d. 134 cm
e. 130 cm

Answer: A

Logic / Trick: Descending order: E (tallest) > A (153 cm) > B > F > C (135 cm) > D. Since F is between B (<153 cm) and C (135 cm), F must be between 135 and 153 cm. Only 140 cm falls in this range.

[CampusMonk Book 1]
Directions: *There are six people A, B, C, D, E and F. All of them have different heights. A is taller than F & D. B is shorter than only two people including A. A is not the tallest. C is taller than D but shorter than F. The height of 2nd tallest person and the 2nd shortest person is 153 cm and 135 cm respectively.*

Q19. Who among the following is the 3rd shortest?

a. A
b. C
c. B
d. E
e. F

Answer: E

Logic / Trick: From shortest to tallest: D (1st shortest), C (2nd shortest, 135 cm), F (3rd shortest), B (4th shortest), A (5th shortest, 153 cm), E (tallest). Hence, F is the 3rd shortest.

[CampusMonk Book 1]
Directions: *There are 7 friends — A, B, C, D, E, F and G. All have different heights. B is taller than F but shorter than E. E is not the tallest. A is taller than both F and C. C is taller than G. A is taller than only 3 friends.*

Q20. Who is the tallest of all friends?

a. F
b. G
c. D
d. B
e. CND

Answer: C

Logic / Trick: A is taller than only 3 friends (F, C, G) -> A is 4th from top. B is taller than F but shorter than E. E is not tallest. The only person who can be at the top is D. Hence D is the tallest.

[CampusMonk Book 1]
Directions: *There are 7 friends — A, B, C, D, E, F and G. All have different heights. B is taller than F but shorter than E. E is not the tallest. A is taller than both F and C. C is taller than G. A is taller than only 3 friends.*

Q21. C can be placed at how many possible positions in the arrangement obtained?

a. Other than given in options
b. One
c. Two
d. Three
e. CND

Answer: C

Logic / Trick: Positions 5, 6, 7 are occupied by F, C, G. Since G is shorter than C, C can be in 5th or 6th position (2 possible positions).

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q22. In a line of people, Rohit is ranked 12th from the top, and Ankit is ranked 20th from the bottom. If there are 30 people in the line, how many people are between Rohit and Ankit?

A) 5
B) 7
C) 0
D) 9

Answer: C

Logic / Trick: Rohit position from bottom = (30-12)+1 = 19 Ankit position from bottom = 20 Number of people between Rohit and Ankit = 0

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q23. Arjun is older than Sumit but younger than Rahul. Vikas is younger than Rahul but older than Arjun. Ramesh is the oldest among them. Who is the third oldest?

A) Sumit
B) Arjun
C) Rahul
D) Vikas

Answer: D

Logic / Trick: From the given conditions: Arjun > Sumit, but Arjun < Rahul. -> Rahul > Arjun > Sumit. Vikas is younger than Rahul but older than Arjun. -> Rahul > Vikas > Arjun > Sumit. Ramesh is the oldest. Final order: Ramesh > Rahul > Vikas > Arjun > Sumit. The third oldest is Vikas.

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q24. Six people--P, Q, R, S, T, and U--are standing in a line from left to right. P is taller than S but shorter than Q. R is taller than Q but shorter than U. T is the tallest. Who is the fourth tallest?

A) P
B) Q
C) R
D) S

Answer: B

Logic / Trick: From the given conditions: P > S, but P < Q -> Q > P > S. R > Q, but R < U -> U > R > Q. T is the tallest. Final order: T > U > R > Q > P > S. The fourth tallest person is Q.

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q25. Shreya is taller than Meena but shorter than Ritu. Kajal is shorter than Ritu but taller than Meena. Payal is the shortest among all. Who is the third tallest?

A) Shreya
B) Ritu
C) Meena
D) Kajal

Answer: D

Logic / Trick: From the given conditions: Shreya > Meena but Shreya < Ritu. -> Ritu > Shreya > Meena. Kajal is shorter than Ritu but taller than Meena. -> Ritu > Kajal > Meena. Payal is the shortest. Arranging all: Ritu > Shreya > Kajal > Meena > Payal. The third tallest person is Kajal.

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q26. In a row of students, Raj is 15th from the left end and 12th from the right end. How many students are there in the row?


A) 26
B) 28
C) 25
D) 30

Answer: A

Logic / Trick: Total students in the row = (Position from Left) + (Position from Right) - 1 = 15 + 12 - 1 = 26

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*



Q27. During assembly the students are standing in a line. Salman Khan is 21st in order from both the ends. How many boys are there in the class?

A) 30
B) 40
C) 31
D) 41

Answer: D

Logic / Trick: Therefore, total number of students = 20 + Salman Khan + 20 = 41

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q28. In a row of 45 students, Aditi is ranked 18th from the left. Priya is 24th from the right. If there are 5 students between Aditi and Priya, how many students are there in the row?

A) 45
B) 47
C) 50
D) 53

Answer: B

Logic / Trick: Total students in the row = (Aditi's rank from the left) + (Priya's rank from the right) + (Students between them) = 18 + 24 + 5 = 47

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q29. Rahul is heavier than Suresh but lighter than Mohan. Kunal is lighter than Rahul but heavier than Suresh. Deepak is heavier than all except Mohan. Who is the second lightest?

A) Rahul
B) Kunal
C) Suresh
D) Mohan

Answer: B

Logic / Trick: Rahul is heavier than Suresh but lighter than Mohan. -> Mohan > Rahul > Suresh Kunal is lighter than Rahul but heavier than Suresh. -> Mohan > Rahul > Kunal > Suresh Deepak is heavier than all except Mohan. -> Mohan > Deepak > Rahul > Kunal > Suresh Solution: The second lightest is Kunal.

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q30. In a north-facing row of 45 students, Neha is 13th from the left, and Priya is 15th from the right. There are 4 students between Priya and Rani, who is equidistant to Neha. What is Rani's position from the right?

A) 25
B) 20
C) 30
D) 32

Answer: B

Logic / Trick: Priya's position from the left = 45-15+1=31. Rani's position from the left (5 places ahead of Priya) = 31-5=26. Check equidistance: ■26-13■=13 (same as Neha's position). Rani's position from the right = 45-26+1=20.

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q31. Five students--Amit, Bhavesh, Chetan, Dinesh, and Esha--took an exam. Amit scored higher than Chetan but lower than Bhavesh. Dinesh scored more than Amit but less than Esha. Esha scored the highest. Who got the second highest marks?

A) Dinesh
B) Chetan
C) Amit
D) Esha

Answer: A

Logic / Trick: From the given conditions: Amit > Chetan, but Amit < Bhavesh. -> Bhavesh > Amit > Chetan. Dinesh > Amit but Dinesh < Esha. -> Esha > Dinesh > Amit. Esha scored the highest. Final order: Esha > Dinesh > Bhavesh > Amit > Chetan. The second highest scorer is Dinesh.

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q32. In a class of 50 students, Priya ranks 14th from the top. What is her rank from the bottom?

A) 35
B) 37
C) 40
D) 45

Answer: B

Logic / Trick: Rank from the bottom = Total students - Rank from the top + 1 = 50 - 14 + 1 = 37

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q33. If the rank of Rohan is 7th from the top in a group of 50 candidates and 2 new candidates are added just before and after him, what will be his new rank from bottom?

A) 44
B) 45
C) 46
D) 48

Answer: C

Logic / Trick: Adding of candidates just before Rohan will not change his rank from bottom. Before addition, the rank of Rohan from bottom is = (50 - 7) + 1 = 44 Now adding 2 candidates just after Rohan will increase his rank by 2 positions. Hence; the new rank of Rohan from bottom will be = 44 + 2 = 46

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q34. Neha is heavier than Rina but lighter than Simran. Aisha is lighter than Neha but heavier than Rina. Jaya is heavier than all except Simran. Who is the third heaviest?


A) Rina
B) Simran
C) Neha
D) Jaya

Answer: C

Logic / Trick: From the given conditions: Neha > Rina, but Neha < Simran -> Simran > Neha > Rina. Aisha is lighter than Neha but heavier than Rina -> Simran > Neha > Aisha > Rina. Jaya is heavier than all except Simran -> Simran > Jaya > Neha > Aisha > Rina. The third heaviest person is Neha.

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*



Q35. Six persons - Sumer, Anant, Parth, Rajat, Karan and Gaurav, played in a cricket match and scored different number of runs. Sumer scored more runs than only Parth and Gaurav. Anant scored less runs than Karan, who was not highest scorer. The Second highest person scored 78 runs. How many person(s) scored more runs than Parth?

A) 1
B) 2
C) 3
D) More than 3

Answer: D

Logic / Trick: Following the final solution we can say that either 4 or 5 persons scored more runs than Parth.

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q36. In a line of 60 people, Sam is ranked 21st from the top. How many people are ahead of him and how many are behind him?

A) 20, 39
B) 20,40
C) 22,39
D) 22,40

Answer: A

Logic / Trick: People ahead of Sam = Sam's rank - 1 = 21 - 1 = 20 People behind Sam = Total - Sam's rank = 60 - 21 = 39

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q37. In a nursery, I saw a group of small rose trees arranged in a row. However, one rose tree caught my attention very much. I started counting its rank from the left hand side and found out to be 12. When I started counting from right hand side, it was again 12!! What is the total number of rose trees that were arranged in that row?


A) 21
B) 25
C) 32
D) 23

Answer: D

Logic / Trick: As the rank of the tree is same from either side, the total number of trees will be 12 + 12 - 1 = 23

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*



Q38. In a north facing row of NCC Cadets, Trisha is 9th from the left end and Tina is 12th from the right end. There are 5 cadets between Trisha and Tanya who is equidstant to Tina. Find how many cadets are there in the row?

A) 34
B) 31
C) 32
D) 33

Answer: C

Logic / Trick: Adding all the persons in the above image, we get: 8 + 1(Trisha) + 5 + 1(Tanya) + 5 + 1(Tina) + 11 = 32 Thus there are 32 cadets in the row.

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q39. In a north-facing row of students, Ajay is 18th from the left and Vijay is 22nd from the right. If there are 10 students between them, find the total number of students in the row.

A) 40
B) 45
C) 50
D) 55

Answer: C

Logic / Trick: Total students = Ajay's position from left + Vijay's position from right + students between them = 18 + 22 + 10 = 50

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*

Q40. Aman is standing in a queue at the 10th position from the front. If he is 15th from the back, how many people are in the queue?


A) 30
B) 75
C) 50
D) 24

Answer: D

Logic / Trick: Total people in the queue = (Position from Front) + (Position from Back) - 1 = 10 + 15 - 1 = 24

[OnlineStudy4U Ranking Test]

Directions: *Order & Ranking Assessment: Determine absolute or relative ranks in linear queues.*



Q41. In a class of 35 students, Ziya is placed 7th from the bottom where as Sofia is placed 9th from the top. Shahruk is placed in between the two. What is Ziya's position from Shahruk?

A) 10
B) 15
C) 19
D) 21

Answer: A

Logic / Trick: As seen in the figure, Shahruk is between Sofia and Ziya. It's given that Ziya is 7th from the bottom and Sofia is 9th from the top. Therefore, number of persons between Sofia and Ziya = 35-(9+7) = 19 Sharuk's position between Sofia and Ziya = 19-1/2 = 10. Hence, Shahruk is at the middle ie. at 10th position from both. Ziya, therefore, is at the 10th position from Shahruk

SECTION 3: Tabular & Attribute Matching Puzzles (Caselets) (10 Questions)

[CampusMonk Set 01 (Engineering Branches)]

Directions: *A training college has to put together a team of 6 candidates for a research project: Rajesh, Varun, Nilesh, Deepak, Anit and Siddhartha. They specialize in six different subjects: Software, Hardware, Telecommunication, Mechanical, Electrical and Metallurgy. Rajesh is studying Metallurgy. Varun does not study Software or Hardware. Nilesh studies neither Telecommunication nor Software. Deepak and Siddhartha study Hardware and Software (not necessarily in that order). Anit is studying Electrical.*

Q42. What is the specialization of Varun?

a) Metallurgy
b) Mechanical
c) Hardware
d) Telecommunication
e) None of these

Answer: D

Logic / Trick: Rajesh = Metallurgy, Anit = Electrical. Since Nilesh studies neither Telecom nor Software, and Siddhartha does not study Telecom, Varun is the only one left who can study Telecommunication.

[CampusMonk Set 01 (Engineering Branches)]

Directions: *A training college has to put together a team of 6 candidates for a research project: Rajesh, Varun, Nilesh, Deepak, Anit and Siddhartha. They specialize in six different subjects: Software, Hardware, Telecommunication, Mechanical, Electrical and Metallurgy. Rajesh is studying Metallurgy. Varun does not study Software or Hardware. Nilesh studies neither Telecommunication nor Software. Deepak and Siddhartha study Hardware and Software (not necessarily in that order). Anit is studying Electrical.*

Q43. Which specialization is Siddhartha studying?

a) Software
b) Mechanical
c) Hardware
d) Electrical
e) None of these

Answer: A

Logic / Trick: Varun and Nilesh cannot study Software. Rajesh = Metallurgy, Anit = Electrical. Thus Siddhartha must be studying Software.

[CampusMonk Set 01 (Engineering Branches)]

Directions: *A training college has to put together a team of 6 candidates for a research project: Rajesh, Varun, Nilesh, Deepak, Anit and Siddhartha. They specialize in six different subjects: Software, Hardware, Telecommunication, Mechanical, Electrical and Metallurgy. Rajesh is studying Metallurgy. Varun does not study Software or Hardware. Nilesh studies neither Telecommunication nor Software. Deepak and Siddhartha study Hardware and Software (not necessarily in that order). Anit is studying Electrical.*

Q44. Which of the following specializations is Nilesh studying?

a) Mechanical
b) Hardware
c) Either Mechanical or Hardware
d) Cannot be determined
e) None of these

Answer: C

Logic / Trick: Remaining branches are Mechanical and Hardware for Nilesh and Deepak. Either Mechanical or Hardware is valid for Nilesh.

[CampusMonk Set 02 (Cars & Professions)]

Directions: *Seven friends P, F, R, T, Q, N and D are travelling in three different cars: Honda City, Swift and Ford Fiesta. There are at least two persons in each car and at least one female in each car. There are only two females in total who are a Lawyer and a Doctor. P is travelling with his best friend D who is an Engineer. R is a Teacher and travels in Ford Fiesta with only Q. T is a Doctor and travels with F in Honda City. N is an Architect and is a male.*

Q45. In which car are three persons travelling?

a) Honda City
b) Swift
c) Ford Fiesta
d) None of these
e) Data inadequate

Answer: B

Logic / Trick: Ford Fiesta has exactly 2 (R and Q). Honda City has 2 (T and F). The remaining 3 friends (P, D, N) travel in Swift.

[CampusMonk Set 02 (Cars & Professions)]

Directions: *Seven friends P, F, R, T, Q, N and D are travelling in three different cars: Honda City, Swift and Ford Fiesta. There are at least two persons in each car and at least one female in each car. There are only two females in total who are a Lawyer and a Doctor. P is travelling with his best friend D who is an Engineer. R is a Teacher and travels in Ford Fiesta with only Q. T is a Doctor and travels with F in Honda City. N is an Architect and is a male.*

Q46. Which of the following represents the pair of females?

a) T, Q
b) T, F
c) P, D
d) R, T
e) None of these

Answer: A

Logic / Trick: Only 2 females: T is the Doctor, and Q in Ford Fiesta must be the Lawyer to satisfy the rule that every car has at least one female.

[CampusMonk Set 02 (Cars & Professions)]

Directions: *Seven friends P, F, R, T, Q, N and D are travelling in three different cars: Honda City, Swift and Ford Fiesta. There are at least two persons in each car and at least one female in each car. There are only two females in total who are a Lawyer and a Doctor. P is travelling with his best friend D who is an Engineer. R is a Teacher and travels in Ford Fiesta with only Q. T is a Doctor and travels with F in Honda City. N is an Architect and is a male.*

Q47. What is the profession of Q?

a) Teacher
b) Lawyer
c) Doctor
d) Engineer
e) None of these

Answer: B

Logic / Trick: Q is the female lawyer travelling in Ford Fiesta with R.

[CampusMonk Set 03 (Professors & Cities)]

Directions: *Seven professors — A, B, C, D, E, F and G visit seven cities: Delhi, Mumbai, Kolkata, Chennai, Hyderabad, Bengaluru and Pune from Monday to Sunday. C visits Mumbai on Friday. Only two professors visit between C and the one who visits Bengaluru. A visits Pune immediately after B. F visits Delhi on Wednesday. Neither A nor B visits Kolkata. E visits on Sunday.*

Q48. On which day does the professor visit Bengaluru?

a) Monday
b) Tuesday
c) Thursday
d) Saturday
e) Sunday

Answer: B

Logic / Trick: C visits on Friday. Two professors visit between C and Bengaluru: Friday - 2 = Tuesday. Bengaluru is visited on Tuesday.

[CampusMonk Set 03 (Professors & Cities)]

Directions: *Seven professors — A, B, C, D, E, F and G visit seven cities: Delhi, Mumbai, Kolkata, Chennai, Hyderabad, Bengaluru and Pune from Monday to Sunday. C visits Mumbai on Friday. Only two professors visit between C and the one who visits Bengaluru. A visits Pune immediately after B. F visits Delhi on Wednesday. Neither A nor B visits Kolkata. E visits on Sunday.*

Q49. Which city does D visit?

a) Bengaluru
b) Kolkata
c) Chennai
d) Hyderabad
e) None of these

Answer: A

Logic / Trick: Matching schedule gives: Mon=G (Chennai/Hyd), Tue=D (Bengaluru), Wed=F (Delhi), Thu=B (Kolkata/Hyd), Fri=C (Mumbai), Sat=A (Pune), Sun=E (Kolkata). Hence D visits Bengaluru.

[CampusMonk Set 05 (Departments & Employees)]

Directions: *Eight employees A, B, C, D, E, F, G and H work in three departments: IT, HR and Finance. There are at least two employees in each department. A works in Finance with only G. B and D do not work in the same department. C and E work in IT. F does not work in HR. D works in HR.*

Q50. In which department does B work?

a) IT
b) HR
c) Finance
d) Cannot be determined
e) None of these

Answer: A

Logic / Trick: Finance has only A and G. HR has D. B does not work with D (so not HR). Thus B must work in IT.

[CampusMonk Set 06 (Floor Puzzles)]

Directions: *Six delegates A, B, C, D, E and F stay on six different floors of a building (1 to 6). Floor 1 is the lowest and 6 is the top. A stays on an even numbered floor. There are two floors between A and B. C stays on the floor immediately above D. E stays on floor 5. F does not stay on floor 1.*

Q51. On which floor does A stay?

a) Floor 2
b) Floor 4
c) Floor 6
d) Floor 3
e) Floor 1

Answer: A

Logic / Trick: Floor 6=F, 5=E, 4=C, 3=D, 2=A, 1=B. A is on Floor 2.

SECTION 4: Seating Arrangement Puzzles (Row & Circular) (15 Questions)

[CampusMonk Book 1]

Directions: *Six friends P, Q, R, S, T and U are sitting around a hexagonal table each at one corner and are facing the centre of the hexagonal table. P is second to the left of U. Q is neighbour of R and S. T is second to the left of S.*

Q52. Who is the fourth person to the left of Q?

a. P
b. U
c. R
d. Data inadequate

Answer: A

Logic / Trick: Clockwise order around table: U, T, R, Q, S, P. Fourth to the left of Q is P.

[CampusMonk Book 1]

Directions: *A, B, C, D and E are sitting on a bench. A is sitting next to B, C is sitting next to D, D is not sitting with E who is on the left end of the bench. C is on the second position from the right. A is to the right of B and E. A and C are sitting together.*

Q53. In which position is A sitting?

a. Between B and D
b. Between B and C
c. Between E and D
d. Between C and E

Answer: B

Logic / Trick: Order from left to right: E, B, A, C, D. A is seated between B and C.

[CampusMonk Set 04 (Circular Table 8 Friends)]

Directions: *Eight friends A, B, C, D, E, F, G and H are sitting around a circular table facing the centre. B is sitting third to the left of G. E is sitting second to the right of B. D is sitting between B and G. A is not an immediate neighbour of E. F is sitting third to the right of A.*

Q54. Who is sitting opposite to D?

a) F
b) H
c) A
d) E
e) None of these

Answer: B

Logic / Trick: Circular seating mapping gives clockwise positions: G, D, B, C, E, H, A, F. Opposite to D is H.

[CampusMonk Set 04 (Circular Table 8 Friends)]

Directions: *Eight friends A, B, C, D, E, F, G and H are sitting around a circular table facing the centre. B is sitting third to the left of G. E is sitting second to the right of B. D is sitting between B and G. A is not an immediate neighbour of E. F is sitting third to the right of A.*

Q55. Who is sitting to the immediate left of C?

a) B
b) E
c) D
d) F
e) None of these

Answer: B

Logic / Trick: Immediate left of C is E (facing centre).

[Infosys Assessment UI (Image 1 Q94)]

Directions: *Linear Row Arrangement: Five cars are parked in a row facing Eastward.*

Q56. Five cars are parked in a row facing Eastward. E is parked to the left of A, B and C. B, C and A are parked to the left of D. C is parked between A and B. If B is parked fourth from the left, how far is A parked from the right?


a) Fourth
b) Third
c) Second
d) First

Answer: A

Logic / Trick: Facing East, left means North and right means South. Cars from left to right: E (1st), A (2nd), C (3rd), B (4th), D (5th). A is at position 2 from left, which is (5 - 2 + 1) = 4th from the right.

[OnlineStudy4U Seating Test]

Directions: *Seating Arrangement: Circular, rectangular or linear positioning under relational constraints.*



Q57. Eight persons viz. A, B, C, D, E, F, G, and H are sitting around a circular table such that all of them are facing towards the center. The consecutive alphabetically named persons are not sitting adjacent to each other. Two persons sit between A and C, who faces E. Only one person sits between A and F. The number of persons sitting between E and F is twice the number of persons sitting between C and H when counted from the right of both F and C. D sits exactly between B and G, who doesn't sit adjacent to E. What is the position of F with respect to H?


A) Fourth to the right
B) Immediate left
C) Second to the left
D) Third to the right

Answer: B

Logic / Trick: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: B.

[OnlineStudy4U Seating Test]

Directions: *Seating Arrangement: Circular, rectangular or linear positioning under relational constraints.*



Q58. Each of these questions are based on the information given below: A ,B, C, D and E are five men sitting in a line facing to south - while M, N, O, P and Q are five ladies sitting in a second line parallel to the first line and are facing to North. B who is just next to the left of D, is opposite to Q. C and N are diagonally opposite to each other. E is opposite to O who is just next right of M. P who is just to the left of Q, is opposite to D. M is at one end of the line. Which of the following pair is diagonally opposite to each other?


A) EQ
B) BO
C) AN
D) AM

Answer: D

Logic / Trick: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: D.

[OnlineStudy4U Seating Test]

Directions: *Seating Arrangement: Circular, rectangular or linear positioning under relational constraints.*



Q59. Six friends P, Q, R, S, T and U are sitting around the hexagonal table each at one corner and are facing the centre of the hexagonal. P is second to the left of U. Q is neighbour of R and S. T is second to the left of S. Which of the following are the neighbours of P ?


A) U,P
B) U,R
C) T,R
D) None

Answer: C

Logic / Trick: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: C.

[OnlineStudy4U Seating Test]

Directions: *Seating Arrangement: Circular, rectangular or linear positioning under relational constraints.*



Q60. Eight persons - Amar, Ansh, Arun, Amit, Ashu, Anup, Arif and Anil, are sitting around a circular table facing the centre but not necessarily in the same order. Arif is to the immediate left of Ashu. Anup is to the immediate left of Arun. Amar is the neighbour of Ansh. Amit is between Anup and Ansh. Arif is not the neighbour of Ansh or Anil. What is the position of Arif with respect to Amit?


A) Third to the right
B) Second to the left
C) Fourth to the right
D) Fourth to the left

Answer: A

Logic / Trick: Following the final solution, we can say that Arif is third to the right of Amit.

[OnlineStudy4U Seating Test]

Directions: *Seating Arrangement: Circular, rectangular or linear positioning under relational constraints.*



Q61. Six persons namely P, R, S, T, W, and X are sitting around a rectangular table such that one sits at each of the shorter sides and two sit at each of the longer sides of the table facing towards the center of the table. W sits on the longer side and two persons sit between P and W. R sits opposite to X and is near P. T doesn't sit near W. X doesn't sit immediately left of T. Pick the odd one out.


A) T
B) P
C) W
D) None

Answer: D

Logic / Trick: Clearly, all of them are facing inside and sitting on the longer sides. None is odd.

[OnlineStudy4U Seating Test]

Directions: *Seating Arrangement: Circular, rectangular or linear positioning under relational constraints.*



Q62. A, P, R, X, S and Z are sitting in a row. S and Z are in the centre. A and P are at the ends. R is sitting to the left of A. Who is to the right of P ?


A) X
B) S
C) Z
D) A

Answer: A

Logic / Trick: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: A.

[OnlineStudy4U Seating Test]

Directions: *Seating Arrangement: Circular, rectangular or linear positioning under relational constraints.*



Q63. Five girls are sitting on a bench to be photographed. Seema is to the left of Rani and to the right of Bindu. Mary is to the right of Rani. Reeta is between Rani and Mary. Who is sitting immediate right to Reeta ?


A) Bindu
B) Rani
C) Mary
D) Seema

Answer: C

Logic / Trick: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: C.

[OnlineStudy4U Seating Test]

Directions: *Seating Arrangement: Circular, rectangular or linear positioning under relational constraints.*



Q64. A, B, C, D and E are sitting on a bench. A is sitting next to B, C is sitting next to D, D is not sitting with E who is on the left end of the bench. C is on the second position from the right. A is to the right of B and E. A and C are sitting together. In which position A is sitting ?


A) Between B and C
B) Between B and D
C) Between E and D
D) Between C and D

Answer: A

Logic / Trick: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: A.

[OnlineStudy4U Seating Test]

Directions: *Seating Arrangement: Circular, rectangular or linear positioning under relational constraints.*



Q65. In a group discussion A, B, C, D, E and F are sitting around a rectangular table. A is sitting on a side alone. B, C are sitting on the same side. F is facing A. D is the immediate left of F. C is facing D. Who is immediate right of A?


A) B
B) F
C) D
D) E

Answer: D

Logic / Trick: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: D.

[OnlineStudy4U Seating Test]

Directions: *Seating Arrangement: Circular, rectangular or linear positioning under relational constraints.*



Q66. Six people - S, T, U, V, W and Z are sitting around a circular table facing towards centre. Only one person is sitting between T and W. Z is an immediate neighbour of W. S is sitting third to left of Z. U is an immediate neighbour of W. V is not sitting immediate left of T. How many people are sitting between U and Z, when counted from the right of Z?

A) 1
B) 2
C) 3
D) 4

Answer: C

Logic / Trick: T,V and S are sitting between U and Z when counted from the right of Z.

SECTION 5: Matrix & Missing Number Numerical Puzzles (148 Questions)

[OnlineStudy4U 100 Matrix Puzzles]

Directions: *Matrix & Grid Missing Number Logic*

Q67. 1. Find the missing number (?) from the given matrix: [Grid: 18 | 16 | 34 | 16 | 20 | 36]

A) 6
B) 15
C) 30
D) 18

Answer: D

Logic / Trick: 18 16 34

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q68. 2. Find the missing number (?) from the given matrix: [Grid: 7 | 8 | 15 | 21 | 12 | 33]
A) 34
B) 31
C) 19
D) 43
Answer: B
Logic / Trick: 7 8 15

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q69. 3. Find the missing number (?) from the given matrix: [Grid: 16 | 4 | 20 | 13 | 17 | 30]
A) 32
B) 26
C) 36
D) 18
Answer: B
Logic / Trick: 16 4 20

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q70. 4. Find the missing number (?) from the given matrix: [Grid: 16 | 9 | 25 | 13 | 15 | 28]
A) 42
B) 30
C) 25
D) 48
Answer: B
Logic / Trick: 16 9 25

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q71. 5. Find the missing number (?) from the given matrix: [Grid: 8 | 15 | 23 | 18 | 5 | 23]
A) 37
B) 22
C) 47
D) 45
Answer: A
Logic / Trick: 8 15 23

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q72. 6. Find the missing number (?) from the given matrix: [Grid: 25 | 15 | 10 | 33 | 11 | 22]
A) 4
B) 21
C) 13
D) 16
Answer: D
Logic / Trick: 25 15 10

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q73. 7. Find the missing number (?) from the given matrix: [Grid: 11 | 4 | 7 | 34 | 9 | 25]
A) 2
B) 9
C) 18
D) 6
Answer: D
Logic / Trick: 11 4 7

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q74. 8. Find the missing number (?) from the given matrix: [Grid: 30 | 8 | 22 | 25 | 5 | 20]
A) 23
B) 22
C) 11
D) 17
Answer: D
Logic / Trick: 30 8 22

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q75. 9. Find the missing number (?) from the given matrix: [Grid: 23 | 9 | 14 | 31 | 9 | 22]
A) 18
B) 21
C) 30
D) 15
Answer: D
Logic / Trick: 23 9 14

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q76. 10. Find the missing number (?) from the given matrix: [Grid: 15 | 5 | 10 | 22 | 9 | 13]
A) 29
B) 23
C) 19
D) 11
Answer: D
Logic / Trick: 15 5 10

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q77. 11. Find the missing number (?) from the given matrix: [Grid: 7 | 5 | 35 | 4 | 3 | 12]
A) 66
B) 74
C) 56
D) 52
Answer: C
Logic / Trick: 7 5 35

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q78. 12. Find the missing number (?) from the given matrix: [Grid: 9 | 3 | 27 | 4 | 8 | 32]
A) 12
B) 2
C) 17
D) 16
Answer: A
Logic / Trick: 9 3 27

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q79. 13. Find the missing number (?) from the given matrix: [Grid: 9 | 4 | 36 | 9 | 8 | 72]
A) 38
B) 50
C) 27
D) 32
Answer: D
Logic / Trick: 9 4 36

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q80. 14. Find the missing number (?) from the given matrix: [Grid: 2 | 4 | 8 | 6 | 6 | 36]
A) 54
B) 36
C) 33
D) 40
Answer: B
Logic / Trick: 2 4 8

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q81. 15. Find the missing number (?) from the given matrix: [Grid: 5 | 6 | 30 | 3 | 3 | 9]
A) 18
B) 28
C) 14
D) 8
Answer: A
Logic / Trick: 5 6 30

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q82. 16. Find the missing number (?) from the given matrix: [Grid: 6 | 3 | 2 | 64 | 8 | 8]
A) 17
B) 10
C) 7
D) 25
Answer: C
Logic / Trick: 6 3 2

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q83. 17. Find the missing number (?) from the given matrix: [Grid: 15 | 3 | 5 | 36 | 6 | 6]
A) 12
B) 8
C) 19
D) 4
Answer: D
Logic / Trick: 15 3 5

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q84. 18. Find the missing number (?) from the given matrix: [Grid: 6 | 2 | 3 | 8 | 4 | 2]
A) 6
B) 13
C) 9
D) 3
Answer: C
Logic / Trick: 6 2 3

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q85. 19. Find the missing number (?) from the given matrix: [Grid: 12 | 6 | 2 | 36 | 6 | 6]
A) 2
B) 6
C) 5
D) 7
Answer: A
Logic / Trick: 12 6 2

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q86. 20. Find the missing number (?) from the given matrix: [Grid: 15 | 5 | 3 | 49 | 7 | 7]
A) 22
B) 7
C) 12
D) 4
Answer: B
Logic / Trick: 15 5 3

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q87. 21. Find the missing number (?) from the given matrix: [Grid: 5 | 3 | 28 | 5 | 1 | 26]
A) 8
B) 14
C) 18
D) 12
Answer: A
Logic / Trick: 5 3 28

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q88. 22. Find the missing number (?) from the given matrix: [Grid: 7 | 5 | 54 | 6 | 10 | 46]
A) 49
B) 54
C) 57
D) 45
Answer: C
Logic / Trick: 7 5 54

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q89. 23. Find the missing number (?) from the given matrix: [Grid: 6 | 5 | 41 | 6 | 1 | 37]
A) 37
B) 12
C) 27
D) 42
Answer: C
Logic / Trick: 6 5 41

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q90. 24. Find the missing number (?) from the given matrix: [Grid: 3 | 5 | 14 | 5 | 4 | 29]
A) 15
B) 27
C) 21
D) 23
Answer: B
Logic / Trick: 3 5 14

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q91. 25. Find the missing number (?) from the given matrix: [Grid: 1 | 2 | 3 | 6 | 5 | 41]
A) 66
B) 54
C) 49
D) 39
Answer: B
Logic / Trick: 1 2 3

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q92. 26. Find the missing number (?) from the given matrix: [Grid: 8 | 36 | 28 | 9 | 59 | 22]
A) 31
B) 25
C) 21
D) 17
Answer: C
Logic / Trick: 8 36 28

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q93. 27. Find the missing number (?) from the given matrix: [Grid: 6 | 16 | 20 | 6 | 9 | 27]
A) 45
B) 51
C) 41
D) 36
Answer: C
Logic / Trick: 6 16 20

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q94. 28. Find the missing number (?) from the given matrix: [Grid: 4 | 3 | 13 | 4 | 7 | 9]
A) 15
B) 30
C) 9
D) 7
Answer: A
Logic / Trick: 4 3 13

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q95. 29. Find the missing number (?) from the given matrix: [Grid: 10 | 11 | 89 | 9 | 63 | 18]
A) 27
B) 9
C) 11
D) 15
Answer: D
Logic / Trick: 10 11 89

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q96. 30. Find the missing number (?) from the given matrix: [Grid: 7 | 47 | 2 | 6 | 34 | 2]
A) 4
B) 19
C) 29
D) 25
Answer: B
Logic / Trick: 7 47 2

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q97. 31. Find the missing number (?) from the given matrix: [Grid: 3 | 5 | 34 | 6 | 3 | 45]
A) 49
B) 40
C) 52
D) 64
Answer: C
Logic / Trick: 3 5 34

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q98. 32. Find the missing number (?) from the given matrix: [Grid: 1 | 3 | 10 | 7 | 7 | 98]
A) 17
B) 12
C) 13
D) 2
Answer: A
Logic / Trick: 1 3 10

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q99. 33. Find the missing number (?) from the given matrix: [Grid: 7 | 5 | 74 | 4 | 2 | 20]
A) 40
B) 35
C) 48
D) 55
Answer: A
Logic / Trick: 7 5 74

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q100. 34. Find the missing number (?) from the given matrix: [Grid: 7 | 5 | 74 | 4 | 1 | 17]
A) 44
B) 52
C) 46
D) 57
Answer: B
Logic / Trick: 7 5 74

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q101. 35. Find the missing number (?) from the given matrix: [Grid: 2 | 6 | 40 | 7 | 7 | 98]
A) 108
B) 98
C) 95
D) 93
Answer: B
Logic / Trick: 2 6 40

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q102. 36. Find the missing number (?) from the given matrix: [Grid: 6 | 1 | 13 | 6 | 6 | 18]
A) 9
B) 27
C) 11
D) 17
Answer: D
Logic / Trick: 6 1 13

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q103. 37. Find the missing number (?) from the given matrix: [Grid: 15 | 12 | 42 | 14 | 11 | 39]
A) 9
B) 3
C) 27
D) 15
Answer: A
Logic / Trick: 15 12 42

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q104. 38. Find the missing number (?) from the given matrix: [Grid: 15 | 4 | 34 | 14 | 2 | 30]
A) 39
B) 57
C) 43
D) 44
Answer: A
Logic / Trick: 15 4 34

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q105. 39. Find the missing number (?) from the given matrix: [Grid: 11 | 7 | 29 | 6 | 6 | 18]
A) 19
B) 23
C) 21
D) 13
Answer: D
Logic / Trick: 11 7 29

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q106. 40. Find the missing number (?) from the given matrix: [Grid: 10 | 11 | 31 | 2 | 5 | 9]
A) 17
B) 29
C) 24
D) 14
Answer: D
Logic / Trick: 10 11 31

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q107. 41. Find the missing number (?) from the given matrix: [Grid: 11 | 7 | 26 | 2 | 10 | -4]
A) 17
B) 9
C) 5
D) 1
Answer: C
Logic / Trick: 11 7 26

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q108. 42. Find the missing number (?) from the given matrix: [Grid: 5 | 5 | 10 | 7 | 8 | 13]
A) 19
B) 14
C) 2
D) 32
Answer: B
Logic / Trick: 5 5 10

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q109. 43. Find the missing number (?) from the given matrix: [Grid: 9 | 7 | 20 | 11 | 9 | 24]
A) 31
B) 11
C) 44
D) 26
Answer: D
Logic / Trick: 9 7 20

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q110. 44. Find the missing number (?) from the given matrix: [Grid: 9 | 1 | 26 | 5 | 1 | 14]
A) -1
B) 2
C) 11
D) 17
Answer: A
Logic / Trick: 9 1 26

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q111. 45. Find the missing number (?) from the given matrix: [Grid: 7 | 5 | 16 | 12 | 1 | 35]
A) 23
B) 16
C) 6
D) 11
Answer: D
Logic / Trick: 7 5 16

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q112. 46. Find the missing number (?) from the given matrix: [Grid: 21 | 29 | 25 | 27 | 17 | 22]
A) 23
B) 28
C) 18
D) 38
Answer: A
Logic / Trick: 21 29 25

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q113. 47. Find the missing number (?) from the given matrix: [Grid: 7 | 25 | 16 | 30 | 6 | 18]
A) 10
B) 13
C) 25
D) 31
Answer: B
Logic / Trick: 7 25 16

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q114. 48. Find the missing number (?) from the given matrix: [Grid: 10 | 24 | 17 | 24 | 26 | 25]
A) 31
B) 21
C) 25
D) 15
Answer: C
Logic / Trick: 10 24 17

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q115. 49. Find the missing number (?) from the given matrix: [Grid: 27 | 29 | 28 | 19 | 23 | 21]
A) 15
B) 12
C) 20
D) 5
Answer: A
Logic / Trick: 27 29 28

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q116. 50. Find the missing number (?) from the given matrix: [Grid: 10 | 20 | 15 | 25 | 25 | 25]
A) 34
B) 30
C) 24
D) 19
Answer: C
Logic / Trick: 10 20 15

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q117. 51. Find the missing number (?) from the given matrix: [Grid: 11 | 9 | 18 | 7 | 9 | 9]
A) 3
B) 18
C) 2
D) 6
Answer: D
Logic / Trick: 11 9 18

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q118. 52. Find the missing number (?) from the given matrix: [Grid: 16 | 7 | 4 | 6 | 7 | 6]
A) 19
B) 4
C) 9
D) 22
Answer: B
Logic / Trick: 16 7 4

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q119. 53. Find the missing number (?) from the given matrix: [Grid: 12 | 7 | 12 | 12 | 2 | 6]
A) 24
B) 13
C) 17
D) 9
Answer: D
Logic / Trick: 12 7 12

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q120. 54. Find the missing number (?) from the given matrix: [Grid: 18 | 7 | 9 | 15 | 3 | 9]
A) 6
B) 1
C) 11
D) 9
Answer: B
Logic / Trick: 18 7 9

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q121. 55. Find the missing number (?) from the given matrix: [Grid: 16 | 6 | 15 | 7 | 9 | 9]
A) 16
B) 11
C) 26
D) 19
Answer: B
Logic / Trick: 16 6 15

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q122. 56. Find the missing number (?) from the given matrix: [Grid: 35 | 4 | 19 | 26 | 4 | 16]
A) 17
B) 1
C) 9
D) 6
Answer: C
Logic / Trick: 35 4 19

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q123. 57. Find the missing number (?) from the given matrix: [Grid: 30 | 3 | 3 | 10 | 6 | 6]
A) 14
B) 15
C) 18
D) 10
Answer: D
Logic / Trick: 30 3 3

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q124. 58. Find the missing number (?) from the given matrix: [Grid: 49 | 7 | 43 | 42 | 6 | 14]
A) 26
B) 15
C) 12
D) 20
Answer: D
Logic / Trick: 49 7 43

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q125. 59. Find the missing number (?) from the given matrix: [Grid: 13 | 9 | 12 | 37 | 9 | 30]
A) 9
B) 6
C) 12
D) 30
Answer: C
Logic / Trick: 13 9 12

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q126. 60. Find the missing number (?) from the given matrix: [Grid: 30 | 2 | 2 | 41 | 4 | 8]
A) 41
B) 34
C) 29
D) 23
Answer: C
Logic / Trick: 30 2 2

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q127. 61. Find the missing number (?) from the given matrix: [Grid: 5 | 2 | 25 | 6 | 5 | 7776]
A) 7776
B) 7794
C) 7781
D) 7779
Answer: A
Logic / Trick: 5 2 25

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q128. 62. Find the missing number (?) from the given matrix: [Grid: 3 | 3 | 27 | 4 | 3 | 64]
A) 35
B) 25
C) 15
D) 10
Answer: B
Logic / Trick: 3 3 27

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q129. 63. Find the missing number (?) from the given matrix: [Grid: 4 | 3 | 64 | 5 | 4 | 625]
A) 143
B) 121
C) 125
D) 115
Answer: C
Logic / Trick: 4 3 64

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q130. 64. Find the missing number (?) from the given matrix: [Grid: 2 | 4 | 16 | 4 | 1 | 4]
A) 1024
B) 1014
C) 1039
D) 1018
Answer: A
Logic / Trick: 2 4 16

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q131. 65. Find the missing number (?) from the given matrix: [Grid: 6 | 3 | 216 | 2 | 3 | 8]
A) 17
B) 5
C) 15
D) 10
Answer: B
Logic / Trick: 6 3 216

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q132. 66. Find the missing number (?) from the given matrix: [Grid: 3 | 1 | 12 | 5 | 1 | 30]
A) 18
B) 8
C) 22
D) 13
Answer: A
Logic / Trick: 3 1 12

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q133. 67. Find the missing number (?) from the given matrix: [Grid: 7 | 6 | 91 | 3 | 2 | 15]
A) 56
B) 41
C) 64
D) 68
Answer: A
Logic / Trick: 7 6 91

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q134. 68. Find the missing number (?) from the given matrix: [Grid: 8 | 2 | 80 | 5 | 7 | 60]
A) 22
B) 4
C) 14
D) 24
Answer: C
Logic / Trick: 8 2 80

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q135. 69. Find the missing number (?) from the given matrix: [Grid: 5 | 6 | 55 | 6 | 7 | 78]
A) 90
B) 84
C) 88
D) 92
Answer: B
Logic / Trick: 5 6 55

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q136. 70. Find the missing number (?) from the given matrix: [Grid: 7 | 3 | 70 | 6 | 5 | 66]
A) 55
B) 65
C) 75
D) 62
Answer: B
Logic / Trick: 7 3 70

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q137. 71. Find the missing number (?) from the given matrix: [Grid: 11 | 8 | 9 | 15 | 2 | 11]
A) 10
B) 25
C) 20
D) 35
Answer: C
Logic / Trick: 11 8 9

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q138. 72. Find the missing number (?) from the given matrix: [Grid: 14 | 2 | 8 | 12 | 7 | 8]
A) 16
B) 20
C) 34
D) 22
Answer: A
Logic / Trick: 14 2 8

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q139. 73. Find the missing number (?) from the given matrix: [Grid: 12 | 5 | 2 | 10 | 11 | 10]
A) 12
B) 9
C) 18
D) 17
Answer: A
Logic / Trick: 12 5 2

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q140. 74. Find the missing number (?) from the given matrix: [Grid: 4 | 3 | 4 | 2 | 6 | 14]
A) 22
B) 18
C) 15
D) 14
Answer: B
Logic / Trick: 4 3 4

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q141. 75. Find the missing number (?) from the given matrix: [Grid: 6 | 12 | 3 | 3 | 11 | 3]
A) 21
B) 10
C) 12
D) 6
Answer: D
Logic / Trick: 6 12 3

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q142. 76. Find the missing number (?) from the given matrix: [Grid: 15 | 21 | 22 | 7 | 13 | 14]
A) 23
B) 8
C) 5
D) 16
Answer: B
Logic / Trick: 15 21 22

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q143. 77. Find the missing number (?) from the given matrix: [Grid: 17 | 16 | 21 | 9 | 12 | 6]
A) 5
B) 23
C) 15
D) 10
Answer: C
Logic / Trick: 17 16 21

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q144. 78. Find the missing number (?) from the given matrix: [Grid: 11 | 20 | 24 | 3 | 13 | 14]
A) 15
B) 18
C) 4
D) 10
Answer: D
Logic / Trick: 11 20 24

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q145. 79. Find the missing number (?) from the given matrix: [Grid: 12 | 25 | 7 | 9 | 11 | 3]
A) 1
B) 14
C) 4
D) 8
Answer: C
Logic / Trick: 12 25 7

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q146. 80. Find the missing number (?) from the given matrix: [Grid: 24 | 19 | 28 | 15 | 10 | 15]
A) 21
B) 10
C) 9
D) 13
Answer: D
Logic / Trick: 24 19 28

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q147. 81. Find the missing number (?) from the given matrix: [Grid: 8 | 8 | 6 | 8 | 2 | 4]
A) 32
B) 24
C) 14
D) 16
Answer: B
Logic / Trick: 8 8 6

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q148. 82. Find the missing number (?) from the given matrix: [Grid: 2 | 3 | 8 | 3 | 3 | 2]
A) 16
B) 28
C) 26
D) 4
Answer: A
Logic / Trick: 2 3 8

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q149. 83. Find the missing number (?) from the given matrix: [Grid: 6 | 7 | 5 | 6 | 7 | 3]
A) 30
B) 10
C) 15
D) 18
Answer: C
Logic / Trick: 6 7 5

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q150. 84. Find the missing number (?) from the given matrix: [Grid: 8 | 3 | 7 | 5 | 5 | 4]
A) 31
B) 22
C) 32
D) 28
Answer: D
Logic / Trick: 8 3 7

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q151. 85. Find the missing number (?) from the given matrix: [Grid: 4 | 3 | 6 | 7 | 5 | 2]
A) 15
B) 17
C) 18
D) 12
Answer: D
Logic / Trick: 4 3 6

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q152. 86. Find the missing number (?) from the given matrix: [Grid: 13 | 11 | 20 | 15 | 5 | 20]
A) 20
B) 35
C) 24
D) 26
Answer: A
Logic / Trick: 13 11 20

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q153. 87. Find the missing number (?) from the given matrix: [Grid: 2 | 12 | 20 | 4 | 13 | 8]
A) 2
B) 32
C) 8
D) 14
Answer: D
Logic / Trick: 2 12 20

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q154. 88. Find the missing number (?) from the given matrix: [Grid: 8 | 8 | 12 | 20 | 6 | 8]
A) 25
B) 10
C) 4
D) 7
Answer: B
Logic / Trick: 8 8 12

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q155. 89. Find the missing number (?) from the given matrix: [Grid: 17 | 3 | 4 | 15 | 7 | 10]
A) 25
B) 7
C) 22
D) 13
Answer: B
Logic / Trick: 17 3 4

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q156. 90. Find the missing number (?) from the given matrix: [Grid: 2 | 3 | 18 | 14 | 7 | 14]
A) 24
B) 16
C) 11
D) 34
Answer: B
Logic / Trick: 2 3 18

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q157. 91. Find the missing number (?) from the given matrix: [Grid: 4 | 1 | 3 | 4 | 4 | 6]
A) 8
B) 18
C) 3
D) 23
Answer: B
Logic / Trick: 4 1 3

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q158. 92. Find the missing number (?) from the given matrix: [Grid: 9 | 6 | 7 | 8 | 6 | 3]
A) 27
B) 21
C) 23
D) 17
Answer: D
Logic / Trick: 9 6 7

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q159. 93. Find the missing number (?) from the given matrix: [Grid: 3 | 1 | 4 | 8 | 2 | 2]
A) 10
B) 7
C) 13
D) 25
Answer: B
Logic / Trick: 3 1 4

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q160. 94. Find the missing number (?) from the given matrix: [Grid: 5 | 7 | 7 | 5 | 9 | 7]
A) 15
B) 9
C) 30
D) 25
Answer: A
Logic / Trick: 5 7 7

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q161. 95. Find the missing number (?) from the given matrix: [Grid: 4 | 8 | 7 | 5 | 4 | 1]
A) 1
B) 5
C) 10
D) 13
Answer: D
Logic / Trick: 4 8 7

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q162. 96. Find the missing number (?) from the given matrix: [Grid: 10 | 15 | 6 | 11 | 26 | 9]
A) 18
B) 7
C) 19
D) 22
Answer: D
Logic / Trick: 10 15 6

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q163. 97. Find the missing number (?) from the given matrix: [Grid: 3 | 3 | 3 | 8 | 11 | 7]
A) 1
B) 17
C) 11
D) 29
Answer: C
Logic / Trick: 3 3 3

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q164. 98. Find the missing number (?) from the given matrix: [Grid: 11 | 11 | 12 | 9 | 27 | 3]
A) 28
B) 38
C) 40
D) 24
Answer: A
Logic / Trick: 11 11 12

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q165. 99. Find the missing number (?) from the given matrix: [Grid: 9 | 9 | 8 | 7 | 11 | 11]
A) 10
B) 16
C) 6
D) 15
Answer: A
Logic / Trick: 9 9 8

[OnlineStudy4U 100 Matrix Puzzles]
Directions: *Matrix & Grid Missing Number Logic*
Q166. 100. Find the missing number (?) from the given matrix: [Grid: 2 | 5 | 11 | 2 | 10 | 15]
A) 22
B) 19
C) 4
D) 14
Answer: B
Logic / Trick: 2 5 11

[Infosys_Full_Length_Mock_Test-1]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q167. Find the missing number in the 3 × 3 grid. 2 5 17 4 3 19 6 4 ?
A) 28
B) 30
C) 34
D) 36
Answer: C
Logic / Trick: In each row, third = first × second + first + second, which is the same as (first + 1)(second + 1) – 1. Row 1: 2×5 + 2 + 5 = 17. Row 2: 4×3 + 4 + 3 = 19. Row 3: 6×4 + 6 + 4 = 34. Check: (6+1)(4+1) – 1 = 34.

[Infosys_Full_Length_Mock_Test-1]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q168. Find the missing number in the last row of the grid. 2 3 7 3 4 13 4 5 21 6 7 43 7 8 ?
A) 54
B) 56
C) 57
D) 63
Answer: C
Logic / Trick: In every row, third = first × second + 1. Check: 2×3+1 = 7, 3×4+1 = 13, 4×5+1 = 21, 6×7+1 = 43. Therefore 7×8+1 = 57.

[Infosys_Full_Length_Mock_Test-1]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q169. Given is the set of four numbers that relate to each other in a certain way. Determine the missing number in the third set. Assume the third set works in the same way as the first and the second set. Set 1 Set 2 Set 3 5 10 3 6 4 16 2 8 3 15 ? 10
A) 2
B) 3
C) 4
D) 5
Answer: A
Logic / Trick: Within each set both rows use the same multiplier k, where right = left × k. Set 1: 5×2 = 10 and 3×2 = 6, so k = 2. Set 2: 4×4 = 16 and 2×4 = 8, so k = 4. Set 3: 3×5 = 15, so k = 5. Then ? × 5 = 10, hence ? = 2.

[Infosys_Full_Length_Mock_Test-1]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q170. Find the missing number in the 3 × 3 grid. 39 24 ? 76 35 27 58 42 32
A) 16
B) 19
C) 21
D) 24
Answer: B
Logic / Trick: In each row, third number = (product of digits of the first number) – (product of digits of the second number). Row 2: 7×6 – 3×5 = 42 – 15 = 27. Row 3: 5×8 – 4×2 = 40 – 8 = 32. Row 1: 3×9 – 2×4 = 27 – 8 = 19. So the missing number is 19.

[Infosys_Full_Length_Mock_Test-_10]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q171. Find the missing number. 2 5 12 3 6 21 4 7 ?
A) 28
B) 30
C) 32
D) 36
Answer: C
Logic / Trick: Third = first × second + 2. 2×5+2=12, 3×6+3=21 wait 18+3=21. first × second + first: 10+2=12, 18+3=21, 28+4=32. Yes first × (second + 1).

[Infosys_Full_Length_Mock_Test-_10]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q172. Find the missing number. 21 8 13 34 15 19 47 20 ?
A) 27
B) 25
C) 29
D) 31
Answer: A
Logic / Trick: Third = first – second. 21–8=13, 34–15=19, 47–20=27.

[Infosys_Full_Length_Mock_Test-_10]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q173. Find the next number. 6 13 27 55 111 ?
A) 221
B) 223
C) 225
D) 227
Answer: B
Logic / Trick: Each term = previous × 2 + 1. 6×2+1=13, 13×2+1=27, 27×2+1=55, 55×2+1=111, 111×2+1=223.

[Infosys_Full_Length_Mock_Test-_2]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q174. Find the missing number in the 3 × 3 matrix. 16 21 29 25 30 38 36 41 ?
A) 47
B) 49
C) 51
D) 54
Answer: B
Logic / Trick: Each row adds 5, then 8: 16+5 = 21, 21+8 = 29; 25+5 = 30, 30+8 = 38. So 36+5 = 41 and 41+8 = 49. The first column is also consecutive squares: 4^2, 5^2, 6^2.

[Infosys_Full_Length_Mock_Test-_2]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q175. Find the next number in the pattern sequence. 3 8 15 24 35 ?
A) 46
B) 48
C) 49
D) 50
Answer: B
Logic / Trick: The gaps are consecutive odd numbers starting at 5: 8–3 = 5, 15–8 = 7, 24–15 = 9, 35–24 = 11. The next gap is 13, so 35 + 13 = 48. Equivalently, the terms are n(n+2) for n = 1, 2, 3, 4, 5, 6: 1×3=3, 2×4=8, 3×5=15, 4×6=24, 5×7=35, 6×8=48.

[Infosys_Full_Length_Mock_Test-_2]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q176. Find the missing number in the 3 × 3 matrix. 2 5 12 3 6 21 4 7 ?

A) 28
B) 30
C) 32
D) 36

Answer: C
Logic / Trick: In each row, third = first × (second + 1). Row 1: 2 × 6 = 12. Row 2: 3 × 7 = 21. Row 3: 4 × 8 = 32.

[Infosys_Full_Length_Mock_Test-_2]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q177. Each figure is a circular wheel: four numbers sit on the rim and one sits at the centre. The same rule applies to both wheels. Find the missing centre number. Wheel A 6 8 18 10 12 Wheel B 5 9 ? 11 15

A) 16
B) 18
C) 20
D) 24

Answer: C
Logic / Trick: Opposite rim numbers add up to the centre. Wheel A: 6+12 = 18 and 8+10 = 18. Wheel B: 5+15 = 20 and 9+11 = 20. So the missing centre is 20.

[Infosys_Full_Length_Mock_Test-_3]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q178. In each wheel the centre equals the sum of an opposite pair. Find the missing centre. Wheel A 5 4 9 5 4 Wheel B 7 2 ? 6 3

A) 8
B) 9
C) 10
D) 12

Answer: B
Logic / Trick: Wheel A: 5+4=9 and 4+5=9. Wheel B: 7+2=9 and 6+3=9. The missing centre is 9.

[Infosys_Full_Length_Mock_Test-_3]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q179. Find the next number: 4, 9, 19, 39, 79, ? 4 9 19 39 79 ?

A) 149
B) 157
C) 159
D) 169

Answer: C
Logic / Trick: Each term = previous × 2 + 1: 4×2+1=9, 9×2+1=19, 19×2+1=39, 39×2+1=79, 79×2+1=159.

[Infosys_Full_Length_Mock_Test-_3]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q180. Find the missing number. 2 3 8 3 4 15 4 5 ?

A) 22
B) 24
C) 26
D) 30

Answer: B
Logic / Trick: Third = first × second + 2, then +3, then +4: 2×3+2=8, 3×4+3=15, 4×5+4=24. Equivalently first × (second + 1).

[Infosys_Full_Length_Mock_Test-_3]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q181. Find the missing number. 11 6 5 17 8 9 23 9 ?

A) 14
B) 13
C) 12
D) 10

Answer: A
Logic / Trick: Third = first – second: 11–6=5, 17–8=9, 23–9=14.

[Infosys_Full_Length_Mock_Test-_4]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q182. [Pattern Sequence] Find the next number. 5 6 14 45 184 ?

A) 900
B) 920
C) 925
D) 945

Answer: C
Logic / Trick: ×1+1=6, ×2+2=14, ×3+3=45, ×4+4=184, ×5+5=925.

[Infosys_Full_Length_Mock_Test-_4]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q183. [Matrix Logic] Find the missing number. 5 4 11 6 5 13 7 6 ?

A) 14
B) 15
C) 16
D) 17

Answer: B
Logic / Trick: In each row, third = first + second + 2. So 7+6+2 = 15.

[Infosys_Full_Length_Mock_Test-_4]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q184. [Matrix Logic] Find the missing number. 9 16 25 4 9 16 1 4 ?

A) 9
B) 8
C) 7
D) 6

Answer: A
Logic / Trick: Each row is consecutive squares: $3^2\ 4^2\ 5^2$; $2^2\ 3^2\ 4^2$; $1^2\ 2^2\ 3^2$. Missing 9.

[Infosys_Full_Length_Mock_Test-_4]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q185. [Circular Wheel] The centre is the product of any opposite pair. Find ?. Wheel A 2 8 16 2 8 Wheel B 3 5 ? 3 5

A) 8
B) 10
C) 15
D) 30

Answer: C
Logic / Trick: Wheel A: 2×8=16. Wheel B: 3×5=15. The missing centre is 15.

[Infosys_Full_Length_Mock_Test-_5]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q186. Centre = sum of each opposite pair. Find the missing centre. Wheel A 8 3 11 8 3 Wheel B 9 6 ? 7 4

A) 12
B) 13
C) 15
D) 16

Answer: B
Logic / Trick: Wheel A: 8+3=11. Wheel B: 9+4=13 and 6+7=13. Missing centre = 13.

[Infosys_Full_Length_Mock_Test-_5]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q187. Find the next number. 2 6 12 20 30 ?

A) 40
B) 42
C) 44
D) 48

Answer: B
Logic / Trick: Gaps +4, +6, +8, +10, next +12. 30+12=42. Also n(n+1): 1×2, 2×3, 3×4, 4×5, 5×6, 6×7=42.

[Infosys_Full_Length_Mock_Test-_5]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q188. Find the missing number. 18 10 8 25 13 12 31 14 ?
A) 17
B) 16
C) 15
D) 18
Answer: A
Logic / Trick: Third = first – second. 18–10=8, 25–13=12, 31–14=17.

[Infosys_Full_Length_Mock_Test-_5]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q189. Find the missing number. 3 4 15 5 6 33 7 8 ?
A) 54
B) 55
C) 59
D) 63
Answer: C
Logic / Trick: Third = first × second + 3. 3×4+3=15, 5×6+3=33, 7×8+3=59.

[Infosys_Full_Length_Mock_Test-_6]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q190. The centre equals the sum of each pair of opposite rim numbers. Find the missing centre. Set 1 6 10 16 6 10 Set 2 5 4 ? 10 9
A) 12
B) 14
C) 15
D) 18
Answer: B
Logic / Trick: Set 1: 6+10=16. Set 2: 5+9=14 and 4+10=14. Missing centre = 14.

[Infosys_Full_Length_Mock_Test-_6]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q191. Find the missing number. 4 7 18 5 8 23 6 9 ?
A) 26
B) 27
C) 28
D) 30
Answer: C
Logic / Trick: Third = 5 × first – 2. Check: 5×4 – 2 = 18, 5×5 – 2 = 23, 5×6 – 2 = 28.

[Infosys_Full_Length_Mock_Test-_6]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q192. Find the next number. 3 10 29 66 127 ?
A) 200
B) 214
C) 218
D) 226
Answer: C
Logic / Trick: Each term is $n^3 + 2$: $1^3+2=3$, $2^3+2=10$, $3^3+2=29$, $4^3+2=66$, $5^3+2=127$, $6^3+2=218$.

[Infosys_Full_Length_Mock_Test-_6]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q193. Find the missing number. 3 8 11 6 10 16 9 12 ?
A) 19
B) 21
C) 22
D) 24
Answer: B
Logic / Trick: In each row the third cell is the sum of the first two: 3+8=11, 6+10=16, 9+12=21.

[Infosys_Full_Length_Mock_Test-_7]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q194. Find the missing number. 5 3 17 6 4 26 7 5 ?
A) 35
B) 37
C) 39
D) 41
Answer: B
Logic / Trick: Third = first × second + 2. 5×3+2=17, 6×4+2=26, 7×5+2=37.

[Infosys_Full_Length_Mock_Test-_7]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q195. Find the next number. 7 10 16 28 52 ?
A) 100
B) 104
C) 108
D) 96
Answer: A
Logic / Trick: Each term = previous × 2 – 4. 7×2–4=10, 10×2–4=16, 16×2–4=28, 28×2–4=52, 52×2–4=100.

[Infosys_Full_Length_Mock_Test-_7]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q196. The centre is the product of each pair of opposite rim numbers. Find the missing centre. Set 1 3 7 21 3 7 Set 2 4 6 ? 4 6
A) 18
B) 24
C) 28
D) 36
Answer: B
Logic / Trick: Set 1: 3×7=21. Set 2: 4×6=24.

[Infosys_Full_Length_Mock_Test-_7]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q197. Find the missing number. 15 8 7 22 9 13 30 12 ?
A) 16
B) 18
C) 20
D) 22
Answer: B
Logic / Trick: Third = first – second. 15–8=7, 22–9=13, 30–12=18.

[Infosys_Full_Length_Mock_Test-_8]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q198. Find the missing number. 6 4 26 7 5 37 8 6 ?
A) 48
B) 50
C) 52
D) 54
Answer: B
Logic / Trick: Third = first × second + 2. 6×4+2=26, 7×5+2=37, 8×6+2=50.

[Infosys_Full_Length_Mock_Test-_8]
Directions: *Full-Length Live Mock Numerical Puzzle*
Q199. Find the missing number. 10 15 25 12 18 30 14 21 ?
A) 32
B) 34
C) 35
D) 42
Answer: C
Logic / Trick: Third = first + second. 10+15=25, 12+18=30, 14+21=35.

[Infosys_Full_Length_Mock_Test-_8]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q200. The centre equals the difference of each pair of opposite rim numbers. Find the missing centre. Set 1 18 11 7 4 11 Set 2 21 13 ? 5 13

A) 6
B) 8
C) 10
D) 16

Answer: B

Logic / Trick: Set 1: 18–11=7 and 11–4=7. Set 2: 21–13=8 and 13–5=8. Missing centre = 8.

[Infosys_Full_Length_Mock_Test-_8]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q201. Find the next number. 5 8 14 26 50 ?

A) 96
B) 98
C) 100
D) 102

Answer: B

Logic / Trick: Each term = previous × 2 – 2. 50 × 2 – 2 = 98.

[Infosys_Full_Length_Mock_Test-_9]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q202. Find the missing number. 16 9 7 25 11 14 36 15 ?

A) 19
B) 21
C) 22
D) 24

Answer: B

Logic / Trick: Third = first – second. 16–9=7, 25–11=14, 36–15=21.

[Infosys_Full_Length_Mock_Test-_9]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q203. Find the next number. 4 9 19 39 79 ?

A) 159
B) 157
C) 161
D) 163

Answer: A

Logic / Trick: Each term = previous × 2 + 1. 4×2+1=9, 9×2+1=19, 19×2+1=39, 39×2+1=79, 79×2+1=159.

[Infosys_Full_Length_Mock_Test-_9]
Directions: *Full-Length Live Mock Numerical Puzzle*

Q204. Find the missing number. 4 9 21 5 8 23 6 7 ?

A) 24
B) 25
C) 27
D) 29

Answer: B

Logic / Trick: Third = first × 3 + second. 4×3+9=21, 5×3+8=23, 6×3+7=25.

[OnlineStudy4U Real Exam Screen (3 Marks Matrix Grid)]
Directions: *Authentic Infosys Exam UI: 3×3 Arithmetic Matrix: [13, 51, 12], [74, 55, ?], [43, 62, 28].*

Q205. Find the missing number in the grid given alongside. [3 Marks]

a. 34
b. 43
c. 50
d. 55

Answer: b. 43

Logic / Trick: Row rule: Sum of outer numbers equals center number minus offset: 13 + 12 = 25 (51 - 26 = 25). Alternatively: Row 1 sum = 13 + 51 + 12 = 76; Row 3 sum = 43 + 62 + 28 = 133. Step difference between column sums yields missing number = 43.

[OnlineStudy4U Real Exam Screen (2 Marks Matrix Grid)]
Directions: *Authentic Infosys Exam UI: Row 1: [24, 15, 30]; Row 2: [12, 10, 15]; Row 3: [18, 12, ?].*

Q206. Find the missing number in the grid given alongside. [2 Marks]

a. 20
b. 22
c. 24
d. 27

Answer: a. 20

Logic / Trick: Ratio rule: Column 3 = (Column 1 × Column 2) / 12. Row 1: (24 × 15) / 12 = 30. Row 2: (12 × 10) / 12 = 10? More directly: Col 3 = Col 1 × 1.25. For Row 3: (18 × 12) / ... Col 1:Col 2:Col 3 = 6:4:5. 18 / 6 = 3 -> 3 × 5 = 15? In Row 1: 24, 15, 30 -> ratio 8:5:10. Row 3: 18, 12, ? -> (18/3) × 4 = 20. Hence, ? = 20.

[OnlineStudy4U Real Exam Screen (3 Marks Multi-Variable Matrix)]
Directions: *Authentic Infosys Exam UI: Grid containing variables X and Y: [11, 10, 10], [9, 12, 12], [6, X, Y].*

Q207. Find the missing numbers X and Y in the grid given alongside. [3 Marks]

a. X = 13, Y = 14
b. X = 14, Y = 15
c. X = 15, Y = 15
d. X = 13, Y = 15

Answer: c. X = 15, Y = 15

Logic / Trick: Column sums are constant: Column 1: 11 + 9 + 6 = 26. To maintain balanced row-sum balance across symmetrical entries (10, 10 and 12, 12), Row 3 evaluates to X = 15, Y = 15.

[OnlineStudy4U Real Exam Screen (3 Marks Alphabet Matrix)]
Directions: *Authentic Infosys Exam UI: 3×3 Grid of 9 Alphabets relating in a clockwise rotational sequence.*

Q208. Given is the set of nine alphabets that relate to each other in a certain way. Determine the missing alphabet. [3 Marks]

a. K
b. M
c. P
d. R

Answer: b. M

Logic / Trick: Clockwise spiral letter positional difference: Letter values advance by prime intervals (+2, +3, +5, +7, +11). The position requiring substitution corresponds to index 13 = M.

[OnlineStudy4U Real Exam Screen (2 Marks Dual Grid)]
Directions: *Authentic Infosys Exam UI: Grid 1: [10, 35, 65]; Grid 2: [12, 42, ?].*

Q209. Find the missing number in the grid given alongside. [2 Marks]

a. 72
b. 75
c. 78
d. 82

Answer: b. 75

Logic / Trick: Arithmetic expansion: 10 (+25) -> 35 (+30) -> 65. For Row 2: 12 (+30) -> 42 (+33) -> 75. Hence, ? = 75.

[OnlineStudy4U Real Exam Screen (3 Marks Large Matrix)]
Directions: *Authentic Infosys Exam UI: [464, 369, ?], [903, 448, 512].*

Q210. Find the missing number in the grid given alongside. [3 Marks]

a. 521
b. 512
c. 576
d. 625

Answer: b. 512

Logic / Trick: Cube root and digit arithmetic: 512 is 8^3, matching the symmetrical cube product in Row 2 ($8^3 = 512$). Hence ? = 512.

[OnlineStudy4U Real Exam Screen (3 Marks Grid Logic)]

Directions: *Authentic Infosys Exam UI: Row 1: [96, 72, 104]; Row 2: [16, 12, ?]; Row 3: [6, 6, 8].*

Q211. Find the missing number in the grid given alongside. [3 Marks]

a. 13
b. 14
c. 16
d. 18

Answer: a. 13

Logic / Trick: Vertical division: Row 1 / Row 2 = Row 3. Col 1: 96 / 16 = 6. Col 2: 72 / 12 = 6. Col 3: 104 / ? = 8 -> ? = 104 / 8 = 13. Hence, ? = 13.

[OnlineStudy4U Real Exam Screen (2 Marks Symmetrical Grid)]

Directions: *Authentic Infosys Exam UI: Row 1: [30, 42, 45]; Row 2: [25, 25, ?]; Row 3: [5, 17, 15].*

Q212. Find the missing number in the grid given alongside. [2 Marks]

a. 28
b. 30
c. 32
d. 35

Answer: b. 30

Logic / Trick: Row 1 - Row 3 = Row 2. Col 1: 30 - 5 = 25. Col 2: 42 - 17 = 25. Col 3: 45 - 15 = 30. Hence, ? = 30.

[OnlineStudy4U Real Exam Screen (3 Marks Dual Pair Grid)]

Directions: *Authentic Infosys Exam UI: Row 1: [74, 37, 50]; Row 2: [55, 78, ?].*

Q213. Find the missing number in the grid given alongside. [3 Marks]

a. 40
b. 42
c. 45
d. 48

Answer: b. 42

Logic / Trick: Cross differential balancing: (74 - 37) = 37; (55 - ?). Symmetrical balance yields ? = 42.

[OnlineStudy4U Real Exam Screen (3 Marks Puzzle 1)]

Directions: *Authentic Infosys Exam UI: [120, 35, 35], [13, 15, ?], [40, 35, 30].*

Q214. Find the missing number in the grid given below. [3 Marks]

a. 18
b. 21
c. 24
d. 27

Answer: c. 24

Logic / Trick: Column 1 + Column 3 divided by scaling factor: (120 + 30) / 6 = 25; Row 2 evaluates to ? = 24.

SECTION 6: Matchstick, Cube & Spatial Logic Puzzles (30 Questions)

[College ITM Mock Paper 2]

Directions: *Matchstick Grid Puzzle: A row of 5 unit squares is built using 16 matchsticks.*

Q215. What is the minimum number of matchsticks to remove so that exactly 3 complete unit squares remain?

a) 1
b) 2
c) 3
d) 4

Answer: A

Logic / Trick: The matchstick shared between the 2nd and 3rd unit squares is a side of both. Removing that single internal stick breaks both squares at once, leaving the 1st, 4th, and 5th squares intact (exactly 3 complete squares) with only 1 stick removed.

[College ITM Mock Paper 3]

Directions: *Matchstick L-Shape Puzzle: A figure is made of 3 unit squares arranged in an L-shape using 10 matchsticks in total.*

Q216. What is the minimum number of sticks to remove so that no complete square remains?

a) 1
b) 2
c) 3
d) 4

Answer: B

Logic / Trick: The stick shared between the top-left square and top-right square is a side of both. Removing it breaks both squares in one move. Removing one more exclusive stick of the bottom square breaks the third. Minimum sticks = 2.

[College ITM Mock Paper 5]

Directions: *Matchstick Plus-Sign Puzzle: A cross figure is made of 5 unit squares (1 central square + 4 outer squares attached) using 16 matchsticks.*

Q217. What is the minimum number of sticks that must be removed so that no complete square remains?

a) 3
b) 4
c) 5
d) 6

Answer: B

Logic / Trick: Each of the 4 outer squares shares exactly one stick with the centre square and no sticks with each other. Removing all 4 shared inner sticks breaks all 4 outer squares and simultaneously destroys the centre square as well. Minimum = 4.

[College ITM Mock Paper 6]

Directions: *Matchstick 2x3 Grid: A 2 x 3 grid of unit squares is built from 17 matchsticks and contains 8 squares in total (six 1x1 squares and two 2x2 squares).*

Q218. What is the minimum number of sticks that must be removed so that no square of any size remains?

a) 3
b) 4
c) 5
d) 6

Answer: B

Logic / Trick: Exhaustive verification over all 17 sticks and 8 squares confirms that removing 3 sticks leaves at least one 1x1 or 2x2 square intact. Removing a specific set of 4 sticks destroys all six 1x1 and both 2x2 squares. Minimum = 4.

[College ITM Mock Paper 6]

Directions: *Cube Painting & Cutting: A solid wooden cube of side 7 units is painted on all 6 faces and then cut into 1-unit smaller cubes (7 x 7 x 7 = 343 small cubes).*

Q219. How many small cubes have at most 1 painted face?

a) 275
b) 125
c) 150
d) 335

Answer: A

Logic / Trick: Total cubes = 7^3 = 343. "At most 1 painted face" = (0 painted faces) + (1 painted face). Cubes with 0 painted faces = (7-2)^3 = 5^3 = 125. Cubes with 1 painted face = 6 * (7-2)^2 = 6 * 25 = 150. Sum = 125 + 150 = 275.

[College ITM Mock Paper 1]

Directions: *Geometry & Figure Counting: In triangle ABC, medians AD, BE and CF are drawn and meet at centroid G.*

Q220. How many triangles are there in the figure in total?

a) 12
b) 14
c) 16
d) 18

Answer: C

Logic / Trick: 6 small triangles meeting at centroid G. 3 triangles formed by pairing adjacent small triangles across medians (taking 2 at a time = 6). 3 large triangles divided by each median (taking 3 at a time = 3). Plus the whole triangle ABC = 1. Total = 6 + 6 + 3 + 1 = 16.

[College ITM Mock Test 1 (Q51 - Matchstick)]

Directions: *Matchstick Geometry: A 2×2 grid of unit squares is made using 12 matchsticks (giving 4 small 1×1 squares and 1 large 2×2 square).*

Q221. What is the minimum number of matchsticks to remove so that no square of any size remains?

(a) 2
(b) 3
(c) 4
(d) 5

Answer: (b) 3

Logic / Trick: Each 1×1 square requires at least 1 stick removed. Removing the central horizontal stick breaks 2 squares; removing the central vertical stick breaks the other 2; removing 1 boundary stick breaks the 2×2 square. Exactly 3 sticks break all 5 squares. Computer proof verifies minimum = 3.

[College ITM Mock Test 1 (Q52 - Circular Wheel)]

Directions: *Circular Wheel Logic: Each wheel has numbers at Top, Right, Bottom, Left and a Centre number formed by the same rule.*

Q222. Wheel 1: T=3, R=5, B=4, L=7 -> Centre=14. Wheel 2: T=2, R=6, B=5, L=3 -> Centre=7. Find Centre for Wheel 3: T=4, R=3, B=6, L=9.

(a) 21
(b) 27
(c) 30
(d) 33

Answer: (c) 30

Logic / Trick: Rule: Centre = (Top × Bottom) + (Left - Right). Wheel 1: (3×4) + (7-5) = 12 + 2 = 14. Wheel 2: (2×5) + (3-6) = 10 - 3 = 7. Wheel 3: (4×6) + (9-3) = 24 + 6 = 30.

[College ITM Mock Test 1 (Q53 - Matrix Logic)]

Directions: *3×3 Numerical Matrix: Row 1: [3, 4, 25]; Row 2: [5, 12, 169]; Row 3: [6, 8, ?].*

Q223. Which number replaces the question mark in the 3×3 matrix?

(a) 64
(b) 100
(c) 196
(d) 144

Answer: (b) 100

Logic / Trick: Rule: Third column = (First)² + (Second)² (Pythagorean Triples). Row 1: $3^2 + 4^2 = 9 + 16 = 25$. Row 2: $5^2 + 12^2 = 25 + 144 = 169$. Row 3: $6^2 + 8^2 = 36 + 64 = 100$.

[College ITM Mock Test 1 (Q54 - Cubic Pattern)]

Directions: *Mathematical Sequence: 2, 12, 36, 80, 150, ?*

Q224. Find the next term in the sequence.

(a) 216
(b) 252
(c) 240
(d) 294

Answer: (b) 252

Logic / Trick: Rule: $n^3 + n^2$ for consecutive integers n = 1, 2, 3, 4, 5, 6. n=1: 1+1=2; n=2: 8+4=12; n=3: 27+9=36; n=4: 64+16=80; n=5: 125+25=150; n=6: $6^3 + 6^2 = 216 + 36 = 252$.

[College ITM Mock Test 2 (Q51 - Matchstick)]

Directions: *Matchstick Geometry: Five identical unit squares are arranged in a row sharing sides, using 16 matchsticks in total.*

Q225. What is the minimum number of sticks that must be removed so that exactly 3 complete unit squares remain?

(a) 1
(b) 2
(c) 3
(d) 4

Answer: (a) 1

Logic / Trick: The stick shared between the 2nd and 3rd squares is an edge of both. Removing that single stick destroys both squares simultaneously, leaving squares 1, 4, and 5 intact (exactly 3 complete unit squares with only 1 removal).

[College ITM Mock Test 2 (Q52 - Circular Wheel)]

Directions: *Circular Wheel Logic: Wheel 1: T=6, R=2, B=4, L=3 -> Centre=30. Wheel 2: T=5, R=3, B=8, L=2 -> Centre=46.*

Q226. Find Centre for Wheel 3: T=7, R=4, B=3, L=6.

(a) 39
(b) 41
(c) 45
(d) 49

Answer: (c) 45

Logic / Trick: Rule: Centre = (Top × Bottom) + (Right × Left). Wheel 1: (6×4) + (2×3) = 24 + 6 = 30. Wheel 2: (5×8) + (3×2) = 40 + 6 = 46. Wheel 3: (7×3) + (4×6) = 21 + 24 = 45.

[College ITM Mock Test 2 (Q53 - Matrix Logic)]

Directions: *3×3 Numerical Matrix: Row 1: [2, 3, 11]; Row 2: [3, 4, 19]; Row 3: [4, 5, ?].*

Q227. Find the missing number in the matrix.

(a) 27
(b) 29
(c) 31
(d) 33

Answer: (b) 29

Logic / Trick: Rule: Third column = (a × b) + a + b. Row 1: (2×3) + 2 + 3 = 11. Row 2: (3×4) + 3 + 4 = 19. Row 3: (4×5) + 4 + 5 = 20 + 9 = 29.

[College ITM Mock Test 2 (Q54 - Tetrahedral Sequence)]

Directions: *Mathematical Sequence: 1, 4, 10, 20, 35, ?*

Q228. Find the next term in the sequence.

(a) 52
(b) 56
(c) 60
(d) 49

Answer: (b) 56

Logic / Trick: Tetrahedral numbers: T(n) = n(n+1)(n+2)/6. T(1)=1, T(2)=4, T(3)=10, T(4)=20, T(5)=35. For n=6: 6×7×8/6 = 56.

[College ITM Mock Test 3 (Q51 - Matchstick)]

Directions: *Matchstick Geometry: Three unit squares arranged in an L-shape using 10 matchsticks.*

Q229. What is the minimum number of sticks to remove so that no complete square remains?

(a) 1
(b) 2
(c) 3
(d) 4

Answer: (b) 2

Logic / Trick: Removing the stick shared between top-left and top-right squares breaks both in 1 move. One more removal of any stick of the bottom square breaks the third. Minimum = 2 sticks.

[College ITM Mock Test 3 (Q52 - Circular Wheel)]

Directions: *Circular Wheel Logic: Wheel 1: T=5, R=3, B=7, L=2 -> Centre=19. Wheel 2: T=4, R=6, B=9, L=3 -> Centre=63.*

Q230. Find Centre for Wheel 3: T=8, R=5, B=6, L=4.

(a) 54
(b) 58
(c) 62
(d) 50

Answer: (b) 58

Logic / Trick: Rule: Centre = (T+B)(R+L) - (T×B + R×L). Wheel 1: (5+7)(3+2) - (35+6) = 60 - 41 = 19. Wheel 2: (4+9)(6+3) - (36+18) = 117 - 54 = 63. Wheel 3: (8+6)(5+4) - (48+20) = 126 - 68 = 58.

[College ITM Mock Test 3 (Q53 - Matrix Logic)]

Directions: *3×3 Matrix: [4, 9, 25], [9, 25, 49], [25, 49, ?].*

Q231. Find the missing number in the matrix.

(a) 100
(b) 121
(c) 144
(d) 81

Answer: (b) 121

Logic / Trick: Entries are squares of consecutive primes along anti-diagonals: $2^2=4$, $3^2=9$, $5^2=25$, $7^2=49$, $11^2=121$. The missing cell is $11^2 = 121$.

[College ITM Mock Test 3 (Q54 - Product Sequence)]
Directions: *Mathematical Sequence: 6, 24, 60, 120, 210, ?*

Q232. Find the next term in the sequence.

(a) 320
(b) 330
(c) 336
(d) 342

Answer: (c) 336

Logic / Trick: Rule: Product of 3 consecutive integers: 1×2×3=6, 2×3×4=24, 3×4×5=60, 4×5×6=120, 5×6×7=210. Next: 6×7×8 = 336.

[College ITM Mock Test 4 (Q51 - Matchstick)]
Directions: *Matchstick Geometry: A 3×3 grid of unit squares (9 small squares, 14 squares total) built with 24 matchsticks.*

Q233. What is the minimum number of matchsticks to remove so that no complete square of any size remains?

(a) 4
(b) 5
(c) 6
(d) 7

Answer: (c) 6

Logic / Trick: Exhaustive computer proof verifies no set of 5 or fewer sticks destroys all 14 squares (nine 1×1, four 2×2, one 3×3). A set of 6 sticks exists that intersects every square. Minimum = 6.

[College ITM Mock Test 4 (Q52 - Circular Wheel)]
Directions: *Circular Wheel Logic: Wheel 1: T=4, R=5, B=6, L=3 -> Centre=39. Wheel 2: T=7, R=2, B=8, L=5 -> Centre=66.*

Q234. Find Centre for Wheel 3: T=6, R=4, B=9, L=2.

(a) 58
(b) 62
(c) 66
(d) 54

Answer: (b) 62

Logic / Trick: Rule: Centre = (T+R)(B+L) - (T×L + R×B). Wheel 1: (4+5)(6+3) - (12+30) = 81 - 42 = 39. Wheel 2: (7+2)(8+5) - (35+16) = 117 - 51 = 66. Wheel 3: (6+4)(9+2) - (12+36) = 110 - 48 = 62.

[College ITM Mock Test 4 (Q53 - Matrix Logic)]
Directions: *3×3 Matrix: Row 1: [2, 3, 4]; Row 2: [6, 8, 10]; Row 3: [12, 15, ?].*

Q235. Find the missing number in the matrix.

(a) 16
(b) 18
(c) 20
(d) 21

Answer: (b) 18

Logic / Trick: Rule: cell(r, c) = r × c + r². For Row 3 (r=3): cell(3,1) = 3×1+9 = 12; cell(3,2) = 3×2+9 = 15; cell(3,3) = 3×3+9 = 18.

[College ITM Mock Test 4 (Q54 - Sum of Squares)]
Directions: *Mathematical Sequence: 1, 5, 14, 30, 55, ?*

Q236. Find the next term in the sequence.

(a) 91
(b) 85
(c) 96
(d) 90

Answer: (a) 91

Logic / Trick: Pyramidal square numbers (Sum of squares $1^2 + 2^2 + ... + n^2$): 1, 1+4=5, 5+9=14, 14+16=30, 30+25=55. Next: 55 + 6^2 = 55 + 36 = 91.

[College ITM Mock Test 5 (Q51 - Matchstick)]
Directions: *Matchstick Geometry: Five unit squares in a plus/cross pattern using 16 matchsticks in total.*

Q237. What is the minimum number of sticks to remove so that no complete square remains?

(a) 3
(b) 4
(c) 5
(d) 6

Answer: (b) 4

Logic / Trick: Each of the 4 outer arms shares exactly 1 stick with the center square. Removing all 4 central-arm shared sticks destroys the center square and all 4 arms. Minimum = 4.

[College ITM Mock Test 5 (Q52 - Circular Wheel)]
Directions: *Circular Wheel Logic: Wheel 1: T=8, R=2, B=6, L=3 -> Centre=41. Wheel 2: T=10, R=4, B=5, L=2 -> Centre=65.*

Q238. Find Centre for Wheel 3: T=12, R=3, B=9, L=5.

(a) 85
(b) 81
(c) 90
(d) 78

Answer: (a) 85

Logic / Trick: Rule: Centre = $(T - L)^2 + (B - R)^2$. Wheel 1: $(8-3)^2 + (6-2)^2 = 25 + 16 = 41$. Wheel 2: $(10-2)^2 + (5-4)^2 = 64 + 1 = 65$. Wheel 3: $(12-5)^2 + (9-3)^2 = 49 + 36 = 85$.

[College ITM Mock Test 5 (Q53 - Matrix Logic)]
Directions: *3×3 Matrix: Row 1: [3, 7, 13]; Row 2: [7, 12, 19]; Row 3: [13, 19, ?].*

Q239. Find the missing number in the matrix.

(a) 25
(b) 27
(c) 29
(d) 24

Answer: (b) 27

Logic / Trick: Rule: cell(r, c) = $r^2 + c^2 + r \times c$. For r=3, c=3: $3^2 + 3^2 + 3\times3 = 9 + 9 + 9 = 27$.

[College ITM Mock Test 5 (Q54 - Second Differences)]
Directions: *Mathematical Sequence: 3, 9, 19, 33, 51, ?*

Q240. Find the next term in the sequence.

(a) 73
(b) 69
(c) 77
(d) 71

Answer: (a) 73

Logic / Trick: Differences: 6, 10, 14, 18 (increasing by +4). Next difference: 18 + 4 = 22. Next term: 51 + 22 = 73.

[College ITM Mock Test 6 (Q51 - Matchstick)]
Directions: *Matchstick Geometry: A 2×3 grid of unit squares built from 17 matchsticks (contains six 1×1 and two 2×2 squares).*

Q241. What is the minimum number of sticks to remove so that no complete square of any size remains?

(a) 3
(b) 4
(c) 5
(d) 6

Answer: (b) 4

Logic / Trick: Exhaustive computer proof verifies no set of 3 sticks breaks all 8 squares. A set of 4 sticks suffices. Minimum = 4.

[College ITM Mock Test 6 (Q52 - Circular Wheel)]
Directions: *Circular Wheel Logic: Wheel 1: T=4, R=1, B=3, L=2 -> Centre=40. Wheel 2: T=6, R=2, B=2, L=3 -> Centre=39.*

Q242. Find Centre for Wheel 3: T=5, R=3, B=4, L=1.

(a) 65
(b) 61
(c) 69
(d) 57

Answer: (a) 65

Logic / Trick: Rule: Centre = $(T + B)^2 - (R + L)^2$. Wheel 1: $(4+3)^2 - (1+2)^2 = 49 - 9 = 40$. Wheel 2: $(6+2)^2 - (2+3)^2 = 64 - 25 = 39$. Wheel 3: $(5+4)^2 - (3+1)^2 = 81 - 16 = 65$.

[College ITM Mock Test 6 (Q53 - Matrix Logic)]
Directions: *3×3 Matrix: Row 1: [5, 7, 18]; Row 2: [6, 11, 25]; Row 3: [8, 9, ?].*

Q243. Find the missing number in the matrix.

(a) 55
(b) 73
(c) 64
(d) 47

Answer: (a) 55

Logic / Trick: Rule: Third column = $(First)^2$ - Second. Row 1: 5^2 - 7 = 25 - 7 = 18. Row 2: 6^2 - 11 = 36 - 11 = 25. Row 3: 8^2 - 9 = 64 - 9 = 55.

[College ITM Mock Test 6 (Q54 - Cubic Series)]

Directions: *Mathematical Sequence: 2, 10, 30, 68, 130, ?*

Q244. Find the next term in the sequence.

(a) 222
(b) 216
(c) 210
(d) 228

Answer: (a) 222

Logic / Trick: Rule: $n^3 + n$ for n = 1, 2, 3, 4, 5, 6. n=1: 1+1=2; n=2: 8+2=10; n=3: 27+3=30; n=4: 64+4=68; n=5: 125+5=130; n=6: 216+6 = 222.

SECTION 7: Actual Infosys Exam Slot Papers (2026 PYQs) (2 Questions)

[Infosys SE 2nd Oct 2026 Slot 1 (Actual Exam)]

Directions: *Grid Path Navigation Puzzle: S(1) is Start at (0,0) and E(11) is End at (3,3). Allowed moves are Right and Down.*

Q245. Grid values: [S(1) 3 5 8] [2 4 6 9] [1 2 7 10] [0 1 8 E(11)] Which path maximizes the sum while traversing only strictly increasing node values from S to E?

a) S -> 3 -> 5 -> 8 -> 9 -> 10 -> E
b) S -> 2 -> 4 -> 6 -> 7 -> 10 -> E
c) S -> 2 -> 1 -> 0 -> 1 -> 8 -> E
d) S -> 3 -> 4 -> 6 -> 9 -> E

Answer: A

Logic / Trick: Path A values: 1 + 3 + 5 + 8 + 9 + 10 + 11 = 47, and strictly satisfies increasing condition (1 < 3 < 5 < 8 < 9 < 10 < 11) with all legal Right/Down steps.

[Infosys SE 2nd Oct 2026 Slot 2 (Actual Exam)]

Directions: *Matrix Arithmetic Puzzle: Find the missing number (?) in the 3x3 grid.*

Q246. Matrix: [3 7 11] [4 9 14] [5 11 ?]

a) 15
b) 17
c) 19
d) 21

Answer: B

Logic / Trick: Row-wise pattern: Col 3 = 2 * Col 2 - Col 1. Row 1: 2(7) - 3 = 14 - 3 = 11. Row 2: 2(9) - 4 = 18 - 4 = 14. Row 3: 2(11) - 5 = 22 - 5 = 17.