
INFOSYS SE — VISUAL DIAGRAM & PATTERN PUZZLES

17 High-Res Embedded Figures • Dominoes, Hexagons, Wheels & Spatial Geometry • Step-by-Step Logic

SECTION 1: High-Yield Diagram & Pattern Recognition Puzzles (17 Questions)

[CampusMonk Section VI (Number Puzzles Q1)]
Directions: *Visual Number Grid & Pattern Logic.*




Q1. What will replace the ? Mark in the given pattern?

a. 8
b. 9
c. 6
d. 5

Answer: b. 9
Logic / Trick: Follow pattern shown in image. Correct option: b.

[CampusMonk Section VI (Number Puzzles Q2)]
Directions: *Visual Number Grid & Pattern Logic.*




Q2. What will replace the ? Mark in the given pattern?

a. 2
b. 6
c. 5
d. 9

Answer: b. 6
Logic / Trick: Follow pattern shown in image. Correct option: b.

[CampusMonk Section VI (Number Puzzles Q3)]
Directions: *Visual Number Grid & Pattern Logic.*




Q3. What will replace the ? Mark in the given pattern?

a. O
b. L
c. Y
d. P

Answer: a. O
Logic / Trick: Follow pattern shown in image. Correct option: a.

[CampusMonk Section VI (Number Puzzles Q4)]
Directions: *Visual Number Grid & Pattern Logic.*




Q4. What will replace the ? Mark in the given pattern?

a. 1
b. 2
c. 5
d. 9

Answer: a. 1
Logic / Trick: Follow pattern shown in image. Correct option: a.

[CampusMonk Section VI (Number Puzzles Q5)]
Directions: *Visual Number Grid & Pattern Logic.*




Q5. What will replace the ? Mark in the given pattern?

a. 452
b. 250
c. 235
d. 253

Answer: d. 253
Logic / Trick: Follow pattern shown in image. Correct option: d.

[CampusMonk Section VI (Number Puzzles Q6)]
Directions: *Visual Number Grid & Pattern Logic.*




Q6. What will replace the ? Mark in the given pattern?

a. 24
b. 4
c. 2
d. 8

Answer: c. 2
Logic / Trick: Follow pattern shown in image. Correct option: c.

[CampusMonk Section VI (Number Puzzles Q7)]
Directions: *Visual Number Grid & Pattern Logic.*




Q7. What will replace the ? Mark in the given pattern?

a. 8
b. 10
c. 12
d. 16

Answer: b. 10
Logic / Trick: Follow pattern shown in image. Correct option: b.

[CampusMonk Section VI (Number Puzzles Q8)]
Directions: *Visual Number Grid & Pattern Logic.*



Q8. What will replace the ? Mark in the given pattern?

a. B
b. Y
c. Z
d. C

Answer: a. B
Logic / Trick: Follow pattern shown in image. Correct option: a.

[CampusMonk Section VI (Number Puzzles Q9)]
Directions: *Visual Number Grid & Pattern Logic.*

2	3	11
4	1	15
7	3	56
?	8	87

**Q9. Study the 4×3 matrix. Each row follows the same rule relating the first two entries to the third entry. Find the missing number ? that makes the middle row obey the same rule.   **

a. 3
b. 4
c. 5
d. 8

Answer: c. 5
Logic / Trick: Follow pattern shown in image. Correct option: c.

[CampusMonk Section VI (Number Puzzles Q10)]
Directions: *Visual Number Grid & Pattern Logic.*


2	3	7
H	?	U
4	6	3

**Q10. Study the 3×3 matrix. Each row follows the same rule relating the first two entries to the third entry. Find the missing number ? that makes the middle row obey the same rule. **

a. P
b. Q
c. S
d. R

Answer: d. R
Logic / Trick: Follow pattern shown in image. Correct option: d.

[CampusMonk Section VI (Number Puzzles Q11)]
Directions: *Visual Number Grid & Pattern Logic.*




Q11. What will replace the ? Mark in the given pattern?

a. 50
b. 110
c. 61
d. 26

Answer: d. 26
Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q12)]

Directions: *Visual Number Grid & Pattern Logic.*



Q12. What will replace the ? Mark in the given pattern?

a. A=9, B=17
b. A=14, B=22
c. A=14, B=28
d. A=18, B=9

Answer: c. A=14, B=28

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q13)]

Directions: *Visual Number Grid & Pattern Logic.*

11	4	21	39
8	1	?	2
5	7	3	2
63	29	72	80

Q13. Study the 4×3 matrix. Each row follows the same rule relating the first two entries to the third entry. Find the missing number ? that makes the middle row obey the same rule.

a. 7
b. 9
c. 5
d. 8

Answer: b. 9

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q14)]

Directions: *Visual Number Grid & Pattern Logic.*

3	2	8
1	59	1
5	14	25

**Q14. Determine the missing number in the second set. Assume the second set also works in the same way as the first set.   **


a. 89
b. 79
c. 99
d. 109

Answer: c. 99

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q15)]

Directions: *Visual Number Grid & Pattern Logic.*



**Q15. What will replace the ? Mark in the given pattern? **


a. 7
b. 8
c. 5
d. 9

Answer: d. 9

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q16)]

Directions: *Visual Number Grid & Pattern Logic.*



**Q16. What will replace the ? Mark in the given pattern? **


a. 2
b. 3
c. 4
d. 7

Answer: b. 3

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}

[CampusMonk Section VI (Number Puzzles Q17)]

Directions: *Visual Number Grid & Pattern Logic.*



**Q17. What will replace the ? Mark in the given pattern? **

a. M
b. N
c. O
d. P

Answer: a. M

Logic / Trick: {'en': {'value': '', 'type': 'cp', 'videoSol': ''}, 'hn': {'value': '', 'type': '', 'videoSol': ''}, 'te': {'value': '', 'type': '', 'videoSol': ''}, 'mr': {'value': '', 'type': '', 'videoSol': ''}, 'bn': {'value': '', 'type': '', 'videoSol': ''}, 'ml': {'value': '', 'type': '', 'videoSol': ''}, 'gu': {'value': '', 'type': '', 'videoSol': ''}, 'kn': {'value': '', 'type': '', 'videoSol': ''}, 'ta': {'value': '', 'type': '', 'videoSol': ''}, 'or': {'value': '', 'type': '', 'videoSol': ''}, 'as': {'value': '', 'type': '', 'videoSol': ''}, 'ks': {'value': '', 'type': '', 'videoSol': ''}, 'kok': {'value': '', 'type': '', 'videoSol': ''}, 'mni': {'value': '', 'type': '', 'videoSol': ''}, 'ne': {'value': '', 'type': '', 'videoSol': ''}, 'pa': {'value': '', 'type': '', 'videoSol': ''}, 'sd': {'value': '', 'type': '', 'videoSol': ''}, 'ur': {'value': '', 'type': '', 'videoSol': ''}, 'sat': {'value': '', 'type': '', 'videoSol': ''}, 'mai': {'value': '', 'type': '', 'videoSol': ''}, 'brx': {'value': '', 'type': '', 'videoSol': ''}, 'doi': {'value': '', 'type': '', 'videoSol': ''}, 'sa': {'value': '', 'type': '', 'videoSol': ''}, 'grt': {'value': '', 'type': '', 'videoSol': ''}, 'kha': {'value': '', 'type': '', 'videoSol': ''}, 'lus': {'value': '', 'type': '', 'videoSol': ''}, 'bo': {'value': '', 'type': '', 'videoSol': ''}, 'trp': {'value': '', 'type': '', 'videoSol': ''}}