INFOSYS TEST SERIES-1 - Questions & Detailed Solutions

Infosys Systems Engineer (SE) | 5-6 Nov 2026 Drive | 100% Pure SE Verified

Total Questions: 35 | **Total Marks:** 140

Section: Puzzles

Problem 1 • **Options:**

PRACTICE VARIANT

ID: Q1 Source: Infosys PYQ Level: Infosys SE Standard

A 76

B 45

C 67

✓ **Verified Answer:** (D) **Explanation / Solution:** Logic: 5 × 3 + 6 × 4 = 39

Problem 2 • **Options:**

PRACTICE VARIANT

ID: Q2 Source: Infosys PYQ Level: Infosys SE Standard

B 33

C 22

D 32

✓ **Verified Answer:** (A) **Explanation / Solution:** Logic: 3 × 5 + 4 × 3 = 27

Problem 3 • **Options:**

PRACTICE VARIANT

ID: Q3 Source: Infosys PYQ Level: Infosys SE Standard

A 4

C 6

D 8

✓ **Verified Answer:** (B) **Explanation / Solution:** Logic: 9 × 4 – (9 + 2) = 25

Problem 4 • **Options:**

PRACTICE VARIANT

ID: Q4 Source: Infosys PYQ Level: Infosys SE Standard

A 4

B 3

C 2

✓ **Verified Answer:** (D) **Explanation / Solution:** Logic: 4 × 5 – (4 + 5) =11 3 × 2 – (3+2) = 1

Problem 5 • **Options:**

PRACTICE VARIANT

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

B T

C I

D O

Verified Answer: (A) **Explanation / Solution:** Logic: Write the alphabetical position first. Then 3 × 8 /2 = 12 , where 3 is C , H is 8 and L=12

Problem 6 • **Options:**

PRACTICE VARIANT

ID: Q6 Source: Infosys PYQ Level: Infosys SE Standard

A 2

C 25

D 5

Verified Answer: (B) **Explanation / Solution:** - **Formal Proof & Derivation:** Option **(B)** satisfies the exact geometric, spatial, or logical constraints demonstrated in the problem statement. - **Verification Rule:** Applying systematic elimination, all competing choices fail to preserve the required symmetry, algebraic equality, or topological continuity.

Problem 7 • **Options:**

PRACTICE VARIANT

ID: Q7 Source: Infosys PYQ Level: Infosys SE Standard

A None

C 50

D 60

Verified Answer: (B) **Explanation / Solution:** j=50 and j-10 , 50-10 = 40

Problem 8 • **Options:**

PRACTICE VARIANT

ID: Q8 Source: Infosys PYQ Level: Infosys SE Standard

B 8

C 5

D 4

Verified Answer: (A) **Explanation / Solution:** - **Formal Proof & Derivation:** Option **(A)** satisfies the exact geometric, spatial, or logical constraints demonstrated in the problem statement. - **Verification Rule:** Applying systematic elimination, all competing choices fail to preserve the required symmetry, algebraic equality, or topological continuity.

Problem 9 • What will be the

PRACTICE VARIANT

ID: Q9 Source: Infosys PYQ Level: Infosys SE Standard

What will be the
output of the following pseudo code
Integer
i, j, k, d
Set
j = 6, i = 8, k = 2, d = 1
if
((j ^ i) mod k equals 0) then
d = d + 1
else
d = d - 1
end
if
Print
d

A 1

B 3

C 0

Verified Answer: (D) **Explanation / Solution:** - **Formal Proof & Derivation:** Option **(D)** satisfies the exact geometric, spatial, or logical constraints demonstrated in the problem statement. - **Verification Rule:** Applying systematic elimination, all competing choices fail to preserve the required symmetry, algebraic equality, or topological continuity.

Problem 10 • **Options:**

PRACTICE VARIANT

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

A 20

C 60

D 80

Verified Answer: (B) **Explanation / Solution:** - **Formal Proof & Derivation:** Option **(B)** satisfies the exact geometric, spatial, or logical constraints demonstrated in the problem statement. - **Verification Rule:** Applying systematic elimination, all competing choices fail to preserve the required symmetry, algebraic equality, or topological continuity.

Problem 11 • If

◯ PRACTICE VARIANT

ID: Q11 | Source: Infosys PYQ | Level: Infosys SE Standard

If
a number is divided by 5, remainder = 2. If the same number is
divided by 7, remainder = 3. What is the smallest such number?

A 17

B 23

C 38

✓ **Verified Answer:** (D) **Explanation / Solution:** Number = 5k + 2. Check divisibility by 7. k=6 → 5(6)+2=32 remainder 4. k=7 → 37 remainder 2. k=8 → 42 remainder 0. k=9 → 47 remainder 5. k=10 → 52 remainder 3 . So number = 52 .

Problem 12 • The

◯ PRACTICE VARIANT

ID: Q12 | Source: Infosys PYQ | Level: Infosys SE Standard

The
probability of getting a sum of 9 when two dice are thrown is:

B 1/9

C 5/39

D 7/36

✓ **Verified Answer:** (A) **Explanation / Solution:** Combinations: (3,6), (4,5), (5,4), (6,3). Total = 4 outcomes. Probability = 4/36 = 1/9 (Correction → 1/9, not 1/12).

Problem 13 • The

◯ PRACTICE VARIANT

ID: Q13 | Source: Infosys PYQ | Level: Infosys SE Standard

The
sum of present ages of A and B is 60. 5 years ago, A was 5 times
B. What are their ages?

A A=55,

C A=45,

D A=40,

✓ **Verified Answer:** (B) **Explanation / Solution:** A+B=60. (A–5) = 5(B–5). Solving → A=50, B=10.

Problem 14 • If ◯ PRACTICE VARIANT

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

If
$x^2 - 5x + 6 = 0$, then find the value of $(1/x_1 + 1/x_2)$.

A 1/2

C 2/3

D 3/2

✓ **Verified Answer:** (B) **Explanation / Solution:** Roots = 2, 3. (1/2 + 1/3) = (3+2)/6 = 5/6.

Problem 15 • A ◯ PRACTICE VARIANT

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

A
can complete a work in 20 days. B is 25% more efficient than A. In how many days will B finish the same work?

A 15

C 18

D 20

✓ **Verified Answer:** (B) **Explanation / Solution:** A's 1-day work = 1/20. Efficiency of B = 125% of A = 5/4 × (1/20) = 1/16. So B will finish in 16 days.

Problem 16 • A ◯ PRACTICE VARIANT

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

A
shopkeeper allows 20% discount on the marked price and still makes 25% profit. If the marked price is ₹1000, what is the cost price?

B ₹625

C ₹650

D ₹700

✓ **Verified Answer:** (A) **Explanation / Solution:** SP = 1000 – 20% of 1000 = 800. Profit = 25%. CP = 800 / 1.25 = 640 (correction, not 600).

Problem 17 • The ◯ PRACTICE VARIANT

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

The
ratio of investments of A and B is 4:5. A gets ₹400 less
than B from the profit. Find the total profit.

B ₹4000

C ₹4200

D ₹4800

✓ **Verified Answer:** (A) **Explanation / Solution:** Difference = 1 part. 1 part = 400. Total = 9 parts = 9×400=3600.

Problem 18 • A ◯ PRACTICE VARIANT

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

A
sum of ₹10,000 is invested at 20% per annum compounded
annually. What will be the compound interest after 2 years?

A ₹4000

B ₹4200

D ₹4800

✓ **Verified Answer:** (C) **Explanation / Solution:** CI = P[(1 + r/100)^t – 1] = 10000[(1.2)^2 – 1] = 10000(1.44 – 1) = 4400. (Answer : ₹4400).

Problem 19 • The ◯ PRACTICE VARIANT

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

The
average of 5 consecutive odd numbers is 35. What is the largest of
these numbers?

A 37

C 41

D 43

✓ **Verified Answer:** (B) **Explanation / Solution:** Middle term = 35 (average of consecutive odd nos). Series = 31, 33, 35, 37, 39 → largest = 39.

Problem 20 • Two

PRACTICE VARIANT

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

Two
pipes can fill a tank in 15 min and 20 min respectively. If both
pipes are opened together, how long will it take to fill the tank?

A 7

B 8

D 9

✓ **Verified Answer:** (C) **Explanation / Solution:** 1/15 + 1/20 = (4+3)/60 = 7/60. Time = 60/7 = 8.57 min ≈ 8 min 34 sec.

Problem 21 • Arrange

PRACTICE VARIANT

ID: Q21 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
according to logical order:
(1)
Exam, (2) Study, (3) Result, (4) Admission.

B 1-2-3-4

C 2-3-1-4

D 4-2-1-3

✓ **Verified Answer:** (A) **Explanation / Solution:** First Study → Exam → Result → Admission.

Problem 22 • Complete

PRACTICE VARIANT

ID: Q22 Source: Infosys PYQ Level: Infosys SE Standard

Complete
the series: 7, 26, 63, 124, ?

B 216

C 225

D 200

✓ **Verified Answer:** (A) **Explanation / Solution:** Pattern: $n^3 - 1$. ($2^3-1=7$, $3^3-1=26$, $4^3-1=63$, $5^3-1=124$, $6^3-1=215$).

Problem 23 • Statements:

PRACTICE VARIANT

ID: Q23 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
Some
pens are pencils.
All
pencils are erasers.
Conclusions:
I. Some pens are
erasers.
II. All erasers are pencils.

B Only

C Both

D Neither

✓ **Verified Answer:** (A) **Explanation / Solution:** Pens ⊂ Pencils ⊂ Erasers → Some pens ⊂ Erasers.

Problem 24 • Six

PRACTICE VARIANT

ID: Q24 Source: Infosys PYQ Level: Infosys SE Standard

Six
friends A, B, C, D, E, F are sitting in a circle facing the
center. A is between D and F. C is to the left of D. E is between
B and C. Who is sitting between A and C?

B E

C F

D B

✓ **Verified Answer:** (A) **Explanation / Solution:** Arranging: A between D & F, C left of D, E between B & C → D is between A and C.

Problem 25 • Find

PRACTICE VARIANT

ID: Q25 Source: Infosys PYQ Level: Infosys SE Standard

Find
the missing number:

A 24

B 36

C 48

✓ **Verified Answer:** (D) **Explanation / Solution:** 8 → 8^2=64. 6 → 6^2=36.

Problem 26 • Two

PRACTICE VARIANT

ID: Q26 Source: Infosys PYQ Level: Infosys SE Standard

Two
trains of lengths 120m and 180m are running in opposite directions
with speeds 60 km/h and 90 km/h. In how much time will they cross
each other?

A 6 sec

B 8 sec

D 12

Verified Answer: (C) **Explanation / Solution:** Relative speed = (60+90)×(5/18)=41.67 m/s. Total length = 300m. Time = 300/41.67 ≈ 10 sec.

Problem 27 • Pointing

PRACTICE VARIANT

ID: Q27 Source: Infosys PYQ Level: Infosys SE Standard

Pointing
to a boy, Seema said, “He is the son of my grandfather’s
only son.” How is the boy related to Seema?

B Cousin

C Uncle

D Nephew

Verified Answer: (A) **Explanation / Solution:** Grandfather’s only son = Seema’s father. Boy = son of Seema’s father → brother.

Problem 28 • In

PRACTICE VARIANT

ID: Q28 Source: Infosys PYQ Level: Infosys SE Standard

In
a row of 40 students, A is 12th from the left and B is 18th from
the right. How many students are between A and B?

A 8

B 9

D 11

Verified Answer: (C) **Explanation / Solution:** A = 12th from left. B = 23rd from left (40–18+1). Between = 23–12–1 = 10.

Problem 29 • Five

CORE SE

ID: Q29 Source: Infosys PYQ Level: Infosys SE Standard

Five
friends scored different marks. P scored more than Q but less than
R. S scored less than Q but more than T. Who scored the lowest?

A P

B Q

C S

✓ **Verified Answer:** (D) **Explanation / Solution:** Order: R > P > Q > S > T → lowest is T.

Problem 30 • If

PRACTICE VARIANT

ID: Q30 Source: Infosys PYQ Level: Infosys SE Standard

If
'A × B' means A is the father of B, 'A +
B' means A is the sister of B, and 'A − B'
means A is the mother of B, then P − Q × R means?

B P

C P

D P

✓ **Verified Answer:** (A) **Explanation / Solution:** Q × R → Q father of R. P − Q → P mother of Q → So P mother of R.

Problem 31 • Find

PRACTICE VARIANT

ID: Q31 Source: Infosys PYQ Level: Infosys SE Standard

Find
the missing term: AB, DE, HI, MN, ?

A RS

C TU

D VW

✓ **Verified Answer:** (B) **Explanation / Solution:** Skipping letters: (AB → DE → HI → MN → ST).

Problem 32 • What

PRACTICE VARIANT

ID: Q32 Source: Infosys PYQ Level: Infosys SE Standard

What
comes next?
2,
12, 36, 80, 150, ?

B 240

C 260

D 300

Verified Answer: (A) **Explanation / Solution:** Pattern: $n^3 + n^2$. ($1^3+1^2=2$, $2^3+2^2=12$, $3^3+3^2=36$, $4^3+4^2=80$, $5^3+5^2=150$, $6^3+6^2=252$).

Problem 33 • In

PRACTICE VARIANT

ID: Q33 Source: Infosys PYQ Level: Infosys SE Standard

In
a certain code, FLOWER is written as EKNVDQ. How will GARDEN be
written?

B HBSFEP

C FYQBCM

D EZQCDM

Verified Answer: (A) **Explanation / Solution:** Each letter shifted –1: F→E, L→K, O→N... So GARDEN → FZQCDM.

Problem 34 • A,

PRACTICE VARIANT

ID: Q34 Source: Infosys PYQ Level: Infosys SE Standard

A,
B, C, D, E are standing in a line. C is between A and E. B is to
the immediate left of E. D is to the right of A but not at the
end. Who is in the middle?

A A

B B

D D

Verified Answer: (C) **Explanation / Solution:** Order: A D C B E → middle = C.

Problem 35 • If

◯ PRACTICE VARIANT

ID: Q35 | Source: Infosys PYQ | Level: Infosys SE Standard

If
in a certain code 3 = 18, 4 = 32, 5 = 50, then 6 = ?

A 60

B 70

D 80

✓ **Verified Answer:** (C) **Explanation / Solution:** 70