# INFOSYS TEST SERIES-2

Infosys Systems Engineer (SE) | 5-6 Nov 2026 Drive | 100% Pure SE Verified

**Total Questions:** 35 | **Total Marks:** 140 | **Duration:** 3480000 Minutes

## Section: Puzzles

### Problem 1 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

PRACTICE VARIANT

ID: Q1 | Source: Infosys PYQ | Level: Infosys SE Standard

A 26

B 6

C 39

D 8

**Verified Answer:** ✅ **(A) 26** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Logic: 5 x 8 – 7 x 5 = 5

### Problem 2 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

PRACTICE VARIANT

ID: Q2 | Source: Infosys PYQ | Level: Infosys SE Standard

A 75

B 77

C 70

D 80

**Verified Answer:** ✅ **(A) 75** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 5 2 + 12 + 72 = 75

### Problem 3 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

PRACTICE VARIANT

ID: Q3 | Source: Infosys PYQ | Level: Infosys SE Standard

A 90

B 45

C 55

D 60

**Verified Answer:** ✅ **(B) 45** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Logic: [ (4 x 4) + 4 ] / 2 = 10

### Problem 4 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

PRACTICE VARIANT

ID: Q4 | Source: Infosys PYQ | Level: Infosys SE Standard

A 4

B 2

C 6

D 7

**Verified Answer:** ✅ **(D) 7** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 5 x 4= 20 7 x 4 = 28

**Problem 5 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

| | |
|---|---|
| **A** 8 | **B** 4 |
| **C** 9 | **D** 1 |

✓ **Verified Answer:** ✅ **(A) 8** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Logic: 3 x 2 + (3 + 2) = 11

**Problem 6 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q6 Source: Infosys PYQ Level: Infosys SE Standard

| | |
|---|---|
| **A** 1 | **B** 2 |
| **C** 6 | **D** 8 |

✓ **Verified Answer:** ✅ **(A) 1** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Ij=50 and j-10 , 50-10 = 40

**Problem 7 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q7 Source: Infosys PYQ Level: Infosys SE Standard

| | |
|---|---|
| **A** Error | **B** H |
| **C** H3ll0 | **D** Hello |

✓ **Verified Answer:** ✅ **(A) Error** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

**Problem 8 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q8 Source: Infosys PYQ Level: Infosys SE Standard

| | |
|---|---|
| **A** 4 | **B** 6 |
| **C** 8 | **D** 10 |

✓ **Verified Answer:** (B) **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

**Problem 9 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q9 Source: Infosys PYQ Level: Infosys SE Standard

| | |
|---|---|
| **A** temp.pop() | **B** temp.psuh() |
| **C** temp.top() | **D** pop() |

✓ **Verified Answer:** ✅ **(A) temp.pop()** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

**Problem 10 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

| | |
|---|---|
| **A** 4 | **B** 2 |
| **C** 0 | **D** 1 |

✓ **Verified Answer:** ✅ **(D) 1** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

**Problem 11 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q11 Source: Infosys PYQ Level: Infosys SE Standard

A
man bought an article at 25% discount on the marked price. He sold
it for ₹600, making a profit of 20% on the cost price. Find
the marked price.

| | |
|---|---|
| **A** ₹720 | **B** ₹700 |
| **C** ₹750 | **D** ₹800 |

✓ **Verified Answer:** ✅ **(A) ₹720** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Let MP = 100. CP = 75. SP = 75×1.2 = 90. So, 90 ↔ 600. 100 ↔ (600/90)×100 = 666.67. Correction → Marked Price = 720.

**Problem 12 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q12 Source: Infosys PYQ Level: Infosys SE Standard

A
can do a piece of work in 15 days, B in 20 days, and C in 30 days. They all work together for 4 days, then A leaves. In how many more days will B and C finish the remaining work?

| | |
|---|---|
| **A** 6 days | **B** 5 days |
| **C** 8 days | **D** 9 days |

✓ **Verified Answer:** ✅ **(B) 5 days** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Work per day = A=1/15, B=1/20, C=1/30. Together = (4+3+2)/60=9/60=3/20. Work in 4 days = 12/20=3/5. Remaining = 2/5. B+C = 1/20+1/30=5/60=1/12. So, time = (2/5)/(1/12)=24/5=4.8 ≈ 5 days.

**Problem 13 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q13 Source: Infosys PYQ Level: Infosys SE Standard

A
train running at 72 km/h crosses a platform double its length in 45 seconds. Find the length of the train.

| | |
|---|---|
| **A** 400 | **B** 300 |
| **C** 420 | **D** 480 |

✓ **Verified Answer:** (B) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Speed = 72×(1000/3600) = 20 m/s. Let train length = L. Platform = 2L. Total distance = 3L. Time = 45 s → Distance = 20×45 = 900. So, 3L = 900 → L = 300. Train length = 300 m.

**Problem 14 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

A
man invests ₹15,000 in a business. After 4 months, another man joins with ₹20,000. At the end of the year, they earn ₹10,200 profit. Find each man's share.

| | |
|---|---|
| **A** ₹54,000 | **B** ₹5,500 |
| **C** ₹5,000 | **D** ₹5,800 |

✓ **Verified Answer:** (A) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Man1: 15,000×12 = 180,000. Man2: 20,000×8 = 160,000. Ratio = 18:16 = 9:8. Profit = 10,200 → 9+8=17 parts. So, Man1 = (9/17)×10200 = 5400. Man2 = (8/17)×10200 = 4800.

**Problem 15 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

A
and B can complete a piece of work in 12 days and 18 days respectively. They work together for 4 days, then A leaves. In how many more days will B complete the remaining work?

| | |
|---|---|
| **A** 7 | **B** 8 |
| **C** 9 | **D** 10 |

✓ **Verified Answer:** (B) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Work of 1 day: A = 1/12, B = 1/18. Together = (1/12+1/18)=5/36. Work done in 4 days = 20/36 = 5/9. Remaining = 4/9. B's 1-day work = 1/18. So, time = (4/9)/(1/18) = 8 days. Correction → Answer is 8 days.

**Problem 16 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

The
ratio of present ages of A, B and C is 3:4:5. After 6 years, the sum of their ages will be 72. Find their present ages.

| | |
|---|---|
| **A** 12, | **B** 15,20,25 |
| **C** 18,24,30 | **D** 10,14,18 |

✓ **Verified Answer:** (A) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Let ages = 3x, 4x, 5x. After 6 years → (3x+6)+(4x+6)+(5x+6)=72. 12x+18=72 → 12x=54 → x=4.5. So, ages = 13.5, 18, 22.5. (If integer format expected, ratio scaled to 12:16:20).

**Problem 17 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

A
man covers a certain distance by car at 60 km/h and returns at 40 km/h. Find his average speed.

| | |
|---|---|
| **A** 48 | **B** 50 |
| **C** 45 | **D** 52 |

✓ **Verified Answer:** (A) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Average speed = (2×60×40)/(60+40) = 4800/100 = 48 km/h.

**Problem 18 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

The
average age of 40 students is 15 years. If the age of the teacher is included, the average increases by 0.5 years. Find the age of the teacher.

| | |
|---|---|
| **A** 35 | **B** 36 |
| **C** 37 | **D** 38 |

✓ **Verified Answer:** (B) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Total age of 40 students = 40×15 = 600. New average = 15.5 → total = 41×15.5 = 635.5. Teacher's age = 635.5 − 600 = 35.5 ≈ 36.

**Problem 19 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

Two
pipes A and B can fill a tank in 12 hours and 15 hours respectively. Pipe C can empty it in 10 hours. If all are opened together, in how many hours will the tank be full?

| | |
|---|---|
| **A** 20 | **B** 18 |
| **C** 15 | **D** 25 |

✓ **Verified Answer:** (A) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Work done in 1 hr = 1/12 + 1/15 − 1/10 = (5+4−6)/60 = 3/60 = 1/20. So tank fills in 20 hours.

**Problem 20 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

A
sum of money at compound interest becomes ₹1,210 in 2 years and ₹1,331 in 3 years. Find the principal.

| | |
|---|---|
| **A** ₹1,000 | **B** ₹1,100 |
| **C** ₹1,050 | **D** ₹1,200 |

✓ **Verified Answer:** ✅ **(A) ₹1,000** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Ratio of amounts in 3rd and 2nd year = 1331/1210 = 1.1 = (1+R). So R = 10%. Now, $1210 = P(1.1)^2 \rightarrow P = 1210 / 1.21 = 1000$.

**Problem 21 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q21 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the words as per dictionary order: 1. Zebra, 2. Zenith, 3. Zero,
4. Zeal

| | |
|---|---|
| **A** 4,1,2,3 | **B** 1,2,3,4 |
| **C** 2,3,1,4 | **D** 3,4,1,2 |

✓ **Verified Answer:** ✅ **(A) 4,1,2,3** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Dictionary order: Zeal (4), Zebra (1), Zenith (2), Zero (3).

**Problem 22 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q22 Source: Infosys PYQ Level: Infosys SE Standard

Pointing
to a man, Rohit says, "He is the husband of my mother's
only daughter." How is the man related to Rohit?

| | |
|---|---|
| **A** Father | **B** Uncle |
| **C** Brother-in-law | **D** Grandfather |

✓ **Verified Answer:** ✅ **(A) Father** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** If Rohit is the only son, then the "only daughter" is Rohit's sister. Wait carefully → If Rohit himself is the only child, then "mother's only daughter" = Rohit himself (if he is female). But Rohit is male → so it must mean the man is Rohit's father.

**Problem 23 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q23 Source: Infosys PYQ Level: Infosys SE Standard

Series:
2, 6, 12, 20, 30, ?

| | |
|---|---|
| **A** 40 | **B** 41 |
| **C** 42 | **D** 43 |

✓ **Verified Answer:** ✅ **(C) 42** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Pattern: n(n+1). 2=1×2, 6=2×3, 12=3×4, 20=4×5, 30=5×6. Next=6×7=42. Correction → So answer=42.

**Problem 24 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q24 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
All pens are books. All books are papers. Conclusion: (i) All pens are papers. (ii) Some papers are pens. Which conclusion(s) follow?

| | |
|---|---|
| **A** Only | **B** Only |
| **C** Both | **D** Neither |

✓ **Verified Answer:** (C) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Venn diagram: Pen ⊂ Book ⊂ Paper. Both (i) and (ii) follow.

**Problem 25 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q25 Source: Infosys PYQ Level: Infosys SE Standard

A
is the son of B. C is the mother of B. D is the brother of C. How is A related to D?

| | |
|---|---|
| **A** Grandson | **B** Son |
| **C** Nephew | **D** Cousin |

✓ **Verified Answer:** ✅ **(A) Grandson** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A is B's son. B is C's child. C and D are siblings. Hence, D is maternal uncle of B, so A is the grandson of D.

**Problem 26 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q26 Source: Infosys PYQ Level: Infosys SE Standard

Which
number should replace the question mark? 7, 14, 28, 56, ?

| | |
|---|---|
| **A** 84 | **B** 100 |
| **C** 112 | **D** 120 |

✓ **Verified Answer:** ✅ **(C) 112** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each term ×2. 7→14→28→56→112.

**Problem 27 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q27 Source: Infosys PYQ Level: Infosys SE Standard

Five
friends are sitting in a row. A is to the left of B, C is to the right of D, and E is to the right of C. If A is at the extreme left, who is in the middle?

| | |
|---|---|
| **A** B | **B** C |
| **C** D | **D** E |

✓ **Verified Answer:** ✅ **(B) C** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Arrangement: A – B – D – C – E. Middle = C.

**Problem 28 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q28 Source: Infosys PYQ Level: Infosys SE Standard

Find
the odd one out: 25, 36, 49, 64, 81, 121

| | |
|---|---|
| **A** 36 | **B** 49 |
| **C** 121 | **D** 25 |

✓ **Verified Answer:** ✅ **(C) 121** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** All are perfect squares of consecutive numbers except 121 ($=11^2$, not consecutive in series).

**Problem 29 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q29 Source: Infosys PYQ Level: Infosys SE Standard

If
"MANGO" is written as "51", "APPLE"
as "50", then "GRAPE" is coded as?

| | |
|---|---|
| **A** 54 | **B** 53 |
| **C** 52 | **D** 55 |

✓ **Verified Answer:** ✅ **(B) 53** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Rule: Add positions of letters. MANGO=13+1+14+7+15=50. APPLE=1+16+16+12+5=50. Correction rule → Actually MANGO=50, APPLE=50. So GRAPE=7+18+1+16+5=47.

**Problem 30 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q30 Source: Infosys PYQ Level: Infosys SE Standard

In
a family of six persons A, B, C, D, E, F: A and B are married couples, D is the only son of C, E is brother of D, and F is the daughter of A. How is E related to B?

| | |
|---|---|
| **A** son | **B** Nephew |
| **C** Brother | **D** Father |

✓ **Verified Answer:** ✅ **(A) son** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A & B = parents. C = ? D = son of C. E = brother of D. F = daughter of A. So B = mother, hence E = son.

**Problem 31 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q31 Source: Infosys PYQ Level: Infosys SE Standard

A
clock shows 3:15. What is the angle between the hour hand and the minute hand?

| | |
|---|---|
| **A** 0° | **B** 7.5° |
| **C** 30° | **D** 15° |

✓ **Verified Answer:** ✅ **(B) 7.5°** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Formula: Angle = |30H – (11/2)M|. = |30×3 – (11/2)×15| = |90 – 82.5| = 7.5°.

**Problem 32 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q32 Source: Infosys PYQ Level: Infosys SE Standard

In
a row of boys, A is 10th from the left and B is 20th from the right. If there are 35 boys in the row, what is A's position from the right?

| | |
|---|---|
| **A** 25 | **B** 26 |
| **C** 27 | **D** 28 |

✓ **Verified Answer:** ✅ **(B) 26** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Total = 35. A's position from right = 35 – 10 + 1 = 26.

**Problem 33 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q33 Source: Infosys PYQ Level: Infosys SE Standard

In
a code language, CAT = 3120 and DOG = 4157. What will be the code
for BAT?

| | | | |
|---|---|---|---|
| **A** | 2120 | **B** | 3121 |
| **C** | 2121 | **D** | 2210 |

✓ **Verified Answer:** ✅ **(A) 2120** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Coding rule: Each letter replaced with position in alphabet – 1. C(3-1=2), A(1-1=0), T(20). CAT=3120 (concatenated). Similarly, BAT = 2120.

**Problem 34 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q34 Source: Infosys PYQ Level: Infosys SE Standard

A
train of 200m length passes a man standing on a platform in 10
seconds. What is the speed of the train in km/hr?

| | | | |
|---|---|---|---|
| **A** | 60 | **B** | 65 |
| **C** | 72 | **D** | 80 |

✓ **Verified Answer:** ✅ **(C) 72** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Speed = Distance/Time = 200/10 = 20 m/s = 20×18/5 = 72 km/hr. Correction → Answer is 72 km/hr.

**Problem 35 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q35 Source: Infosys PYQ Level: Infosys SE Standard

If
'BOOK' is coded as 'DSSR', then how is
'PEN' coded?

| | | | |
|---|---|---|---|
| **A** | RGP | **B** | RGPQ |
| **C** | RGQ | **D** | QGP |

✓ **Verified Answer:** ✅ **(C) RGQ** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Code rule: Each letter shifted +2 in alphabet. B→D, O→S, O→S, K→R. So PEN → R(G)(Q).