Infosys Full Length Mock Test- 2

🎯 Infosys Systems Engineer (SE) | 🗓️ 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

Total Questions: 60 | **Total Marks:** 76 | **Duration:** 7200000 Minutes

Section: Reasoning

Problem 1 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q1 | Source: Infosys PYQ | Level: Infosys SE Standard

Refer to the table in Question 7. Which product had the highest total sales over the three months?

A A

B B

C C

D A and B equal

✓ **Verified Answer:** ✅ **(A) A** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A = 40+45+50 = 135. B = 30+35+30 = 95. C = 25+20+35 = 80. Product A is highest.

Problem 2 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q2 | Source: Infosys PYQ | Level: Infosys SE Standard

If 1 + 2 = 3, 2 + 3 = 8, 3 + 4 = 15 and 4 + 5 = 24, then 5 + 6 = ?

A 30

B 33

C 35

D 36

✓ **Verified Answer:** ✅ **(C) 35** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The rule is a + b maps to a × b + a, which is a(b + 1). Check: 1×2+1=3, 2×3+2=8, 3×4+3=15, 4×5+4=24. Then 5×6+5 = 35.

Problem 3 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q3 | Source: Infosys PYQ | Level: Infosys SE Standard

Statements: All servers are machines. Some machines are laptops. No laptop is a tablet. Conclusions: I. Some servers are laptops. II. Some machines are not tablets.

A Only I follows

B Only II follows

C Both I and II follow

D Neither I nor II follows

✓ **Verified Answer:** ✅ **(B) Only II follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Servers sit inside machines, but they need not overlap laptops, so I does not follow. Some machines are laptops, and no laptop is a tablet, so those machines are not tablets. II follows.

Problem 4 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q4 Source: Infosys PYQ Level: Infosys SE Standard

If PLANET is coded as QMBOFU, how is ORBIT coded?

A PSCJU

B NQAHS

C PSCJT

D PSBJU

✓ **Verified Answer:** ✅ **(A) PSCJU** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter moves one step forward: P→Q, L→M, A→B, N→O, E→F, T→U. Apply the same to ORBIT: O→P, R→S, B→C, I→J, T→U. Code: PSCJU.

Problem 5 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number in the figure.

5
7
9
4
6
8
3
5
?

A 6

B 7

C 8

D 9

✓ **Verified Answer:** ✅ **(B) 7** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each column decreases by 1 going down: 5-4-3, 7-6-5, 9-8-7. The missing number is 7. Rows also increase by 2.

Problem 6 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q6 Source: Infosys PYQ Level: Infosys SE Standard

A square figure series adds one diagonal-style mark in each step: Step 1 has 1 line, Step 2 has 2 lines, Step 3 has 3 lines. How many lines does Step 5 contain?

A 3

B 4

C 5

D 6

✓ **Verified Answer:** ✅ **(C) 5** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The count of lines increases by 1 in each step. Step 5 therefore has 5 lines.

Problem 7 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q7 Source: Infosys PYQ Level: Infosys SE Standard

What is the value of x + y? Statement 1: x − y = 4. Statement 2: 2x + 2y = 20.

A Statement 1 alone is sufficient, but	B Statement 2 alone is sufficient, but Statement 1 alone is not
C Either statement alone is sufficient	D Both statements together are needed

✓ **Verified Answer:** ✅ **(B) Statement 2 alone is sufficient, but Statement 1 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** S1 gives only the difference, so x + y cannot be found. S2 divides by 2 to give x + y = 10. Statement 2 alone is enough.

Problem 8 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q8 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number in the figure.
2
6
3
4
20
5
3
?
7

A 10	B 18
C 21	D 24

✓ **Verified Answer:** ✅ **(C) 21** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** In each row the middle cell is the product of the two side cells: 2×3=6, 4×5=20, 3×7=21.

Problem 9 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q9 Source: Infosys PYQ Level: Infosys SE Standard

Refer to the table in Question 7. The increase in Product A from January to March is what percent of the January figure?

A 10%	B 20%
C 25%	D 30%

✓ **Verified Answer:** ✅ **(C) 25%** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Increase = 50 − 40 = 10. Percent = (10 / 40) × 100 = 25%.

Problem 10 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

The table shows units sold. What were the total units sold in February?
Product
Jan
Feb
Mar
A
40
45
50
B
30
35
30
C
25
20
35

A 90	B 100
C 110	D 115

✓ **Verified Answer:** ✅ **(B) 100** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** February column: 45 + 35 + 20 = 100.

Problem 11 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q11 Source: Infosys PYQ Level: Infosys SE Standard

Statements: Some codes are bugs. All bugs
are tickets. No ticket is closed. Conclusions: I. Some codes are
tickets. II. No bug is closed.

A Only I follows	B Only II follows
C Both I and II follow	D Neither I nor II follows

✓ **Verified Answer:** ✅ **(C) Both I and II follow** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The codes that are bugs are also tickets, so I follows. All bugs are tickets and no ticket is closed, so no bug is closed. II follows.

Problem 12 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q12 Source: Infosys PYQ Level: Infosys SE Standard

What is A's rank from the top in a class of 40? Statement 1: A is 8 ranks above B, who is 15th from the bottom. Statement 2: C is 10th from the top and A is 5 ranks below C.

A Statement 1 alone is sufficient, but

B Statement 2 alone is sufficient, but

C Either statement alone is sufficient

D Both statements together are needed

✓ **Verified Answer:** ✅ **(C) Either statement alone is sufficient** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** S1: B is 15th from last, so B's rank = 40 − 15 + 1 = 26. A is 8 above B, so A is 18th. S2: C is 10th and A is 5 below C, so A is 15th. Each statement alone gives a rank (the two ranks differ, but each is sufficient by itself).

Problem 13 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q13 Source: Infosys PYQ Level: Infosys SE Standard

Is the integer n even? Statement 1: n is divisible by 4. Statement 2: n + 1 is odd.

A Statement 1 alone is sufficient, but

B Statement 2 alone is sufficient, but

C Either statement alone is sufficient

D Both statements together are needed

✓ **Verified Answer:** ✅ **(C) Either statement alone is sufficient** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** S1: every multiple of 4 is even. S2: if n + 1 is odd, n itself is even. Either statement answers the question.

Problem 14 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

If REACH is coded as SFBDI, how is LOGIC coded?

A MPHJD

B KNFHB

C MPGJD

D NPHJD

✓ **Verified Answer:** ✅ **(A) MPHJD** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter moves one step forward: R→S, E→F, A→B, C→D, H→I. So LOGIC → M P H J D.

Problem 15 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

Statements: All interns are graduates. All graduates are employees. Some employees are managers. Conclusions: I. All interns are employees. II. Some managers are interns.

A Only I follows	B Only II follows
C Both I and II follow	D Neither I nor II follows

✓ **Verified Answer:** ✅ **(A) Only I follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Interns → graduates → employees, so every intern is an employee. I follows. Managers overlap employees, not necessarily interns. II does not follow.

Problem 16 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

A can finish a job in 12 days and B can finish the same job in 18 days. How many days will they take working together?

A 6 days	B 7.2 days
C 8 days	D 9 days

✓ **Verified Answer:** ✅ **(B) 7.2 days** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A's 1-day work = 1/12. B's 1-day work = 1/18. Together = 1/12 + 1/18 = 3/36 + 2/36 = 5/36. Time = 36/5 = 7.2 days.

Problem 17 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

A trader sells an item at 8% loss. If he had sold it for ₹96 more, he would have gained 4%. What is the cost price of the item?

A ₹700	B ₹750
C ₹800	D ₹850

✓ **Verified Answer:** ✅ **(C) ₹800** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Let CP = x. First SP = 0.92x. Second SP = 1.04x. Difference = 0.12x = 96, so x = 96 / 0.12 = 800. Cost price is ₹800.

Problem 18 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

A team of 3 is to be chosen from 5 developers and 4 testers. In how many ways can the team be formed if it must include at least 1 tester?

A 64	**B** 70
C 74	**D** 84

✓ **Verified Answer:** ✅ **(C) 74** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Total ways to choose 3 from 9 = C(9,3) = 84. Ways with no tester = C(5,3) = 10. So at least one tester = 84 − 10 = 74.

Problem 19 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

In how many distinct ways can the letters of the word SERVER be arranged?

A 120	**B** 180
C 240	**D** 720

✓ **Verified Answer:** ✅ **(B) 180** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** SERVER has 6 letters with R and E repeating twice each. Number of distinct arrangements = 6! / (2! × 2!) = 720 / 4 = 180.

Problem 20 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

An article is bought for ₹800 and sold for ₹920. What is the profit percentage?

A 12%	**B** 15%
C 18%	**D** 20%

✓ **Verified Answer:** ✅ **(B) 15%** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Profit = 920 − 800 = 120. Profit % = (120 / 800) × 100 = 15%.

Problem 21 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q21 Source: Infosys PYQ Level: Infosys SE Standard

A and B together can do a piece of work in 10 days. A alone can do it in 15 days. In how many days can B alone do the same work?

A 20 days	B 25 days
C 30 days	D 45 days

✓ **Verified Answer:** ✅ **(C) 30 days** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A + B = 1/10 and A = 1/15. B = 1/10 − 1/15 = 3/30 − 2/30 = 1/30. So B alone takes 30 days.

Problem 22 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q22 Source: Infosys PYQ Level: Infosys SE Standard

The marked price of a laptop is ₹40,000. After a discount of 10%, it is sold. If the cost price is ₹32,000, what is the profit percentage?

A 10%	B 12.5%
C 15%	D 20%

✓ **Verified Answer:** ✅ **(B) 12.5%** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** SP after 10% discount = 90% of 40,000 = ₹36,000. Profit = 36,000 − 32,000 = ₹4,000. Profit % = (4000 / 32000) × 100 = 12.5%.

Problem 23 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q23 Source: Infosys PYQ Level: Infosys SE Standard

How many 4-letter codes can be formed from the letters of the word ORANGE if no letter is repeated?

A 120	B 240
C 360	D 720

✓ **Verified Answer:** ✅ **(C) 360** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** ORANGE has 6 distinct letters. Number of 4-letter codes with no repetition is P(6,4) = 6×5×4×3 = 360.

Problem 24 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q24 Source: Infosys PYQ Level: Infosys SE Standard

A bag contains 4 red and 6 blue balls. Two balls are drawn at random without replacement. What is the probability that both are red?

A 2/15	**B** 1/5
C 4/15	**D** 2/9

✓ **Verified Answer:** ✅ **(A) 2/15** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** P = C(4,2) / C(10,2) = 6 / 45 = 2/15. Sequentially: (4/10)×(3/9) = 12/90 = 2/15.

Problem 25 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q25 Source: Infosys PYQ Level: Infosys SE Standard

Two fair dice are thrown. What is the probability that the sum is 9?

A 1/12	**B** 1/9
C 1/8	**D** 1/6

✓ **Verified Answer:** ✅ **(B) 1/9** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Favourable pairs: (3,6), (4,5), (5,4), (6,3) — 4 outcomes. Total outcomes = 36. Probability = 4/36 = 1/9.

Problem 26 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q26 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A The news are not good this morning.	**B** The news is not good this morning.
C The news have not good this morning.	**D** The new is not good this morning.

✓ **Verified Answer:** ✅ **(B) The news is not good this morning.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "News" is an uncountable singular noun and takes "is," not "are."

Problem 27 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q27 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Many software companies now treat code reviews as a daily habit rather than a last-minute check. A second pair of eyes often finds defects that automated tests miss, especially unclear names, missing edge cases and weak error messages. Reviews also spread knowledge: a junior engineer who reads a senior colleague's change learns the team's style faster than by studying a handbook. The practice has a cost. Long review queues delay releases, and harsh comments discourage people from sharing early drafts. Teams that keep reviews short, set a response-time target and discuss design before large patches are written usually keep both quality and speed. Tools help, but they cannot replace an agreed standard of courtesy and focus.
Which of the following is mentioned as a cost of code reviews?

A They make error messages weaker.

B Long queues delay releases and harsh comments discourage early drafts.

C They stop teams from using any tools.

D They force every patch to be rewritten

✓ **Verified Answer:** ✅ **(B) Long queues delay releases and harsh comments discourage early drafts.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage states that long review queues delay releases and harsh comments discourage people from sharing early drafts.

Problem 28 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q28 Source: Infosys PYQ Level: Infosys SE Standard

Fill in the blank: The contract is _____
until both parties sign it.

A void

B provisional

C permanent

D obsolete

✓ **Verified Answer:** ✅ **(B) provisional** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Provisional means temporary and subject to later confirmation. Void would mean invalid; permanent and obsolete do not fit a draft waiting for signatures.

Problem 29 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q29 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A Scarcely she had entered when the fire alarm

B Scarcely had she entered when the fire alarm rang.

C Scarcely she entered than the fire alarm

D Scarcely had she entered then the fire alarm

✓ **Verified Answer:** ✅ **(B) Scarcely had she entered when the fire alarm rang.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "Scarcely" at the start needs inversion ("had she entered") and is paired with "when," not "than" or "then."

Problem 30 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q30 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A The committee have decided to postpone the	B The committee has decided to postpone the launch.
C The committee have decide to postpone the	D The committee has decide to postpone the

✓ **Verified Answer:** ✅ **(B) The committee has decided to postpone the launch.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** As a single body, "committee" takes a singular verb in exam English: "has decided."

Problem 31 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q31 Source: Infosys PYQ Level: Infosys SE Standard

Arrange the sentences to form a coherent paragraph. P: A weekly demo forces that conversation to happen on a fixed day. Q: Product work stalls when developers and users rarely meet. R: Feedback then arrives early enough to change the next sprint. S: Waiting until the final release is usually too late.

A Q S P R	B Q P S R
C P Q R S	D S Q P R

✓ **Verified Answer:** ✅ **(A) Q S P R** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the problem. S warns against delay. P offers the routine. R is the result. Order: Q S P R.

Problem 32 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q32 Source: Infosys PYQ Level: Infosys SE Standard

Choose the word most similar in meaning to "meticulous."

A Careless	B Thorough
C Hasty	D Rough

✓ **Verified Answer:** ✅ **(B) Thorough** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "Meticulous" means extremely careful and thorough. Careless, hasty and rough are opposites.

Problem 33 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q33 Source: Infosys PYQ Level: Infosys SE Standard

Choose the word most opposite in meaning to "obsolete."

A Outdated

B Current

C Abandoned

D Expired

✓ **Verified Answer:** ✅ **(B) Current** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "Obsolete" means no longer in use. "Current" is the antonym. The other three sit close to obsolete.

Problem 34 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q34 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Many software companies now treat code reviews as a daily habit rather than a last-minute check. A second pair of eyes often finds defects that automated tests miss, especially unclear names, missing edge cases and weak error messages. Reviews also spread knowledge: a junior engineer who reads a senior colleague's change learns the team's style faster than by studying a handbook. The practice has a cost. Long review queues delay releases, and harsh comments discourage people from sharing early drafts. Teams that keep reviews short, set a response-time target and discuss design before large patches are written usually keep both quality and speed. Tools help, but they cannot replace an agreed standard of courtesy and focus.
According to the passage, reviews help junior engineers mainly because they

A replace the need to write any tests

B learn the team's style faster by reading real changes

C are allowed to skip handbooks forever

D receive only automated comments

✓ **Verified Answer:** ✅ **(B) learn the team's style faster by reading real changes** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage says a junior who reads a senior colleague's change learns the team's style faster than by studying a handbook.

Problem 35 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q35 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A He is one of the engineers who works night

B He is one of the engineers who work night shifts.

C He is one of the engineer who work night

D He is one of the engineers who has work

✓ **Verified Answer:** ✅ **(B) He is one of the engineers who work night shifts.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** In "one of the + plural noun + who," the relative pronoun refers to the plural noun, so the verb is "work," not "works."

Problem 36 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q36 Source: Infosys PYQ Level: Infosys SE Standard

Arrange the sentences to form a coherent paragraph. P: Small test cases catch those errors before the full run. Q: A single off-by-one mistake can ruin a whole report. R: Careful engineers therefore write checks for empty lists and last rows. S: Spreadsheet formulas look simple until the data set grows.

A S Q P R

B Q S R P

C S P Q R

D R S Q P

✓ **Verified Answer:** ✅ **(A) S Q P R** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** S sets the scene. Q names a typical fault. P is the immediate safeguard. R generalises the habit. Order: S Q P R.

Problem 37 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q37 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Many software companies now treat code reviews as a daily habit rather than a last-minute check. A second pair of eyes often finds defects that automated tests miss, especially unclear names, missing edge cases and weak error messages. Reviews also spread knowledge: a junior engineer who reads a senior colleague's change learns the team's style faster than by studying a handbook. The practice has a cost. Long review queues delay releases, and harsh comments discourage people from sharing early drafts. Teams that keep reviews short, set a response-time target and discuss design before large patches are written usually keep both quality and speed. Tools help, but they cannot replace an agreed standard of courtesy and focus.
Reviews often catch defects that tests miss, such as

A server downtime and network outages

B unclear names, missing edge cases and weak error messages

C payroll errors and invoice totals

D office-seating plans

✓ **Verified Answer:** ✅ **(B) unclear names, missing edge cases and weak error messages** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Those three examples are listed in the second sentence of the passage.

Problem 38 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q38 Source: Infosys PYQ Level: Infosys SE Standard

Arrange the sentences to form a coherent paragraph. P: Rainwater then collects and floods the next heavy shower. Q: Plastic bags block roadside drains in many cities. R: Civic teams therefore run clean-up drives before the monsoon. S: The cheaper fix is to stop dumping waste into open gutters.

A Q P R S

B P Q S R

C Q R P S

D S Q P R

✓ **Verified Answer:** ✅ **(A) Q P R S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q names the cause. P is the effect. R is the official response. S is the longer-term fix. Order: Q P R S.

Problem 39 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q39 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A I laid down for an hour after the interview.

B I lay down for an hour after the interview.

C I lied down for an hour after the interview.

D I lain down for an hour after the interview.

✓ **Verified Answer:** ✅ **(B) I lay down for an hour after the interview.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The past tense of the intransitive verb lie (recline) is lay. Laid needs an object; lied means told an untruth; lain is the past participle.

Problem 40 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q40 Source: Infosys PYQ Level: Infosys SE Standard

Choose the correct meaning of the idiom "burn the midnight oil."

A Waste fuel at night

B Work or study late into the night

C Start a fire after dark

D Leave the office early

✓ **Verified Answer:** ✅ **(B) Work or study late into the night** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The idiom means to stay up late working or studying.

Problem 41 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q41 Source: Infosys PYQ Level: Infosys SE Standard

Arrange the sentences to form a coherent paragraph. P: Sleep debt then shows up as slower thinking the next day. Q: Late-night screen use delays the body's sleep signal. R: Many offices now ask staff to mute work chat after a set hour. S: Blue light from phones is one reason that signal slips.

A Q S P R

B S Q P R

C Q P S R

D R Q S P

✓ **Verified Answer:** ✅ **(A) Q S P R** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q states the effect of late screens. S explains the mechanism. P names the next-day cost. R is the workplace response. Order: Q S P R.

Problem 42 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q42 Source: Infosys PYQ Level: Infosys SE Standard

Arrange the sentences to form a coherent paragraph. P: Those logs later save hours when a defect appears in production. Q: Good engineers write a short note on why a change was made. R: Code alone rarely records the reason behind a decision. S: The habit looks slow on a busy afternoon, but it is cheap insurance.

A R Q P S

B Q R S P

C P Q R S

D R P Q S

✓ **Verified Answer:** ✅ **(A) R Q P S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** R states the gap. Q is the practice that fills it. P is the later benefit. S comments on the cost. Order: R Q P S.

Problem 43 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q43 Source: Infosys PYQ Level: Infosys SE Standard

Choose the one-word substitute: A person who is new to a job or activity.

A Veteran

B Novice

C Expert

D Mentor

✓ **Verified Answer:** ✅ **(B) Novice** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A novice is a beginner. Veteran and expert are the opposite idea; a mentor guides others.

Problem 44 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q44 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Many software companies now treat code reviews as a daily habit rather than a last-minute check. A second pair of eyes often finds defects that automated tests miss, especially unclear names, missing edge cases and weak error messages. Reviews also spread knowledge: a junior engineer who reads a senior colleague's change learns the team's style faster than by studying a handbook. The practice has a cost. Long review queues delay releases, and harsh comments discourage people from sharing early drafts. Teams that keep reviews short, set a response-time target and discuss design before large patches are written usually keep both quality and speed. Tools help, but they cannot replace an agreed standard of courtesy and focus.
The author suggests that tools

A can replace courtesy and focus

B are useless in code reviews

C help but cannot replace agreed standards of courtesy and focus

D should be banned from daily reviews

✓ **Verified Answer:** ✅ **(C) help but cannot replace agreed standards of courtesy and focus** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The last sentence says tools help, but they cannot replace an agreed standard of courtesy and focus.

Problem 45 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q45 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Many software companies now treat code reviews as a daily habit rather than a last-minute check. A second pair of eyes often finds defects that automated tests miss, especially unclear names, missing edge cases and weak error messages. Reviews also spread knowledge: a junior engineer who reads a senior colleague's change learns the team's style faster than by studying a handbook. The practice has a cost. Long review queues delay releases, and harsh comments discourage people from sharing early drafts. Teams that keep reviews short, set a response-time target and discuss design before large patches are written usually keep both quality and speed. Tools help, but they cannot replace an agreed standard of courtesy and focus.
What is the main idea of the passage?

A Automated tests have made human code reviews

B Code reviews improve quality and learning if teams manage time and tone.

C Junior engineers should never review senior

D Review tools can fully replace agreed team

✓ **Verified Answer:** ✅ **(B) Code reviews improve quality and learning if teams manage time and tone.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage supports reviews for defects and learning, then names the costs, and ends with how short, timely, courteous reviews keep quality and speed. That balanced claim is the main idea.

Problem 46 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q46 Source: Infosys PYQ Level: Infosys SE Standard

What is printed by the following Pseudo
Code?
Integer
i, j, count
Set
count = 0
for
i = 1 to 4 do
for
j = 1 to i do
count
= count + 1
end
for
end
for
Print
count

A 4
B 8
C 10
D 16

✓ **Verified Answer:** ✅ **(C) 10** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The inner loop runs i times for each i from 1 to 4. Total iterations = 1+2+3+4 = 10. So count prints 10.

Problem 47 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q47 Source: Infosys PYQ Level: Infosys SE Standard

What is the output of the following Pseudo
Code?
Integer
a, b
Set
a = 9, b = 5
Print
a ^ b

A 4
B 12
C 13
D 14

✓ **Verified Answer:** ✅ **(B) 12** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 9 in binary is 1001 and 5 is 0101. XOR sets a bit where the bits differ: 1100, which is 12.

Problem 48 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q48 Source: Infosys PYQ Level: Infosys SE Standard

What value is printed by the following
Pseudo Code?
Function
F(n)
if
n == 0 then return 0
if
n == 1 then return 1
return
F(n - 1) + F(n - 2)
End
Function
Print
F(6)

A 5

B 8

C 13

D 21

✓ **Verified Answer:** ✅ **(B) 8** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** F is the Fibonacci sequence: F(0)=0, F(1)=1, F(2)=1, F(3)=2, F(4)=3, F(5)=5, F(6)=8. So the printed value is 8.

Problem 49 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q49 Source: Infosys PYQ Level: Infosys SE Standard

A queue follows FIFO. What is printed by the
following Pseudo Code?
Queue
Q
enqueue(Q,
2)
enqueue(Q,
4)
enqueue(Q,
6)
dequeue(Q)
enqueue(Q,
8)
Print
front(Q)

A 2

B 4

C 6

D 8

✓ **Verified Answer:** ✅ **(B) 4** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** After three enqueues the queue is [2, 4, 6] with 2 at the front. dequeue removes 2. enqueue 8 makes [4, 6, 8]. front returns 4.

Problem 50 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q50 Source: Infosys PYQ Level: Infosys SE Standard

A stack follows LIFO. What is printed by the following Pseudo Code?
Stack
S
push(S,
5)
push(S,
8)
push(S,
3)
pop(S)
push(S,
7)
Print
peek(S)

A 3

B 5

C 7

D 8

Verified Answer: ✅ **(C) 7** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Stack after the three pushes: [5, 8, 3] with 3 on top. pop removes 3. push 7 makes the stack [5, 8, 7]. peek returns the top element, which is 7.

Problem 51 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q51 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number in the 3 × 3 matrix.
16
21
29
25
30
38
36
41
?

A 47

B 49

C 51

D 54

Verified Answer: ✅ **(B) 49** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each row adds 5, then 8: 16+5 = 21, 21+8 = 29; 25+5 = 30, 30+8 = 38. So 36+5 = 41 and 41+8 = 49. The first column is also consecutive squares: 4^2, 5^2, 6^2.

Problem 52 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q52 Source: Infosys PYQ Level: Infosys SE Standard

Find the next number in the pattern sequence.
3
8
15
24
35
?

A 46	B 48
C 49	D 50

✓ **Verified Answer:** ✅ **(B) 48** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The gaps are consecutive odd numbers starting at 5: 8−3 = 5, 15−8 = 7, 24−15 = 9, 35−24 = 11. The next gap is 13, so 35 + 13 = 48. Equivalently, the terms are n(n+2) for n = 1, 2, 3, 4, 5, 6: 1×3=3, 2×4=8, 3×5=15, 4×6=24, 5×7=35, 6×8=48.

Problem 53 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q53 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number in the 3 × 3 matrix.
2
5
12
3
6
21
4
7
?

A 28	B 30
C 32	D 36

✓ **Verified Answer:** ✅ **(C) 32** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** In each row, third = first × (second + 1). Row 1: 2 × 6 = 12. Row 2: 3 × 7 = 21. Row 3: 4 × 8 = 32.

Problem 54 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q54 Source: Infosys PYQ Level: Infosys SE Standard

Each figure is a circular wheel: four numbers sit on the rim and one sits at the centre. The same rule applies to both wheels. Find the missing centre number.
Wheel A
6
8
18
10
12
Wheel B
5
9
?
11
15

A 16
B 18
C 20
D 24

✓ **Verified Answer:** ✅ **(C) 20** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Opposite rim numbers add up to the centre. Wheel A: 6+12 = 18 and 8+10 = 18. Wheel B: 5+15 = 20 and 9+11 = 20. So the missing centre is 20.

Problem 55 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q55 Source: Infosys PYQ Level: Infosys SE Standard

I ____ this module since 9 a.m. and I still
have two test cases left.

A worked on
B am working on
C have been working on
D had worked on

✓ **Verified Answer:** ✅ **(C) have been working on** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "Since 9 a.m." marks an action that started in the past and is still in progress. That requires the present perfect continuous: "have been working on."

Problem 56 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q56 Source: Infosys PYQ Level: Infosys SE Standard

Identify the part that contains an error:
Everybody in the two project teams have submitted the timesheet.

A	Everybody in	B	the two project teams
C	have submitted the timesheet	D	No error

✓ **Verified Answer:** ✅ **(C) have submitted the timesheet** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "Everybody" is singular, even when a plural phrase follows. The verb must be "has submitted," not "have submitted."

Problem 57 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q57 Source: Infosys PYQ Level: Infosys SE Standard

A bouquet of roses ____ placed on the
reception desk every morning.

A	are	B	were
C	is	D	have been

✓ **Verified Answer:** ✅ **(C) is** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The true subject is "bouquet" (singular), not "roses." A singular subject takes "is." Phrases beginning with "of" do not change the number of the verb.

Problem 58 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q58 Source: Infosys PYQ Level: Infosys SE Standard

Identify the part that contains an error:
She did not knew that the meeting had been postponed.

A	She did not knew	B	that the meeting
C	had been postponed	D	No error

✓ **Verified Answer:** ✅ **(A) She did not knew** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** After the auxiliary "did," the main verb stays in the base form: "did not know," not "did not knew." The past participle "had been postponed" is already correct.

Problem 59 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q59 Source: Infosys PYQ Level: Infosys SE Standard

The offer letter is valid _____ 30 September 2026.

A until

B since

C for

D at

Verified Answer: ✅ **(A) until** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "Until" is used for a point in time when something ends. "Since" marks a starting point, "for" marks a duration (for three days), and "at" marks a clock time or point, not a closing date in this structure.

Problem 60 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q60 Source: Infosys PYQ Level: Infosys SE Standard

Impact of Artificial Intelligence on Students and Education

A > [!IMPORTANT]

Verified Answer: ✅ **(A) ** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Artificial Intelligence (AI) is becoming an important part of modern education. It has changed the way students learn, prepare for exams, and develop new skills. AI-powered tools help students understand difficult topics, solve problems, and access learning resources quickly. One of the major benefits of AI in education is personalized learning. Students can learn at their own pace and receive explanations based on their needs. AI can also help students improve their grammar, writing, and programming skills. It saves time and makes education more accessible. However, excessive dependence on AI can create challenges. Some students may stop thinking independently or rely on AI to complete their assignments. Privacy concerns and inaccurate information are also important issues. In conclusion, Artificial Intelligence can improve the quality of education when used responsibly. Students should use AI as a learning assistant rather than a replacement for their own thinking and creativity. A balanced approach to technology and traditional learning can help students achieve better academic and professional growth.