Infosys Full Length Mock Test- 3

🎯 Infosys Systems Engineer (SE) | 📅 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

Total Questions: 60 | **Total Marks:** 76 | **Duration:** 7200000 Minutes

Section: Reasoning

Problem 1 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q1 | Source: Infosys PYQ | Level: Infosys SE Standard

If DIGITAL is coded as EJHJUBM, how is ANALOG coded?

A BOBMPH

B ZMZKNF

C BOBNPH

D BMBMPH

✓ **Verified Answer:** ✅ **(A) BOBMPH** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter moves one step forward: A→B, N→O, A→B, L→M, O→P, G→H. So ANALOG → BOBMPH.

Problem 2 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q2 | Source: Infosys PYQ | Level: Infosys SE Standard

Statements: All routers are devices. Some devices are sensors. Conclusions: I. Some routers are sensors. II. All sensors are routers.

A Only I follows

B Only II follows

C Both follow

D Neither follows

✓ **Verified Answer:** ✅ **(D) Neither follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Routers are inside devices. Sensors overlap devices, not necessarily routers. Neither conclusion follows.

Problem 3 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q3 Source: Infosys PYQ Level: Infosys SE Standard

Statement: "Download the official app to track your application status." Which assumption is implicit?

A The company will close the website.

B Applicants may want to check status on a phone.

C Only graduates use phones.

D Tracking is impossible on a computer.

✓ **Verified Answer:** ✅ **(B) Applicants may want to check status on a phone.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** An official app is offered because some applicants are expected to check status from a phone. The other options are not required.

Problem 4 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q4 Source: Infosys PYQ Level: Infosys SE Standard

What is the angle between the hour and minute hands at 3:20?

A 20°

B 25°

C 30°

D 35°

✓ **Verified Answer:** ✅ **(A) 20°** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Minute hand = 20 × 6 = 120°. Hour hand = 3 × 30 + 20 × 0.5 = 100°. Angle = 20°.

Problem 5 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

Four cars finish a race in this order of constraints: Red is immediately before Blue. Green is last. Yellow is not first. Which car finishes first?

A Red

B Blue

C Yellow

D Green

✓ **Verified Answer:** ✅ **(A) Red** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Green is last. Red immediately before Blue gives the block RB. Yellow is not first, so first cannot be Yellow or Green. First must be Red: order Red, Blue, Yellow, Green.

Problem 6 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q6 | Source: Infosys PYQ | Level: Infosys SE Standard

A machine rearranges words: Input: “exam held next week”. Step I: “week exam held next”. Step II: “week next exam held”. What is Step III?

A	week next held exam	B	week held next exam
C	next week exam held	D	week exam next held

✓ **Verified Answer:** ✅ **(A) week next held exam** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each step takes the last word of the remaining right part and places it after the already-fixed left part, in reverse dictionary order: week, then next, then held, then exam. Step III is week next held exam.

Problem 7 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q7 | Source: Infosys PYQ | Level: Infosys SE Standard

Pointing to a photograph, Kavya says, “He is the only son of my mother’s only brother.” How is the person in the photograph related to Kavya?

A	Father	B	Cousin
C	Brother	D	Uncle

✓ **Verified Answer:** ✅ **(B) Cousin** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Kavya’s mother’s only brother is Kavya’s maternal uncle. His only son is Kavya’s cousin.

Problem 8 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q8 | Source: Infosys PYQ | Level: Infosys SE Standard

Amit walks 10 m north, then 6 m east, then 10 m south. How far is he from the starting point, and in which direction?

A	10 m east	B	6 m north
C	6 m east	D	16 m east

✓ **Verified Answer:** ✅ **(C) 6 m east** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The 10 m north and 10 m south cancel. He is 6 m east of the start.

Problem 9 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q9 Source: Infosys PYQ Level: Infosys SE Standard

If 1 January 2024 was a Monday, what day was
1 March 2024?

A Monday	B Wednesday
C Friday	D Saturday

✓ **Verified Answer:** ✅ **(C) Friday** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 2024 is a leap year, so January has 31 days and February has 29. Days from 1 Jan to 1 Mar = 31 + 29 = 60. 60 mod 7 = 4. Monday + 4 = Friday.

Problem 10 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

Choose the pair that matches the relation:
Book : Author :: Symphony : ?

A Instrument	B Composer
C Orchestra	D Stage

✓ **Verified Answer:** ✅ **(B) Composer** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** An author creates a book. A composer creates a symphony.

Problem 11 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q11 Source: Infosys PYQ Level: Infosys SE Standard

Find the next term: 7, 10, 16, 28, 52, ?

A 88	B 94
C 100	D 108

✓ **Verified Answer:** ✅ **(C) 100** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each term = previous × 2 − 4: 7×2−4=10, 10×2−4=16, 16×2−4=28, 28×2−4=52, 52×2−4=100.

Problem 12 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q12 Source: Infosys PYQ Level: Infosys SE Standard

Choose the odd one out: 121, 144, 169, 196, 222

A 121

B 144

C 169

D 222

✓ **Verified Answer:** ✅ **(D) 222** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** $121=11^2$, $144=12^2$, $169=13^2$, $196=14^2$. 222 is not a perfect square.

Problem 13 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q13 Source: Infosys PYQ Level: Infosys SE Standard

If $P > Q = R \geq S < T$, which conclusion is definitely true?

A $P > S$

B $Q < T$

C $P = T$

D $R > T$

✓ **Verified Answer:** ✅ **(A) $P > S$** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** P is greater than Q, and $Q = R \geq S$, so $P > S$. $Q = R \geq S < T$ does not compare Q with T.

Problem 14 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

In a queue of 35 people, Neha is 12th from the front. What is her position from the rear?

A 23rd

B 24th

C 25th

D 22nd

✓ **Verified Answer:** ✅ **(B) 24th** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Position from rear = $35 - 12 + 1 = 24$.

Problem 15 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

Five friends P, Q, R, S and T sit in a row facing north. P sits at one end. Q sits second to the right of P. T sits between Q and R. S sits at the other end. Who sits in the middle?

A Q

B R

C T

D S

✓ **Verified Answer:** ✅ **(C) T** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** P at left end gives P, Q, T, R, S. The middle seat is T.

Problem 16 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

The value of 40% of 250 + 15% of 400 is

A 140

B 150

C 160

D 170

✓ **Verified Answer:** ✅ **(C) 160** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 40% of 250 = 100. 15% of 400 = 60. Sum = 160.

Problem 17 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

Pipe A fills a tank in 10 hours and pipe B empties it in 15 hours. If both are opened together, the tank fills in

A 20 hours

B 25 hours

C 30 hours

D 6 hours

✓ **Verified Answer:** ✅ **(C) 30 hours** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Net work per hour = 1/10 − 1/15 = 1/30. Time = 30 hours.

Problem 18 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

The average of five numbers is 18. If one number 22 is replaced by 12, the new average is

A 16	**B** 17
C 15	**D** 14

Verified Answer: ✅ **(A) 16** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Total was 90. New total = 90 − 22 + 12 = 80. New average = 80/5 = 16.

Problem 19 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

The present ages of a father and son are in the ratio 7 : 2. After 6 years the ratio will be 8 : 3. The son's present age is

A 10 years	**B** 12 years
C 14 years	**D** 16 years

Verified Answer: ✅ **(B) 12 years** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Let ages be 7x and 2x. (7x+6)/(2x+6) = 8/3. 3(7x+6)=8(2x+6) → 21x+18=16x+48 → 5x=30 → x=6. Son = 12.

Problem 20 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

A invests ₹30,000 for 8 months and B invests ₹40,000 for 6 months. If the profit is ₹5,500, A's share is

A ₹2,750	**B** ₹2,200
C ₹3,000	**D** ₹3,300

Verified Answer: ✅ **(A) ₹2,750** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Ratio of capitals × time = 30,000×8 : 40,000×6 = 240 : 240 = 1 : 1. A gets half of 5,500 = ₹2,750.

Problem 21 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q21 Source: Infosys PYQ Level: Infosys SE Standard

₹5,000 is lent at 8% simple interest per year. What is the interest after 3 years?

A	₹800	B	₹1,000
C	₹1,200	D	₹1,500

✓ **Verified Answer:** ✅ **(C) ₹1,200** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** SI = PRT/100 = 5000×8×3 / 100 = ₹1,200.

Problem 22 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q22 Source: Infosys PYQ Level: Infosys SE Standard

If A : B = 3 : 4 and B : C = 6 : 7, then A : B : C is

A	3 : 4 : 7	B	9 : 12 : 14
C	18 : 24 : 14	D	3 : 6 : 7

✓ **Verified Answer:** ✅ **(B) 9 : 12 : 14** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** B must match: A:B = 3:4 = 9:12 and B:C = 6:7 = 12:14. So A:B:C = 9:12:14.

Problem 23 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q23 Source: Infosys PYQ Level: Infosys SE Standard

A number is increased by 25% and then decreased by 20%. The net change is

A	5% increase	B	5% decrease
C	no change	D	2.5% decrease

✓ **Verified Answer:** ✅ **(C) no change** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Let the number be 100. After +25% it is 125. After −20% it is 100. Net change is zero.

Problem 24 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q24 Source: Infosys PYQ Level: Infosys SE Standard

What is the remainder when 2^10 is divided by 7?

A 1

B 2

C 3

D 4

✓ **Verified Answer:** ✅ **(B) 2** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 2^1=2, 2^2=4, 2^3=1 (mod 7), then cycle length 3. 10 = 3×3 + 1, so remainder equals 2^1 = 2.

Problem 25 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q25 Source: Infosys PYQ Level: Infosys SE Standard

A train 180 m long runs at 54 km/h. How many seconds does it take to pass a pole?

A 10 s

B 12 s

C 15 s

D 18 s

✓ **Verified Answer:** ✅ **(B) 12 s** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 54 km/h = 54×5/18 = 15 m/s. Time = 180/15 = 12 s.

Problem 26 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q26 Source: Infosys PYQ Level: Infosys SE Standard

Fill in the blank: The evidence was too _____ to support a firm conclusion.

A conclusive

B scanty

C ample

D decisive

✓ **Verified Answer:** ✅ **(B) scanty** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Scanty means insufficient. The other three suggest there was enough evidence.

Problem 27 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q27 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A The team as well as the lead have agreed.

B The team as well as the lead are agreed.

C The team as well as the lead has agreed.

D The team as well as the lead have agree.

✓ **Verified Answer:** ✅ **(C) The team as well as the lead has agreed.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** With “as well as,” the verb agrees with the first subject “team” (singular): has agreed.

Problem 28 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q28 Source: Infosys PYQ Level: Infosys SE Standard

Choose the word most opposite in meaning to “expand.”

A Enlarge

B Widen

C Contract

D Grow

✓ **Verified Answer:** ✅ **(C) Contract** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Contract means to become smaller, the opposite of expand.

Problem 29 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q29 Source: Infosys PYQ Level: Infosys SE Standard

Passage

Open-source licences let companies use shared libraries without writing every component from scratch. That speed has a condition: teams must track which licence each library carries. A copyleft licence can require the company to publish its own source if the library is mixed into a shipped product. Permissive licences are lighter, but they still ask for credit. Legal reviews that happen only a week before release often find a blocked component and force a rewrite. Groups that keep a licence inventory from the first sprint avoid that scramble.

A copyleft licence may require a company to

A pay a yearly fee only

B rename the library

C publish its own source if the library is mixed into a shipped product

D delete all comments

✓ **Verified Answer:** ✅ **(C) publish its own source if the library is mixed into a shipped product** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The third sentence states that copyleft can require publishing the company’s own source when the library is mixed into a shipped product.

Problem 30 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q30 Source: Infosys PYQ Level: Infosys SE Standard

Passage

Open-source licences let companies use shared libraries without writing every component from scratch. That speed has a condition: teams must track which licence each library carries. A copyleft licence can require the company to publish its own source if the library is mixed into a shipped product. Permissive licences are lighter, but they still ask for credit. Legal reviews that happen only a week before release often find a blocked component and force a rewrite. Groups that keep a licence inventory from the first sprint avoid that scramble.

What is the main idea of the passage?

A Open-source software should be banned in

B Shared libraries save time only if licences are tracked early.

C Copyleft licences never require published

D Legal reviews should be delayed until

✓ **Verified Answer:** ✅ **(B) Shared libraries save time only if licences are tracked early.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage balances the speed of shared libraries with the need to track licences from the first sprint so late rewrites are avoided.

Problem 31 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q31 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A The data was collected last year and are

B The data collected last year are reliable.

C The data collected last year is being

D The datas collected last year are reliable.

✓ **Verified Answer:** ✅ **(B) The data collected last year are reliable.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** In exam English, “data” is treated as plural here with “are.” “Datas” is not a word.

Problem 32 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q32 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Open-source licences let companies use shared libraries without writing every component from scratch. That speed has a condition: teams must track which licence each library carries. A copyleft licence can require the company to publish its own source if the library is mixed into a shipped product. Permissive licences are lighter, but they still ask for credit. Legal reviews that happen only a week before release often find a blocked component and force a rewrite. Groups that keep a licence inventory from the first sprint avoid that scramble.
Late legal reviews are a problem because they

A often find a blocked component and force a rewrite
B always cancel the product
C remove the need for credit
D make permissive licences heavier

✓ **Verified Answer:** ✅ **(A) often find a blocked component and force a rewrite** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage says reviews a week before release often find a blocked component and force a rewrite.

Problem 33 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q33 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Open-source licences let companies use shared libraries without writing every component from scratch. That speed has a condition: teams must track which licence each library carries. A copyleft licence can require the company to publish its own source if the library is mixed into a shipped product. Permissive licences are lighter, but they still ask for credit. Legal reviews that happen only a week before release often find a blocked component and force a rewrite. Groups that keep a licence inventory from the first sprint avoid that scramble.
Permissive licences still require

A full source publication
B credit
C a one-week delay
D a rewrite of every module

✓ **Verified Answer:** ✅ **(B) credit** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage says permissive licences are lighter but still ask for credit.

Problem 34 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q34 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Open-source licences let companies use shared libraries without writing every component from scratch. That speed has a condition: teams must track which licence each library carries. A copyleft licence can require the company to publish its own source if the library is mixed into a shipped product. Permissive licences are lighter, but they still ask for credit. Legal reviews that happen only a week before release often find a blocked component and force a rewrite. Groups that keep a licence inventory from the first sprint avoid that scramble.
Teams avoid last-minute scramble by

A ignoring copyleft libraries
B hiring more testers in the last week
C keeping a licence inventory from the first sprint
D shipping without review

✓ **Verified Answer:** ✅ **(C) keeping a licence inventory from the first sprint** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The last sentence recommends a licence inventory from the first sprint.

Problem 35 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q35 Source: Infosys PYQ Level: Infosys SE Standard

Choose the word most similar in meaning to "pragmatic."

A Idealistic
B Practical
C Careless
D Vague

✓ **Verified Answer:** ✅ **(B) Practical** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Pragmatic means dealing with things in a practical way.

Problem 36 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q36 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A Hardly had the server restarted when the alerts stopped.
B Hardly the server had restarted than the
C Hardly had the server restarted then the
D Hardly the server restarted when the alerts

✓ **Verified Answer:** ✅ **(A) Hardly had the server restarted when the alerts stopped.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Hardly is followed by inversion (had the server) and paired with when.

Problem 37 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q37 Source: Infosys PYQ Level: Infosys SE Standard

Arrange: P: Pair reviews catch those slips before merge. Q: Tired authors miss their own typos in a long patch. R: Many teams therefore require a second name on every change. S: Style guides alone do not replace a second pair of eyes.

A Q S P R

B Q P R S

C P Q R S

D S Q P R

✓ **Verified Answer:** ✅ **(B) Q P R S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q names the fault. P is the practice that catches it. R states the rule. S adds why guides are not enough. Q P R S.

Problem 38 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q38 Source: Infosys PYQ Level: Infosys SE Standard

Arrange: P: The spare unit then takes over within seconds. Q: Critical servers run in pairs for this reason. R: A single disk failure should not stop a payments site. S: Health checks decide when the switch must happen.

A R P Q S

B Q R P S

C R Q P S

D R Q S P

✓ **Verified Answer:** ✅ **(C) R Q P S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** R states the requirement. Q is the design. P is the failover. S is how the switch is decided. R Q P S.

Problem 39 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q39 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A She congratulated me for my promotion.

B She congratulated me on my promotion.

C She congratulated me to my promotion.

D She congratulated me with my promotion.

✓ **Verified Answer:** ✅ **(B) She congratulated me on my promotion.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The standard collocation is “congratulated on.”

Problem 40 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q40 Source: Infosys PYQ Level: Infosys SE Standard

What does the idiom “cut corners” mean?

A Do something in the cheapest or quickest way, leaving out steps

B Turn sharply while driving

C Finish extra work

D Share credit equally

✓ **Verified Answer:** ✅ **(A) Do something in the cheapest or quickest way, leaving out steps** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** To cut corners is to skip steps to save time or money, often lowering quality.

Problem 41 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q41 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A Fewer errors were logged after the patch.

B Less errors were logged after the patch.

C Fewer error was logged after the patch.

D Less number of errors was logged after the

✓ **Verified Answer:** ✅ **(A) Fewer errors were logged after the patch.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Errors are countable, so “fewer” is correct, not “less.”

Problem 42 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q42 Source: Infosys PYQ Level: Infosys SE Standard

Arrange: P: Cached results then go stale and mislead the next user. Q: A search index must be refreshed when the source pages change. R: That is why crawlers revisit important URLs on a schedule. S: Skipping those visits looks cheaper until a client complains.

A Q P R S

B P Q S R

C Q R P S

D R Q S P

✓ **Verified Answer:** ✅ **(A) Q P R S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q states the need. P is the failure mode. R is the operational response. S comments on skipping it. Order Q P R S.

Problem 43 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q43 Source: Infosys PYQ Level: Infosys SE Standard

Arrange: P: Stand-ups that run past fifteen minutes usually lose the room. Q: The aim is to surface blockers, not to redesign the sprint. R: A written board already holds the task detail. S: Speaking to the board keeps each update short.

A P Q R S

B Q R S P

C P R Q S

D Q P S R

✓ **Verified Answer:** ✅ **(B) Q R S P** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q states the aim. R notes where detail already lives. S is the method. P warns what happens when it fails. Q R S P.

Problem 44 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q44 Source: Infosys PYQ Level: Infosys SE Standard

One-word substitute: A book issued each year with updated facts.

A Manual

B Journal

C Almanac

D Memoir

✓ **Verified Answer:** ✅ **(C) Almanac** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** An almanac is published yearly with revised information.

Problem 45 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q45 Source: Infosys PYQ Level: Infosys SE Standard

Arrange: P: Clear labels on axes prevent that mistake. Q: A chart with no units can be read as growth when it is only a change of scale. R: Reviewers should reject figures that hide the scale. S: Readers then leave the meeting with the wrong story.

A Q S P R

B Q P S R

C S Q P R

D P Q R S

✓ **Verified Answer:** ✅ **(A) Q S P R** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the trap. S is the cost. P is the simple fix. R is the process rule. Q S P R.

Problem 46 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q46 Source: Infosys PYQ Level: Infosys SE Standard

What is printed?
Integer
n, d
Set
n = 48, d = 0
while
n > 1 do
n
= n / 2
d
= d + 1
end
while
Print
d

A 3

B 4

C 5

D 6

✓ **Verified Answer:** ✅ **(C) 5** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 48→24→12→6→3→1. That is five divisions. d = 5. (Integer division: 3/2=1.)

Problem 47 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q47 Source: Infosys PYQ Level: Infosys SE Standard

What is printed?
Integer
A[5] = {2, 4, 6, 8, 10}
Integer
i, s
Set
s = 0
for
i = 0 to 4 do
if
A[i] % 4 == 0 then s = s + A[i]
end
for
Print
s

A 12	**B** 18
C 24	**D** 30

✓ **Verified Answer:** ✅ **(A) 12** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Values divisible by 4 are 4 and 8. s = 4 + 8 = 12.

Problem 48 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q48 Source: Infosys PYQ Level: Infosys SE Standard

What is printed?
Integer
x
Set
x = 10
Print
x & 3

A 1	**B** 2
C 3	**D** 8

✓ **Verified Answer:** ✅ **(B) 2** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 10 is 1010 and 3 is 0011. AND is 0010, which is 2.

Problem 49 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q49 Source: Infosys PYQ Level: Infosys SE Standard

What is printed?
Stack
S
push(S,
1)
push(S,
4)
push(S,
9)
pop(S)
pop(S)
Print
peek(S)

A 1	**B** 4
C 9	**D** Empty

✓ **Verified Answer:** ✅ **(A) 1** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** After three pushes the top is 9. Two pops remove 9 then 4. peek returns 1.

Problem 50 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q50 Source: Infosys PYQ Level: Infosys SE Standard

What does G(4) return?
Function
G(n)
if
n <= 1 then return 1
return
n * G(n - 1)
End
Function
Print
G(4)

A 10	**B** 16
C 24	**D** 64

✓ **Verified Answer:** ✅ **(C) 24** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** G is factorial. G(4)=4×3×2×1=24.

Problem 51 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q51 Source: Infosys PYQ Level: Infosys SE Standard

In each wheel the centre equals the sum of an opposite pair. Find the missing centre.
Wheel A
5
4
9
5
4
Wheel B
7
2
?
6
3

A 8	**B** 9
C 10	**D** 12

✓ **Verified Answer:** ✅ **(B) 9** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Wheel A: 5+4=9 and 4+5=9. Wheel B: 7+2=9 and 6+3=9. The missing centre is 9.

Problem 52 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q52 Source: Infosys PYQ Level: Infosys SE Standard

Find the next number: 4, 9, 19, 39, 79, ?
4
9
19
39
79
?

A 149	**B** 157
C 159	**D** 169

✓ **Verified Answer:** ✅ **(C) 159** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each term = previous × 2 + 1: 4×2+1=9, 9×2+1=19, 19×2+1=39, 39×2+1=79, 79×2+1=159.

Problem 53 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q53 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
2
3
8
3
4
15
4
5
?

A 22	**B** 24
C 26	**D** 30

✓ **Verified Answer:** ✅ **(B) 24** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first × second + 2, then +3, then +4: 2×3+2=8, 3×4+3=15, 4×5+4=24. Equivalently first × (second + 1).

Problem 54 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q54 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
11
6
5
17
8
9
23
9
?

A 14	**B** 13
C 12	**D** 10

✓ **Verified Answer:** ✅ **(A) 14** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first − second: 11−6=5, 17−8=9, 23−9=14.

Problem 55 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q55 Source: Infosys PYQ Level: Infosys SE Standard

Identify the error: Ten kilometres are a long walk in this heat.

A Ten kilometres	**B** are a long walk
C in this heat	**D** No error

✓ **Verified Answer:** ✅ **(B) are a long walk** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A distance taken as a single measure is singular: "Ten kilometres is a long walk."

Problem 56 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q56 Source: Infosys PYQ Level: Infosys SE Standard

When we reached the hall, the talk ____ already.

A starts	**B** has started
C had started	**D** will start

✓ **Verified Answer:** ✅ **(C) had started** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Two past events: the earlier one takes past perfect. The talk had started before we reached.

Problem 57 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q57 Source: Infosys PYQ Level: Infosys SE Standard

Identify the error: She has been working here since three years.

A She has been working	**B** since three years
C here	**D** No error

✓ **Verified Answer:** ✅ **(B) since three years** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "Since" takes a point in time. A period takes "for": for three years.

Problem 58 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q58 Source: Infosys PYQ Level: Infosys SE Standard

The pair of shoes ____ on the rack.

A are

B is

C were

D have

✓ **Verified Answer:** ✅ **(B) is** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The subject is “pair” (singular), so the verb is “is.”

Problem 59 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q59 Source: Infosys PYQ Level: Infosys SE Standard

He divided the tasks ____ the three interns.

A between

B among

C with

D into

✓ **Verified Answer:** ✅ **(B) among** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Use “among” for more than two people. “Between” is for two.

Problem 60 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q60 Source: Infosys PYQ Level: Infosys SE Standard

The Importance of Time Management in Student Life

A > [!IMPORTANT]

✓ **Verified Answer:** ✅ **(A) ** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Time management is an essential skill that helps students achieve their academic and personal goals. It means planning and organizing time effectively to complete different tasks. In today's competitive world, good time management is important for success in education and professional life. Students often have to manage studies, assignments, examinations, and personal activities. Creating a daily timetable helps them prioritize important tasks and avoid unnecessary stress. Proper time management also improves concentration, productivity, and self-discipline. One of the major benefits of time management is that it helps students complete their work on time. It also provides enough time for revision, skill development, and relaxation. Students who manage their time effectively can maintain a better balance between studies and personal life. However, time management requires consistency and dedication. Avoiding distractions such as excessive social media use can help students focus on their goals. In conclusion, time management is a key factor in student success. By developing good time management habits, students can improve their performance, reduce stress, and prepare themselves for a successful future.