Infosys Full Length Mock Test- 9

🎯 Infosys Systems Engineer (SE) | 📅 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

Total Questions: 60 | **Total Marks:** 76 | **Duration:** 7200000 Minutes

Section: Reasoning

Problem 1 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q1 | Source: Infosys PYQ | Level: Infosys SE Standard

If
MONTH is coded as NPOUI, how is YEAR coded?

A ZFBS
B XDZQ
C ZFAR
D ZFBT

✓ **Verified Answer:** ✅ **(A) ZFBS** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter moves one step forward. YEAR → Z F B S.

Problem 2 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q2 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number.
3
8
27
4
7
32
5
6
?

A 33
B 35
C 36
D 40

✓ **Verified Answer:** ✅ **(B) 35** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first × second + 3: 24+3=27, 28+4=32, 30+5=35.

Problem 3 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q3 Source: Infosys PYQ Level: Infosys SE Standard

Is
the integer t a multiple of 4? Statement 1: t is divisible by 8.
Statement 2: t is even.

A Statement 1 alone is sufficient, but Statement 2 alone is not	**B** Statement
C Either	**D** Both

✓ **Verified Answer:** ✅ **(A) Statement 1 alone is sufficient, but Statement 2 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Every multiple of 8 is a multiple of 4. Being even is not enough (6 is even, not a multiple of 4).

Problem 4 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q4 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
20
12
8
33
19
14
41
22
?

A 19	**B** 18
C 21	**D** 23

✓ **Verified Answer:** ✅ **(A) 19** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first − second. 20−12=8, 33−19=14, 41−22=19.

Problem 5 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
Some arrays are lists. All lists are sequences. No sequence is a tree. Conclusions: I. Some arrays are sequences. II. No list is a tree.

A Only	B Only
C Both I and II	D Neither

✓ **Verified Answer:** ✅ **(C) Both I and II** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Arrays that are lists are sequences. Every list is a sequence and no sequence is a tree, so no list is a tree. Both follow.

Problem 6 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q6 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
All builds are jobs. All jobs are tasks. Some tasks are hooks.
Conclusions: I. All builds are tasks. II. Some hooks are builds.

A Only I follows	B Only
C Both	D Neither

✓ **Verified Answer:** ✅ **(A) Only I follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Builds → jobs → tasks, so I follows. Hooks overlap tasks, not necessarily builds.

Problem 7 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q7 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
4
5
24
5
6
35
6
7
?

A 46
B 47
C 48
D 49

✓ **Verified Answer:** ✅ **(C) 48** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first × second + 4: 20+4=24, 30+5=35, 42+6=48.

Problem 8 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q8 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
All clusters are nodes. Some nodes are workers. No worker is a master. Conclusions: I. Some clusters are workers. II. Some nodes are not masters.

A Only
B Only II follows
C Both
D Neither

✓ **Verified Answer:** ✅ **(B) Only II follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Clusters sit inside nodes but need not meet workers, so I does not follow. Some nodes are workers and no worker is a master, so those nodes are not masters. II follows.

Problem 9 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q9 Source: Infosys PYQ Level: Infosys SE Standard

If
2 ⊕ 6 = 16, 3 ⊕ 5 = 19 and 4 ⊕ 7 = 32, then 5 ⊕
4 = ?

A 22	B 24
C 28	D 36

✓ **Verified Answer:** ✅ **(B) 24** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** a ⊕ b = a × b + 4. 2×6+4=16, 3×5+4=19, 4×7+4=32. So 5×4+4=24.

Problem 10 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

What
is the value of 3x + 3y? Statement 1: x + y = 9. Statement 2: x –
y = 3.

A Statement 1 alone is sufficient, but Statement 2 alone is not	B Statement
C Either	D Both

✓ **Verified Answer:** ✅ **(A) Statement 1 alone is sufficient, but Statement 2 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 3(x + y) = 3x + 3y. S1 gives x + y = 9, so the value is 27. S2 is not needed.

Problem 11 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q11 Source: Infosys PYQ Level: Infosys SE Standard

If
SILVER is coded as TJMWFS, how is COPPER coded?

A DPQQFS	B BNOodQ
C DPQQER	D BNOOQD

✓ **Verified Answer:** ✅ **(A) DPQQFS** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter +1. COPPER → D P Q Q F S.

Problem 12 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q12 Source: Infosys PYQ Level: Infosys SE Standard

Is
p > q? Statement 1: p = q + 6. Statement 2: pq is positive.

A Statement 1 alone is sufficient, but Statement 2 alone is not	B Statement
C Either	D Both

✓ **Verified Answer:** ✅ **(A) Statement 1 alone is sufficient, but Statement 2 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** S1 means p is 6 more than q, so p > q. The sign of the product does not compare them.

Problem 13 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q13 Source: Infosys PYQ Level: Infosys SE Standard

How
many people are in the row? Statement 1: Meera is 11th from the left and 14th from the right. Statement 2: Two people left the row.

A Statement 1 alone is sufficient, but Statement 2 alone is not	B Statement
C Either	D Both

✓ **Verified Answer:** ✅ **(A) Statement 1 alone is sufficient, but Statement 2 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Total = 11 + 14 − 1 = 24 from S1. S2 does not give the size.

Problem 14 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
No mutex is a semaphore. Some semaphores are events. All events are signals. Conclusions: I. Some signals are semaphores. II. Some mutexes are events.

A Only I follows	B Only
C Both	D Neither

✓ **Verified Answer:** ✅ **(A) Only I follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Some semaphores are events and all events are signals, so some signals are semaphores. Mutexes are disjoint from semaphores. Only I.

Problem 15 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
1
4
9
16
25
36
49
64
?

A 72	B 80
C 81	D 100

✓ **Verified Answer:** ✅ **(C) 81** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Consecutive squares: 1^2 to 9^2. After $8^2=64$ comes $9^2=81$.

Problem 16 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

A
and B together take 15 days. B alone takes 60 days. A alone takes

A 18	B 20 days
C 24	D 45

✓ **Verified Answer:** ✅ **(B) 20 days** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A's rate = 1/15 − 1/60 = 1/20. A takes 20 days.

Problem 17 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

The
letters of the word ERROR can be arranged in how many distinct
ways?

A 20	B 60
C 120	D 24

✓ **Verified Answer:** ✅ **(A) 20** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 5 letters, R three times. 5! / 3! = 20.

Problem 18 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

In
how many ways can 2 students be chosen from 9 students?

A 18	**B** 36
C 72	**D** 81

✓ **Verified Answer:** ✅ **(B) 36** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** C(9,2)=36.

Problem 19 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

A
can finish in 24 days and B in 8 days. Together they take

A 6 days	**B** 8
C 10	**D** 12

✓ **Verified Answer:** ✅ **(A) 6 days** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 1/24+1/8=1/6. Six days.

Problem 20 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

A
card is drawn from 52. Probability it is a queen is

A 1/13	**B** 1/4
C 1/26	**D** 4/13

✓ **Verified Answer:** ✅ **(A) 1/13** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 4 queens in 52 = 1/13.

Problem 21 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q21 Source: Infosys PYQ Level: Infosys SE Standard

A
number is picked from 1 to 10. Probability it is even is

A 2/5	**B** 1/2
C 3/5	**D** 1/5

✓ **Verified Answer:** ✅ **(B) 1/2** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 2,4,6,8,10 → 5/10 = 1/2.

Problem 22 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q22 Source: Infosys PYQ Level: Infosys SE Standard

A
coin is tossed twice. Probability of one head and one tail is

A 1/4	**B** 1/3
C 1/2	**D** 3/4

✓ **Verified Answer:** ✅ **(C) 1/2** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** HT and TH: 2/4 = 1/2.

Problem 23 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q23 Source: Infosys PYQ Level: Infosys SE Standard

A
watch sold at 10% profit brings ₹2,200. The cost price is

A ₹1,980	**B** ₹2,000
C ₹2,100	**D** ₹2,420

✓ **Verified Answer:** ✅ **(B) ₹2,000** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 110% of CP = 2200, CP = 2000.

Problem 24 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q24 Source: Infosys PYQ Level: Infosys SE Standard

How
many 4-digit numbers can be formed from 1, 2, 3, 4, 5, 6 if digits
are not repeated?

A 120	**B** 240
C 360	**D** 720

✓ **Verified Answer:** ✅ **(C) 360** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** P(6,4)=6×5×4×3=360.

Problem 25 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q25 Source: Infosys PYQ Level: Infosys SE Standard

A
lamp bought for ₹750 is sold for ₹900. The profit
percent is

A 15%	**B** 18%
C 20%	**D** 25%

✓ **Verified Answer:** ✅ **(C) 20%** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Profit = 150. Percent = 150/750 × 100 = 20%.

Problem 26 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q26 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: A green build with no assertion is decoration.
Q: Each test should fail if the bug returns. R: Name that bug in
the test title. S: Then the suite documents the faults you already
paid for.

A P	**B** Q
C Q	**D** Q R P S

✓ **Verified Answer:** ✅ **(D) Q R P S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the rule. R names the bug. P rejects empty greens. S is the result. Q R P S.

Problem 27 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q27 Source: Infosys PYQ Level: Infosys SE Standard

Passage
A staging copy that is a week old hides the bug you will meet on Monday. Restore from last night, run the same job, and compare row counts before you call the job safe. If staging uses half the data, say so on the ticket. Silent sampling makes a green run look like proof when it is only a sketch.
The main idea of the passage is that

A a	**B** staging must be fresh, compared, and honest about sample size
C row	**D** tickets

✓ **Verified Answer:** ✅ **(B) staging must be fresh, compared, and honest about sample size** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage wants last-night data, a row-count check, and a note if only half the data was used.

Problem 28 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q28 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Old tokens in images leak on every pull. Q: Bake no secret into a layer. R: Inject at runtime and rotate what already shipped. S: Scans will not save a token from last year.

A P	**B** Q P S R
C Q	**D** P

✓ **Verified Answer:** ✅ **(B) Q P S R** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the rule. P is the leak. S says scans miss old tokens. R is inject and rotate. Better Q P S R.

Problem 29 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q29 Source: Infosys PYQ Level: Infosys SE Standard

Passage
A staging copy that is a week old hides the bug you will meet on Monday. Restore from last night, run the same job, and compare row counts before you call the job safe. If staging uses half the data, say so on the ticket. Silent sampling makes a green run look like proof when it is only a sketch.
Silent sampling makes a green run look like

A a	**B** a
C a	**D** proof when it is only a sketch

✓ **Verified Answer:** ✅ **(D) proof when it is only a sketch** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Last sentence.

Problem 30 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q30 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Wait time on the pool then shows the cap is wrong. Q: A pool with no upper bound will eat the database. R: Tie the cap to the instance class. S: Guessing from a blog post is not a plan.

A Q S R P	B Q
C S	D Q

✓ **Verified Answer:** ✅ **(A) Q S R P** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the risk. S rejects guessing. R sets the cap. P is the metric. Q S R P.

Problem 31 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q31 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Notes from that hour beat another internal review. Q: Specs that never meet a user stay neat and wrong. R: Give one stranger a real task every Friday. S: Watch where they stop.

A Q	B Q R S P
C P	D Q

✓ **Verified Answer:** ✅ **(B) Q R S P** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the risk. R is the Friday habit. S is what to watch. P values the notes. Q R S P.

Problem 32 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q32 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A Less	B Fewer tickets were closed today.
C Fewer	D Less

✓ **Verified Answer:** ✅ **(B) Fewer tickets were closed today.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Tickets are countable, so fewer.

Problem 33 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q33 Source: Infosys PYQ Level: Infosys SE Standard

Passage
A staging copy that is a week old hides the bug you will meet on Monday. Restore from last night, run the same job, and compare row counts before you call the job safe. If staging uses half the data, say so on the ticket. Silent sampling makes a green run look like proof when it is only a sketch.
If staging uses half the data you should

A hide	B say so on the ticket
C skip	D restore

✓ **Verified Answer:** ✅ **(B) say so on the ticket** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third sentence.

Problem 34 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q34 Source: Infosys PYQ Level: Infosys SE Standard

Passage
A staging copy that is a week old hides the bug you will meet on Monday. Restore from last night, run the same job, and compare row counts before you call the job safe. If staging uses half the data, say so on the ticket. Silent sampling makes a green run look like proof when it is only a sketch.
Before you call the job safe you should

A delete	B wait
C restore from last night, run the same job, and compare row counts	D sample

✓ **Verified Answer:** ✅ **(C) restore from last night, run the same job, and compare row counts** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Second sentence.

Problem 35 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q35 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A He	B He
C He is good at writing tests.	D He

✓ **Verified Answer:** ✅ **(C) He is good at writing tests.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Good at + gerund.

Problem 36 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q36 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the one-word substitute: Lasting for a very short time.

A Chronic	B Eternal
C Transient	D Annual

✓ **Verified Answer:** ✅ **(C) Transient** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Transient means lasting only a short time.

Problem 37 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q37 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A None	B Neither of the two ports is open.
C Neither	D None

✓ **Verified Answer:** ✅ **(B) Neither of the two ports is open.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** For two items use neither + singular verb.

Problem 38 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q38 Source: Infosys PYQ Level: Infosys SE Standard

Passage
A staging copy that is a week old hides the bug you will meet on Monday. Restore from last night, run the same job, and compare row counts before you call the job safe. If staging uses half the data, say so on the ticket. Silent sampling makes a green run look like proof when it is only a sketch.
A staging copy that is a week old

A hides the bug you will meet on Monday	B proves
C replaces	D is

✓ **Verified Answer:** ✅ **(A) hides the bug you will meet on Monday** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** First sentence.

Problem 39 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q39 Source: Infosys PYQ Level: Infosys SE Standard

Fill
in the blank: The rollback was _____ and traffic recovered in one
minute.

A hesitant	B swift
C vague	D optional

✓ **Verified Answer:** ✅ **(B) swift** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Swift fits a fast recovery.

Problem 40 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q40 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the word most similar in meaning to “precise.”

A Vague	B Exact
C Loose	D Late

✓ **Verified Answer:** ✅ **(B) Exact** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Precise means exact.

Problem 41 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q41 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A Had they known, they would have rolled back.	B If
C Had	D If

✓ **Verified Answer:** ✅ **(A) Had they known, they would have rolled back.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Had they known + would have + past participle.

Problem 42 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q42 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: A canary percent then limits the blast. Q: Shipping a schema change to all shards at once is a bet. R: Start with one shard and watch write errors. S: Raise the share only after an hour of calm.

A Q R P S	**B** Q
C R	**D** Q

✓ **Verified Answer:** ✅ **(A) Q R P S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the bet. R is the first shard. P is the canary cap. S is when to raise. Q R P S.

Problem 43 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q43 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A The committee has agreed to delay the launch.	**B** The
C The	**D** The

✓ **Verified Answer:** ✅ **(A) The committee has agreed to delay the launch.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Committee as one body takes has agreed.

Problem 44 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q44 Source: Infosys PYQ Level: Infosys SE Standard

“On
the same wavelength” means

A Thinking in a similar way	**B** Using
C Sitting	**D** Sharing

✓ **Verified Answer:** ✅ **(A) Thinking in a similar way** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** It means having a similar understanding.

Problem 45 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q45 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the word most opposite in meaning to “ tardy.”

A Late	B Slow
C Prompt	D Idle

✓ **Verified Answer:** ✅ **(C) Prompt** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Prompt is the opposite of tardy.

Problem 46 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q46 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Stack
S
push(S,
6)
push(S,
9)
push(S,
15)
pop(S)
push(S,
21)
Print
peek(S)

A 6	B 9
C 21	D 15

✓ **Verified Answer:** ✅ **(C) 21** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Pop removes 15. Push 21. peek returns 21.

Problem 47 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q47 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Integer
k
Set
k = 21
Print
k >> 2

A 5	B 6
C 10	D 84

✓ **Verified Answer:** ✅ **(A) 5** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 21 is 10101. Right shift 2 gives 101 = 5.

Problem 48 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q48 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Integer
i, t
Set
t = 1
for
i = 1 to 5 do
t
= t * 2
end
for
Print
t

A 10	B 16
C 32	D 64

✓ **Verified Answer:** ✅ **(C) 32** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Start 1, multiply by 2 five times: 32.

Problem 49 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q49 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Queue
Q
enqueue(Q,
3)
enqueue(Q,
9)
enqueue(Q,
15)
dequeue(Q)
Print
front(Q)

A 3	**B** 9
C 15	**D** Empty

✓ **Verified Answer:** ✅ **(B) 9** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 3 leaves. Front is 9.

Problem 50 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q50 Source: Infosys PYQ Level: Infosys SE Standard

What
does W(5) return?
Function
W(n)
if
n <= 1 then return 2
return
W(n - 1) + 3
End
Function
Print
W(5)

A 11	**B** 14
C 15	**D** 17

✓ **Verified Answer:** ✅ **(B) 14** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** W(1)=2. Add 3 four times: 2+12=14.

Problem 51 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q51 Source: Infosys PYQ Level: Infosys SE Standard

The
centre equals the sum of each pair of opposite rim numbers. Find
the missing number.
13
10
?
8
5

A 16
B 18
C 21
D 23

✓ **Verified Answer:** ✅ **(B) 18** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 13 + 5 = 18 and 10 + 8 = 18. Missing centre = 18.

Problem 52 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q52 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
16
9
7
25
11
14
36
15
?

A 19
B 21
C 22
D 24

✓ **Verified Answer:** ✅ **(B) 21** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first – second. 16–9=7, 25–11=14, 36–15=21.

Problem 53 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q53 Source: Infosys PYQ Level: Infosys SE Standard

Find the next number.
4
9
19
39
79
?

A 159	B 157
C 161	D 163

✓ **Verified Answer:** ✅ **(A) 159** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each term = previous × 2 + 1. 4×2+1=9, 9×2+1=19, 19×2+1=39, 39×2+1=79, 79×2+1=159.

Problem 54 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q54 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
4
9
21
5
8
23
6
7
?

A 24	B 25
C 27	D 29

✓ **Verified Answer:** ✅ **(B) 25** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first × 3 + second. 4×3+9=21, 5×3+8=23, 6×3+7=25.

Problem 55 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q55 Source: Infosys PYQ Level: Infosys SE Standard

They ____ the flag before traffic rose.

A switch	B have switch
C had switched	D will switched

✓ **Verified Answer:** ✅ **(C) had switched** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Earlier past action: had switched.

Problem 56 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q56 Source: Infosys PYQ Level: Infosys SE Standard

The module is capable ____ running offline.

A to	B of
C for	D with

✓ **Verified Answer:** ✅ **(B) of** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Capable of + gerund.

Problem 57 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q57 Source: Infosys PYQ Level: Infosys SE Standard

A bundle of scripts ____ waiting in review.

A are	B is
C have	D were

✓ **Verified Answer:** ✅ **(B) is** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The subject is bundle (singular): is.

Problem 58 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q58 Source: Infosys PYQ Level: Infosys SE Standard

Identify the part that contains an error:
Each of the nodes have a replica.

A Each of the nodes	B have a replica
C No error	D Each of

✓ **Verified Answer:** ✅ **(B) have a replica** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each is singular: has a replica.

Problem 59 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q59 Source: Infosys PYQ Level: Infosys SE Standard

Identify the part that contains an error:
She did not wrote the runbook.

A did not wrote	B the runbook
C No error	D She did

✓ **Verified Answer:** ✅ **(A) did not wrote** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** After did not use the base verb: did not write.

Problem 60 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q60 Source: Infosys PYQ Level: Infosys SE Standard

Impact of Online Education on Students

A > [!IMPORTANT]

✓ **Verified Answer:** ✅ **(A) ** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Online education has changed the way students learn and access educational resources. With the availability of smartphones, computers, and internet services, students can attend classes and study from almost anywhere. One of the major advantages of online education is flexibility. Students can learn according to their schedules and revisit recorded lessons when necessary. Online platforms also provide access to a wide range of courses, study materials, and educational videos. This can be particularly useful for students who may not have access to certain learning resources locally. However, online education also has some challenges. Poor internet connectivity, lack of direct interaction with teachers, and distractions at home can affect learning. Some students may also find it difficult to maintain regular study habits without a structured classroom environment. In conclusion, online education provides flexibility and access to valuable learning resources, but it also requires discipline and proper guidance. A balanced combination of online resources and traditional learning can help students gain knowledge effectively and develop the skills needed for the future.