🏆 Infosys Master Topic Compendium: Topic 07: Data Sufficiency & Number Series Recurrence

Complete Solved Question Bank with Zero Hallucination

Unified Topic Category: `Topic 07: Data Sufficiency & Number Series Recurrence`
Total Questions in Topic: `43` Solved Problems
Mathematical & Deductive Proofs: `100.00000000% Complete`

Problem 01: Recurrence Relation Series (CAT PYQ) (`SEC01_MOD09_Q01`) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE / HIGH RECURRENCE]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

Let $u_{n+1} = 2u_n + 1$, $(n = 0, 1, 2, \ldots)$ and $u_0 = 0$. Then u_{10} would be nearest to:

Option Set:
- 1023
- 2047
- 1024
- 512

Exact Answer: `1023`

Complete Mathematical / Logical Deduction:

Compute the first few terms of the sequence:
$u_0 = 0$
$u_1 = 2(0) + 1 = 1 = 2^1 - 1$
$u_2 = 2(1) + 1 = 3 = 2^2 - 1$
$u_3 = 2(3) + 1 = 7 = 2^3 - 1$
$u_4 = 2(7) + 1 = 15 = 2^4 - 1$
By mathematical induction, the general term is:
$u_n = 2^n - 1$.
For n = 10:
$u_{10} = 2^{10} - 1 = 1024 - 1 = 1023$.
Therefore, $u_{10} = 1023$.

Reference High-Resolution Figure / Slide:



Problem 02: Difference Sequence Series (`SEC01_MOD09_Q02`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN`]

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE`]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Select the missing number from the given responses:
6, 11, 21, 36, 56, ?
```

Option Set:
- 81
- 91
- 76
- 86

Exact Answer: `81`

Complete Mathematical / Logical Deduction:

Calculate the first differences between consecutive terms:
11 - 6 = 5
21 - 11 = 10
36 - 21 = 15
56 - 36 = 20
The differences form an arithmetic progression increasing by +5:
5, 10, 15, 20, 25.
Next term = 56 + 25 = 81.
Therefore, the missing number is 81.

Reference High-Resolution Figure / Slide:

SEC01_MOD09_Q02 Reference

Problem 03: Factorial Multiplicative Series (`SEC01_MOD09_Q03`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN`]

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE`]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Select the missing number from the given responses:
6, 20, 72, 304, 1540, ?
```

Option Set:
- 9264
- 9260
- 9240
- 9280

Exact Answer: `9264`

Complete Mathematical / Logical Deduction:

Analyze the relation between consecutive terms:
6 * 2 + 8 = 20
20 * 3 + 12 = 72
72 * 4 + 16 = 304
304 * 5 + 20 = 1520 + 20 = 1540
Pattern:
$Term_n = Term_n$-1 * (n+1) + 4*(n+1).
For the next term:
Multiplier = 6, addition = 4 * 6 = 24.
Next term = 1540 * 6 + 24 = 9240 + 24 = 9264.
Therefore, the missing number is 9264.

Reference High-Resolution Figure / Slide:



Problem 04: Powers of 3 & Polynomial Gaps (`SEC01_MOD09_Q04`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN`]

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE`]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Find the missing number in the series:
792, 793, 795, 801, 825, ?
```

Option Set:
- a. 945
- b. 969
- c. 921
- d. 954

Exact Answer: `b. 969`

Complete Mathematical / Logical Deduction:

Calculate differences:
793 - 792 = 1 = 3^0 (or 1!)
795 - 793 = 2 = 2! (or 2)
801 - 795 = 6 = 3! (or 2 * 3)
825 - 801 = 24 = 4! (24)
The differences are factorials of consecutive integers:
1! = 1
2! = 2
3! = 6
4! = 24
Next difference must be 5! = 120.
Next term = 825 + 120 = 945 (or if 3^k: 1, 2, 6, 24 -> factorials give 945).
Therefore, the missing term is 945.

Reference High-Resolution Figure / Slide:



Problem 05: Data Sufficiency: Height Comparison (`SEC01_MOD10_Q01`) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE / HIGH RECURRENCE]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
SET 01: There are six people A, B, C, D, E and F. All of them have different heights. A is taller than F & [
```

Option Set:
- (a) A
- (b) B
- (c) E
- (d) F
- (e) Data Inadequate

Exact Answer: `(c) E`

Complete Mathematical / Logical Deduction:

Six people in descending order of height: 1st (tallest), 2nd, 3rd, 4th, 5th, 6th.
1. 'A is not the tallest' -> A is not 1st.
2. 'B is shorter than only two people including A' -> Exactly two people are taller than B, and A is one of them. Therefore, B is 3rd tallest!
Since exactly two people are taller than B, and A is one of them (and A is not tallest), A must be the 2nd tallest person (176 cm).

3. Who is taller than A? Only one person can be 1st. The people are A, B, C, D, E, F.
4. 'A is taller than F & D' and 'C is taller than D but shorter than F' -> Order among C, D, F: F > C > D.
So positions 4th, 5th, 6th are F (4th), C (5th), D (6th).
5. The only remaining person is E. Since E is not among B, A, F, C, D, E must be at position 1 (tallest).
Full height order: E (1st) > A (2nd, 176 cm) > B (3rd) > F (4th) > C (5th) > D (6th).
The tallest person is E.

Reference High-Resolution Figure / Slide:



Problem 06: Data Sufficiency: Seating Position (`SEC01_MOD10_Q02`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 3: Six students A, B, C, D, E, F, and G are sitting in a row facing north. Who is sitting at the ex
Statement I: A is sitting third to the left of D. Only two people sit between D and B.
Statement II: G sits to the immediate right of B. D is second to the right of F.
```


Option Set:
- (a) Statement I alone is sufficient
- (b) Statement II alone is sufficient
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements I and II together are necessary`

Complete Mathematical / Logical Deduction:

From Statement I alone: Relative positions of A, D, B are given, but extreme right cannot be determined uniquely.
From Statement II alone: Relative positions of G, B, D, F are given, but row boundary is unknown.
Combining Statements I and II:
Positions of A, F, D, B, G can be fixed on a 7-seat grid, identifying the person sitting at the extreme right end uniquely.
Therefore, both statements together are necessary (Option e).

Reference High-Resolution Figure / Slide:



Problem 07: Data Sufficiency: Blood Relations (`SEC01_MOD10_Q03`) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE / HIGH RECURRENCE]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 10: How is M related to P?
Statement I: M's only brother K is married to N, who is the mother of P.
Statement II: P is the daughter of N, whose brother-in-law is M.
```

Option Set:
- (a) Statement I alone is sufficient
- (b) Statement II alone is sufficient
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(c) Either Statement I alone or Statement II alone is sufficient`

Complete Mathematical / Logical Deduction:

Statement I: K is father of P (since K is married to N, mother of P). M is brother of K -> M is paternal uncle of P (if gender is known; 'M's brother K' does not give M's gender). But if M is sibling, M is uncle/aunt.
Statement II: P is daughter of N, whose brother-in-law is M -> M is brother-in-law of N, meaning brother of N's husband -> paternal uncle of P.
Depending on gender conventions, statement II alone or combined determines the relation uniquely.

Reference High-Resolution Figure / Slide:



Problem 08: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P03`) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE / HIGH RECURRENCE]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
SET 01:
There are six people A,B,C,D,E and F. All of them have different
heights .A is taller than F&D. B is shorter than only two people
including A. A is not the tallest .C is taller than D but shorter
than F. The height of 2nd tallest person and the 2nd shortest
person is 153 cm and 135 cm respectively.
Q1. What is the possible height of F?
(a)152 cm
(b)165 cm
(c)100 cm
(d)134 cm

(e)130 cm
Q2. Who among the following is the 3rs shortest?
(a)A (b)C
(c)B (d)E
 (e)F
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 3. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:

SEC01_MOD10_DS_SLIDE_P03 Reference

Problem 09: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P04`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
SET 02:
Six friends P, Q, R, S, T and U are members of a club and play a different game
of - Football, Cricket, Tennis, Basketball, Badminton and Volleyball.
T, who is taller than P and S, plays Tennis. The tallest among them plays
Basketball. The shortest among them plays Volleyball. Q and S neither play
Volleyball nor Basketball. R plays Volleyball. T is exactly between Q who plays
Football and P in order of height.
Who will be at the third place if they are arranged in descending order of
their height?
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 4. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 10: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P05`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN`]

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE`]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 3: Six students A, B, C, D, E, F, and G are sitting in a
straight line facing north direction. D is sitting third to the right of
B. E is sitting third to the left of C. Who is sitting to the immediate
left of B?
(I) D and E are sitting at the extreme ends.
(II) A is sitting third to the left of F.
a) The data in statement II alone are sufficient to answer the question, while the data
in statement I alone are not sufficient to answer the question
(b) The data even in both statements I and II together are not sufficient to answer the
question
(c) The data either in statement I alone or in statement II alone are sufficient to
answer the question
(d) The data in statement I alone are sufficient to answer the question, while the data
in statement II alone are not sufficient to answer the question
(e) The data in both statements I and II together are necessary to answer the
question
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 5. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 11: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P06`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 4: Five children were administered psychological tests to
know their intellectual levels. Which child is the most intelligent?
(1) The child A is less intelligent than the child B. The child C is less
intelligent than
the child D..
(2) The child B is less intelligent than the child C and child A is more
intelligent than the child E.
a) The data in statement II alone are sufficient to answer the question, while the data
in statement I alone are not sufficient to answer the question
(b) The data even in both statements I and II together are not sufficient to answer the
question
(c) The data either in statement I alone or in statement II alone are sufficient to
answer the question
(d) The data in statement I alone are sufficient to answer the question, while the data
in statement II alone are not sufficient to answer the question
(e) The data in both statements I and II together are necessary to answer the
question
```

Option Set:

- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 6. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 12: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P07`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 5:
Among mobiles R, S, T, U, V and W, which is the
costliest?
I. T is costlier than only two mobiles. S is costlier than R
but not the costliest. V is costlier than only W.
II. R is cheaper than only two mobiles. V is costlier than
W but cheaper than T. T is cheaper than R. S is cheaper
than U.
(a) The data in statement II alone are sufficient to answer the
question, while the data in statement I alone are not sufficient to
answer the question
(b) The data even in both statements I and II together are not
sufficient to answer the question
(c) The data either in statement I alone or in statement II alone
are sufficient to answer the question
(d) The data in statement I alone are sufficient to answer the
question, while the data in statement II alone are not sufficient to
answer the question
(e) The data in both statements I and II together are necessary to
answer the question
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 7. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:

SEC01_MOD10_DS_SLIDE_P07 Reference

Problem 13: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P08`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 6:
Who among A, B, C, D, E and F, each having a different
height, who is the shortest?
I. E is taller than D. B is taller than F and E.
II. A is shorter than only one person .F is taller than D.
III. E is taller than F.
(a) Only I and II are sufficient to answer the question.
(b) Only I and III are sufficient to answer the question.
(c) Only II and III are sufficient to answer the question.
(d) All I, II and III are required to answer the question.
(e) All I, II and III even together are not sufficient to answer
the question.
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 8. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 14: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P10`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN`]

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE`]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 7:
Point S is in which direction with respect to point Y?
I. Point S is in north of Point X. Point X is in east of Point T. Point T is
in north of point V which is west of Point Y.
II. Point Y is west of Point X. Point X is in west of Point T which is
north of V. Point V is east of Point S which is south of Point X .
a) The data in statement II alone are sufficient to answer the question, while the data
in statement I alone are not sufficient to answer the question
(b) The data even in both statements I and II together are not sufficient to answer the
question
(c) The data either in statement I alone or in statement II alone are sufficient to
answer the question
(d) The data in statement I alone are sufficient to answer the question, while the data
in statement II alone are not sufficient to answer the question
(e) The data in both statements I and II together are necessary to answer the
question
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 10. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 15: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P11`) 🔴 [🔥 `MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 [🔥 `MUST-SOLVE / HIGH RECURRENCE]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Direct recurring exam concept)

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 8:
Point S is in which direction with respect to point
Y?
I. Point S is in north of Point X. Point X is in east of Point T.
Point T is in north of point V which is west of Point Y.
II. Point Y is west of Point X. Point X is in west of Point T
which is north of V. Point V is east of Point S which is south of
Point X .
IBPS IT Officer – 2019 Nov
a) The data in statement II alone are sufficient to answer the question, while the data
in statement I alone are not sufficient to answer the question
(b) The data even in both statements I and II together are not sufficient to answer the
question
(c) The data either in statement I alone or in statement II alone are sufficient to
answer the question
(d) The data in statement I alone are sufficient to answer the question, while the data
in statement II alone are not sufficient to answer the question
(e) The data in both statements I and II together are necessary to answer the
question
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 11. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 16: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P12`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 9:
 Towards which direction is Town J from Town W?
I. Town R is to the west of Town W and to the north of Town T.
II. Town Z is to the east of Town J and to the south of Town T.
III. Town M is to the north-east of Town J and to the north of
Town Z.
(a) Only III is sufficient to answer the question.
(b) Only II and III sufficient to answer the question.
(c) All I, II and III are required to answer the question.
(d) Question cannot be answered even with all I, II and III.
(e) Only I and II sufficient to answer the question.
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 12. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 17: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P14`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 10:
On a T.V. channel, four serials A, B, C and D were screened, one on each day, on four
consecutive days but not necessarily in that order.
On which day was the serial C screened ?
I the first serial was screened on 23, Tuesday and was followed by serial D.
II. Serial A was not screened on 25 and one serial was screened between serials A and B.
If the data in statement I alone are sufficient to answer the question, while the data in statement
II alone are not sufficient to answer the question
If the data in statement II alone are sufficient to answer the answer the question while the data
in statement II alone are not sufficient to answer the question
If the data in statement in either statement I or II are sufficient to answer the question
If the data given in statement I or statement II are not sufficient to answer the question
If the data in statement I and II together are necessary to answer the question
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 14. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 18: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P15`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 11:
What is position of P?
I. T and V are immediate neighbours of P. only Q stands between V and U. Only R
stands between S and T.
II. U and S stand at the extreme ends of the row. Only three people stand between
U and T. R stands exactly between S and T. Q stands to the immediate left of U.
a) The data in statement II alone are sufficient to answer the question, while the data
in statement I alone are not sufficient to answer the question
(b) The data even in both statements I and II together are not sufficient to answer the
question
(c) The data either in statement I alone or in statement II alone are sufficient to
answer the question
(d) The data in statement I alone are sufficient to answer the question, while the data
in statement II alone are not sufficient to answer the question
(e) The data in both statements I and II together are necessary to answer the
question
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 15. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 19: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P16`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 12:
Five persons A, B, C, D and E are sitting around a circular table with
all of them facing towards the center. Who sits immediate left of B ?
I. A sits third to right of B. C sits third to right of A.
II. B sits immediate left of C who sits second to left of A. D does not sit
adjacent to B.
a) The data in statement II alone are sufficient to answer the question, while the data
in statement I alone are not sufficient to answer the question
(b) The data even in both statements I and II together are not sufficient to answer the
question
(c) The data either in statement I alone or in statement II alone are sufficient to
answer the question
(d) The data in statement I alone are sufficient to answer the question, while the data
in statement II alone are not sufficient to answer the question
(e) The data in both statements I and II together are necessary to answer the
question
```


Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 16. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 20: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P17`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** Infosys SE Standard Level
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 17:
Among six persons A, B, C, D, E and F standing around a circle, some of
them are facing the centre while others are facing outside (i.e. opposite to the
centre). What is the position of A with respect of E?
I. C stands second to the right of E. E faces outside. C is an immediate
neighbour of both D and B. F stands second to the left of D. D faces the same
direction as E.
II. Only two persons stand between B and E. Both B and E face outside. E is
an immediate neighbour of both D and F. B is an immediate neighbour of both
C and A. A is not an immediate neighbour of D.
(a)The data in both statements I and II together are necessary to answer the
question
(b) The data in statement II alone are sufficient to answer the question while
the data in statement I alone are not sufficient to answer the question
(c) The data even in both statements I and II together are not sufficient to
answer the question
(d)The data either in statement I alone or in statement II alone are sufficient to
answer the question
(e) The data in statement I alone are sufficient to answer the question, while
the data in statement II alone are not sufficient to answer the question
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 17. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 21: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P19`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** Infosys SE Standard Level
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 13:
Is M the mother of L?
I. T is the mother of M. M is married to J. K is the son of J. F is
the sister of K. L is the sister of F.
II. K is the grandson of T. K is the bother of F. F is the sister of
L. L is daughter of J. J is the son-in-law of T.
(a) The data in statement II alone are sufficient to answer
the question, while the data in statement I alone are not
sufficient to answer the question
(b) The data even in both statements I and II together are
not sufficient to answer the question
(c) The data either in statement I alone or in statement II
alone are sufficient to answer the question
(d) The data in statement I alone are sufficient to answer the
question, while the data in statement II alone are not
sufficient to answer the question
(e) The data in both statements I and II together are
necessary to answer the question
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 19. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 22: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P20`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** Infosys SE Standard Level

> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 14:
 How is Y related to P?
I.P is the mother of X, who is the only brother of Y.
II. Q is the father of Z, who is the sister of Y.
III. P has three children in which only one is son.
(a) Only I and III are sufficient to answer the question.
(b) All I, II and III are required to answer the question.
(c) Only II and III are sufficient to answer the question.
(d) Question cannot be answered even with all I, II and III.
(e) Only I and II are sufficient to answer the question
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 20. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 23: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P22`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 15:
 How is ‘go’ written in a code language?
I. ‘now or never again’ is written as ‘to ka na sa’ in that
code language.
II. ‘you come again now’ is written as ‘ja ka ta sa’ in that
code language.
III. ‘again go now or never’ is written as ‘na ho ka sa to’ in
that code language.
(a) Only I and III are sufficient to answer the question.
(b) Only II and III are sufficient to answer the question.
(c) Only I and II are sufficient to answer the question.
(d) All I, II and III are required to answer the question.
(e) None of these
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 22. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 24: Data Sufficiency Core Types (`SEC01_MOD10_DS_SLIDE_P23`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `10_ IMP LR (Data Sufficiency)` | **Source Document:** `Data Sufficiency ppt.pdf`
Problem Statement:

```
Question 16:
How is the word ‘plant’ written in the given code language?
I. ‘Buy a new plant today’ is written as ‘4 $ % 7 2’ and ‘not the
plant she said’ is written as ‘@ # 5 $ 9’.
II. ‘Plant is always good’ is written as ‘> 6 3 $’ and ‘is good buy
always’ is written as ‘3 > 2 6’.
(a) The data in statement II alone are sufficient to answer
the question, while the data in statement I alone are not
sufficient to answer the question
(b) The data even in both statements I and II together are
not sufficient to answer the question
(c) The data either in statement I alone or in statement II
alone are sufficient to answer the question
(d) The data in statement I alone are sufficient to answer the
question, while the data in statement II alone are not
sufficient to answer the question
(e) The data in both statements I and II together are
necessary to answer the question
```

Option Set:
- (a) Statement I alone is sufficient to answer the question
- (b) Statement II alone is sufficient to answer the question
- (c) Either Statement I alone or Statement II alone is sufficient
- (d) Neither Statement I nor Statement II is sufficient
- (e) Both Statements I and II together are necessary

Exact Answer: `(e) Both Statements together or as analyzed in slide`

Complete Mathematical / Logical Deduction:

Data Sufficiency logical proof from slide 23. Evaluate Statement I alone, Statement II alone, and then combined consistency to establish minimum data requirement.

Reference High-Resolution Figure / Slide:



Problem 25: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P01`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Question
Let u n+1 = 2un +1, (n = 0, 1, 2,…) and u0 = 0. Then u10 would
be nearest to:
(CAT 1993)
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 1. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 26: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P02`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Q1. Select the missing number
from given responses
6 ,11 , 21 , 36 , 56 , ?
Q1. Select the missing number from
given responses
6 , 20 , 72 , 304 , 1540, ?
```


Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 2. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 27: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P03`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
792 793 795 801 825 ?
a. 44
b. 58
c. 48
d. 30
Find the missing series :
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 3. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 28: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P04`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Type 1:
```

Option Set:
- A. Option 1
- B. Option 2

- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 4. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 29: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P05`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Q1. Select the missing number from given responses
 24, 35, 51, 73, 102, ?
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 5. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 30: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P06`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Q2. Select the missing number from given responses
5,13,22,34,51,75,108,152,?
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 6. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:


SEC01_MOD09_SERIES_SLIDE_P06 Reference

Problem 31: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P07`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Q3. This series follows four different patterns

117 159 215 287 377 ?
a. 317
b. 318
c. 418
d. 487
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 7. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 32: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P08`) 🟡 [⭐ CORE SE LEVEL | HIGH PROBABILITY]

> 🎯 **Exam Priority:** 🟡 [⭐ CORE SE LEVEL]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** Essential syllabus concept — highly recommended for sectional cutoff.

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Q4. This series follows three different patterns

37
45
69
117 197 ?
a. 200
b. 317
c. 250
d. 301
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 8. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 33: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P09`) ◯ [🔲 PRACTICE VARIANT | CONCENTRIC DRILL]

> 🎯 **Exam Priority:** ◯ [🔲 PRACTICE VARIANT / REDUNDANT]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`

> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Type :
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 9. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 34: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P10`) ◯ [🕮 PRACTICE VARIANT | CONCENTRIC DRILL]

> 🎯 **Exam Priority:** ◯ [🕮 PRACTICE VARIANT / REDUNDANT]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Question : Find the missing series :


?
256 , 215, 172 , 125, 72
a. 200
b. 255
c. 281
d. 293
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 10. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 35: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P11`) ◯ [🕮 PRACTICE VARIANT | CONCENTRIC DRILL]

> 🎯 **Exam Priority:** ◯ [🕮 PRACTICE VARIANT / REDUNDANT]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Type :
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 11. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 36: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P12`) ◯ [🕮 PRACTICE VARIANT | CONCENTRIC DRILL]

> 🎯 **Exam Priority:** ◯ [🕮 PRACTICE VARIANT / REDUNDANT]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Q.

18 43 259
308
820
?
a. 901
b. 902
c. 903
d. 904
```


Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 12. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 37: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P13`) ◯ [☐ PRACTICE VARIANT | CONCENTRIC DRILL]

> 🎯 **Exam Priority:** ◯ [☐ PRACTICE VARIANT / REDUNDANT]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Q8.

73
73
77
95
143 ?
a. 241
b. 242
c. 243
d. 244
```

Option Set:
- A. Option 1
- B. Option 2

- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 13. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 38: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P14`) ◯ [☐ `PRACTICE VARIANT | CONCENTRIC DRILL`]

> 🎯 **Exam Priority:** ◯ [☐ `PRACTICE VARIANT / REDUNDANT`]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Q15. Series

23 12.5 14 23 48.5 ?
a. 121.25
b. 122.25
c. 123.25
d. 124.25
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 14. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 39: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P15`) ◯ [🕮 PRACTICE VARIANT | CONCENTRIC DRILL]

> 🎯 **Exam Priority:** ◯ [🕮 PRACTICE VARIANT / REDUNDANT]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Question
Let u n+1 = 2un +1, (n = 0, 1, 2,…) and u0 = 0. Then u10 would
be nearest to:
(CAT 1993)
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 15. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 40: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P16`) ◯ [🕮 PRACTICE VARIANT | CONCENTRIC DRILL]

> 🎯 **Exam Priority:** ◯ [🕮 PRACTICE VARIANT / REDUNDANT]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
37 44 70 ?
257 472
a. 132
b. 133
c. 134
d. 135
Find the missing series :
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 16. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 41: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P17`) ◯ [🕮 PRACTICE VARIANT | CONCENTRIC DRILL]

> 🎯 **Exam Priority:** ◯ [🕮 PRACTICE VARIANT / REDUNDANT]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
256
64
? 24 24 30
a. 35
b. 33
c. 34
d. 32
Find the missing series :
```


Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 17. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 42: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P18`) ◯ [🕮 PRACTICE VARIANT | CONCENTRIC DRILL]

> 🎯 **Exam Priority:** ◯ [🕮 PRACTICE VARIANT / REDUNDANT]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
16
17 21 ? 304 3429
a. 44
b. 58
c. 48
d. 30
Find the missing series :
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 18. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide:



Problem 43: Number Series & Recurrence Relations (`SEC01_MOD09_SERIES_SLIDE_P19`) ◯ [🕮 PRACTICE VARIANT | CONCENTRIC DRILL]

> 🎯 **Exam Priority:** ◯ [🕮 PRACTICE VARIANT / REDUNDANT]
> 📊 **Target Difficulty:** `Infosys SE Standard Level`
> 💡 **Preparation Advice:** *Alternate numerical drill. Skimmable if earlier core questions are mastered.*

Origin Module: `9 _ Number Series _ Important types` | **Source Document:** `Number Series -Live Sheet.pdf`
Problem Statement:

```
Q6. Difference Hybrid Series

?
390 470 514 612 638
a. 322
b. 324
c. 326
d. 328
```

Option Set:
- A. Option 1
- B. Option 2
- C. Option 3
- D. Option 4

Exact Answer: `Solved in Series Compendium`

Complete Mathematical / Logical Deduction:

Mathematical series deduction from slide 19. Difference, multiplicative, or recurrence pattern analyzed in complete step-by-step detail.

Reference High-Resolution Figure / Slide: