Coding Decoding

Infosys Systems Engineer (SE) | 5-6 Nov 2026 Drive | 100% Pure SE Verified

Total Questions: 20 | **Total Marks:** 80 | **Duration:** 1500000 Minutes

Section: Coging Decoding

Problem 1 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] PRACTICE VARIANT

ID: Q1 | Source: Infosys PYQ | Level: Infosys SE Standard

In a certain code language, 'OM' is coded as 56 and 'GOT' is coded as 126. How will 'CARD' be coded in that language?

A 104

B 144

C 140

D 142

Verified Answer: ✅ **(B) 144** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** OM = (15+13)*2 = 56 GOT = (7+15+20)*3 = 126 CARD = (3+1+18+14) * 4 = 144

Problem 2 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] PRACTICE VARIANT

ID: Q2 | Source: Infosys PYQ | Level: Infosys SE Standard

If "JUNGLE" is coded as "KVOIMF", how is "FOREST" coded?

A GPQTFV

B GPQTFW

C GPQTFX

D GPQTFU

Verified Answer: ✅ **(D) GPQTFU** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter is shifted forward by 1 position: J→K, U→V, N→O, G→H, L→M, E→F. Similarly, FOREST → F→G, O→P, R→S, E→F, S→T, T→U → GPQTFU.

Problem 3 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q3 Source: Infosys PYQ Level: Infosys SE Standard

If
'MOUSE' is coded as 'KPSTC', what is the
code for 'LIGHT'?

A	JJERI	**B**	JEJRI
C	JJREI	**D**	JJEIR

✓ **Verified Answer:** ✅ **(D) JJEIR** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

Problem 4 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q4 Source: Infosys PYQ Level: Infosys SE Standard

If
"ENERGY" is coded as "257185145", how is
"HOCKEY" coded?

A	255113158	**B**	815311525
C	255311158	**D**	253115815

✓ **Verified Answer:** ✅ **(A) 255113158** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

Problem 5 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

If
'PENCIL' is coded as 'TIRGOK', what is the
code for 'ERASER'?

A	IVWXIW	**B**	IVFXIW
C	IVEWIV	**D**	IVEXIV

✓ **Verified Answer:** ✅ **(C) IVEWIV** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter is shifted forward by 4 places. P → T, E → I, N → R, C → G, I → O, L → K Similarly, E → I, R → V, A → E, S → W, E → I, R →V

Problem 6 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q6 Source: Infosys PYQ Level: Infosys SE Standard

If
A = 1, B = 4, C = 9, D = 16, then what is E?

A	27	**B**	23
C	25	**D**	21

✓ **Verified Answer:** ✅ **(C) 25** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The code follows the square of the position in the alphabet. A = 1^2, B = 2^2, C = 3^2, D = 4^2 E = 5^2 = 25

Problem 7 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q7 Source: Infosys PYQ Level: Infosys SE Standard

If
'ARCHERY' is coded as 'DSBGZSF', what is
the code for 'TERMITE'?

A	SFULFJU	**B**	SFULJUF
C	SFULFUJ	**D**	SFULUJF

✓ **Verified Answer:** ✅ **(C) SFULFUJ** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

Problem 8 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q8 Source: Infosys PYQ Level: Infosys SE Standard

In
a certain code language, 'LEMON' is written as 'ELMNO'. How will
'CLUSTER' be written in that language?

A	CLESRUT	**B**	CELRSTU
C	LUCETRS	**D**	LCUTESR

✓ **Verified Answer:** ✅ **(B) CELRSTU** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Ascending order.

Problem 9 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q9 Source: Infosys PYQ Level: Infosys SE Standard

In
a certain code language, 'SUN' is coded as 26 and 'GPL' is coded
as 11. How will 'SKT' be coded in that language?

A 10	**B** 15
C 20	**D** 25

✓ **Verified Answer:** ✅ **(A) 10** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

Problem 10 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

If
"JUNE" is coded as "5531", how is "JULY"
coded?

A 6631	**B** 7731
C 7332	**D** 7331

✓ **Verified Answer:** ✅ **(D) 7331** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

Problem 11 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q11 Source: Infosys PYQ Level: Infosys SE Standard

If
"CAT" is coded as "91400", how is "DOG"
coded?

A 2251649	**B** 4922516
C 1622549	**D** 1649225

✓ **Verified Answer:** ✅ **(C) 1622549** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

Problem 12 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q12 Source: Infosys PYQ Level: Infosys SE Standard

If
'BEAN' is coded as 'ABNE', 'SALE'
is coded as 'LSEA', what is the code for 'NEWS'?

A WNSE	**B** SWNE
C WSNE	**D** WNES

✓ **Verified Answer:** ✅ **(A) WNSE** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

Problem 13 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q13 Source: Infosys PYQ Level: Infosys SE Standard

If
"APPLE" is coded as "ELPPA", how is "ORANGE"
coded?

A EGNORA	**B** EGNARO
C EGNARA	**D** EGNROA

✓ **Verified Answer:** ✅ **(B) EGNARO** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The word is written in reverse order. APPLE → ELPPA, so ORANGE → EGNARO

Problem 14 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

In
a certain language 'GUST' is coded '@7$2'
and 'SNIP' is coded '$59#'. How will
'SING' be coded in the same code?

A 9$7#	**B** 59#$
C $95@	**D** 7$@9

✓ **Verified Answer:** ✅ **(C) $95@** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

Problem 15 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

If
'NOSTALGIA' is coded as '81', what is the
code for 'FRICTION'?

A 54	**B** 64
C 68	**D** 72

✓ **Verified Answer:** ✅ **(B) 64** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** NOSTALGIA = 9 letters 92=81 FRICTION = 8 letters 82=64

Problem 16 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

If
"GARDEN" is coded as "FZQCDM", how is "FLOWER"
coded?

A EKNVDQ	**B** EKNVQD
C EKNQVD	**D** EKNDVQ

✓ **Verified Answer:** ✅ **(A) EKNVDQ** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter is shifted backward by 1 position in the alphabet: G→F, A→Z, R→Q, D→C, E→D, N→M. Similarly, FLOWER → EKNVDQ

Problem 17 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

In
a certain language 'branches have leafs' is coded
'673', 'trees have branches' is coded
'746' and 'mangoes all trees' is coded
'491'. How will 'tree' be coded in the
same code?

A 9	**B** 1
C 4	**D** 7

✓ **Verified Answer:** ✅ **(C) 4** **Step-by-Step Explanation & Derivation:** Detailed step-by-step deduction provided in solutions compendium.

Problem 18 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

If
in a code language "EXAMINATION" is written as "125"
then how will “HARDWORK” be written in that language?

A 68	**B** 86
C 89	**D** 98

✓ **Verified Answer:** ✅ **(D) 98** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The logic followed here is: Logic: Sum of the positional value of letter. For, "EXAMINATION" is written as "125" 5+24+1+13+9+14+1+20+9+15+14 = 125 Similarly, HARDWORK = 8+1+18+4+23+15+18+11 = 98.

Problem 19 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

If "PENCIL" is coded as "RGPEKN", how is "PAPER" coded?

A RCRGT	**B** RCRGS
C RCRGU	**D** RCRGV

✓ **Verified Answer:** ✅ **(A) RCRGT** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter is shifted forward by 2 positions in the alphabet. P→R, A→C, P→R, E→G, R→T.

Problem 20 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

In
a code language, if SEND is written as 168, then how will PURSE be
written in the same language?

A 225	**B** 395
C 185	**D** 415

✓ **Verified Answer:** ✅ **(B) 395** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** SEND = (19+5+14+4)*4=168 PURSE = (16+21+18+19+5)*5=395