Data Sufficiency

Infosys Systems Engineer (SE) | 5-6 Nov 2026 Drive | 100% Pure SE Verified

Total Questions: 20 | **Total Marks:** 80 | **Duration:** 1500000 Minutes

Section: Data Sufficiency

Problem 1 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] PRACTICE VARIANT

ID: Q1 | Source: Infosys PYQ | Level: Infosys SE Standard

How
many students are in the class?
Statements:
I.
Ramesh is ranked 12th from the top.
II.
Suresh is ranked 8th from the bottom.
III.
There are 5 students between Ramesh and Suresh.

A Only

B Only

C Only

D All

E Even

Verified Answer: (D) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From Statement I, Ramesh is 12th from the top. From Statement III, there are 5 students between Ramesh and Suresh, meaning Suresh's rank from the top is 18th. From Statement II, Suresh is 8th from the bottom. Since Suresh is 18th from the top and 8th from the bottom, the total number of students = 18 + 8 - 1 = 25. All three statements together are required to determine the total number of students.

Problem 2 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q2 Source: Infosys PYQ Level: Infosys SE Standard

Question:
Who among P, Q, T, V and M is exactly in the middle when they are arranged in ascending order of their heights ?
Statements:
I.
V is taller than Q but shorter than M.
II.
T is taller than Q and M but shorter than P.

A I
B II
C Either
D Neither
E Both

✓ **Verified Answer:** (E) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From I, we have: M > V > Q. From II, we have: T > Q, T > M, P > T. Combining the above two, we have: P>T>M>V>Q i.e. Q Clearly, M is in the middle.

Problem 3 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q3 Source: Infosys PYQ Level: Infosys SE Standard

Question:
How is 'DATE' written in the code language ?
Statements:
I.
DEAR is written as $#@? in that code.
II.
TREAT is written as %?#@% in that code.
III.
TEAR is written as %#@? in that code.

A Only
B Only
C Only
D All
E Even

✓ **Verified Answer:** (D) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Observing I, II and III, we find that similar letters have similar code symbols at the corresponding places in the code. So, this is direct-coding. Thus, to find the code for DATE, we need the code for D which can be obtained from I only (i.e. $.) and the codes for A, T and E which can be obtained either from II or III (@, # and % respectively).

Problem 4 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] PRACTICE VARIANT

ID: Q4 Source: Infosys PYQ Level: Infosys SE Standard

What
is the total salary of A and B?
Statements:
I.
A's salary is ₹10,000 more than B's salary, and
B's salary is ₹40,000.
II.
The difference between A's and B's salary is ₹10,000.

A I

B II

C Either

D Neither

E Both

Verified Answer: (A) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Statement 1: A's salary = 40,000 + 10,000 = ₹50,000 Total Salary= 50,000 + 40,000 = ₹90,000 So, total salary is determined from statement I only.

Problem 5 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] PRACTICE VARIANT

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

How
many pencils does the shopkeeper sells on Sunday ?
I.
On Sunday he sold 12 more pencils than he sold the previous day
II.
He sold 28 pencils each on Thursday and Saturday

A I

B II

C Either

D Neither

E Both

Verified Answer: (E) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 28+12 = 40

Problem 6 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q6 | Source: Infosys PYQ | Level: Infosys SE Standard

What
is the position of A from the left end of row?
I.
In a row having 15 people, A is sitting second to the right of B who is sitting at twelfth position from the right end of row.
II.
In a row of 20 people, C will take the eighth position from the right end of row if C and A interchange their respective positions.

A I
B II
C Either
D Neither
E Both

✓ **Verified Answer:** (C) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From Statement I, B is 12th from the right end, so A is 10th from right end so (15-10+1) 6th from left end. From statement II, C is 8th from right end means before changing positions, A was at 8th position from right, so (20-8+1) = 13th from left end.

Problem 7 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q7 | Source: Infosys PYQ | Level: Infosys SE Standard

What
is the total salary of A and B together?
Statements:
I.
A's salary is 20% more than B's salary.
II.
B's salary is ₹40,000.
III.
A's salary is ₹48,000.

A Only
B Only
C Only
D All
E Even

✓ **Verified Answer:** (B) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Statement II: B's salary = ₹40,000. Statement III: A's salary = ₹48,000. Total salary = ₹40,000 + ₹48,000 = ₹88,000. Statement I is unnecessary since we already have exact values.

Problem 8 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q8 | Source: Infosys PYQ | Level: Infosys SE Standard

What
is the total monthly salary of Ramesh?
Statements:
I.
Ramesh's basic salary is ₹40,000, and his total salary
includes HRA and allowances.
II.
HRA is 30% of the basic salary, and allowances are ₹12,000.

A I

B II

C Either

D Neither

E Both

✓ **Verified Answer:** (E) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From statement I, we know the basic salary is ₹40,000. From statement II, we know HRA = 30% of ₹40,000 = ₹12,000 and allowances = ₹12,000. Thus, total salary = ₹40,000 + ₹12,000 + ₹12,000 = ₹64,000. So, both statements together are sufficient.

Problem 9 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q9 | Source: Infosys PYQ | Level: Infosys SE Standard

In
which year was Sanjay born?
Statements:
I.
Sanjay is six years older than Gopal.
II.
Gopal's brother was born in 1982.
III.
Sanjay's brother is two years younger than Gopal's brother who was
eight years younger than Gopal.

A Only

B Only

C Only

D All

E Even

✓ **Verified Answer:** (D) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From Statement II, Gopal's brother was born in 1982. From Statement III, Sanjay's brother is two years younger than Gopal's brother → Born in 1984. Gopal's brother was 8 years younger than Gopal, so Gopal was born in 1974. From Statement I, Sanjay is 6 years older than Gopal, so he was born in 1968. All three statements together are required to determine the birth year of Sanjay.

Problem 10 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

What
is the present age of Sunita?
Statements:
I.
Five years ago, Sunita's age was half of what it will be in 10
years.
II.
The difference between Sunita's present age and twice her age five
years ago is 10 years.

A I
B II
C Either
D Neither
E Both

✓ **Verified Answer:** (C) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From statement I: Let Sunita's present age be x. Five years ago, her age was (x - 5). In 10 years, her age will be (x + 10). Given: (x - 5) = ½ (x + 10) Solving for x, we get x = 20. From statement II: Let Sunita's age be x. Twice her age five years ago = 2(x - 5). Given: x - 2(x - 5) = 10 Solving for x, we get x = 20.

Problem 11 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q11 Source: Infosys PYQ Level: Infosys SE Standard

Question:
How many children does M have ?
Statements:
I.
H is the only daughter of X who is wife of M.
II.
K and J are brothers of M.

A I
B II
C Either
D Neither
E Both

✓ **Verified Answer:** (D) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From I, we conclude that H is the only daughter of M. But this does not indicate that M has no son. The information given in II is immaterial.

Problem 12 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q12 Source: Infosys PYQ Level: Infosys SE Standard

3.
Is number X an even number?
Statements:
I.
X is divisible by 4.
II.
X is a multiple of 6.

A	I	**B**	II
C	Either	**D**	Neither
E	Both		

✓ **Verified Answer:** (C) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From statement I: If X is divisible by 4, then X is definitely even. So, statement I alone is sufficient. From statement II: If X is a multiple of 6, X could be 12, 18, 24, 30, ... (all even).

Problem 13 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q13 Source: Infosys PYQ Level: Infosys SE Standard

Can
a water tank of 2500 litres capacity be filled by two inlet pipes
A and B together in less than 8 hours?
I.
If pipe A is opened alone then it takes 12 hours to fill the tank.
II.
Pipe B can fill 1 litres of water per minute.

A	I	**B**	II
C	Either	**D**	Neither
E	Both		

✓ **Verified Answer:** (E) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From the statement I, the efficiency of pipe A per hour = 2500/12 = 625/3 litres per hour From the statement II, the efficiency of pipe B = 1 × 60 = 60 litres per hour Pipe A and B together will fill in 1 hour = 625/3 + 60 = 805/3 litres per hour The time it will take to fill 2500 litres of water = more than 8 hours, therefore answer will be no Therefore, the data in both the statements I and II together is necessary to answer the question

Problem 14 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

What
is the speed of a train?
Statements:
I.
The train crosses a pole in 8 seconds.
II.
The train is 200 meters long.

A I
B II
C Either
D Neither
E Both

✓ **Verified Answer:** (E) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Speed = Distance / Time. From statement I, we know time = 8 seconds, but we don't know the distance. From statement II, we know the length of the train is 200 meters. Using both together: Speed = 200 / 8 = 25 m/s. So, both statements together are sufficient.

Problem 15 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

What
is the code for "WORLD" in a certain coding language?
Statements:
I.
"HELLO" is coded as "IFMMP".
II.
"NIGHT" is coded as "OJHIU".
III.
The coding follows a pattern where each letter is replaced by the next letter in the English alphabet.

A Only
B Only
C Only
D All
E Even

✓ **Verified Answer:** (C) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Statement I: Shows how "HELLO" is coded as "IFMMP". Statement II: Shows how "NIGHT" is coded as "OJHIU". Statement III: Confirms the pattern → Each letter is replaced by the next letter. Applying this pattern to WORLD: W → X O → P R → S L → M D → E So, "WORLD" = "XPSME". Statements I and III together are sufficient.

Problem 16 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

What
is the sum of the angles of a triangle?
I.
One of the angles of the triangle is 60 degrees.
II.
The triangle is an equilateral triangle.

A	I	**B**	II
C	Either	**D**	Neither
E	Both		

✓ **Verified Answer:** (B) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Step 1: Checking Statement I It only tells us that one of the angles is 60 degrees, but it does not give information about the sum of all angles. However, the sum of the angles in any triangle is always 180 degrees, which is a known fact. Statement I alone is NOT sufficient, as it does not help determine whether the general rule of 180° holds. Step 2: Checking Statement II An equilateral triangle has all three angles equal to 60 degrees. Since we know it's a triangle, its angles must sum to 180 degrees by definition. Statement II alone is sufficient, as it confirms the sum of angles.

Problem 17 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

What
is the value of X?
Statements:
I.
X is an even number.
II.
X is a multiple of 4 and lies between 10 and 20.

A	I	**B**	II
C	Either	**D**	Neither
E	Both		

✓ **Verified Answer:** (D) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Statement 1: X is even → Possible values: any even number (not sufficient). Statement 2: X is a multiple of 4 and lies between 10 and 20 → Possible values: 12, 16 (not unique). Even together, we can't determine a unique value.

Problem 18 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

On
which day of the week did Raman leave for Dubai ?
I.
Raman didn't leave for Dubai during the weekend.
II.
Raman's brother left for Dubai on Friday 2 days after Raman
left for Dubai

A I
B II
C Either
D Neither
E Both

✓ **Verified Answer:** (B) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From Statement II: Raman's brother left on Friday, 2 days after Raman → So Raman left on Wednesday. Statement I only tells us Raman didn't leave on the weekend but doesn't determine the exact day. Thus, Statement II alone is sufficient.

Problem 19 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

Five
persons - A, B, C, D and E are sitting in a row. Who is sitting in
the middle?
Statements:
I.
B is between E and C.
II.
B is to the right of E.
III.
D is between A and E.

A Only
B Only
C Only
D All
E Even

✓ **Verified Answer:** (D) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** From I, the order is : E, B, C or C, B, E. From II, the order is : E, B. From III, the order is : A, D, E. Combining the above three, we get the order as : A, D, E, B, C. Clearly, E is sitting in the middle.

Problem 20 • [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

What
is the speed of a train?
Statements:
I.
The train crosses a 240-meter platform in 12 seconds.
II.
The length of the train is 120 meters.

A I

B II

C Either

D Neither

E Both

✓ **Verified Answer:** (E) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Statement 1: Distance covered = Train length + Platform length = 120 + 240 = 360 meters Speed = 360/12 = 30 m/s So, speed is determined. Statement 2: Only gives train length, which is not enough to calculate speed.