INFOSYS SE ASSESSMENT 2026 • OFFICIAL PREPARATION VAULT

Inequalities - Questions & Detailed Solutions

Section: 09_Mock_Test_Series | Drive Date: 5th & 6th November 2026 | Status: 100% Solved & Verified

Inequalities - Questions & Detailed Solutions

Total Questions: 20 | **Total Marks:** 80

Section: Inequalities

Question 1

Statements:
D

> C, A > B > C, D > E > F,
> Conclusions:
> I.
> E > C
> II.
> F > B

Options:

- (A) Only
  conclusion I is valid.
- (B) Only
  conclusion II is valid.
- (C) Either
  conclusion I or II is valid.
- ✅ **(D) Neither**
  conclusion I nor II is valid. *(Correct Answer)*
- (E) Both
  the conclusion I and II are valid.

Correct Answer: (D)

Explanation / Solution:
A

B > C < D > E > F
I.
Not follow
II.
Not follow

Question 2

Statements:
L≤W≤M = J, W = K
Conclusions:
I.
M>K
II.
L = K

Options:

- (A) Only
  conclusion I is valid.
- (B) Only
  conclusion II is valid.
- (C) Either
  conclusion I or II is valid.
- ✅ **(D) Neither**
  conclusion I nor II is valid. *(Correct Answer)*
- (E) Both
  the conclusion I and II are valid.

Correct Answer: (D)

Explanation / Solution:
Conclusion
I: M>K (False) → Given W=K and W≤M, we get K≤M, but
M could be equal to K, not necessarily greater.
Conclusion
II: L=K (False) → Given L≤W and W=K, we get L≤K, but L
could be less than K, not necessarily equal.

Question 3

What
should be placed in place of question mark in equation B ≤ A ?N
?K ?S to make A > K definitely true.

Options:

- ✅ **(A) =,

  > , ≥** *(Correct Answer)*

- (B) =,
  ≥,>
- (C) <,
  <,<
- (D) <,
  <,=
- (E) None

Correct Answer: (A)

Explanation / Solution:
B≤A=N>K≥S
Since
A=N and N>K, we get A>K, which is definitely true.
Thus,
option (a) is correct.

Question 4

Statement:
3 ≥ 9 < 7 ≤ 10 = 2 ≤ 6
Conclusions:
I.
6 > 9
II.
9 ≤ 2

Options:

- ✅ **(A) Only**
  conclusion I is valid. *(Correct Answer)*
- (B) Only
  conclusion II is valid.
- (C) Either
  conclusion I or II is valid.
- (D) Neither
  conclusion I nor II is valid.
- (E) Both
  the conclusion I and II are valid.

Correct Answer: (A)

Explanation / Solution:
Checking
conclusion I: 6 > 9
From
the given statement, we get:
While
moving from 6 towards 9, the common sign of inequalities is '>'
and the given conclusions is also '6 > 9'. Clearly, C1 follows.
Checking
conclusion II: 9 ≤ 2
In
the statement 9 < 7 ≤ 10 = 2, the common sign of
inequalities between 9 and 2 is '<' whereas the given
conclusion is '9 ≤ 2'. Therefore, C2 doesn't follow.

Question 5

A
@ B means 'A is not less than B'
A
$ B means 'A is not more than B'
A

B means 'A is neither less nor more than B'

A
* B means 'A is neither more than nor equal to B'
A
% B means 'A is neither less than nor equal to B'
Statements

R#M$X*T%W@B*
Conclusions
:
*I.M*W
II.
T@M

Options:

- (A) Only
  conclusion I is valid.
- (B) Only
  conclusion II is valid.
- (C) Either
  conclusion I or II is valid.

- ✅ **(D) Neither**
  conclusion I nor II is valid. *(Correct Answer)*
- (E) Both
  the conclusion I and II are valid.

Correct Answer: (D)

Explanation / Solution:
For
conclusion I:
We
can clearly see the opposite sign persisting between M and W ,
thus no relationship between them can be established.
Hence
conclusion I does not follow.
For
conclusion II:
The
common sign between M and T is '<', thus M < T or T > M
is the actual relationship.
Hence
conclusion II does not follow

Question 6

Statements:
M>N,
N≥O, O>P
Conclusions:
I.
M>O
II.
N>P

Options:

- (A) Only
  conclusion I is valid.
- (B) Only
  conclusion II is valid.
- (C) Either
  conclusion I or II is valid.
- (D) Neither
  conclusion I or II is valid.
- ✅ **(E) Both**
  the conclusion I and II are valid. *(Correct Answer)*

Correct Answer: (E)

Explanation / Solution:
Since
M>N and N≥O, we can conclude M>O, so Conclusion I is
true.
Also,
since N≥O and O>P, we get N>P, so Conclusion II is true.

Question 7

Statements:
Y
≥ W = N; N ≥ M
Conclusions:
I.
Y > M
II.
Y = M

Options:

- (A) Only
  conclusion I is valid.
- (B) Only
  conclusion II is valid.
- ✅ **(C) Either**
  conclusion I nor II is valid. *(Correct Answer)*
- (D) Neither
  conclusion I or II is valid.
- (E) Both
  the conclusion I and II are valid.

Correct Answer: (C)

Explanation / Solution:
Y
≥ W = N; N ≥ M
I.
Y > M
II.
Y = M
So
either conclusion I or II is follow

Question 8

Some
friends were discussing about their savings.
M
says that his savings are not more than that of W.
W
says that his savings are neither less than nor equal to S.
S
says that his savings are not less than O, who is not the least
saver.
T
says that his savings are less than M but not less than P.
P
says that his savings are less than M.
Who
among the following is the highest saver?

Options:

- ✅ **(A) W** *(Correct Answer)*
- (B) S
- (C) O
- (D) P
- (E) None

Correct Answer: (A)

Explanation / Solution:
The
following equation can be drawn from the given hints.
P
≤ T < M ≤ W > S ≥ O

Question 9

Some
friends were discussing about their savings.
M
says that his savings are not more than that of W.
W
says that his savings are neither less than nor equal to S.
S
says that his savings are not less than O, who is not the least
saver.
T
says that his savings are less than M but not less than P.

P
says that his savings are less than M.
P's
savings are less than how many people?

Options:

- (A) 1
- (B) 2
- (C) 3
- (D) 4
- ✅ **(E) More than 4** *(Correct Answer)*

Correct Answer: (E)

Explanation / Solution:
The
following equation can be drawn from the given hints.
P
≤ T < M ≤ W > S ≥ O

Question 10

Statement:
M ≥ P < H, V > T = M
Conclusions:
I.
V > P
II.
T ≥ H

Options:

- ✅ **(A) Only conclusion I is valid.** *(Correct Answer)*
- (B) Only conclusion II is valid.
- (C) Either conclusion I or II is valid.
- (D) Neither conclusion I nor II is valid.
- (E) Both the conclusion I and II are valid.

Correct Answer: (A)

Explanation / Solution:
M

≥ P < H ..... (i)
V

> T = M ..... (ii)
> Combining
> all statements, we get
> V
> T = M ≥ P < H
> Thus,
> V > P is true.
> Again,
> T ≥ H is not true.

Question 11

Statements:
F ≤ L > T, N = O ≥ P, F > Q > S
Conclusions:
I.
L > T
II.
F > S

Options:

- (A) Only
  conclusion I is valid.
- (B) Only
  conclusion II is valid.
- (C) Either
  conclusion I or II is valid.
- (D) Neither
  conclusion I nor II is valid.
- ✅ **(E) Both**
  the conclusion I and II are valid. *(Correct Answer)*

Correct Answer: (E)

Explanation / Solution:
Conclusion
I: L>T (True) → Given L>T, this is directly true.
Conclusion
II: F>S (True) → Given F>Q>S, we get F>S.

Question 12

Statements:
A>B,
B≥C, C>D, DD
II.
C>E

Options:

- ✅ **(A) Only**
  conclusion I is valid. *(Correct Answer)*
- (B) Only
  conclusion II is valid.
- (C) Either
  conclusion I or II is valid.
- (D) Neither
  conclusion I nor II is valid.
- (E) Both
  the conclusion I and II are valid.

Correct Answer: (A)

Explanation / Solution:
From
A>B and B≥C, we get A>C.
From
C>D, we get A>D, so Conclusion I is true.
However,
we cannot compare C and E directly, so Conclusion II is false.

Question 13

Some
friends were discussing about their savings.
M
says that his savings are not more than that of W.
W
says that his savings are neither less than nor equal to S.
S
says that his savings are not less than O, who is not the least
saver.
T
says that his savings are less than M but not less than P.
P
says that his savings are less than M.
Which

of the following statements is correct?
I.
O's savings are not more than W.
II.
M's savings are not more than W.
III.
P's savings are not more than W.

Options:

- (A) Only
  conclusion I is valid.
- ✅ **(B) Only**
  conclusion II is valid. *(Correct Answer)*
- (C) Only
  conclusion III is valid.
- (D) Neither
  conclusion I nor II is valid.
- (E) All
  conclusions are valid.

Correct Answer: (B)

Explanation / Solution:
The
following equation can be drawn from the given hints.
P
≤ T < M ≤ W > S ≥ O

Question 14

'A
© B' means 'A is either smaller than or equal to
B.'
'A
% B' means 'A is neither smaller than nor equal to B.'
'A
@ B' means 'A is either greater than or equal to B.'
'A
$ B' means 'A is neither greater than nor equal to B.'
'A

B' means 'A is neither greater than nor smaller than

B.'
Statements:

L @ R, R % T, T # M
Conclusions:
I. M R II. T L

Options:

- (A) Only
  conclusion I is valid.
- (B) Only
  conclusion II is valid.
- (C) Either
  conclusion I or II is valid.
- (D) Neither
  conclusion I nor II is valid.
- ✅ **(E) Both**
  the conclusion I and II are valid. *(Correct Answer)*

Correct Answer: (E)

Explanation / Solution:
Conclusion
I :
Conclusion
II :
Hence,
both Conclusions I and II are true.

Question 15

Statements: M = X < Z ≥ W = N ≤ Q < T ≤ V = U
Conclusions:
I. V ≥ W
II. T >/U

Options:

- (A) Only
  conclusion I is valid.
- ✅ **(B) Only**
  conclusion II is valid. *(Correct Answer)*
- (C) Either
  conclusion I or II is valid.
- (D) Neither
  conclusion I nor II is valid.
- (E) Both
  the conclusion I and II are valid.

Correct Answer: (B)

Explanation / Solution:
Conclusion I: V ≥ W → True because W≤Q<T≤V, so V≥W.
Conclusion II: T >/U → True because T≤V and V=U, so T≤U, meaning T is not greater than U.

Question 16

Statement:
P

> S, P < Q, R ≤ Q, R < T
> Conclusions:
> I.
> Q > S
> II.
> Q = T

Options:

- ✅ **(A) Only**
  conclusion I is valid. *(Correct Answer)*
- (B) Only
  conclusion II is valid.
- (C) Either
  conclusion I or II is valid.
- (D) Neither
  conclusion I nor II is valid.
- (E) Both
  the conclusion I and II are valid.

Correct Answer: (A)

Explanation / Solution:
Conclusion
I: Q>S Given P>S and PP>S So,
Q>S is true
Conclusion
II: Q=T Given R≤Q and R<T, we can infer: Q≥R<T
This
does not guarantee Q=T, so Conclusion II is false

Question 17

'A
© B' means 'A is either smaller than or equal to
B.'
'A

% B’ means ‘A is neither smaller than nor equal to B.’
‘A
@ B’ means ‘A is either greater than or equal to B.’
‘A
$ B’ means ‘A is neither greater than nor equal to B.’
‘A

B’ means ‘A is neither greater than nor smaller than

B.’
Statements:
W $ K, K © G, G @ R
Conclusions:
I.
R $ K
II.
G % W

Options:

- (A) Only
  conclusion I is valid.
- ✅ **(B) Only**
  conclusion II is valid. *(Correct Answer)*
- (C) Either
  conclusion I or II is valid.
- (D) Neither
  conclusion I nor II is valid.
- (E) Both
  the conclusion I and II are valid.

Correct Answer: (B)

Explanation / Solution:
Conclusion
I:
Conclusion
II:
Hence,
only Conclusion II is true.

Question 18

Statement:
P ≤ Q < S = T ≥ U ≥ W < Z
Conclusion:

I.
S > W,
II.
W = T

Options:

- (A) Only
  conclusion I is valid.
- (B) Only
  conclusion II is valid.
- ✅ **(C) Either**
  conclusion I or II is valid. *(Correct Answer)*
- (D) Neither
  conclusion I nor II is valid.
- (E) Both
  the conclusion I and II are valid.

Correct Answer: (C)

Explanation / Solution:
For
conclusion I and II: S > W and W = T
From
the given statement, we get:
S
= T ≥ U ≥ W
Here,
the common sign between S and W is '≥' and the
given conclusions are S > W and W = S.
Moreover,
we are aware that 'S = T' which means we can replace T with S in
conclusion 2.
Hence,
either conclusion I or conclusion II follows.

Question 19

L
≤ O > V = E ≥ S
Which
of the following ones is correct?
1)
L ≤ V 2) O = E 3) O > S 4) S ≥ L

Options:

- (A) Only
  1
- (B) Only
  2
- ✅ **(C) Only**
  3 *(Correct Answer)*
- (D) Only
  3 and 4
- (E) None

Correct Answer: (C)

Explanation / Solution:
L
≤ O > V = E ≥ S
We
can compare O and S. which shows that the option 3rd is correct
because the common symbol between O and S is '>'.

Question 20

A
@ B means 'A is not less than B'
A
$ B means 'A is not more than B'
A

B means 'A is neither less nor more than B'

A
* B means 'A is neither more than nor equal to B'
A
% B means 'A is neither less than nor equal to B'
Statements
V@I#E*D ; N$E%B#F
Conclusions
:
I.
V%F
II.
V@N

Options:

- (A) Only
  conclusion I is valid.

- (B) Only
  conclusion II is valid.
- (C) Either
  conclusion I or II is valid.
- (D) Neither
  conclusion I nor II is valid.
- ✅ **(E) Both**
  the conclusion I and II are valid. *(Correct Answer)*

Correct Answer: (E)

Explanation / Solution:
Conclusions:
I. V > F II. V ≥ N
For
conclusion I:
From
both the statements we get:
V
≥ I = E > B = F
The
common sign between V and F is '>', thus V > F is true.
Hence
conclusion I follows.
For
conclusion II:
From
both the statements we get:
V
≥ I = E ≥ N
The
common sign between V and N is '≥', thus V ≥ N is the actual
relationship.
Hence
conclusion II follows.
