Infosys Full Length Mock Test- 10

🎯 Infosys Systems Engineer (SE) | 🗓️ 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

Total Questions: 63 | **Total Marks:** 76 | **Duration:** 7200000 Minutes

Section: Reasoning

Problem 1 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q1 | Source: Infosys PYQ | Level: Infosys SE Standard

A man walks 10 km west, turns left and walks 8 km, then turns left again and walks 10 km. How far and in which direction is he from the starting point?

A 8 km North	**B** 10 km East
C 8 km South	**D** 18 km West

✓ **Verified Answer:** ✅ **(C) 8 km South** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Path: 10 km West, then left (South) 8 km, then left (East) 10 km. The eastward 10 km cancels the westward 10 km, leaving him 8 km due South of the start.

Problem 2 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q2 | Source: Infosys PYQ | Level: Infosys SE Standard

If the meeting is held on Monday, Kavya will attend it. Kavya did not attend the meeting. Which conclusion follows?

A The meeting was held on Monday	**B** The meeting was not held on Monday
C The meeting may or may not have been on	**D** Kavya never attends meetings

✓ **Verified Answer:** ✅ **(B) The meeting was not held on Monday** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** This is modus tollens: from “If P then Q” and “not Q”, infer “not P”. P = meeting on Monday, Q = Kavya attends. She did not attend, so the meeting was not on Monday.

Problem 3 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q3 Source: Infosys PYQ Level: Infosys SE Standard

Statement: “Book tickets online to
avoid the queue at the counter.” — railway notice.
Assumptions: I. Passengers generally prefer to avoid queues. II.
An online booking facility is available. Which is implicit?

A Only I is implicit	B Only II is implicit
C Both I and II are implicit	D Neither is implicit

✓ **Verified Answer:** ✅ **(C) Both I and II are implicit** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The advice is useful only if people want to skip queues (I) and only if online booking actually exists (II). Both assumptions are implicit.

Problem 4 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q4 Source: Infosys PYQ Level: Infosys SE Standard

If in a certain code, PAPER is written as
16-1-16-5-18 (letter positions in the alphabet), how is PENCIL
written using the same rule?

A 16-5-14-3-9-12	B 16-5-13-3-9-12
C 15-5-14-3-9-12	D 16-5-14-3-8-12

✓ **Verified Answer:** ✅ **(A) 16-5-14-3-9-12** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Use each letter’s serial number: P=16, E=5, N=14, C=3, I=9, L=12. So PENCIL → 16-5-14-3-9-12.

Problem 5 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

If 15 August 2023 was a Tuesday, what day of
the week was 15 August 2024?

A Wednesday	B Thursday
C Friday	D Saturday

✓ **Verified Answer:** ✅ **(B) Thursday** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 2024 is a leap year and 29 February 2024 falls between the two dates, so the gap is 366 days = 52 weeks + 2 extra days. Tuesday + 2 = Thursday.

Problem 6 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q6 Source: Infosys PYQ Level: Infosys SE Standard

Find the wrong number in the series: 2, 6, 12, 20, 30, 42, 56, 70

A 42
B 56
C 70
D 30

✓ **Verified Answer:** ✅ **(C) 70** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The intended pattern is n(n+1): 1×2=2, 2×3=6, 3×4=12, 4×5=20, 5×6=30, 6×7=42, 7×8=56, 8×9=72. The last term should be 72, so 70 is wrong.

Problem 7 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q7 Source: Infosys PYQ Level: Infosys SE Standard

Pointing to a photograph of a girl, Rohan said, “She is the daughter of the only son of my grandfather.” How is the girl related to Rohan?

A Cousin
B Daughter
C Sister
D Niece

✓ **Verified Answer:** ✅ **(C) Sister** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The only son of Rohan’s grandfather is Rohan’s father. The daughter of Rohan’s father is Rohan’s sister.

Problem 8 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q8 Source: Infosys PYQ Level: Infosys SE Standard

Five friends A, B, C, D and E sit in a row facing north. A sits second to the left of C. B sits at one extreme end. D sits between B and A. E does not sit at an extreme end. Who sits at the extreme right?

A A
B B
C C
D E

✓ **Verified Answer:** ✅ **(C) C** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** B occupies the left end (position 1). D between B and A forces B, D, A. A second to the left of C places C at position 5. E takes position 4. Arrangement: B D A E C. Extreme right is C.

Problem 9 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q9 Source: Infosys PYQ Level: Infosys SE Standard

Choose the pair that has the same relationship as Surgeon : Scalpel.

A Teacher : Classroom

B Author : Novel

C Sculptor : Chisel

D Farmer : Crop

✓ **Verified Answer:** ✅ **(C) Sculptor : Chisel** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A scalpel is the primary tool a surgeon works with. A chisel is the primary tool a sculptor works with. The other options are workplace, product, or output — not tool.

Problem 10 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

Find the next number in the series: 5, 11, 24, 51, 106, ?

A 215

B 217

C 221

D 225

✓ **Verified Answer:** ✅ **(B) 217** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each term is formed as (previous × 2) plus an increasing integer: 5×2+1 = 11, 11×2+2 = 24, 24×2+3 = 51, 51×2+4 = 106. The next term is 106×2+5 = 217.

Problem 11 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q11 Source: Infosys PYQ Level: Infosys SE Standard

Find the next letter in the series: C, F, J, O, U, ?

A Z

B A

C B

D Y

✓ **Verified Answer:** ✅ **(C) B** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Letter positions: C=3, F=6, J=10, O=15, U=21. The gaps are +3, +4, +5, +6. The next gap is +7, so 21+7 = 28. Wrapping the alphabet (28−26 = 2) gives B.

Problem 12 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q12 Source: Infosys PYQ Level: Infosys SE Standard

At what time between 4 and 5 o'clock are the hands of a clock at right angles for the later of the two occasions?

A 4:32	**B** 4:38 2/11 min
C 4:40	**D** 4:42 8/11 min

✓ **Verified Answer:** ✅ **(B) 4:38 2/11 min** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Use |30H − 5.5M| = 90 with H = 4. This gives 5.5M = 30 or 5.5M = 210, so M = 5 5/11 or M = 38 2/11. The later occasion is 4:38 2/11 minutes.

Problem 13 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q13 Source: Infosys PYQ Level: Infosys SE Standard

If FRUIT is written as HTWKV (each letter shifted two places forward), how is APPLE written in the same code?

A CRRNG	**B** CRQNG
C BRRNG	**D** CRRNF

✓ **Verified Answer:** ✅ **(A) CRRNG** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Shift every letter +2 in the alphabet: A→C, P→R, P→R, L→N, E→G. The code is CRRNG.

Problem 14 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

Statements: All roses are flowers. Some flowers fade quickly. Conclusions: I. Some roses fade quickly. II. All flowers are roses. Which conclusion(s) follow?

A Only I follows	**B** Only II follows
C Both follow	**D** Neither I nor II follows

✓ **Verified Answer:** ✅ **(D) Neither I nor II follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "Some flowers fade quickly" need not include the subset of flowers that are roses, so I is not definite. II reverses a universal statement and does not follow. Neither conclusion is certain.

Problem 15 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

In a class of 50 students, Amit is 12th from the top. There are 8 students between Amit and Riya, and Riya's rank from the top is better than Amit's. What is Riya's rank from the top?

A 2	**B** 3
C 4	**D** 5

✓ **Verified Answer:** ✅ **(B) 3** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Better rank means a smaller position number. Riya's rank = Amit's rank − (students between them) − 1 = 12 − 8 − 1 = 3.

Problem 16 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

If a:b = 3:4 and b:c = 5:6, find a:b:c.

A 3:4:6	**B** 15:20:24
C 15:20:30	**D** 3:5:6

✓ **Verified Answer:** ✅ **(B) 15:20:24** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Make b the same in both ratios. LCM of 4 and 5 is 20. Scale a:b = 3:4 by 5 → 15:20. Scale b:c = 5:6 by 4 → 20:24. Combined ratio a:b:c = 15:20:24.

Problem 17 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

A train 180 m long is running at 54 km/h. How long will it take to pass a pole?

A 10 seconds	**B** 12 seconds
C 15 seconds	**D** 18 seconds

✓ **Verified Answer:** ✅ **(B) 12 seconds** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Speed = 54 × 5/18 = 15 m/s. Time to pass a pole = length / speed = 180 / 15 = 12 seconds.

Problem 18 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

Find the remainder when 3^25 is divided by 5.

A 1

B 2

C 3

D 4

✓ **Verified Answer:** ✅ **(C) 3** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Powers of 3 modulo 5 cycle every 4: 3, 4, 2, 1. Since 25 = 4×6 + 1, the remainder is the 1st residue in the cycle, which is 3.

Problem 19 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

Find the compound interest on ₹5000 for 2 years at 10% per annum, compounded annually.

A ₹1000

B ₹1050

C ₹1100

D ₹1200

✓ **Verified Answer:** ✅ **(B) ₹1050** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** CI = P[(1 + R/100)^n − 1] = 5000[(1.10)^2 − 1] = 5000 × 0.21 = ₹1050.

Problem 20 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

A can finish a work in 15 days and B can finish the same work in 10 days. In how many days will they finish the work if they work together?

A 5 days

B 6 days

C 7.5 days

D 8 days

✓ **Verified Answer:** ✅ **(B) 6 days** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A's 1-day work = 1/15, B's 1-day work = 1/10. Together = 1/15 + 1/10 = 1/6. So they finish the work in 6 days.

Problem 21 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q21 Source: Infosys PYQ Level: Infosys SE Standard

Two fair dice are thrown together. What is the probability of getting a sum of 7?

A 1/12

B 1/8

C 1/6

D 5/36

✓ **Verified Answer:** ✅ **(C) 1/6** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Favourable outcomes: (1,6), (2,5), (3,4), (4,3), (5,2), (6,1) — 6 outcomes. Total outcomes = 36. Probability = 6/36 = 1/6.

Problem 22 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q22 Source: Infosys PYQ Level: Infosys SE Standard

A number is first increased by 20% and then decreased by 20%. What is the net percentage change?

A No change

B 4% increase

C 4% decrease

D 2% decrease

✓ **Verified Answer:** ✅ **(C) 4% decrease** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Net multiplying factor = 1.20 × 0.80 = 0.96. This is a 4% decrease from the original value.

Problem 23 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q23 Source: Infosys PYQ Level: Infosys SE Standard

A shopkeeper marks an article 25% above the cost price and then gives a discount of 10%. Find his profit percentage.

A 10%

B 12%

C 12.5%

D 15%

✓ **Verified Answer:** ✅ **(C) 12.5%** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Take CP = 100. Marked price = 125. After 10% discount, SP = 125 × 0.90 = 112.5. Profit = 12.5%.

Problem 24 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q24 Source: Infosys PYQ Level: Infosys SE Standard

The length of a rectangle is increased by 20% and the breadth is decreased by 10%. What is the percentage change in its area?

A	8% increase	B	8% decrease
C	10% increase	D	No change

✓ **Verified Answer:** ✅ **(A) 8% increase** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** New area factor = 1.20 × 0.90 = 1.08. The area increases by 8%.

Problem 25 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q25 Source: Infosys PYQ Level: Infosys SE Standard

The HCF and LCM of two numbers are 18 and 252 respectively. If one number is 36, find the other number.

A	108	B	126
C	144	D	162

✓ **Verified Answer:** ✅ **(B) 126** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Product of the two numbers = HCF × LCM = 18 × 252 = 4536. Other number = 4536 / 36 = 126.

Problem 26 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q26 Source: Infosys PYQ Level: Infosys SE Standard

Refer to the passage in Question 1.
According to the passage, new joiners learn more slowly when they work remotely because they

A	are given fewer software tools than office	B	spend too much time commuting
C	cannot observe experienced colleagues	D	refuse to follow hybrid schedules

✓ **Verified Answer:** ✅ **(C) cannot observe experienced colleagues** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage states directly that new joiners learn less quickly when they cannot observe experienced colleagues.

Problem 27 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q27 Source: Infosys PYQ Level: Infosys SE Standard

Choose the word most opposite in meaning to "scarce."

A Rare

B Limited

C Abundant

D Insufficient

✓ **Verified Answer:** ✅ **(C) Abundant** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Scarce means in short supply. Abundant means present in large quantity. The other three are near-synonyms of scarce.

Problem 28 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q28 Source: Infosys PYQ Level: Infosys SE Standard

Arrange the sentences to form a coherent paragraph. P: Customers then wait longer, and complaints rise. Q: A single outdated instruction can stop a whole assembly line. R: Factories therefore treat documentation as part of daily operations, not as extra paperwork. S: Shop-floor work depends on clear, current instructions.

A S Q P R

B Q S R P

C S P Q R

D R S Q P

✓ **Verified Answer:** ✅ **(A) S Q P R** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** S sets the general point. Q gives a specific failure. P shows the customer effect. R states the policy response. Order: S Q P R.

Problem 29 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q29 Source: Infosys PYQ Level: Infosys SE Standard

Arrange the sentences to form a coherent paragraph. P: Over time, that habit lowers the quality of group decisions. Q: People stay silent in meetings when they fear looking uninformed. R: Leaders can reduce the fear by asking for dissent and thanking people who raise risks. S: Useful objections then never reach the table.

A Q S P R

B Q P R S

C R Q S P

D S Q P R

✓ **Verified Answer:** ✅ **(A) Q S P R** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q names the behaviour. S is the immediate result. P is the longer cost. R offers the remedy. Order: Q S P R.

Problem 30 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q30 | Source: Infosys PYQ | Level: Infosys SE Standard

Choose the grammatically correct sentence.

A Each of the players have received a medal.

B Each of the players has received a medal.

C Each of the player has received a medal.

D Each of the players are received a medal.

✓ **Verified Answer:** ✅ **(B) Each of the players has received a medal.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "Each" is singular, so it takes "has." The plural noun after "of" does not control the verb. "Player" would also be wrong because "each of" needs a plural noun.

Problem 31 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q31 | Source: Infosys PYQ | Level: Infosys SE Standard

Arrange the sentences to form a coherent paragraph. P: Mentors help them convert that theory into workplace judgement. Q: Campus courses teach programming languages and tools. R: Without that guidance, even strong graduates repeat avoidable mistakes. S: Fresh engineers therefore need both classroom knowledge and supervised practice.

A Q P S R

B Q S P R

C S Q P R

D P Q R S

✓ **Verified Answer:** ✅ **(B) Q S P R** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q states what campus courses give. S draws the need for both theory and practice. P explains the mentor's role. R warns what happens without it. Order: Q S P R.

Problem 32 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q32 | Source: Infosys PYQ | Level: Infosys SE Standard

Refer to the passage in Question 1. The author suggests that hybrid models succeed mainly because of

A expensive video-conferencing software

B a complete ban on work-from-home days

C clear norms for meeting, documenting and

D longer commuting hours

✓ **Verified Answer:** (C) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The last sentence says success depends less on software tools than on clear norms for meetings, documentation and inclusion.

Problem 33 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q33 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Remote
work, once treated as an emergency arrangement, has become a lasting feature of the information-technology industry. Firms discovered that many roles can be performed without a shared office, and employees valued the time saved on commuting. Productivity studies, however, present a mixed picture. Individual task completion often improves when people work from home, but collaboration on complex problems tends to slow down. New joiners, in particular, learn less quickly when they cannot observe experienced colleagues. Companies have therefore shifted toward hybrid models: a few fixed office days for teamwork, with the remaining days left flexible. The success of such models depends less on software tools than on clear norms—when to meet, how to document decisions, and how to include people who are not in the room.
What is the
main idea of the passage?

A Remote work has failed and companies should

B Hybrid work is emerging because remote

C Software tools are the main reason hybrid

D New joiners prefer working only from home.

✓ **Verified Answer:** (B) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage notes gains from remote work, then its drawbacks for collaboration and new joiners, and ends with hybrid models plus the need for norms. That balanced shift is the main idea.

Problem 34 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q34 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A She is senior than me in the organisation.

B She is senior to me in the organisation.

C She is senior from me in the organisation.

D She is more senior than I in the

✓ **Verified Answer:** ✅ **(B) She is senior to me in the organisation.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Latin comparatives such as senior, junior, superior and inferior are followed by "to," not "than."

Problem 35 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q35 Source: Infosys PYQ Level: Infosys SE Standard

Fill in the blank: The speaker's argument was so _____ that nobody could find a flaw in it.

A vague	**B** fallible
C watertight	**D** redundant

✓ **Verified Answer:** ✅ **(C) watertight** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Watertight means having no gaps or weaknesses. Vague and fallible suggest weakness; redundant means unnecessarily repeated.

Problem 36 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q36 Source: Infosys PYQ Level: Infosys SE Standard

Refer to the passage in Question 1. In the sentence "Productivity studies, however, present a mixed picture," the phrase "mixed picture" means that

A all studies reached the same negative	**B** the results show both improvement and
C researchers used poor data	**D** productivity cannot be measured at all

✓ **Verified Answer:** (B) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The next sentences explain the mix: individual task completion often improves, but collaboration on complex problems slows down.

Problem 37 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q37 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A The number of applicants have increased this	**B** The number of applicants has increased
C The number of applicant has increased this	**D** A number of applicants has increased this

✓ **Verified Answer:** (B) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "The number of" is singular and takes "has." ("A number of" is plural and would take "have," but that would change the meaning.)

Problem 38 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q38 Source: Infosys PYQ Level: Infosys SE Standard

Refer to the passage in Question 1. Which of the following is true according to the passage?

A	Every IT role still requires a shared	B	Employees did not value the time saved on
C	Individual home-based task work often	D	Hybrid models have no office days at all.

✓ **Verified Answer:** (C) **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage says individual task completion often improves when people work from home. The other options contradict the text.

Problem 39 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q39 Source: Infosys PYQ Level: Infosys SE Standard

Choose the one-word substitute: A person who can use both hands equally well.

A	Ambiguous	B	Ambivert
C	Ambidextrous	D	Amphibious

✓ **Verified Answer:** ✅ **(C) Ambidextrous** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Ambidextrous describes equal skill with both hands. Ambiguous means unclear; ambivert is a personality type; amphibious means living on land and water.

Problem 40 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q40 Source: Infosys PYQ Level: Infosys SE Standard

Choose the correct meaning of the idiom "hit the nail on the head."

A	Cause an accident at work	B	Describe a situation exactly right
C	Finish a task too quickly	D	Blame someone unfairly

✓ **Verified Answer:** ✅ **(B) Describe a situation exactly right** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** To hit the nail on the head is to identify the exact point or say something precisely correct.

Problem 41 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q41 Source: Infosys PYQ Level: Infosys SE Standard

Arrange the sentences to form a coherent paragraph. P: Public transport and cycling lanes make that shift easier. Q: Cities that reduce private-car use also cut air pollution. R: The health gains are largest near busy roads. S: Fewer cars mean lower emissions of fine particles.

A Q S R P

B Q P S R

C S Q R P

D P Q S R

✓ **Verified Answer:** ✅ **(A) Q S R P** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the topic sentence. S explains the mechanism. R adds where the health benefit is strongest. P names the supporting policy. Order: Q S R P.

Problem 42 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q42 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A If I will see him, I will tell him the news.

B If I see him, I will tell him the news.

C If I saw him, I will tell him the news.

D If I would see him, I will tell him the

✓ **Verified Answer:** ✅ **(B) If I see him, I will tell him the news.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** In a first-conditional sentence the if-clause takes the present simple (see), and the main clause takes will + verb.

Problem 43 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q43 Source: Infosys PYQ Level: Infosys SE Standard

Choose the word most similar in meaning to "resilient."

A Fragile

B Flexible and able to recover

C Rigid

D Temporary

✓ **Verified Answer:** ✅ **(B) Flexible and able to recover** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Resilient means able to recover quickly from difficulty. Fragile and rigid are opposites; temporary refers to duration, not recovery.

Problem 44 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q44 Source: Infosys PYQ Level: Infosys SE Standard

Choose the grammatically correct sentence.

A He denied to have stolen the documents.

B He denied having stolen the documents.

C He denied to stealing the documents.

D He denied for stealing the documents.

✓ **Verified Answer:** ✅ **(B) He denied having stolen the documents.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "Deny" is followed by a gerund (having stolen / stealing), not by an infinitive "to have."

Problem 45 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q45 Source: Infosys PYQ Level: Infosys SE Standard

Arrange the sentences to form a coherent paragraph. P: As a result, small errors in data can mislead an entire team. Q: Dashboards are now the first place managers look for answers. R: That is why organisations invest in data-quality checks before they build reports. S: These dashboards summarise large volumes of information in a few charts.

A Q S P R

B P Q R S

C S Q R P

D Q P S R

✓ **Verified Answer:** ✅ **(A) Q S P R** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q introduces dashboards. S explains what they do. P gives the consequence of bad data in that setting. R states the practical response. Order: Q S P R.

Problem 46 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q46 Source: Infosys PYQ Level: Infosys SE Standard

How many times does the loop body run, and what is printed?

```
Integer
i, count
Set
i = 1, count = 0
while
i < 20 do
i
= i * 2
count
= count + 1
end
while
Print
count
```

A 3

B 4

C 5

D 6

✓ **Verified Answer:** ✅ **(C) 5** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Trace i and count: start i=1. Pass 1: i=2, count=1. Pass 2: i=4, count=2. Pass 3: i=8, count=3. Pass 4: i=16, count=4. Pass 5: i=32, count=5. Now i=32 is not less than 20, so the loop stops. Printed value is 5.

Problem 47 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q47 Source: Infosys PYQ Level: Infosys SE Standard

What is the output of the following Pseudo Code? Integer division is used.

```
Integer
a, b
Set
a = 17, b = 5
Print
(a / b) + (a % b)
```

A 3

B 4

C 5

D 7

✓ **Verified Answer:** ✅ **(C) 5** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Integer division: 17 / 5 = 3. Remainder: 17 % 5 = 2. Printed value = 3 + 2 = 5.

Problem 48 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q48 Source: Infosys PYQ Level: Infosys SE Standard

What is the output of the following Pseudo
Code?
Integer
x, i
Set
x = 0
for
i = 1 to 6 do
if
i % 2 == 0 then
continue
end
if
x
= x + i
end
for
Print
x

A 9

B 12

C 16

D 21

✓ **Verified Answer:** ✅ **(A) 9** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** continue skips even values of i. The loop runs i = 1 to 6, so only the odd values 1, 3 and 5 are added. x = 1 + 3 + 5 = 9.

Problem 49 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q49 Source: Infosys PYQ Level: Infosys SE Standard

What value is printed by the following
Pseudo Code?
Function
Mystery(n)
if
n <= 1 then
return
1
end
if
return
n * Mystery(n - 1)
End
Function
Print
Mystery(5)

A 15	**B** 24
C 120	**D** 125

✓ **Verified Answer:** ✅ **(C) 120** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Mystery(n) computes n!. Mystery(5) = 5 × 4 × 3 × 2 × 1 = 120.

Problem 50 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q50 Source: Infosys PYQ Level: Infosys SE Standard

What is printed after the following Pseudo
Code runs?
Integer
a, b
Set
a = 12, b = 8
a
= a + b
b
= a - b
a
= a - b
Print
a, b

A 12 8

B 8 12

C 20 8

D 20 12

✓ **Verified Answer:** ✅ **(B) 8 12** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** This swaps the two values without a third variable. a = 12+8 = 20, b = 20-8 = 12, a = 20-12 = 8. Output: 8 12.

Problem 51 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q51 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
2
5
12
3
6
21
4
7
?

A 28

B 30

C 32

D 36

✓ **Verified Answer:** ✅ **(C) 32** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first × second + 2. 2×5+2=12, 3×6+3=21 wait 18+3=21. first × second + first: 10+2=12, 18+3=21, 28+4=32. Yes first × (second + 1).

Problem 52 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q52 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
21
8
13
34
15
19
47
20
?

A 27 B 25

C 29 D 31

✓ **Verified Answer:** ✅ **(A) 27** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first − second. 21−8=13, 34−15=19, 47−20=27.

Problem 53 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q53 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number in the 3 × 3 grid.
2
5
17
4
3
19
6
4
?

A 28 B 30

C 34 D 36

✓ **Verified Answer:** ✅ **(C) 34** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** In each row, third = first × second + first + second, which is the same as (first + 1)(second + 1) − 1. Row 1: 2×5 + 2 + 5 = 17. Row 2: 4×3 + 4 + 3 = 19. Row 3: 6×4 + 6 + 4 = 34. Check: (6+1)(4+1) − 1 = 34.

Problem 54 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q54 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number in the last row of the grid.

2
3
7
3
4
13
4
5
21
6
7
43
7
8
?

A 54	**B** 56
C 57	**D** 63

✓ **Verified Answer:** ✅ **(C) 57** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** In every row, third = first × second + 1. Check: 2×3+1 = 7, 3×4+1 = 13, 4×5+1 = 21, 6×7+1 = 43. Therefore 7×8+1 = 57.

Problem 55 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q55 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number in the 3 × 3 grid.

39
24
?
76
35
27
58
42
32

A 16	**B** 19
C 21	**D** 24

✓ **Verified Answer:** ✅ **(B) 19** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** In each row, third number = (product of digits of the first number) − (product of digits of the second number). Row 2: 7×6 − 3×5 = 42 − 15 = 27. Row 3: 5×8 − 4×2 = 40 − 8 = 32. Row 1: 3×9 − 2×4 = 27 − 8 = 19. So the missing number is 19.

Problem 56 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q56 Source: Infosys PYQ Level: Infosys SE Standard

Given is the set of four numbers that relate to each other in a certain way. Determine the missing number in the third set. Assume the third set works in the same way as the first and the second set.
Set 1 Set 2 Set 3
5
10
3
6
4
16
2
8
3
15
?
10

A 2 B 3

C 4 D 5

✓ **Verified Answer:** ✅ **(A) 2** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Within each set both rows use the same multiplier k, where right = left × k. Set 1: 5×2 = 10 and 3×2 = 6, so k = 2. Set 2: 4×4 = 16 and 2×4 = 8, so k = 4. Set 3: 3×5 = 15, so k = 5. Then ? × 5 = 10, hence ? = 2.

Problem 57 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q57 Source: Infosys PYQ Level: Infosys SE Standard

Find the next number.
6
13
27
55
111
?

A 221 B 223

C 225 D 227

✓ **Verified Answer:** ✅ **(B) 223** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each term = previous × 2 + 1. 6×2+1=13, 13×2+1=27, 27×2+1=55, 55×2+1=111, 111×2+1=223.

Problem 58 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q58 Source: Infosys PYQ Level: Infosys SE Standard

Identify the part that contains an error:
One of my colleague has gone to the Bangalore office for training.

A	One of my colleague	B	has gone
C	to the Bangalore office	D	No error

✓ **Verified Answer:** ✅ **(A) One of my colleague** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "One of" is always followed by a plural noun. The correct phrase is "one of my colleagues." The verb "has gone" is already singular and agrees with "one."

Problem 59 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q59 Source: Infosys PYQ Level: Infosys SE Standard

Identify the part that contains an error:
The quality of these reports leave much to be desired.

A	The quality of	B	these reports
C	leave much to be desired	D	No error

✓ **Verified Answer:** ✅ **(C) leave much to be desired** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The subject is "quality" (singular), not "reports." The verb must be "leaves," not "leave."

Problem 60 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q60 Source: Infosys PYQ Level: Infosys SE Standard

The intern was accused ____ leaking the test data.

A	for	B	of
C	with	D	to

✓ **Verified Answer:** ✅ **(B) of** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The standard collocation is "accused of" + gerund/noun. "Accused for" is a common error in exam English.

Problem 61 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q61 Source: Infosys PYQ Level: Infosys SE Standard

By next March, the company ____ the new campus in Pune.

A will complete

B will have completed

C has completed

D is completing

Verified Answer: ✅ **(B) will have completed** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** "By next March" marks a deadline in the future. The action will already be finished by that point, so the future perfect "will have completed" is required.

Problem 62 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q62 Source: Infosys PYQ Level: Infosys SE Standard

Neither the team lead nor the developers ____ ready for the client demo.

A is

B are

C was

D has

Verified Answer: ✅ **(B) are** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** With "neither...nor," the verb agrees with the nearer subject. The nearer subject is "developers" (plural), so the correct verb is "are."

Problem 63 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q63 Source: Infosys PYQ Level: Infosys SE Standard

Importance of Environmental Protection

A Type your option

Verified Answer: ✅ **(A) Type your option** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Environmental protection is essential for maintaining a healthy and sustainable life. The environment provides humans with air, water, food, and natural resources. However, pollution, deforestation, and excessive use of resources have created serious environmental challenges. Protecting the environment requires responsible actions from individuals, businesses, and governments. People can contribute by reducing plastic waste, saving water and electricity, planting trees, and using public transport when possible. Proper waste management and recycling can also help reduce pollution. Environmental protection is not only about preserving nature but also about protecting future generations. If natural resources are used without considering their long-term impact, future generations may face shortages and unhealthy living conditions. Education and awareness can encourage people to adopt more environmentally responsible habits. In conclusion, environmental protection is a shared responsibility. Small changes in daily habits, combined with effective environmental policies and sustainable practices, can make a meaningful difference. Protecting nature today can help create a cleaner, healthier, and more sustainable future for everyone.