INFOSYS SE ASSESSMENT 2026 • OFFICIAL PREPARATION VAULT

Infosys Full Length Mock Test- 5 - Questions & Detailed Solutions

Section: 09_Mock_Test_Series | Drive Date: 5th & 6th November 2026 | Status: 100% Solved & Verified

Infosys Full Length Mock Test- 5 - Questions & Detailed Solutions

Total Questions: 60 | **Total Marks:** 76

Section: Reasoning

Question 1

A 3×3 figure series fills one extra cell each step (1 cell, 2 cells, 3 cells). How many filled cells are in step 6?

Options:

- (A) 4
- (B) 5
- ✅ **(C) 6** *(Correct Answer)*
- (D) 8

Correct Answer: (C)

Explanation / Solution:
The count equals the step number. Step 6 has 6 filled cells.

Question 2

In what ratio is profit shared by A and B?
S1: A invested ₹40,000 and B invested ₹60,000 for the same time. S2: The total profit is ₹20,000.

Options:

- ✅ **(A) S1 alone is sufficient, S2 is not** *(Correct Answer)*
- (B) S2 alone is sufficient, S1 is not
- (C) Either alone
- (D) Both needed

Correct Answer: (A)

Explanation / Solution:
Same time, so the ratio is the capital ratio
2 : 3 from S1. The total amount in S2 is not required to find the ratio.

Question 3

Statements: All kernels are programs. Some programs are drivers. No driver is a firmware blob. Conclusions: I. Some kernels are drivers. II. Some programs are not firmware blobs.

Options:

- (A) Only I follows
- ✅ **(B) Only II follows** *(Correct Answer)*
- (C) Both follow
- (D) Neither follows

Correct Answer: (B)

Explanation / Solution:
Kernels sit inside programs but need not meet drivers, so I does not follow. Some programs are drivers, and no driver is a firmware blob, so those programs are not firmware blobs. II follows.

Question 4

Find the missing number.
8
4
2
27
9
3
64
16
?

Options:

- ✅ **(A) 4** *(Correct Answer)*
- (B) 6
- (C) 8
- (D) 2

Correct Answer: (A)

Explanation / Solution:
Each row is a cube, a square, then the root:
2^3, 2^2, 2; 3^3, 3^2, 3; 4^3, 4^2, 4.

Question 5

If A=1, B=2, ... and GAME is coded as
26, the same way TEAM is coded as

Options:

- (A) 36
- (B) 38
- ✅ **(C) 39** *(Correct Answer)*
- (D) 42

Correct Answer: (C)

Explanation / Solution:
GAME = 7+1+13+5 = 26. TEAM = 20+5+1+13 = 39.

Question 6

Find the missing number.
2
7
14
3
8
24
4
9
?

Options:

- (A) 32
- (B) 34
- ✅ **(C) 36** *(Correct Answer)*
- (D) 40

Correct Answer: (C)

Explanation / Solution:
Third = first × second. 2×7=14,
3×8=24, 4×9=36.

Question 7

Who is taller, X or Y? S1: X is taller than Z. S2: Z is taller than Y.

Options:

- (A) S1 alone
- (B) S2 alone
- (C) Either alone
- ✅ **(D) Both together are needed** *(Correct Answer)*

Correct Answer: (D)

Explanation / Solution:
S1 and S2 together give X > Z > Y, so X is taller. Neither statement alone compares X with Y.

Question 8

Statements: Some queues are stacks. All stacks are linear. No linear structure is a graph. Conclusions: I. Some queues are linear. II. No stack is a graph.

Options:

- (A) Only I
- (B) Only II
- ✅ **(C) Both I and II** *(Correct Answer)*
- (D) Neither

Correct Answer: (C)

Explanation / Solution:
Queues that are stacks are linear, so I follows. Every stack is linear and no linear structure is a graph, so no stack is a graph. Both follow.

Question 9

If FILTER is coded as GJMUFS, how is BUFFER coded?

Options:

- ✅ **(A) CVGGFS** *(Correct Answer)*
- (B) ATGEDQ
- (C) CVHGFS
- (D) BWGGFS

Correct Answer: (A)

Explanation / Solution:
Every letter moves one step forward. BUFFER
→ C V G G F S.

Question 10

What is the average of x and y? S1: x + y =
40. S2: x − y = 8.

Options:

- ✅ **(A) S1 alone is sufficient, S2 is not** *(Correct Answer)*
- (B) S2 alone is sufficient, S1 is not
- (C) Either alone is sufficient
- (D) Both are needed

Correct Answer: (A)

Explanation / Solution:
Average = (x+y)/2. S1 gives the sum, so the
average is 20. S2 alone does not give the sum.

Question 11

Statements: All sprints are iterations. All
iterations are timeboxes. Some timeboxes are buffers. Conclusions:
I. All sprints are timeboxes. II. Some buffers are sprints.

Options:

- ✅ **(A) Only I follows** *(Correct Answer)*
- (B) Only II follows
- (C) Both follow
- (D) Neither follows

Correct Answer: (A)

Explanation / Solution:
Sprints → iterations → timeboxes,
so I follows. Buffers overlap timeboxes, not necessarily sprints.
II does not follow.

Question 12

If 2 * 3 = 10, 4 * 5 = 28 and 6 * 7 = 54,
then 8 * 9 = ?

Options:

- (A) 80

- (B) 84
- ✅ **(C) 88** *(Correct Answer)*
- (D) 90

Correct Answer: (C)

Explanation / Solution:
a * b maps to a×b + a + b? 6+3+1=10.
Rule a×b + a − 2: 6+2=8 no. a×(b+2)−2:
2×5−0. 2×3+4=10, 4×5+8=28, 6×7+12=54,
extras +4+8+12. Next +16: 8×9+16=88. Also a(b+1)+b−2.
Use a×b + 2a: 6+4=10, 20+8=28, 42+12=54, 72+16=88. Yes 88.

Question 13

Find the missing number.
3
5
16
4
7
25
5
9
?

Options:

- (A) 34
- ✅ **(B) 36** *(Correct Answer)*
- (C) 40
- (D) 45

Correct Answer: (B)

Explanation / Solution:
Third = first^2 + second + 2. 9+5+2=16,
16+7+2=25, 25+9+2=36.

Question 14

Statements: No cache is a disk. Some disks
are tapes. All tapes are media. Conclusions: I. Some media are
disks. II. Some caches are tapes.

Options:

- ✅ **(A) Only I follows** *(Correct Answer)*
- (B) Only II follows

- (C) Both follow
- (D) Neither follows

Correct Answer: (A)

Explanation / Solution:
Some disks are tapes and all tapes are media, so some media are disks. Caches are disjoint from disks and need not meet tapes. Only I.

Question 15

Is integer n divisible by 6? S1: n is divisible by 2 and by 3. S2: n ends with the digit 4.

Options:

- ✅ **(A) S1 alone is sufficient, S2 is not** *(Correct Answer)*
- (B) S2 alone is sufficient, S1 is not
- (C) Either alone
- (D) Both needed

Correct Answer: (A)

Explanation / Solution:
A number divisible by 2 and 3 is divisible by 6. S1 is enough. Ending with 4 means even, but not necessarily a multiple of 3.

Section: Aptitude (Technical Ability)

Question 16

Two cards are drawn from 52 without replacement. Probability both are aces is

Options:

- ✅ **(A) 1/221** *(Correct Answer)*
- (B) 1/169
- (C) 1/17
- (D) 2/52

Correct Answer: (A)

Explanation / Solution:
C(4,2)/C(52,2) = 6/1326 = 1/221.

Question 17

[P&C] The number of distinct arrangements of the letters in LEVEL is

Options:

- ✅ **(A) 30** *(Correct Answer)*
- (B) 60
- (C) 120
- (D) 24

Correct Answer: (A)

Explanation / Solution:
LEVEL has 5 letters, L twice and E twice. 5! / (2! × 2!) = 30.

Question 18

A finishes in 20 days, B in 30 days. Working together they take

Options:

- (A) 10 days
- ✅ **(B) 12 days** *(Correct Answer)*
- (C) 15 days
- (D) 25 days

Correct Answer: (B)

Explanation / Solution:
Combined rate = 1/20 + 1/30 = 1/12. Time = 12 days.

Question 19

An item marked ₹2,500 is sold after 20% discount. If CP is ₹1,800, profit percent is

Options:

- (A) 10%
- ✅ **(B) 11.11%** *(Correct Answer)*
- (C) 12%
- (D) 20%

Correct Answer: (B)

Explanation / Solution:
SP = 80% of 2500 = 2000. Profit = 200. % = 200/1800 × 100 = 11.11%.

Question 20

A and B together take 8 days. A alone takes 12 days. B alone takes

Options:

- (A) 18 days
- (B) 20 days
- ✅ **(C) 24 days** *(Correct Answer)*
- (D) 30 days

Correct Answer: (C)

Explanation / Solution:
B = 1/8 − 1/12 = 1/24. B takes 24 days.

Question 21

CP = ₹1,200 and profit = 15%. Selling price is

Options:

- (A) ₹1,350
- (B) ₹1,360
- ✅ **(C) ₹1,380** *(Correct Answer)*
- (D) ₹1,400

Correct Answer: (C)

Explanation / Solution:
SP = 115% of 1200 = ₹1,380.

Question 22

A fair coin is tossed three times. Probability of exactly two heads is

Options:

- (A) 1/8
- ✅ **(B) 3/8** *(Correct Answer)*
- (C) 1/2

- (D) 3/4

Correct Answer: (B)

Explanation / Solution:
C(3,2)/8 = 3/8.

Question 23

A bag has 3 white and 5 black balls. One ball is drawn. Probability it is black is

Options:

- (A) 3/8
- (B) 1/2
- ✅ **(C) 5/8** *(Correct Answer)*
- (D) 2/5

Correct Answer: (C)

Explanation / Solution:
5 black out of 8 = 5/8.

Question 24

How many ways can 5 distinct books be arranged on a shelf if two particular books must stay together?

Options:

- ✅ **(A) 48** *(Correct Answer)*
- (B) 60
- (C) 120
- (D) 240

Correct Answer: (A)

Explanation / Solution:
Tie the two books as one bundle: 4 units can be arranged in 4! ways and the bundle in 2! ways. 24 × 2 = 48.

Question 25

From 6 men and 4 women, a committee of 4 with exactly 2 women can be formed in how many ways?

Options:

- (A) 60

- ✅ **(B) 90** *(Correct Answer)*
- (C) 120
- (D) 180

Correct Answer: (B)

Explanation / Solution:
C(4,2) × C(6,2) = 6 × 15 = 90.

Section: Verbal Ability

Question 26

Arrange:
P: Two-minute demos expose that gap early. Q: Specs that never meet a user stay elegant and wrong. R: Put a real task in front of one stranger every Friday. S: Notes from that session beat another internal review.

Options:

- (A) Q
  P R S
- (B) Q
  P S R
- ✅ **(C) Q R S P** *(Correct Answer)*
- (D) P
  Q R S

Correct Answer: (C)

Explanation / Solution:
Q
names the risk. R is the weekly test. S values the notes. P notes that short demos also expose the gap; the tightest story is Q R S P.

Question 27

Choose
the correct sentence.

Options:

- (A) Every
  one of the modules have a test.
- ✅ **(B) Every one of the modules has a test.** *(Correct Answer)*

- (C) Every
  one of the module has a test.
- (D) Every
  one of the modules having a test.

Correct Answer: (B)

Explanation / Solution:
Every
one is singular: has. Modules stays plural after of.

Question 28

Choose
the correct sentence.

Options:

- ✅ **(A) Little of the traffic has cleared.** *(Correct Answer)*
- (B) Little
  of the traffic have cleared.
- (C) Few
  of the traffic has cleared.
- (D) Little
  of the traffics has cleared.

Correct Answer: (A)

Explanation / Solution:
Traffic
is uncountable; little + has.

Question 29

Passage
A service-level objective is useful only when the team can see the error budget being spent. If latency is promised at 300 ms for 99% of calls, the remaining 1% is not a licence to ignore timeouts. Burn-rate alerts that fire after the month is already lost teach nobody. The better habit is a short window alert plus a long window alert, so a sharp incident and a slow leak are both visible. Documents that list SLOs without owners become wallpaper.
Burn-rate alerts that fire after the month is lost

Options:

- ✅ **(A) teach nobody** *(Correct Answer)*
- (B) are
  the best design
- (C) replace
  owners

- (D) fix
  latency

Correct Answer: (A)

Explanation / Solution:
The
third sentence.

Question 30

Choose
the correct sentence.

Options:

- (A) She
  laid on the couch after the on-call.
- ✅ **(B) She lay on the couch after the on-call.** *(Correct Answer)*
- (C) She
  lied on the couch after the on-call.
- (D) She
  lain on the couch after the on-call.

Correct Answer: (B)

Explanation / Solution:
Past
of intransitive lie (recline) is lay.

Question 31

Arrange:
P: A runbook that names the first three commands beats a long essay. Q: Night pages fail when the only help is a slide deck. R: Keep the commands in the same repo as the service. S: Then the next intern can act without a meeting.

Options:

- (A) Q
  R P S
- (B) P
  Q R S
- ✅ **(C) Q P R S** *(Correct Answer)*
- (D) Q
  P S R

Correct Answer: (C)

Explanation / Solution:
Q
is the failure. P is the better artefact. R says where it lives. S
is the outcome. Q P R S.

Question 32

Passage
A service-level objective is useful only when the team can see the error budget being spent. If latency is promised at 300 ms for 99% of calls, the remaining 1% is not a licence to ignore timeouts. Burn-rate alerts that fire after the month is already lost teach nobody. The better habit is a short window alert plus a long window alert, so a sharp incident and a slow leak are both visible. Documents that list SLOs without owners become wallpaper.
SLO documents without owners

Options:

- (A) run
  the pager
- (B) cut
  latency automatically
- (C) replace alerts
- ✅ **(D) become wallpaper** *(Correct Answer)*

Correct Answer: (D)

Explanation / Solution:
Last
sentence.

Question 33

One-word:
Lasting only for a short time.

Options:

- (A) Chronic
- (B) Perennial
- ✅ **(C) Ephemeral** *(Correct Answer)*
- (D) Perpetual

Correct Answer: (C)

Explanation / Solution:
Ephemeral
means short-lived.

Question 34

Arrange:
P: Cardinality explosions then make the bill jump overnight. Q: High-cardinality labels on every request look harmless in staging. R: Cap the label set and sample the rest. S: Staging traffic is too tidy to show the cost.

Options:

- (A) Q
  P R S
- ✅ **(B) Q S P R** *(Correct Answer)*
- (C) P
  Q R S
- (D) Q
  P S R

Correct Answer: (B)

Explanation / Solution:
Q
looks harmless. S explains why staging hides it. P is the production bill. R is the control. Q S P R.

Question 35

Arrange:
P: Feature flags then let the fix ride with the next build. Q: Hotfix branches that live for weeks drift from main. R: A short-lived branch plus a flag is usually enough. S: Long-lived hotfix trains surprise the next release.

Options:

- ✅ **(A) Q S R P** *(Correct Answer)*
- (B) Q
  P R S
- (C) S
  Q P R
- (D) Q
  R S P

Correct Answer: (A)

Explanation / Solution:
Q
is the problem. S is the cost. R is the small pattern. P is how flags help. Q S R P.

Question 36

Passage
A service-level objective is useful only when the team can see the error budget being spent. If latency is promised at 300 ms for 99% of calls, the remaining 1% is not a licence to ignore timeouts. Burn-rate alerts that fire after the month is already lost teach nobody. The better habit is a short window alert plus a long window alert, so a sharp incident and a slow leak are both visible. Documents that list SLOs without owners become wallpaper.
Short-window plus long-window alerts help because

Options:

- (A) they
  hide slow leaks
- ✅ **(B) a sharp incident and a slow leak are both visible** *(Correct Answer)*
- (C) they
  remove the need for an SLO
- (D) they
  replace error budgets

Correct Answer: (B)

Explanation / Solution:
The
fourth sentence.

Question 37

Passage
A service-level objective is useful only when the team can see the error budget being spent. If latency is promised at 300 ms for 99% of calls, the remaining 1% is not a licence to ignore timeouts. Burn-rate alerts that fire after the month is already lost teach nobody. The better habit is a short window alert plus a long window alert, so a sharp incident and a slow leak are both visible. Documents that list SLOs without owners become wallpaper.
The main idea of the passage is that

Options:

- (A) a
  1% error budget means timeouts may be ignored
- ✅ **(B) SLOs work only with visible budgets, dual-window alerts and owners** *(Correct Answer)*
- (C) monthly
  alerts are better than short windows
- (D) latency
  promises should be deleted

Correct Answer: (B)

Explanation / Solution:
The
passage ties SLOs to seeing the budget, using short and long
alerts, and naming owners.

Question 38

Fill:
The outage postmortem was _____ and named every missed alert.

Options:

- (A) evasive
- ✅ **(B) candid** *(Correct Answer)*
- (C) obscure
- (D) reluctant

Correct Answer: (B)

Explanation / Solution:
Candid
means frank and open.

Question 39

Antonym
of “amplify”:

Options:

- (A) Enlarge
- (B) Boost
- ✅ **(C) Diminish** *(Correct Answer)*
- (D) Raise

Correct Answer: (C)

Explanation / Solution:
Diminish
is the opposite of amplify.

Question 40

“Move
the needle” means

Options:

- ✅ **(A) Make a measurable difference** *(Correct Answer)*

- (B) Rotate
  a compass
- (C) Delete
  a metric
- (D) Pause
  a release

Correct Answer: (A)

Explanation / Solution:
The
idiom means to cause a noticeable change.

Question 41

Choose
the correct sentence.

Options:

- ✅ **(A) No sooner had the job started than the queue grew.** *(Correct Answer)*
- (B) No
  sooner the job started when the queue grew.
- (C) No
  sooner had the job started then the queue grew.
- (D) No
  sooner the job had started than the queue grew.

Correct Answer: (A)

Explanation / Solution:
No
sooner + inversion + than.

Question 42

Choose
the correct sentence.

Options:

- (A) The
  criteria is listed in the RFC.
- (B) The
  criterias are listed in the RFC.
- ✅ **(C) The criteria are listed in the RFC.** *(Correct Answer)*
- (D) The
  criterion are listed in the RFC.

Correct Answer: (C)

Explanation / Solution:
Criteria
is plural; the singular is criterion.

Question 43

Synonym
of “succinct”:

Options:

- (A) Wordy
- ✅ **(B) Brief** *(Correct Answer)*
- (C) Vague
- (D) Loud

Correct Answer: (B)

Explanation / Solution:
Succinct
means briefly and clearly expressed.

Question 44

Passage
A service-level objective is useful only when the team can see the error budget being spent. If latency is promised at 300 ms for 99% of calls, the remaining 1% is not a licence to ignore timeouts. Burn-rate alerts that fire after the month is already lost teach nobody. The better habit is a short window alert plus a long window alert, so a sharp incident and a slow leak are both visible. Documents that list SLOs without owners become wallpaper.
The remaining 1% of calls

Options:

- (A) may
  ignore all timeouts
- (B) proves
  the SLO is optional
- ✅ **(C) is not a licence to ignore timeouts** *(Correct Answer)*
- (D) should
  be deleted from the dashboard

Correct Answer: (C)

Explanation / Solution:
The
second sentence says the 1% is not a licence to ignore timeouts.

Question 45

Arrange:
P: Secrets in container images leak the moment the image is pulled. Q: Inject secrets at runtime from a manager, not from a Dockerfile. R: Image scans will not catch a token baked in last year. S: Rotate anything that has already shipped inside a layer.

Options:

- ✅ **(A) P R Q S** *(Correct Answer)*
- (B) P
  Q R S
- (C) Q
  P R S
- (D) P
  R S Q

Correct Answer: (A)

Explanation / Solution:
P
is the leak path. R says scans miss old tokens. Q is the correct inject path. S is cleanup. P R Q S.

Section: Pseudo Code

Question 46

[Loops]
What is printed?
Integer
i, p
Set
p = 1
for
i = 1 to 4 do
p
= p * i
end
for
Print
p

Options:

- (A) 10

- (B) 16
- ✅ **(C) 24** *(Correct Answer)*
- (D) 120

Correct Answer: (C)

Explanation / Solution:
p
multiplies 1×2×3×4 = 24.

Question 47

[Data
Structures] Queue Q receives 5, then 15, then 25. One dequeue
runs. What is front(Q)?
Queue
Q
enqueue(Q,
5)
enqueue(Q,
15)
enqueue(Q,
25)
dequeue(Q)
Print
front(Q)

Options:

- (A) 5
- ✅ **(B) 15** *(Correct Answer)*
- (C) 25
- (D) Empty

Correct Answer: (B)

Explanation / Solution:
FIFO:
5 leaves. Front is 15.

Question 48

[Data
Structures] After the operations, what does peek return?
Stack
S
push(S,
10)

push(S,
20)
push(S,
30)
pop(S)
push(S,
40)
Print
peek(S)

Options:

- (A) 10
- (B) 20
- ✅ **(C) 40** *(Correct Answer)*
- (D) 30

Correct Answer: (C)

Explanation / Solution:
Stack
after pops/pushes: [10, 20, 40]. peek = 40.

Question 49

[Bitwise]
What is printed?
Integer
a, b
Set
a = 13, b = 6
Print
a & b

Options:

- ✅ **(A) 4** *(Correct Answer)*
- (B) 5
- (C) 7
- (D) 11

Correct Answer: (A)

Explanation / Solution:
13
is 1101, 6 is 0110, AND is 0100 = 4.

Question 50

[Recursion]
What does P(4) return?
Function
P(n)
if
n == 1 then return 2
return
P(n - 1) * 2
End
Function
Print
P(4)

Options:

- (A) 8
- (B) 12
- ✅ **(C) 16** *(Correct Answer)*
- (D) 24

Correct Answer: (C)

Explanation / Solution:
P(1)=2,
P(2)=4, P(3)=8, P(4)=16.

Section: Numerical Puzzles

Question 51

Centre = sum of each opposite pair. Find the missing centre.
Wheel A
8
3
11
8
3
Wheel B
9
6
?
7
4

Options:

- (A) 12
- ✅ **(B) 13** *(Correct Answer)*
- (C) 15
- (D) 16

Correct Answer: (B)

Explanation / Solution:
Wheel A: 8+3=11. Wheel B: 9+4=13 and 6+7=13.
Missing centre = 13.

Question 52

Find the next number.
2
6
12
20
30
?

Options:

- (A) 40
- ✅ **(B) 42** *(Correct Answer)*
- (C) 44
- (D) 48

Correct Answer: (B)

Explanation / Solution:
Gaps +4, +6, +8, +10, next +12. 30+12=42.
Also n(n+1): 1×2, 2×3, 3×4, 4×5, 5×6,
6×7=42.

Question 53

Find the missing number.
18
10
8
25
13
12
31
14
?

Options:

- ✅ **(A) 17** *(Correct Answer)*
- (B) 16
- (C) 15
- (D) 18

Correct Answer: (A)

Explanation / Solution:
Third = first − second. 18−10=8,
25−13=12, 31−14=17.

Question 54

Find the missing number.
3
4
15
5
6
33
7
8
?

Options:

- (A) 54
- (B) 55
- ✅ **(C) 59** *(Correct Answer)*
- (D) 63

Correct Answer: (C)

Explanation / Solution:
Third = first × second + 3. 3×4+3=15,
5×6+3=33, 7×8+3=59.

Section: English Grammar

Question 55

[SVA]
A series of patches _____ scheduled for Sunday.

Options:

- (A) are

- ✅ **(B) is** *(Correct Answer)*
- (C) have
- (D) were

Correct Answer: (B)

Explanation / Solution:
The
subject is series (singular): is scheduled.

Question 56

[Error
Spotting] Identify the error: Neither of the servers are
reachable.

Options:

- (A) Neither
  of
- ✅ **(B) are reachable** *(Correct Answer)*
- (C) the
  servers
- (D) No
  error

Correct Answer: (B)

Explanation / Solution:
Neither
is singular: is reachable.

Question 57

[Error
Spotting] Identify the error: I am used to work late during
releases.

Options:

- (A) I
  am used
- ✅ **(B) to work late** *(Correct Answer)*
- (C) during
  releases
- (D) No
  error

Correct Answer: (B)

Explanation / Solution:
Used
to + gerund: used to working late.

Question 58

[Prepositions]
The fix is consistent _____ the style guide.

Options:

- (A) to
- ✅ **(B) with** *(Correct Answer)*
- (C) from
- (D) against

Correct Answer: (B)

Explanation / Solution:
Consistent
with is the standard collocation.

Question 59

[Tenses]
She _____ the patch notes before the standup began.

Options:

- (A) writes
- (B) has
  write
- ✅ **(C) had written** *(Correct Answer)*
- (D) will
  wrote

Correct Answer: (C)

Explanation / Solution:
The
earlier of two past actions takes past perfect: had written.

Section: Essay Writting

Question 60

Importance of Cybersecurity in the Digital Age

Options:

- ✅ **(A) ** *(Correct Answer)*

Correct Answer: (A)

Explanation / Solution:

Cybersecurity has become an essential part of modern life because people increasingly use the internet for education, communication, banking, shopping, and professional activities. As digital technology continues to grow, protecting personal and organizational information has become very important.

Cybersecurity helps prevent unauthorized access, data theft, online fraud, and other digital threats. Individuals can improve their online security by using strong passwords, enabling two-factor authentication, and avoiding suspicious links and messages. Organizations also need effective security systems to protect customer information and important business data.

However, technology alone cannot provide complete protection. Human awareness is equally important because many cyber incidents happen due to careless actions or a lack of knowledge. Regular cybersecurity education can help people recognize common online threats and use digital services safely.

In conclusion, cybersecurity is not only a responsibility of technology companies or IT professionals. Every internet user has a role in protecting digital information. Developing good security habits and staying aware of online threats can make the digital environment safer and more reliable.
