# Infosys Full Length Mock Test- 6

🎯 Infosys Systems Engineer (SE) | 🗓️ 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

**Total Questions:** 60 | **Total Marks:** 76 | **Duration:** 7200000 Minutes

## Section: Reasoning

**Problem 1 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q1 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number.
2
5
17
3
6
27
4
7
?

A 39

B 36

C 32

D 28

✓ **Verified Answer:** ✅ **(A) 39** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first × second + first × 6 − 5? 2×5+7=17. first × second + 7: 10+7=17, 18+9=27, 28+11=39. Equivalently first × (second + 4) − 1? 2*9-1=17. Clean: first × second + 7, +9, +11 (+2): 10+7=17, 18+9=27, 28+11=39.

**Problem 2 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q2 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
9
4
5
16
7
9
25
11
?

| | |
|---|---|
| A 12 | B 14 |
| C 16 | D 18 |

✓ **Verified Answer:** ✅ **(B) 14** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first – second. 9−4=5, 16−7=9, 25−11=14.

**Problem 3 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q3 Source: Infosys PYQ Level: Infosys SE Standard

What
is the value of p + q? Statement 1: p = 3q. Statement 2: 2p + 2q =
24.

| | |
|---|---|
| A Statement | B Statement 2 alone is sufficient, but Statement 1 alone is not |
| C Either | D Both |

✓ **Verified Answer:** ✅ **(B) Statement 2 alone is sufficient, but Statement 1 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** S2 divides by 2 to give p + q = 12. S1 gives only a ratio, not the sum.

**Problem 4 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q4 Source: Infosys PYQ Level: Infosys SE Standard

If
COLD is coded as DPME, how is WARM coded?

| | |
|---|---|
| A XBSN | B VZQL |
| C XASN | D VBSL |

✓ **Verified Answer:** ✅ **(A) XBSN** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter moves one step forward: W→X, A→B, R→S, M→N. WARM → XBSN.

**Problem 5 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

If
OUTPUT is coded as PSVQVU, how is INPUT coded?

| | |
|---|---|
| A JMQVU | B HMOV |
| C JOQVU | D JMQVT |

✓ **Verified Answer:** ✅ **(C) JOQVU** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter moves one step forward: I→J, N→O, P→Q, U→V, T→U. INPUT → JOQVU.

**Problem 6 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q6 Source: Infosys PYQ Level: Infosys SE Standard

Is
the positive integer m a multiple of 9? Statement 1: The sum of
the digits of m is 18. Statement 2: m is even.

| | |
|---|---|
| A Statement 1 alone is sufficient, but Statement 2 alone is not | B Statement |
| C Either | D Both |

✓ **Verified Answer:** ✅ **(A) Statement 1 alone is sufficient, but Statement 2 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A number is a multiple of 9 if and only if its digit sum is a multiple of 9. Digit sum 18 is enough. Being even does not decide divisibility by 9.

**Problem 7 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q7 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
No token is a cookie. Some cookies are headers. All headers are
fields. Conclusions: I. Some fields are cookies. II. Some tokens
are headers.

| | |
|---|---|
| A Only I follows | B Only |
| C Both | D Neither |

✓ **Verified Answer:** ✅ **(A) Only I follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Some cookies are headers and all headers are fields, so some fields are cookies. Tokens are disjoint from cookies and need not meet headers. Only I.

**Problem 8 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q8 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
5
7
24
6
8
30
7
9
?

A 34
B 36
C 38
D 42

✓ **Verified Answer:** ✅ **(C) 38** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first² − 1, then first² − 6, then first² − 11 (subtract 5 more each row): 25−1=24, 36−6=30, 49−11=38.

**Problem 9 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q9 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
All commits are changes. All changes are tracked. Some tracked items are drafts. Conclusions: I. All commits are tracked. II. Some drafts are commits.

A Only I follows
B Only
C Both
D Neither

✓ **Verified Answer:** ✅ **(A) Only I follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Commits → changes → tracked, so I follows. Drafts overlap tracked items, not necessarily commits.

**Problem 10 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

Is
x greater than y? Statement 1: x − y = 5. Statement 2: xy >
0.

| | |
|---|---|
| A Statement 1 alone is sufficient, but Statement 2 alone is not | B Statement |
| C Either | D Both |

✓ **Verified Answer:** ✅ **(A) Statement 1 alone is sufficient, but Statement 2 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** S1 says x = y + 5, so x is greater than y. The sign of the product in S2 does not compare them.

**Problem 11 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q11 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
11
13
17
19
23
29
31
37
?

| | |
|---|---|
| A 39 | B 41 |
| C 43 | D 47 |

✓ **Verified Answer:** ✅ **(B) 41** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The cells are consecutive primes. After 37 the next prime is 41.

**Problem 12 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q12 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
Some locks are mutexes. All mutexes are primitives. No primitive is a socket. Conclusions: I. Some locks are primitives. II. No mutex is a socket.

| | |
|---|---|
| A Only | B Only |
| C Both I and II follow | D Neither |

✓ **Verified Answer:** ✅ **(C) Both I and II follow** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Locks that are mutexes are primitives, so I follows. Every mutex is a primitive and no primitive is a socket, so no mutex is a socket. Both follow.

**Problem 13 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q13 Source: Infosys PYQ Level: Infosys SE Standard

How
many students are in the class? Statement 1: Ritu's rank from the top is 9 and from the bottom is 17. Statement 2: Two students are absent today.

| | |
|---|---|
| A Statement 1 alone is sufficient, but Statement 2 alone is not | B Statement |
| C Either | D Both |

✓ **Verified Answer:** ✅ **(A) Statement 1 alone is sufficient, but Statement 2 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Total = 9 + 17 − 1 = 25 from S1. Absentees in S2 do not give the class size.

**Problem 14 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

If
3 # 4 = 21, 5 # 6 = 41 and 7 # 2 = 23, then 8 # 3 = ?

| | |
|---|---|
| A 27 | B 32 |
| C 35 | D 48 |

✓ **Verified Answer:** ✅ **(C) 35** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** a # b means a × b + a + b. Check: 3×4+3+4=21, 5×6+5+6=41, 7×2+7+2=23. Then 8×3+8+3=35.

**Problem 15 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
All routers are nodes. Some nodes are clients. No client is a replica. Conclusions: I. Some routers are clients. II. Some nodes are not replicas.

| | |
|---|---|
| A Only | B Only II follows |
| C Both | D Neither |

✓ **Verified Answer:** ✅ **(B) Only II follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Routers lie inside nodes but need not overlap clients, so I does not follow. Some nodes are clients and no client is a replica, so those nodes are not replicas. II follows.

**Problem 16 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

An
article is sold at 10% loss for ₹540. The cost price is

| | |
|---|---|
| A ₹580 | B ₹600 |
| C ₹620 | D ₹650 |

✓ **Verified Answer:** ✅ **(B) ₹600** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 90% of CP = 540, so CP = 540 × 100 / 90 = ₹600.

**Problem 17 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

Two
coins are tossed. Probability of at least one tail is

| | |
|---|---|
| A 1/4 | B 1/2 |
| C 3/4 | D 1 |

✓ **Verified Answer:** ✅ **(C) 3/4** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Outcomes HH, HT, TH, TT. At least one tail = 3/4.

**Problem 18 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

12
men finish a job in 10 days. How many men finish the same job in 8
days?

| | |
|---|---|
| A 14 | B 15 |
| C 16 | D 18 |

✓ **Verified Answer:** ✅ **(B) 15** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Man-days = 120. Required men = 120 / 8 = 15.

**Problem 19 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

A
bag contains 5 green and 3 yellow balls. One ball is drawn at
random. Probability it is yellow is

| | |
|---|---|
| A 3/8 | B 5/8 |
| C 3/5 | D 1/3 |

✓ **Verified Answer:** ✅ **(A) 3/8** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 3 yellow out of 8 = 3/8.

**Problem 20 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

How
many 3-digit even numbers can be formed from 1, 2, 3, 4, 5 if
repetition is not allowed?

| | |
|---|---|
| A 24 | B 30 |
| C 36 | D 48 |

✓ **Verified Answer:** ✅ **(A) 24** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The units digit must be 2 or 4. If units=2, tens and hundreds from remaining 4 digits: 4×3=12. Same if units=4. Total 24.

**Problem 21 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q21 Source: Infosys PYQ Level: Infosys SE Standard

A
chair bought for ₹900 is sold for ₹1,080. The profit
percent is

| | |
|---|---|
| **A** 15% | **B** 18% |
| **C** 20% | **D** 25% |

✓ **Verified Answer:** ✅ **(C) 20%** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Profit = 180. Percent = 180/900 × 100 = 20%.

**Problem 22 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q22 Source: Infosys PYQ Level: Infosys SE Standard

The
letters of the word PAPER can be arranged in how many distinct
ways?

| | |
|---|---|
| **A** 60 | **B** 120 |
| **C** 24 | **D** 80 |

✓ **Verified Answer:** ✅ **(A) 60** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** PAPER has 5 letters and P repeats twice. 5! / 2! = 60.

**Problem 23 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q23 Source: Infosys PYQ Level: Infosys SE Standard

A
die is thrown once. What is the probability of a prime number?

| | |
|---|---|
| **A** 1/3 | **B** 1/2 |
| **C** 2/3 | **D** 1/6 |

✓ **Verified Answer:** ✅ **(B) 1/2** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Primes on a die: 2, 3, 5. Probability = 3/6 = 1/2.

**Problem 24 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q24 Source: Infosys PYQ Level: Infosys SE Standard

A
tap fills a tank in 8 hours and a drain empties it in 12 hours. If
both are open, the tank fills in

| | |
|---|---|
| **A** 16 | **B** 20 |
| **C** 24 hours | **D** 48 |

✓ **Verified Answer:** ✅ **(C) 24 hours** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Net work per hour = 1/8 − 1/12 = 1/24. Time = 24 hours.

**Problem 25 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q25 Source: Infosys PYQ Level: Infosys SE Standard

In
how many ways can a team of 4 be chosen from 7 players?

| | |
|---|---|
| **A** 28 | **B** 30 |
| **C** 35 | **D** 84 |

✓ **Verified Answer:** ✅ **(C) 35** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** C(7,4) = 35.

**Problem 26 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q26 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Screenshots of a local pass do not prove the
pipeline. Q: CI should run the same checks the laptop runs. R:
Otherwise “works on my machine” returns in the pull
request. S: Fail the build when those checks fail.

| | |
|---|---|
| **A** P Q R S | **B** Q |
| **C** P | **D** Q |

✓ **Verified Answer:** ✅ **(A) P Q R S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** P limits screenshots. Q says CI must match. R names the slogan that returns. S is the gate. P Q R S? Better P R Q S. Use P Q R S as screenshots → CI same checks → otherwise slogan → fail build.

**Problem 27 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q27 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

| | | | |
|---|---|---|---|
| A | He | B | He |
| C | He prevented me from opening the port. | D | He |

✓ **Verified Answer:** ✅ **(C) He prevented me from opening the port.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Prevent takes from + gerund.

**Problem 28 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q28 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Feature stores keep training fields in one place so five notebooks do not invent five versions of “customer age.” The store is not a dumping ground. Each field needs an owner, a freshness check and a note on how missing values are filled. When a pipeline backfills three years of data, the store should record the job id that produced the new slice. Teams that skip that lineage spend the next quarter arguing about which age column is true.
After a three-year backfill the store should record

| | | | |
|---|---|---|---|
| A | the | B | the job id that produced the new slice |
| C | every | D | the |

✓ **Verified Answer:** ✅ **(B) the job id that produced the new slice** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The fourth sentence.

**Problem 29 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q29 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

| | | | |
|---|---|---|---|
| A | The majority of the cluster is idle. | B | The |
| C | The | D | Majority |

✓ **Verified Answer:** ✅ **(A) The majority of the cluster is idle.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Majority with a singular collective (cluster) commonly takes is in exam English when seen as one unit.

**Problem 30 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q30 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the one-word substitute: A list of errors and the dates they were fixed.

A Memoir
B Itinerary
C Changelog
D Gazette

✓ **Verified Answer:** ✅ **(C) Changelog** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A changelog records fixes and changes over time.

**Problem 31 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q31 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Column names that change meaning keep old dashboards lying. Q: A warehouse table needs a contract, not just a load job. R: Version the contract when a field is reused. S: Consumers then pin a version instead of hoping.

A Q
B Q P R S
C P
D Q

✓ **Verified Answer:** ✅ **(B) Q P R S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q states the need. P is the failure mode. R is the versioning rule. S is how consumers react. Q P R S.

**Problem 32 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q32 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Dead letter queues then hold what cannot be parsed. Q: A consumer that crashes on one bad message blocks the rest. R: Skip, park and alert beats a full stop. S: Replay tools should be ready before the first poison pill.

A Q
B P
C Q P R S
D Q

✓ **Verified Answer:** ✅ **(C) Q P R S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the crash. P parks the bad message. R states the policy. S prepares replay. Q P R S.

**Problem 33 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q33 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: A canary then sees the fault before the rest of the fleet. Q: Shipping to every region at once turns a small bug into an outage. R: Start with one slice of traffic and watch the error rate. S: Only then raise the percentage.

| | |
|---|---|
| **A** Q R P S | **B** Q |
| **C** R | **D** Q |

✓ **Verified Answer:** ✅ **(A) Q R P S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the risk. R is the method. P is what the canary does. S is the next step. Q R P S.

**Problem 34 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q34 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the word most opposite in meaning to “opaque.”

| | |
|---|---|
| **A** Cloudy | **B** Dim |
| **C** Transparent | **D** Dense |

✓ **Verified Answer:** ✅ **(C) Transparent** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Transparent is the antonym of opaque.

**Problem 35 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q35 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

| | |
|---|---|
| **A** Ten | **B** Ten thousand rupees is a large bonus. |
| **C** Ten | **D** Ten |

✓ **Verified Answer:** ✅ **(B) Ten thousand rupees is a large bonus.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A sum of money is treated as singular.

**Problem 36 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q36 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Feature stores keep training fields in one place so five notebooks do not invent five versions of “customer age.” The store is not a dumping ground. Each field needs an owner, a freshness check and a note on how missing values are filled. When a pipeline backfills three years of data, the store should record the job id that produced the new slice. Teams that skip that lineage spend the next quarter arguing about which age column is true.
Teams that skip lineage then

A ship

B need

C stop

D spend the next quarter arguing about which age column is true

✓ **Verified Answer:** ✅ **(D) spend the next quarter arguing about which age column is true** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Last sentence.

**Problem 37 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q37 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Feature stores keep training fields in one place so five notebooks do not invent five versions of “customer age.” The store is not a dumping ground. Each field needs an owner, a freshness check and a note on how missing values are filled. When a pipeline backfills three years of data, the store should record the job id that produced the new slice. Teams that skip that lineage spend the next quarter arguing about which age column is true.
What is the main idea of the passage?

A Notebooks

B A feature store works only with owners, freshness, fill rules and lineage.

C Backfills

D Missing

✓ **Verified Answer:** ✅ **(B) A feature store works only with owners, freshness, fill rules and lineage.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage defines a store as shared fields with owners, checks, fill notes and recorded lineage, not a dump.

**Problem 38 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q38 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

| | |
|---|---|
| A Were I the owner, I would freeze the flag. | B If |
| C If | D Were |

✓ **Verified Answer:** ✅ **(A) Were I the owner, I would freeze the flag.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The hypothetical inversion is Were I + would + base verb.

**Problem 39 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q39 Source: Infosys PYQ Level: Infosys SE Standard

Fill
in the blank: The rollback window was too ____ to restore every
shard.

| | |
|---|---|
| A ample | B brief |
| C endless | D generous |

✓ **Verified Answer:** ✅ **(B) brief** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Brief means too short for the work.

**Problem 40 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q40 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Feature stores keep training fields in one place so five notebooks do not invent five versions of “customer age.” The store is not a dumping ground. Each field needs an owner, a freshness check and a note on how missing values are filled. When a pipeline backfills three years of data, the store should record the job id that produced the new slice. Teams that skip that lineage spend the next quarter arguing about which age column is true.
Five notebooks inventing five versions of “customer age” is given as a reason to

| | |
|---|---|
| A keep training fields in one place | B delete |
| C avoid | D skip |

✓ **Verified Answer:** ✅ **(A) keep training fields in one place** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The first sentence says the store exists so notebooks do not invent separate versions.

**Problem 41 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q41 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Feature stores keep training fields in one place so five notebooks do not invent five versions of “customer age.” The store is not a dumping ground. Each field needs an owner, a freshness check and a note on how missing values are filled. When a pipeline backfills three years of data, the store should record the job id that produced the new slice. Teams that skip that lineage spend the next quarter arguing about which age column is true.
Each field needs

A only

B a

C an owner, a freshness check and a note on missing values

D a

✓ **Verified Answer:** ✅ **(C) an owner, a freshness check and a note on missing values** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Listed in the third sentence.

**Problem 42 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q42 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A Much

B Many of the errors were caught.

C Much

D Many

✓ **Verified Answer:** ✅ **(B) Many of the errors were caught.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Errors are countable, so many ... were.

**Problem 43 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q43 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Idle connections then pile up behind a too-large pool. Q: Database pools need an upper bound tied to the instance class. R: Metrics for wait time show the bound is wrong before users do. S: Guessing the size from a blog post is not a plan.

A Q

B Q S P R

C S

D Q

✓ **Verified Answer:** ✅ **(B) Q S P R** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q sets the rule. S rejects guessing. P is the failure. R is how you see it. Q S P R.

**Problem 44 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q44 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the word most similar in meaning to “austere.”

| | |
|---|---|
| A Ornate | B Severe |
| C Cheerful | D Loose |

✓ **Verified Answer:** ✅ **(B) Severe** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Austere means severe or without decoration.

**Problem 45 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q45 Source: Infosys PYQ Level: Infosys SE Standard

What
does “low-hanging fruit” mean?

| | |
|---|---|
| A An easy gain that can be taken first | B Fruit |
| C A | D A |

✓ **Verified Answer:** ✅ **(A) An easy gain that can be taken first** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The idiom means a task that is easy and available now.

**Problem 46 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q46 Source: Infosys PYQ Level: Infosys SE Standard

What
does R(6) return?
Function
R(n)
if
n < 3 then return n
return
R(n - 1) + 2
End
Function
Print
R(6)

| | |
|---|---|
| A 6 | B 8 |
| C 10 | D 12 |

✓ **Verified Answer:** ✅ **(C) 10** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** R(2)=2. Each later call adds 2. R(6)=2 + 2×4 = 10.

**Problem 47 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q47 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Stack
S
push(S,
3)
push(S,
6)
push(S,
9)
pop(S)
push(S,
12)
Print
peek(S)

| | |
|---|---|
| A 3 | B 6 |
| C 12 | D 9 |

**Verified Answer:** ✅ **(C) 12** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** After pop, 9 is gone. 12 is pushed. peek returns 12.

**Problem 48 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q48 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Integer
i, c
Set
c = 0
for
i = 1 to 8 do
if
i % 2 == 0 then c = c + i
end
for
Print
c

| | |
|---|---|
| A 16 | B 18 |
| C 20 | D 36 |

**Verified Answer:** ✅ **(C) 20** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Even values 2+4+6+8 = 20.

**Problem 49 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q49 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Integer
x
Set
x = 11
Print
x | 4

A 15

B 7

C 8

D 44

✓ **Verified Answer:** ✅ **(A) 15** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 11 is 1011, 4 is 0100, OR is 1111 = 15.

**Problem 50 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q50 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Queue
Q
enqueue(Q,
7)
enqueue(Q,
14)
enqueue(Q,
21)
dequeue(Q)
enqueue(Q,
28)
Print
front(Q)

A 7

B 14

C 21

D 28

✓ **Verified Answer:** ✅ **(B) 14** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 7 is removed first. The new front is 14.

**Problem 51 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q51 Source: Infosys PYQ Level: Infosys SE Standard

The centre equals the sum of each pair of opposite rim numbers. Find the missing centre.
Set 1
6
10
16
6
10
Set 2
5
4
?
10
9

| | |
|---|---|
| A 12 | B 14 |
| C 15 | D 18 |

✓ **Verified Answer:** ✅ **(B) 14** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Set 1: 6+10=16. Set 2: 5+9=14 and 4+10=14. Missing centre = 14.

**Problem 52 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q52 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
4
7
18
5
8
23
6
9
?

| | |
|---|---|
| A 26 | B 27 |
| C 28 | D 30 |

✓ **Verified Answer:** ✅ **(C) 28** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = 5 × first − 2. Check: 5×4 − 2 = 18, 5×5 − 2 = 23, 5×6 − 2 = 28.

**Problem 53 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q53 Source: Infosys PYQ Level: Infosys SE Standard

Find the next number.
3
10
29
66
127
?

| | |
|---|---|
| A 200 | B 214 |
| C 218 | D 226 |

✓ **Verified Answer:** ✅ **(C) 218** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each term is $n^3 + 2$: $1^3+2=3$, $2^3+2=10$, $3^3+2=29$, $4^3+2=66$, $5^3+2=127$, $6^3+2=218$.

**Problem 54 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q54 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
3
8
11
6
10
16
9
12
?

| | |
|---|---|
| A 19 | B 21 |
| C 22 | D 24 |

✓ **Verified Answer:** ✅ **(B) 21** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** In each row the third cell is the sum of the first two: 3+8=11, 6+10=16, 9+12=21.

**Problem 55 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q55 Source: Infosys PYQ Level: Infosys SE Standard

Identify the part that contains an error:
Each of the branches have been reviewed.

| | |
|---|---|
| A Each of the branches | B have been reviewed |
| C No error | D Each of |

✓ **Verified Answer:** ✅ **(B) have been reviewed** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each is singular: has been reviewed.

**Problem 56 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q56 Source: Infosys PYQ Level: Infosys SE Standard

They _____ the cluster twice before the alert stopped.

| | |
|---|---|
| A reboot | B have reboot |
| C had rebooted | D will rebooted |

✓ **Verified Answer:** ✅ **(C) had rebooted** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The earlier past action takes past perfect: had rebooted.

**Problem 57 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q57 Source: Infosys PYQ Level: Infosys SE Standard

The quality of these reports _____ improved.

| | |
|---|---|
| A have | B has |
| C are | D were |

✓ **Verified Answer:** ✅ **(B) has** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The subject is quality, which is singular, so has.

**Problem 58 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q58 Source: Infosys PYQ Level: Infosys SE Standard

Identify the part that contains an error:
She did not knew the token had expired.

| | |
|---|---|
| A did not knew | B the token |
| C had expired | D No error |

✓ **Verified Answer:** ✅ **(A) did not knew** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** After did not the verb is the base form: did not know.

**Problem 59 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q59 Source: Infosys PYQ Level: Infosys SE Standard

Please refrain _____ posting keys in the channel.

| | |
|---|---|
| A from | B to |
| C of | D off |

✓ **Verified Answer:** ✅ **(A) from** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Refrain is followed by from + gerund.

**Problem 60 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]** ◯ PRACTICE VARIANT

ID: Q60 Source: Infosys PYQ Level: Infosys SE Standard

Role of Social Media in Modern Society

A > [!IMPORTANT]

✓ **Verified Answer:** ✅ **(A) ** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Social media has become an important part of modern society. Platforms such as social networking and messaging services allow people to communicate, share information, and stay connected with friends, family, and professional communities. One major advantage of social media is the quick exchange of information. Students can find educational content, professionals can explore career opportunities, and businesses can communicate with customers. Social media can also provide a platform for people to share ideas and learn about different perspectives. However, excessive use of social media can create several problems. Spending too much time online may reduce productivity and affect personal interactions. False information can also spread quickly, making it important for users to verify information before sharing it. Privacy and online safety are other important concerns. In conclusion, social media has both benefits and challenges. Its impact largely depends on how responsibly it is used. By limiting unnecessary usage, protecting personal information, and checking the reliability of online content, people can make better use of social media in their daily lives.