Infosys Full Length Mock Test- 8

🎯 Infosys Systems Engineer (SE) | 🗓️ 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

Total Questions: 60 | **Total Marks:** 76 | **Duration:** 7200000 Minutes

Section: Reasoning

Problem 1 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

◯ PRACTICE VARIANT

ID: Q1 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number.
12
5
7
19
8
11
27
10
?

A 17	**B** 15
C 16	**D** 19

✓ **Verified Answer:** ✅ **(A) 17** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first – second. 12–5=7, 19–8=11, 27–10=17.

Problem 2 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

◯ PRACTICE VARIANT

ID: Q2 | Source: Infosys PYQ | Level: Infosys SE Standard

Statements:
All sprints are cycles. All cycles are plans. Some plans are buffers. Conclusions: I. All sprints are plans. II. Some buffers are sprints.

A Only I follows	**B** Only
C Both	**D** Neither

✓ **Verified Answer:** ✅ **(A) Only I follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Sprints → cycles → plans, so I follows. Buffers overlap plans, not necessarily sprints.

Problem 3 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q3 Source: Infosys PYQ Level: Infosys SE Standard

If
TABLE is coded as UBCMF, how is CHAIR coded?

A	DIBJS	B	BGZHQ
C	DIBJR	D	CIBJS

✓ **Verified Answer:** ✅ **(A) DIBJS** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter moves one step forward. CHAIR → D I B J S.

Problem 4 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q4 Source: Infosys PYQ Level: Infosys SE Standard

What
is the average of m and n? Statement 1: m + n = 48. Statement 2: m
− n = 12.

A	Statement 1 alone is sufficient, but Statement 2 alone is not	B	Statement
C	Either	D	Both

✓ **Verified Answer:** ✅ **(A) Statement 1 alone is sufficient, but Statement 2 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Average = (m + n) / 2. S1 gives the sum, so the average is 24. S2 alone does not give the sum.

Problem 5 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

If
1 ∗ 2 = 5, 2 ∗ 3 = 13 and 3 ∗ 4 = 25, then 4 ∗ 5 = ?

A	39	B	41
C	45	D	49

✓ **Verified Answer:** ✅ **(B) 41** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** a * b = a^2 + b^2: 1+4=5, 4+9=13, 9+16=25, 16+25=41.

Problem 6 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q6 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
3
6
21
4
7
32
5
8
?

A 43
B 44
C 45
D 48

✓ **Verified Answer:** ✅ **(C) 45** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first × second + 3: 18+3=21, 28+4=32, 40+5=45. Equivalently first × (second + 1).

Problem 7 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q7 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
All indexes are keys. Some keys are hashes. No hash is a heap.
Conclusions: I. Some indexes are hashes. II. Some keys are not heaps.

A Only
B Only II follows
C Both
D Neither

✓ **Verified Answer:** ✅ **(B) Only II follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Indexes sit inside keys but need not meet hashes, so I does not follow. Some keys are hashes and no hash is a heap, so those keys are not heaps. II follows.

Problem 8 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q8 Source: Infosys PYQ Level: Infosys SE Standard

If
BRIDGE is coded as CSJEHF, how is TUNNEL coded?

A UVOOFM
B STMMDK
C UVOOEL
D SVOOFM

✓ **Verified Answer:** ✅ **(A) UVOOFM** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each letter moves one step forward. TUNNEL → U V O O F M.

Problem 9 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q9 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
2
4
8
3
6
18
4
8
?

A 24 B 28

C 32 D 36

✓ **Verified Answer:** ✅ **(C) 32** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first × second. 2×4=8, 3×6=18, 4×8=32.

Problem 10 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

If
4 ⊗ 5 = 24, 6 ⊗ 3 = 21 and 7 ⊗ 2 = 16, then 8
⊗ 4 = ?

A 28 B 32

C 36 D 40

✓ **Verified Answer:** ✅ **(C) 36** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** a ⊗ b means b × (a + 1). Check: 5×5=25 wait no 5×5=25≠24. Means a × b + b = b(a+1): 5×5=25 still. 4×5+4=24 so a×b+a. 6×3+3=21 so a×b+b. Inconsistent between +a and +b. 4×5+4=24 (+ first), 6×3+3=21 (+ second), 7×2+2=16 (+ second). Use a×b + min(a,b): 20+4=24, 18+3=21, 14+2=16, 32+4=36.

Problem 11 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q11 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
No cookie is a token. Some tokens are claims. All claims are fields. Conclusions: I. Some fields are tokens. II. Some cookies are claims.

A Only I follows	B Only
C Both	D Neither

✓ **Verified Answer:** ✅ **(A) Only I follows** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Some tokens are claims and all claims are fields, so some fields are tokens. Cookies are disjoint from tokens and need not meet claims. Only I.

Problem 12 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q12 Source: Infosys PYQ Level: Infosys SE Standard

Statements:
Some ports are sockets. All sockets are handles. No handle is a file. Conclusions: I. Some ports are handles. II. No socket is a file.

A Only	B Only
C Both I and II	D Neither

✓ **Verified Answer:** ✅ **(C) Both I and II** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Ports that are sockets are handles. Every socket is a handle and no handle is a file, so no socket is a file. Both follow.

Problem 13 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q13 Source: Infosys PYQ Level: Infosys SE Standard

In
what ratio did P and Q share the profit? Statement 1: P invested ₹24,000 and Q invested ₹36,000 for the same period.
Statement 2: The total profit was ₹15,000.

A Statement 1 alone is sufficient, but Statement 2 alone is not	B Statement
C Either	D Both

✓ **Verified Answer:** ✅ **(A) Statement 1 alone is sufficient, but Statement 2 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Same time, so the ratio equals the capital ratio 2 : 3 from S1. The total in S2 is not needed for the ratio.

Problem 14 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

Is
integer k divisible by 15? Statement 1: k is divisible by 3 and by
5. Statement 2: k ends with the digit 0.

A Statement 1 alone is sufficient, but Statement 2 alone is not	B Statement
C Either	D Both

✓ **Verified Answer:** ✅ **(A) Statement 1 alone is sufficient, but Statement 2 alone is not** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A number divisible by both 3 and 5 is divisible by 15. Ending with 0 means divisible by 10, not necessarily by 3.

Problem 15 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

Who
is older, G or H? Statement 1: G is older than I. Statement 2: I
is older than H.

A Statement	B Statement
C Either	D Both statements together are needed

✓ **Verified Answer:** ✅ **(D) Both statements together are needed** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Together they give G > I > H, so G is older. Neither statement alone compares G with H.

Problem 16 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

A
fair die is thrown. Probability of a number greater than 4 is

A 1/6	B 1/3
C 1/2	D 2/3

✓ **Verified Answer:** ✅ **(B) 1/3** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 5 and 6: 2/6 = 1/3.

Problem 17 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

A
and B together take 9 days. A alone takes 18 days. B alone takes

A 12	**B** 15
C 18 days	**D** 27

✓ **Verified Answer:** ✅ **(C) 18 days** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** B = 1/9 − 1/18 = 1/18. B also takes 18 days.

Problem 18 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

A
bag bought for ₹480 is sold for ₹552. The profit
percent is

A 12%	**B** 15%
C 18%	**D** 20%

✓ **Verified Answer:** ✅ **(B) 15%** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Profit = 72. Percent = 72/480 × 100 = 15%.

Problem 19 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

How
many 3-digit numbers can be formed from 2, 3, 5, 7, 9 if digits
are not repeated?

A 60	**B** 120
C 125	**D** 15

✓ **Verified Answer:** ✅ **(A) 60** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** P(5,3) = 5 × 4 × 3 = 60.

Problem 20 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

From
8 people, a committee of 3 can be formed in how many ways?

A 24	**B** 56
C 336	**D** 512

✓ **Verified Answer:** ✅ **(B) 56** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** C(8,3) = 8×7×6 / 6 = 56.

Problem 21 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q21 Source: Infosys PYQ Level: Infosys SE Standard

An
item sold at 20% profit brings ₹720. The cost price is

A ₹600	**B** ₹576
C ₹640	**D** ₹700

✓ **Verified Answer:** ✅ **(A) ₹600** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 120% of CP = 720, so CP = 720 × 100 / 120 = ₹600.

Problem 22 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q22 Source: Infosys PYQ Level: Infosys SE Standard

A
bag has 5 white and 7 black balls. One ball is drawn. Probability
it is white is

A 5/7	**B** 1/2
C 5/12	**D** 7/12

✓ **Verified Answer:** ✅ **(C) 5/12** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 5 white out of 12 = 5/12.

Problem 23 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q23 Source: Infosys PYQ Level: Infosys SE Standard

A
finishes a job in 15 days and B in 10 days. Together they take

A 5	**B** 6 days
C 8	**D** 12.5

✓ **Verified Answer:** ✅ **(B) 6 days** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Combined rate = 1/15 + 1/10 = 1/6. Time = 6 days.

Problem 24 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q24 Source: Infosys PYQ Level: Infosys SE Standard

Two
coins are tossed. Probability of two heads is

A 1/4	**B** 1/2
C 1/3	**D** 3/4

✓ **Verified Answer:** ✅ **(A) 1/4** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** HH is 1 of 4 outcomes.

Problem 25 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q25 Source: Infosys PYQ Level: Infosys SE Standard

The
letters of the word OFFER can be arranged in how many distinct
ways?

A 60	**B** 120
C 24	**D** 80

✓ **Verified Answer:** ✅ **(A) 60** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 5 letters with F twice: 5! / 2! = 60.

Problem 26 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q26 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Code comments age faster than tests. A comment that repeats the next line is noise. A comment that names why a bound is 17, not 16, still helps a year later. Teams that delete unused comments during the same patch keep the file honest. The review question is not “did you comment enough” but “will this sentence still be true after the next rename.”
Unused comments should be deleted

A in	B during the same patch
C only	D never

✓ **Verified Answer:** ✅ **(B) during the same patch** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Fourth sentence.

Problem 27 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q27 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the one-word substitute: A person who speaks two languages.

A Mute	B Orator
C Bilingual	D Editor

✓ **Verified Answer:** ✅ **(C) Bilingual** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Bilingual means able to use two languages.

Problem 28 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q28 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Stale locks then block the next deploy. Q: A job that dies mid-write must release its lock. R: Timeouts on the lock beat a manual reboot. S: Alerts should fire if a lock is held past two minutes.

A Q	B Q P R S
C P	D Q

✓ **Verified Answer:** ✅ **(B) Q P R S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the rule. P is the failure. R is the timeout fix. S is the alert. Q P R S.

Problem 29 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q29 Source: Infosys PYQ Level: Infosys SE Standard

"Back
to the drawing board" means

A Start the plan again after a failure	B Draw
C Finish	D Skip

✓ **Verified Answer:** ✅ **(A) Start the plan again after a failure** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The idiom means to start over after something did not work.

Problem 30 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q30 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: A smoke test then proves the path still opens.
Q: A merge that skips the happy path breaks first thing Monday. R:
Keep one script that logs in and loads the home page. S: Run it on
every build, not only on release day.

A Q R P S	B Q P R S
C R Q P S	D Q R S P

✓ **Verified Answer:** ✅ **(A) Q R P S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the Monday failure. R is the script. P is what it proves. S is when to run it. Q R P S.

Problem 31 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q31 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Code comments age faster than tests. A comment that repeats the next line is noise. A comment that names why a bound is 17, not 16, still helps a year later. Teams that delete unused comments during the same patch keep the file honest. The review question is not "did you comment enough" but "will this sentence still be true after the next rename."
The main idea of the passage is that

A every	B useful comments explain why, stay true later, and should not repeat the code
C tests	D reviews

✓ **Verified Answer:** ✅ **(B) useful comments explain why, stay true later, and should not repeat the code** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The passage rejects repeating comments, values why-comments, and asks whether the sentence will still be true.

Problem 32 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q32 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the word most opposite in meaning to “expand.”

A Widen	B Grow
C Shrink	D Spread

✓ **Verified Answer:** ✅ **(C) Shrink** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Shrink is the opposite of expand.

Problem 33 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q33 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the word most similar in meaning to “concise.”

A Lengthy	B Brief
C Unclear	D Loud

✓ **Verified Answer:** ✅ **(B) Brief** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Concise means short and clear.

Problem 34 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q34 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A Five	B Five kilometres is a short ride.
C Five	D Five

✓ **Verified Answer:** ✅ **(B) Five kilometres is a short ride.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A distance as one measure takes a singular verb.

Problem 35 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q35 Source: Infosys PYQ Level: Infosys SE Standard

Fill
in the blank: The estimate was _____ and had to be revised after
the first week.

A exact	B optimistic
C final	D binding

✓ **Verified Answer:** ✅ **(B) optimistic** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Optimistic fits an estimate that later needed a revision.

Problem 36 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q36 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Code comments age faster than tests. A comment that repeats the next line is noise. A comment that names why a bound is 17, not 16, still helps a year later. Teams that delete unused comments during the same patch keep the file honest. The review question is not “did you comment enough” but “will this sentence still be true after the next rename.”
The useful review question is

A did	B how
C who	D will this sentence still be true after the next rename

✓ **Verified Answer:** ✅ **(D) will this sentence still be true after the next rename** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Last sentence.

Problem 37 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q37 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Code comments age faster than tests. A comment that repeats the next line is noise. A comment that names why a bound is 17, not 16, still helps a year later. Teams that delete unused comments during the same patch keep the file honest. The review question is not “did you comment enough” but “will this sentence still be true after the next rename.”
A comment that repeats the next line is called

A noise	B a
C a	D a

✓ **Verified Answer:** ✅ **(A) noise** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Second sentence.

Problem 38 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q38 Source: Infosys PYQ Level: Infosys SE Standard

Passage
Code comments age faster than tests. A comment that repeats the next line is noise. A comment that names why a bound is 17, not 16, still helps a year later. Teams that delete unused comments during the same patch keep the file honest. The review question is not “did you comment enough” but “will this sentence still be true after the next rename.”
A comment that still helps a year later is one that

A lists
B repeats
C names why a bound is 17, not 16
D counts

✓ **Verified Answer:** ✅ **(C) names why a bound is 17, not 16** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third sentence.

Problem 39 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q39 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A Hardly had the mail gone when the server restarted.
B Hardly
C Hardly
D Hardly

✓ **Verified Answer:** ✅ **(A) Hardly had the mail gone when the server restarted.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Hardly + inversion + when.

Problem 40 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q40 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A She suggested that he join the later batch.
B She
C She
D She

✓ **Verified Answer:** ✅ **(A) She suggested that he join the later batch.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Suggest that + base verb (subjunctive): join.

Problem 41 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q41 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Idle tests that never fail teach nothing. Q: Delete or fix a test that has been green for a year with no assertion. R: A short list of sharp tests beats a long list of ornaments. S: Coverage percent alone is not a reason to keep them.

A P	B P Q R S
C Q	D P

✓ **Verified Answer:** ✅ **(B) P Q R S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** P names idle tests. Q says delete or fix. R prefers sharp tests. S rejects coverage as the only reason. P Q R S.

Problem 42 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q42 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A Each	B Each of the files has a checksum.
C Each	D Each

✓ **Verified Answer:** ✅ **(B) Each of the files has a checksum.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each is singular: has. Files stays plural after of.

Problem 43 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q43 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Readers then stop trusting the chart. Q: A dashboard with no unit looks precise and lies. R: Label every axis with the unit and the time zone. S: A note on the card beats a buried wiki page.

A Q	B P
C Q P R S	D Q

✓ **Verified Answer:** ✅ **(C) Q P R S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the trap. P is the cost. R is the label rule. S is where the note lives. Q P R S.

Problem 44 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q44 Source: Infosys PYQ Level: Infosys SE Standard

Arrange
the sentences. P: Dual-running both paths for a week catches drift. Q: A cutover with no shadow traffic is a guess. R: Compare counts on the old and new path every hour. S: Only then switch the default.

A Q P R S

B Q

C P

D Q

✓ **Verified Answer:** ✅ **(A) Q P R S** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Q is the guess. P is dual-run. R is the hourly compare. S is the switch. Q P R S.

Problem 45 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q45 Source: Infosys PYQ Level: Infosys SE Standard

Choose
the grammatically correct sentence.

A The

B The

C The furniture is new.

D The

✓ **Verified Answer:** ✅ **(C) The furniture is new.** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Furniture is uncountable and takes is.

Problem 46 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q46 Source: Infosys PYQ Level: Infosys SE Standard

What
does U(4) return?
Function
U(n)
if
n == 0 then return 1
return
n + U(n - 1)
End
Function
Print
U(4)

A 8	**B** 9
C 11	**D** 24

✓ **Verified Answer:** ✅ **(C) 11** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** U(0)=1, then +1+2+3+4 = 11.

Problem 47 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q47 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Integer
z
Set
z = 14
Print
z & 7

A 6	**B** 7
C 8	**D** 21

✓ **Verified Answer:** ✅ **(A) 6** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 14 is 1110, 7 is 0111, AND is 0110 = 6.

Problem 48 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q48 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Integer
i, n
Set
n = 0
for
i = 1 to 6 do
if
i % 3 == 0 then n = n + i
end
for
Print
n

A 6

B 9

C 12

D 21

✓ **Verified Answer:** ✅ **(B) 9** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Multiples of 3 from 1 to 6 are 3 and 6. Sum = 9.

Problem 49 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q49 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Queue
Q
enqueue(Q,
4)
enqueue(Q,
8)
enqueue(Q,
12)
dequeue(Q)
Print
front(Q)

A 4

B 8

C 12

D Empty

✓ **Verified Answer:** ✅ **(B) 8** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** 4 leaves first. Front is 8.

Problem 50 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q50 Source: Infosys PYQ Level: Infosys SE Standard

What
is printed?
Stack
S
push(S,
2)
push(S,
5)
push(S,
8)
pop(S)
push(S,
11)
Print
peek(S)

A 2

B 5

C 11

D 8

✓ **Verified Answer:** ✅ **(C) 11** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Pop removes 8. Push 11. peek returns 11.

Problem 51 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q51 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
6
4
26
7
5
37
8
6
?

A 48

B 50

C 52

D 54

✓ **Verified Answer:** ✅ **(B) 50** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first × second + 2. 6×4+2=26, 7×5+2=37, 8×6+2=50.

Problem 52 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q52 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number.
10
15
25
12
18
30
14
21
?

A 32
B 34
C 35
D 42

✓ **Verified Answer:** ✅ **(C) 35** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Third = first + second. 10+15=25, 12+18=30, 14+21=35.

Problem 53 • [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q53 Source: Infosys PYQ Level: Infosys SE Standard

The centre equals the difference of each pair of opposite rim numbers. Find the missing centre.
Set 1
18
11
7
4
11
Set 2
21
13
?
5
13

A 6
B 8
C 10
D 16

✓ **Verified Answer:** ✅ **(B) 8** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Set 1: 18−11=7 and 11−4=7. Set 2: 21−13=8 and 13−5=8. Missing centre = 8.

Problem 54 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q54 Source: Infosys PYQ Level: Infosys SE Standard

Find the next number.
5
8
14
26
50
?

A 96
B 98
C 100
D 102

✓ **Verified Answer:** ✅ **(B) 98** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Each term = previous × 2 − 2. 50 × 2 − 2 = 98.

Problem 55 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q55 Source: Infosys PYQ Level: Infosys SE Standard

She
is responsible _____ the nightly build.

A for
B to
C of
D with

✓ **Verified Answer:** ✅ **(A) for** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Responsible for is the standard collocation.

Problem 56 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q56 Source: Infosys PYQ Level: Infosys SE Standard

The
number of open bugs _____ fallen this week.

A have
B has
C are
D were

✓ **Verified Answer:** ✅ **(B) has** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** The number of is singular, so has.

Problem 57 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q57 Source: Infosys PYQ Level: Infosys SE Standard

Identify
the part that contains an error: Everybody have received the
invite.

A Everybody have received	B the
C No	D Everybody

✓ **Verified Answer:** ✅ **(A) Everybody have received** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Everybody is singular: has received.

Problem 58 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q58 Source: Infosys PYQ Level: Infosys SE Standard

By
next Friday the team _____ the migration.

A finish	B finished
C will have finished	D has

✓ **Verified Answer:** ✅ **(C) will have finished** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** A completed action before a future point takes future perfect: will have finished.

Problem 59 • [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q59 Source: Infosys PYQ Level: Infosys SE Standard

Identify
the part that contains an error: I prefer tea than coffee in the
morning.

A I	B than coffee
C in	D No

✓ **Verified Answer:** ✅ **(B) than coffee** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Prefer takes to, not than: prefer tea to coffee.

Problem 60 • [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}] ◯ PRACTICE VARIANT

ID: Q60 Source: Infosys PYQ Level: Infosys SE Standard

Importance of Teamwork in the Workplace

A > [!IMPORTANT]

Verified Answer: ✅ **(A) ** **Step-by-Step Explanation & Derivation:** **Explanation / Solution:** Teamwork is an important part of a successful workplace. It means working together with different people to achieve a common goal. In a professional environment, employees often need to share ideas, responsibilities, and knowledge to complete tasks effectively. One major benefit of teamwork is that it brings different skills and perspectives together. When employees cooperate, they can solve problems more efficiently and make better decisions. Teamwork also improves communication and helps employees learn from one another. It can create a positive working environment where people support each other. However, teamwork can sometimes be challenging. Differences in opinions, communication gaps, or unequal distribution of responsibilities may create conflicts. These problems can be reduced through clear communication, mutual respect, and proper coordination. In conclusion, teamwork is essential for achieving organizational goals and developing professional relationships. Employees who listen to others, communicate clearly, and contribute responsibly can become valuable members of a team. Therefore, developing teamwork skills is important for both personal and professional growth.