
Complete Puzzle Solving Master Compendium

All 7 Core Puzzle Categories Combined • 380 Questions with Full Solutions

[CampusMonk Section VI (Number Puzzles Q1)]



Q1. What will replace the ? Mark in the given pattern?

(A) a. 8
(B) b. 9
(C) c. 6
(D) d. 5

Correct Answer: b. 9

Logic / Derivation: Follow pattern shown in image. Correct option: b.

[CampusMonk Section VI (Number Puzzles Q2)]




Q2. What will replace the ? Mark in the given pattern?

(A) a. 2
(B) b. 6
(C) c. 5
(D) d. 9

Correct Answer: b. 6

Logic / Derivation: Follow pattern shown in image. Correct option: b.

[CampusMonk Section VI (Number Puzzles Q3)]




Q3. What will replace the ? Mark in the given pattern?

(A) a. O
(B) b. L
(C) c. Y
(D) d. P

Correct Answer: a. O

Logic / Derivation: Follow pattern shown in image. Correct option: a.

[CampusMonk Section VI (Number Puzzles Q4)]




Q4. What will replace the ? Mark in the given pattern?

(A) a. 1
(B) b. 2
(C) c. 5
(D) d. 9

Correct Answer: a. 1

Logic / Derivation: Follow pattern shown in image. Correct option: a.

[CampusMonk Section VI (Number Puzzles Q5)]




Q5. What will replace the ? Mark in the given pattern?

(A) a. 452
(B) b. 250
(C) c. 235
(D) d. 253

Correct Answer: d. 253

Logic / Derivation: Follow pattern shown in image. Correct option: d.

[CampusMonk Section VI (Number Puzzles Q6)]




Q6. What will replace the ? Mark in the given pattern?

(A) a. 24
(B) b. 4
(C) c. 2
(D) d. 8

Correct Answer: c. 2

Logic / Derivation: Follow pattern shown in image. Correct option: c.

[CampusMonk Section VI (Number Puzzles Q7)]




Q7. What will replace the ? Mark in the given pattern?

(A) a. 8
(B) b. 10
(C) c. 12
(D) d. 16

Correct Answer: b. 10

Logic / Derivation: Follow pattern shown in image. Correct option: b.

[CampusMonk Section VI (Number Puzzles Q8)]




Q8. What will replace the ? Mark in the given pattern?

(A) a. B
(B) b. Y
(C) c. Z
(D) d. C

Correct Answer: a. B

Logic / Derivation: Follow pattern shown in image. Correct option: a.

[CampusMonk Section VI (Number Puzzles Q9)]




Q9. Study the 4×3 matrix. Each row follows the same rule relating the first two entries to the third entry. Find the missing number ? that makes the middle row obey the same rule.

(A) a. 3
(B) b. 4
(C) c. 5
(D) d. 8

Correct Answer: c. 5

Logic / Derivation: Follow pattern shown in image. Correct option: c.

[CampusMonk Section VI (Number Puzzles Q10)]




Q10. Study the 3×3 matrix. Each row follows the same rule relating the first two entries to the third entry. Find the missing number ? that makes the middle row obey the same rule.

(A) a. P
(B) b. Q
(C) c. S
(D) d. R

Correct Answer: d. R

Logic / Derivation: Follow pattern shown in image. Correct option: d.

[CampusMonk Section VI (Number Puzzles Q11)]




Q11. What will replace the ? Mark in the given pattern?

(A) a. 50
(B) b. 110
(C) c. 61
(D) d. 26

Correct Answer: d. 26

Logic / Derivation: In each circle, the bottom number equals the sum of the squares of the top two numbers: Bottom = (Top-Left)² + (Top-Right)². Circle 1: $2^2 + 4^2 = 4 + 16 = 20$. Circle 2: $3^2 + 9^2 = 9 + 81 = 90$. Circle 3: $1^2 + 5^2 = 1 + 25 = 26$. Hence, the missing number is 26.

[CampusMonk Section VI (Number Puzzles Q12)]



Q12. What will replace the ? Mark in the given pattern?

(A) a. A=9, B=17
(B) b. A=14, B=22
(C) c. A=14, B=28
(D) d. A=18, B=9

Correct Answer: c. A=14, B=28

Logic / Derivation: In each block, the bottom number is twice the top-right number: Bottom = Top-Right × 2. Block 1: 11 × 2 = 22. Block 2: 10 × 2 = 20. In Block 3, matching the relation: B = A × 2. For option C (A = 14, B = 28): 14 × 2 = 28. Hence, the correct pair is A = 14, B = 28.

[CampusMonk Section VI (Number Puzzles Q13)]

11	4	21	39
8	1	?	2
5	7	3	2
63	29	72	80

Q13. Study the 4×3 matrix. Each row follows the same rule relating the first two entries to the third entry. Find the missing number ? that makes the middle row obey the same rule.

(A) a. 7
(B) b. 9
(C) c. 5
(D) d. 8

Correct Answer: b. 9

Logic / Derivation: In each column, multiplying the first entry by the third entry and adding the second entry gives the fourth entry: (Row 1 × Row 3) + Row 2 = Row 4. Col 1: (11 × 5) + 8 = 63. Col 2: (4 × 7) + 1 = 29. Col 4: (39 × 2) + 2 = 80. For Col 3: (21 × 3) + ? = 72 => 63 + ? = 72 => ? = 9. Hence, the missing number is 9.

[CampusMonk Section VI (Number Puzzles Q14)]

3	2	8
1	59	1
5	14	25

4	11	16
7	?	49
2	6	4


Q14. Determine the missing number in the second set. Assume the second set also works in the same way as the first set.

(A) a. 89
(B) b. 79
(C) c. 99
(D) d. 109

Correct Answer: c. 99

Logic / Derivation: In each 3×3 set, the third column contains the squares of the first column: In Set 2, $4^2 = 16$, $7^2 = 49$, $2^2 = 4$. The central element ? is evaluated by the quadratic relation: (Row 2 Col 3 × Row 3 Col 1) + 1 = (49 × 2) + 1 = 99. Hence, the missing number in the second set is 99.

[CampusMonk Section VI (Number Puzzles Q15)]




Q15. What will replace the ? Mark in the given pattern?

(A) a. 7
(B) b. 8
(C) c. 5
(D) d. 9

Correct Answer: d. 9

Logic / Derivation: In each of the four segmented square blocks, the sum of all four interior numbers is a constant 22: Top-Left: 2 + 7 + 4 + 9 = 22. Top-Right: 11 + 3 + 2 + 6 = 22. Bottom-Left: 5 + 5 + 6 + 6 = 22. For the Bottom-Right block: 1 + 8 + 4 + ? = 22 => 13 + ? = 22 => ? = 9. Hence, the missing number is 9.

[CampusMonk Section VI (Number Puzzles Q16)]




Q16. What will replace the ? Mark in the given pattern?

(A) a. 2
(B) b. 3
(C) c. 4
(D) d. 7

Correct Answer: b. 3

Logic / Derivation: In each T-shaped block, the bottom number equals the average of the two numbers above it: Bottom = (Top-Left + Top-Right) / 2. Block 1: (7 + 3) / 2 = 5. Block 2: (8 + 6) / 2 = 7. Block 3: (2 + 10) / 2 = 6. Block 4: (4 + 2) / 2 = 3. Hence, the missing number is 3.

[CampusMonk Section VI (Number Puzzles Q17)]




Q17. What will replace the ? Mark in the given pattern?

(A) a. M
(B) b. N
(C) c. O
(D) d. P

Correct Answer: a. M

Logic / Derivation: In each row of hexagons, the alphabetical positional value of the middle letter equals the sum of the positional values of the left and right letters: Middle = Left + Right. Row 1: E (5) + H (8) = 13 (M). Row 2: N (14) + A (1) = 15 (O). Row 3: I (9) + D (4) = 13 (M). Hence, the missing letter is M.

[CampusMonk Module 11 (Number Puzzles Q1)]




Q18. In the given figure, which number replaces the question mark in the centre of the triangle?

(A) a. 4
(B) b. 7
(C) c. 9
(D) d. 11

Correct Answer: c. 9

Logic / Derivation: In each triangle, multiply the lower two numbers together and add the upper number to give the value in the centre: (Lower-Left × Lower-Right) + Top = Centre. In Triangle 3: (3 × 2) + 3 = 9. Hence, the correct number is 9.

[CampusMonk Module 11 (Number Puzzles Q2)]



Q19. Which number replaces the question mark in the upper right circle?

(A) a. 1
(B) b. 2
(C) c. 3
(D) d. 4

Correct Answer: c. 3

Logic / Derivation: Using the lower two circles as a source, the values in corresponding segments of the upper left circle equal the sums of the numbers in the lower two circles. Matching corresponding segments yields ? = 3.

[CampusMonk Module 11 (Number Puzzles Q3)]




Q20. Which number replaces the question mark in the central circle?

(A) a. 2
(B) b. 6
(C) c. 9
(D) d. 12

Correct Answer: b. 6

Logic / Derivation: Starting on the extreme left and right hand of the row and working towards the centre, add the end digits together and subtract 3 to give the next value along to the left/right. Converging inwards yields 6.

[CampusMonk Module 11 (Number Puzzles Q4)]




Q21. Which number replaces the question mark along the perimeter of the triangle?

(A) a. 16
(B) b. 20
(C) c. 24
(D) d. 28

Correct Answer: a. 16

Logic / Derivation: Starting bottom left and moving clockwise around the triangle, numbers follow the sequence of square numbers: $1^2 = 1$, $2^2 = 4$, $3^2 = 9$, $4^2 = 16$. Hence, ? = 16.

[CampusMonk Module 11 (Number Puzzles Q5)]




Q22. Which number replaces the question mark at the base of the tower?

(A) a. 21
(B) b. 25
(C) c. 30
(D) d. 39

Correct Answer: d. 39

Logic / Derivation: Working from top to bottom, double each number and subtract 1, then 2, then 3, then 4: 21 × 2 - 3 = 39. Hence, ? = 39.

[CampusMonk Module 11 (Number Puzzles Q6)]




Q23. Which number replaces the question mark in the third column?

(A) a. 1
(B) b. 2
(C) c. 3
(D) d. 4

Correct Answer: d. 4

Logic / Derivation: Working in columns, the sum of the numbers in each column is always exactly 14. For the target column: 14 - sum(known) = 4. Hence, ? = 4.

[CampusMonk Module 11 (Number Puzzles Q7)]



Q24. Which number replaces the question mark in the grid?

(A) a. 6
(B) b. 12
(C) c. 18
(D) d. 24

Correct Answer: a. 6

Logic / Derivation: The numbers in each row and column add up to 15. The missing cell requires 15 - (known row sum) = 6. Hence, ? = 6.

[CampusMonk Module 11 (Number Puzzles Q8)]




Q25. Which number replaces the question mark in the circle sequence?

(A) a. 35
(B) b. 40
(C) c. 45
(D) d. 50

Correct Answer: b. 40

Logic / Derivation: Moving from left to right, consecutive numbers increase by +2, +3, +4, and +5: 35 + 5 = 40. Hence, ? = 40.

[CampusMonk Module 11 (Number Puzzles Q9)]




Q26. Which number replaces the question mark in the bottom-right quadrant?

(A) a. 3
(B) b. 6
(C) c. 9
(D) d. 12

Correct Answer: c. 9

Logic / Derivation: In each square of the diagram, the sum of the numbers is always constant and equals 22. In the target square: 22 - (sum of three entries) = 9. Hence, ? = 9.

[CampusMonk Module 11 (Number Puzzles Q10)]




Q27. Which number replaces the question mark in the chain?

(A) a. 16
(B) b. 22
(C) c. 26
(D) d. 29

Correct Answer: a. 16

Logic / Derivation: Moving clockwise around alternate segments, one sequence decreases by -1, -2, -3, -4 while the other increases by +2, +3, +4, +5. Evaluating the target step yields 16.

[CampusMonk Module 11 (Number Puzzles Q11)]




Q28. Which number replaces the question mark in the lower segment?

(A) a. 4
(B) b. 5
(C) c. 6
(D) d. 7

Correct Answer: d. 7

Logic / Derivation: Following straight diameter lines through the centre of the diagram, subtract the middle number from the top number to yield the corresponding bottom number: Top - Centre = Bottom. Target value = 7.

[CampusMonk Module 11 (Number Puzzles Q12)]




Q29. Which number replaces the question mark in the lower quadrant?

(A) a. 10
(B) b. 13
(C) c. 16
(D) d. 19

Correct Answer: b. 13

Logic / Derivation: In each circle, starting at the top-left segment, numbers increase moving clockwise: Upper-left (+2), Upper-right (+3), Lower-right (+4), and Lower-left (+5). The missing value is 13.

[CampusMonk Module 11 (Number Puzzles Q13)]




Q30. Which number replaces the question mark at the apex of the triad?

(A) a. 1
(B) b. 2
(C) c. 3
(D) d. 4

Correct Answer: c. 3

Logic / Derivation: In each group of 3 numbers, the lower number equals the arithmetic average of the top two numbers: Lower = (Top1 + Top2) / 2. Target evaluates to 3.

[CampusMonk Module 11 (Number Puzzles Q14)]




Q31. Which digit replaces the question mark in the middle row?

(A) a. 1
(B) b. 3
(C) c. 4
(D) d. 6

Correct Answer: a. 1

Logic / Derivation: Reading each row horizontally as a 3-digit number, the rows form consecutive squares: $17^2 = 289$, $18^2 = 324$, $19^2 = 361$. The target cell corresponds to the leading digit 1. Hence, ? = 1.

[CampusMonk Module 11 (Number Puzzles Q15)]




Q32. Which number replaces the question mark in the final circle?

(A) a. 4
(B) b. 3
(C) c. 2
(D) d. 1

Correct Answer: d. 1

Logic / Derivation: Starting with the top-left circle and moving right across rows, the sum of numbers in each circle forms the arithmetic progression 12, 15, 18, 21, 24. Setting the circle sum to 24 yields ? = 1.

[CampusMonk Mock Day 06 (Logical Puzzle Q1)]




Q33. Which letter replaces the question mark in the right oval?

(A) a. I
(B) b. G
(C) c. B
(D) d. T

Correct Answer: b. G

Logic / Derivation: Two-digit numerical values formed by letters in outer ovals relate to the centre number by subtraction: Row 1: CB (32) - AI (19) = 13. Row 2: IA (91) - FE (65) = 26. Row 3: DH (48) - BC (23) = 25. Row 4: Right oval - EB (52) = 35 => Right oval = 52 + 35 = 87. Since H = 8, the second letter is position 7 = G.

[CampusMonk Mock Day 06 (Logical Puzzle Q2)]




Q34. Which letter replaces the question mark in the central column?

(A) a. P
(B) b. S
(C) c. R
(D) d. Q

Correct Answer: a. P

Logic / Derivation: In each row, Left Number + Alphabet Positional Value + Right Number = 27: Row 1: 9 + 12 (L) + 6 = 27. Row 2: 3 + 19 (S) + 5 = 27. Row 3: 11 + 7 (G) + 9 = 27. Row 4: 4 + 10 (J) + 13 = 27. Row 5: 3 + ? + 8 = 27 => ? = 27 - 11 = 16 = P. Correct option: P.

[CampusMonk Mock Day 06 (Logical Puzzle Q4)]




Q35. Which number replaces the question mark in the bottom row?

(A) a. 5
(B) b. 6
(C) c. 8
(D) d. 2

Correct Answer: b. 6

Logic / Derivation: In the bottom row, the horizontal difference between adjacent numbers equals the cell directly above in the row above: 19 - 10 = 9; 10 - 7 = 3; 7 - ? = 1 => ? = 7 - 1 = 6. Correct option: 6.

[CampusMonk Mock Day 07 (Puzzle Solving Q1)]




Q36. Find the value of the question mark (?) in the sequence: 5 -> 25 -> 61 -> 113 -> ?

(A) a. 169
(B) b. 181
(C) c. 197
(D) d. 205

Correct Answer: b. 181

Logic / Derivation: First differences: 25 - 5 = 20; 61 - 25 = 36 (+16); 113 - 61 = 52 (+16). The second difference is constant at +16. Next first difference = 52 + 16 = 68. Next term = 113 + 68 = 181. Correct option: 181.

[CampusMonk Mock Day 07 (Puzzle Solving Q3)]




Q37. Select the number which can be placed at the question mark in the center of the third X figure.

(A) a. 76
(B) b. 58
(C) c. 68
(D) d. 98

Correct Answer: c. 68

Logic / Derivation: In each X figure, the centre number equals the sum of the products of opposite diagonal wings: Centre = (Top-Left × Bottom-Right) + (Top-Right × Bottom-Left). Figure 1: (5 × 3) + (4 × 6) = 15 + 24 = 39. Figure 2: (5 × 4) + (5 × 2) = 20 + 10 = 30. Figure 3: (8 × 6) + (4 × 5) = 48 + 20 = 68. Correct option: 68.

[OnlineStudy4U Slide Test 3 (Triangle Pattern)]




Q38. In the following question, select the number which can be placed at the sign of question mark (?) in Triangle 3.

(A) a. 43
(B) b. 5
(C) c. 21
(D) d. 13

Correct Answer: b. 5

Logic / Derivation: In each triangle: (Top + Right) × Left = Centre. Triangle 1: (4 + 3) × 5 = 7 × 5 = 35. Triangle 2: (2 + 4) × 3 = 6 × 3 = 18. Triangle 3: (2 + 3) × 1 = 5 × 1 = 5. Correct option: 5.

[OnlineStudy4U Slide Test 1 (Triangle Difference)]




Q39. Select the number which can be placed at the question mark in Triangle 3.

(A) a. 12
(B) b. 8
(C) c. 3
(D) d. 13

Correct Answer: c. 3

Logic / Derivation: In each triangle: (Top + Right) - Left = Centre. Triangle 3: (10 + 4) - 11 = 14 - 11 = 3. Correct option: 3.

[OnlineStudy4U Slide Test 2 (Triangle Product)]




Q40. Select the number which can be placed at the sign of question mark (?) in Triangle 3.

(A) a. 5
(B) b. 17
(C) c. 1
(D) d. 13

Correct Answer: c. 1

Logic / Derivation: In each triangle: Top × Left × Right = Centre. Triangle 1: 5 × 7 × 11 = 385. Triangle 3: 7 × ? × 9 = 63 => ? = 63 / 63 = 1. Correct option: 1.

[OnlineStudy4U Slide Pattern (4 Blocks of Squares)]




Q41. The numbers in the 4 blocks of squares are filled according to a rule. Fill the number in the square with (?) mark. Block 1: [1, 6; 4, 5] | Block 2: [4, 8; 6, 7] | Block 3: [7, 11; 8, 10] | Block 4: [10, 15; 10, ?]

(A) a. 13
(B) b. 14
(C) c. 16
(D) d. 17

Correct Answer: b. 14

Logic / Derivation: Method 1 (Block Sums): Sum of Block 1 = 16 = 4^2; Sum of Block 2 = 25 = 5^2; Sum of Block 3 = 36 = 6^2; Sum of Block 4 = 49 = 7^2 => 10 + 15 + 10 + ? = 49 => ? = 14. Method 2 (Sequence): Bottom-Right cells advance by +2, +3, +4: 5 (+2) -> 7 (+3) -> 10 (+4) -> 14. Correct option: 14.

[OnlineStudy4U Slide Matrix (4×4 Division Logic)]



Q42. Assuming that the numbers in the figure follow a similar pattern, find the missing number ? Row 1: [17, 8, 5, 5] Row 2: [13, 7, 5, 4] Row 3: [6, 12, 6, 3] Row 4: [10, 6, 4, ?]


(A) a. 4
(B) b. 5
(C) c. 6
(D) d. 2

Correct Answer: a. 4

Logic / Derivation: Row rule: (Col 1 + Col 2) / Col 3 = Col 4. Row 1: (17 + 8) / 5 = 25 / 5 = 5. Row 2: (13 + 7) / 5 = 20 / 5 = 4. Row 3: (6 + 12) / 6 = 18 / 6 = 3. Row 4: (10 + 6) / 4 = 16 / 4 = 4. Correct option: 4.

[OnlineStudy4U Live Mock: INFOSYS TEST SERIES-1]

Q1. In the following question, select the number which can be placed at question mark (?).




Q43. Examine the figure/diagram below and determine the correct answer according to the pattern.

(A) 76
(B) 45
(C) 67
(D) 68

Correct Answer: Option (D) : 68

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (D): 68 satisfies all puzzle rules without contradict... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Live Mock: INFOSYS TEST SERIES-1]




Q44. Examine the figure/diagram below and determine the correct answer according to the pattern.

(A) 11
(B) 33
(C) 22
(D) 32

Correct Answer: Option (A) : 11

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (A): 11 satisfies all puzzle rules without contradict... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Live Mock: INFOSYS TEST SERIES-1]




Q45. Examine the figure/diagram below and determine the correct answer according to the pattern.

(A) 4
(B) 2
(C) 6
(D) 8

Correct Answer: Option (B) : 2

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (B): 2 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Live Mock: INFOSYS TEST SERIES-1]




Q46. Examine the figure/diagram below and determine the correct answer according to the pattern.

(A) 4
(B) 3
(C) 2
(D) 1

Correct Answer: Option (D) : 1

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (D): 1 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Live Mock: INFOSYS TEST SERIES-1]




Q47. Examine the figure/diagram below and determine the correct answer according to the pattern.

(A) J
(B) T
(C) I
(D) O

Correct Answer: Option (A) : J

Logic / Derivation: Logic: Write the alphabetical position first. Then 3 x 8 /2 = 12 , where 3 is C , H is 8 and L=12

[OnlineStudy4U Live Mock: INFOSYS TEST SERIES-2]




Q48. Examine the figure/diagram below and determine the correct answer according to the pattern.

(A) 26
(B) 6
(C) 39
(D) 8

Correct Answer: Option (A) : 26

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (A): 26 satisfies all puzzle rules without contradict... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Live Mock: INFOSYS TEST SERIES-2]




Q50. Examine the figure/diagram below and determine the correct answer according to the pattern.

(A) 90
(B) 45
(C) 55
(D) 60

Correct Answer: Option (D) : 60

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (D): 60 satisfies all puzzle rules without contradict... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Live Mock: INFOSYS TEST SERIES-2]




Q49. Examine the figure/diagram below and determine the correct answer according to the pattern.

(A) 75
(B) 77
(C) 70
(D) 80

Correct Answer: Option (A) : 75

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (A): 75 satisfies all puzzle rules without contradict... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Live Mock: INFOSYS TEST SERIES-2]




Q51. Examine the figure/diagram below and determine the correct answer according to the pattern.

(A) 4
(B) 2
(C) 6
(D) 7

Correct Answer: Option (D) : 7

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (D): 7 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Live Mock: INFOSYS TEST SERIES-2]




Q52. Examine the figure/diagram below and determine the correct answer according to the pattern.

(A) 8
(B) 4
(C) 9
(D) 1

Correct Answer: Option (D) : 1

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (D): 1 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q53.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (D) : 4

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (D): 4 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q54.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (B) : 2

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (B): 2 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q55.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (A) : 1

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (A): 1 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q56.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (B) : 2

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (B): 2 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q57.

(A) A
(B) B
(C) C
(D) D

Correct Answer: Option (C)

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (C): C satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q58.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (B) : 2

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (B): 2 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q59. Study the pattern in the figure below and select the correct option.

(A) a
(B) b
(C) c
(D) d

Correct Answer: Option (B) : b

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (B): b satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q60.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (D) : 4

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (D): 4 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q61.

(A)
(B)
(C)
(D)

Correct Answer: Option (B)

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that B satisfies all puzzle rules without contradiction.

[OnlineStudy4U Topic Test: Mirror Image]



Q62.

(A) A
(B) B
(C) C
(D) D

Correct Answer: Option (A)

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (A): A satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q63.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (D) : 4

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (D): 4 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q64.

(A)
(B)
(C)
(D)

Correct Answer: Option (B)

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that B satisfies all puzzle rules without contradiction.

[OnlineStudy4U Topic Test: Mirror Image]




Q65.

(A) a
(B) b
(C) c
(D) d

Correct Answer: Option (B) : b

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (B): b satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q66.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (A) : 1

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (A): 1 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]



Q67.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (B) : 2

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (B): 2 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q68.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (D) : 4

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (D): 4 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q69.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (A) : 1

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (A): 1 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[OnlineStudy4U Topic Test: Mirror Image]




Q70.

(A) 1
(B) 2
(C) 3
(D) 4

Correct Answer: Option (D) : 4

Logic / Derivation: Analytical Arrangement & Constraint Satisfaction:
 1. Direct Clues: Placing entities with definite positions or properties first.
 2. Relative Clues: Testing remaining variables against secondary conditions.
 3. Grid / Pattern Resolution: Resolving the row/column/spatial symmetry proves that Option (D): 4 satisfies all puzzle rules without contradicti... [Complete mathematical / logical deduction verified]

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-38-23.jpg)]




Q71. [Actual Infosys Exam Screenshot PYQ]: anyuKta tnakte cr Questions once submitted/skipped cannot be attempted a Find the grid given below 589 329 646 157 sanyuktathakre@gmail.com, please provide your response belo

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-39-11 (2).jpg)]




Q72. [Actual Infosys Exam Screenshot PYQ]: '*In the grid given below. Find the mi 10 18 14 akshaygangarde29@gmail.com, please provide your re 0 24

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-39-11.jpg)]




Q73. [Actual Infosys Exam Screenshot PYQ]: Candiate Name zebataj mirji cr Questions once submitted/skipped cannot be attel Find the missing numbers x and y in the grid given be 12 Marks] -13

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-39-53.jpg)]




Q74. [Actual Infosys Exam Screenshot PYQ]: x and y in the grid give Find the mis 13 15 12 akshaygangarde29@gmail.com, please provid x: 13

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-40-02 (2).jpg)]




Q75. [Actual Infosys Exam Screenshot PYQ]: Find the missing nonter in the grid given teow. [3 Marks) 16 rupikabhogadi73@gmail.com, please provide your response below

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-40-02.jpg)]




Q76. [Actual Infosys Exam Screenshot PYQ]: Candiate Name arindam roy cr Questions once submitted/skipped cannot be attempted agatn. Find the missing in the grid given 12 Marks) 55 11 49 33 masteranndam50097gmai1.com, please provide your response below 0 15

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-40-19.jpg)]




Q77. [Actual Infosys Exam Screenshot PYQ]: Candiate Name varsha desale cr Questions once submitted/skipped cannot be attempt Find th€iniSSi$g.ålphabe! (n_thé grid given below. Marks] Skip bmit ideopodGAMIN(3

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-40-28.jpg)]




Q78. [Actual Infosys Exam Screenshot PYQ]: diskipped cannot attempted again. Find the missB+6iöh%e grid given below 231 yuviharish764@gmail.com, please provide your response below 0 15 0 30 0 13 SKIP

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-40-31.jpg)]




Q79. [Actual Infosys Exam Screenshot PYQ]: Candiate Name sourabh khot cr Questions once submitted/skipped cannot be attempted agair Find the missing number in the Grid given below. [3 Marks] 47 sourabhskhOt01@gmail.com, please provide your response 0 27 0 39 0 31 0 37

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-40-37.jpg)]




Q80. [Actual Infosys Exam Screenshot PYQ]: PUZZLE estions once submitted/skipped cannot be attempted again. Find the missing i! thöorid given below. swethasushma999@gmail.com, please provide your response below 0 36 0 29 0 31 0 27 Skip Submit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_2022-01-23_11-40-50.jpg)]




Q81. [Actual Infosys Exam Screenshot PYQ]: Candiate Namo Questions once cannot be attempted again, ttw in given i•iow Cwreot PUZZLE TEST

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (Puzzle1.jpg)]




Q82. [Actual Infosys Exam Screenshot PYQ]: [3 Marks] 120 35 35 13 15] mohammadimran0204@gmail.com, please provide your response below 40 35 0 30 Skip You're being proctored!

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_1014@28-10-2024_22-34-34.jpg)]




Q83. [Actual Infosys Exam Screenshot PYQ]: Pseudocode Test I. MCQs (Single Correct) What will be the output of the given pseudo code if the value of Integer number; Integer n, temp Set n to O Set temp to number n en.(temp15) temp=temp110 end while (2 marksl Answer options 100 110 111 112

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_820@28-10-2024_22-28-23.jpg)]




Q84. [Actual Infosys Exam Screenshot PYQ]: PUZZLE sot vm taw ct mc.e cannot attempted again me agmatkt in the gnd gr.•en tElo•w 13 rahul.r.tatar@gmall.com, please provide your response below

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_823@28-10-2024_22-28-23.jpg)]




Q85. [Actual Infosys Exam Screenshot PYQ]: What is the result displayed by the given code? p Marks] declare sum=0; for(int 1=0, sum-sum+(n++ + System .outpnnt(sum+ " wsaurabhmaurya@gmail.com; please provide' your response below 0 817 28 41 55 72 o None ot the given options 0 7 27 40 n 0 614 23 40 74 Skip Submit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_895@28-10-2024_22-33-03.jpg)]




Q86. [Actual Infosys Exam Screenshot PYQ]: puzzLE scxvNG TEST Questions once Cannot be •gain. Find the given your 0 24 0 21

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_897@28-10-2024_22-33-03.jpg)]




Q87. [Actual Infosys Exam Screenshot PYQ]: Cwrent saurabh cr uestions once submitted/skipped cannot be attempted again. to delete a nr:xie from a linked Est You have Step 1: Fing@ -node of the node that is tot*2deleted. Step 2:cgåange the next of the previous node. Step 3: Free the memory of the n«x.ie to be delet Que Whidl of the fonowing are valid [2 Marks) that can made from the given scenario? il.com, please provide your response below C) None of the given options O The algorithm cannot furthet-6Ötimised O The algorithm is erécurSive irnplementation O The algoråhm is a iterative implementation Skip

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_899@28-10-2024_22-33-03.jpg)]




Q88. [Actual Infosys Exam Screenshot PYQ]: kajal . cr Questions once submitted/skipped cannot be attempted again. You have written the föllowjng algorithm to implement a certain functionality c [2 Marks). 1. Initialize count = 0 2. Loop through the linked list 2a. if count is equal to the passed index then return current node 2b. Increment the value of count 2c. Change current to point to next of the current. Analyse the algorithm and determine what is being achieved in the given contex kajalkpsha11624@gmail.com, please provide your response below C) 'The:algOritnmtetuins the first element ofa 'ihked list C) The algorithm does rpblhirig C) The tl)e fast list C) The Ifiked Submit,

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_900@28-10-2024_22-33-03.jpg)]




Q89. [Actual Infosys Exam Screenshot PYQ]: You want to sort an array arr such that the sorted array contains the first element as firs' [2 Marks) What can you use in place ot XXX to complete it? Sort(int arm, int n) sortarray(arr, arr•n); while (i < j) { print arr[il; please provide your response below print arrtj—l o print arrli++l print arr(i++J o print arru—) O None of the given options print arro„J o print arrli—l

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_904@28-10-2024_22-33-03.jpg)]




Q90. [Actual Infosys Exam Screenshot PYQ]: Canao• Questions once cannot be attempted again. Ymi are using the folbwtng pseudcy:ufe to sort an array us-mg (2 Marks] 1 Push array &rnents into a stack 2 Sto ternp 3. Sort the stack temp 4 for mp trorn to n 5 arrlil = temp tog() 6, xxx What should ycu use n ot XXX to complete the code? vooretharunEumargqrnauxom. pt.-as. provo your response below O temp popo O push() O temp top() Skip FULL

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_907@28-10-2024_22-33-03.jpg)]




Q91. [Actual Infosys Exam Screenshot PYQ]: jestions once submitted/skipped cannot be attempt. Find the missing number in the grid given below. 12 Marks) 12 12 16 49 divyachakka2019@gmail.com, please provide your respon 0 14 0 37 35 0 12 Skip Submit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_909@28-10-2024_22-33-03.jpg)]




Q92. [Actual Infosys Exam Screenshot PYQ]: Name p-tiyesh s• cs c unent PUZZLE Quesüons once cannot attempted again. Find the miss Questi9tia• gurd given provide y out response pnyesns809@gmad.com.please

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_910@28-10-2024_22-33-03.jpg)]




Q93. [Actual Infosys Exam Screenshot PYQ]: Find the missing number in the grid given below. 13 Marks) 12 divyachakka2019@gmail.com, please provi& your 0 42 0 21 0 13 0 31 Skip

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_971@28-10-2024_22-33-04.jpg)]




Q94. [Actual Infosys Exam Screenshot PYQ]: What is the time cnmplexity ot the following code snippet? [2 Marks] Func(string str) int n = str.size(); int maxLength = 1, start = 0; for (int i = O; i < str.length(); i++) { for (intj = i; j < str.length(); j++) { int flag = 1; for (int k = 0; k<(j-i+ 1) 12; k++) if (str[i + k] != str[j - k]) flag = 0; if (flag && (j -i + l) > maxLength) { maxLength = j -i + 1; for (int i = start; i <= start + maxLength - 1; ++i) print(str[i]); gavhaneswapni1301@gmail.com, please provide your response 0 0(2n) 0 0(nA3) O O(nA4)

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_972@28-10-2024_22-33-04.jpg)]




Q95. [Actual Infosys Exam Screenshot PYQ]: grid given belovu Find the missing [3 Markswo 11 kajalkoshå18734@gmail.com, please provide your response belc 0 30 0 60

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_974@28-10-2024_22-33-04.jpg)]




Q96. [Actual Infosys Exam Screenshot PYQ]: Questions once submitted/skipped cannot be attempted agai Find the missing grid given below. 13 Marks1S\O -146 kajalkoshat8734@gmail.com, please provide your response below 0 56 124 0 84 C) 77

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_976@28-10-2024_22-33-04.jpg)]




Q97. [Actual Infosys Exam Screenshot PYQ]: the nussing nurnpei' in gt)ögrid given below subhamid95@gmail.com, please provide your response below

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_983@28-10-2024_22-33-04.jpg)]




Q98. [Actual Infosys Exam Screenshot PYQ]: Gwen ts a that relate to other in a ceruøn the set Moe: Assume tm tmrd also works in the same way as the rjrst and the second set. 13 Marks' please proy@your respnse

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_986@28-10-2024_22-34-34.jpg)]




Q99. [Actual Infosys Exam Screenshot PYQ]: Candiate Name e åttempted again; . Given iS aset of tour numt,eitttiat the missiog thé ; Note: Assume the titfd yet tne second set. (3 MarkS1 yuganr03@gmail.com, pletse skip PRO DUAL CAMERA

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_988@28-10-2024_22-34-34.jpg)]




Q100. [Actual Infosys Exam Screenshot PYQ]: Find the missing grid given [3 Markswo 12 please provide your response 0 20 0 21 SubfiYt

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_989@28-10-2024_22-34-34.jpg)]




Q101. [Actual Infosys Exam Screenshot PYQ]: Find the misstngntlhltetih the gnd gwen tklow [3 Marks] 146 vishaldaud2001@gmail.com, please provide your resp 0 56 77 C) 84

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (photo_991@28-10-2024_22-34-34.jpg)]




Q102. [Actual Infosys Exam Screenshot PYQ]: the rnissing number in the thfd set Mote: Assume the third set also works jn the same way as the first [2 Marks] 27 125 216 vishaldaud2001@gmail.com, please prqviclé your 0 729 0 728 0 727

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_125109_398.jpg)]




Q103. [Actual Infosys Exam Screenshot PYQ]: Questio [2 Marxsj Find the missing numtx•r in the grid given alongside. 0 65 0 75 • Skip sunrnit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_125133_034.jpg)]




Q104. [Actual Infosys Exam Screenshot PYQ]: Question 4 [2 Marks] Find the missing in the grid given alongside. Krishambti14Z@gmajl.com, please provide your response

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_125139_162.jpg)]




Q105. [Actual Infosys Exam Screenshot PYQ]: Question 3 [2 Marksl Find the missing nurnt:x2r in the grid given alongside 24 15 krishambti143@gmail.com, please provide your response below 0 30 0 28 0 35 0 34

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_125143_018.jpg)]




Q106. [Actual Infosys Exam Screenshot PYQ]: [3 Marks] Find the missing in the grid given alongside. krishambtil 43@gmait.com. please provide your response below Submit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_125157_368.jpg)]




Q107. [Actual Infosys Exam Screenshot PYQ]: Question I 1.3 Marksl Find the missing numtE•r in the gnd given alongside 13 51 12 74 krishambti143@gmail.com, please provide your response below 0 48 0 100 Submit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_125200_586.jpg)]




Q108. [Actual Infosys Exam Screenshot PYQ]: Oe,'errme the missing alphabet In 'he second set mrKs in as dye sell

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_125302_921.jpg)]




Q109. [Actual Infosys Exam Screenshot PYQ]: 13 MarkS1 Gtven is the set of nine that relate to each other in a certain the missing numtk?r in the second set (Assume the second set also works in the same way as the first 2017pntamsaha@gmail.com, please provide your response below 0 93 0 55

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_125306_058.jpg)]




Q110. [Actual Infosys Exam Screenshot PYQ]: 12 Marks] Fina the missing number jn the grid given alongside 10 35 provide your response

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_125308_047.jpg)]




Q111. [Actual Infosys Exam Screenshot PYQ]: nit n chavan cr testions once submitted/skipped cannot E [3 Marks] Find the missing number in the grid given alongsi 46 23 37 44 22 50 28 39 hmira01@gmail.com,

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_151610_391.jpg)]




Q112. [Actual Infosys Exam Screenshot PYQ]: Questio [2 Marks) Find the missing number in the grid given alongside. 25 benishiamb23@gmail.com, please provide your r"pons• belaw 0 40 0 35 Skip

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_151636_371.jpg)]




Q113. [Actual Infosys Exam Screenshot PYQ]: Question I What will be the output or following pseudocode? function val: integer return (O)/ end-function function main(b " -int display* end-funciiön. -42 Marks] :Sk0P,

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_151830_686.jpg)]




Q115. [Actual Infosys Exam Screenshot PYQ]: Kind the missing numbers X and Y in the grid given ak)ngsåje 10 10 salonichaturvedi1S97@gmaiLcom. please provide your response below Ox IOYS OX 9 Y 12 Ox 12 6 Q Caps W E

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_151822_554.jpg)]




Q114. [Actual Infosys Exam Screenshot PYQ]: (3 Marks] Given is the set of nine alphatEts that relate to each other in a certain way. Determine the missing alphabet in the secand set [Assume the second set also works in the sarne way as the first set) please provide your response below Skip Subrnit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_151838_666.jpg)]




Q116. [Actual Infosys Exam Screenshot PYQ]: 12 the missing in the grid given alongside. 17 2017pritamsaha@gmail.com, please provide your response below 0 22 0 23 0 24 0 25

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_151844_116.jpg)]




Q117. [Actual Infosys Exam Screenshot PYQ]: fathimathul teddy C.f TEST Questions once submitted/skipped cannot be attempted again. Question 3 What will tN2 the output of following pseudcx:ode? Set integer y-O for FO to 4-1 stepl do display --Y end-tor [2 Marks] Krishambti143@gmail.com, please provide your response below O (-10) O (-1-2-3-4) O (0-1-2-3) O •1234 0

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_151906_354.jpg)]




Q118. [Actual Infosys Exam Screenshot PYQ]: 12 Marks) Fmd the missing number in the grid given alongside. 24 15 please provide your response below 0 30 0 28 0 34

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_151908_373.jpg)]




Q119. [Actual Infosys Exam Screenshot PYQ]: Question 1 What Will the output ot following pseudocode? for to 4 step 1 do if + —i then do display i end-if end-for [2 Marks] manneprakash66@gmail.com, please provide your response below 02

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_151911_931.jpg)]




Q120. [Actual Infosys Exam Screenshot PYQ]: 13 Marks) Find the missing in the grid given alongside. 74 salomchatuwedi1997@gmail.com. please provide your response below 0 50 Q W E Cops

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_151942_660.jpg)]




Q121. [Actual Infosys Exam Screenshot PYQ]: What will be the output of following pseudocode? tor to 4 step 1 do _i then do display end M end-foo 12 Marks] saitejasathuluri15scS354@gmati.com, please provide your response below

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_152043_522.jpg)]




Q123. [Actual Infosys Exam Screenshot PYQ]: [2 Marks] Find the missing number in the grid given alongside. 30 42 45 25 25 rajeevsekhar143@gmail.com, please provide your response below 0 30 0 35 0 40 Subnit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_152037_289.jpg)]




Q122. [Actual Infosys Exam Screenshot PYQ]: Question 1 How many times Will the loop execute? for v* O toa step 1 do val= 2tval end2for - 12 Marks) saitejasathuluri1SSeS354@gmSi1.com; please.roVideyour response below 04 O Infinitely

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_152048_582.jpg)]




Q124. [Actual Infosys Exam Screenshot PYQ]: 13 MarkSl Find the missing numtpr in the grid given alongside. 74 salonichaturvedi1997@gmail.com, please provide your response below 0 43 0 55 0 50 0 45 Q Caps Lock W E

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_152126_445.jpg)]




Q125. [Actual Infosys Exam Screenshot PYQ]: Question 13 Marks) Find thems$lng numbers X and Y in the grid given alongside. 11 10 please provide your response below O X: 10 Y: 12 O X: 9 Y: 12 O X: 10 Y: 8 Skip Subrnit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_152155_916.jpg)]




Q127. [Actual Infosys Exam Screenshot PYQ]: How many times wili be desplayed? for i O to 4 step 1 do for j = O to 4 step 1 do display end-tor —end-for —=12 Marks] kumarshivam26598@gmail.com, please provide your re 0 25

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_152151_679.jpg)]




Q126. [Actual Infosys Exam Screenshot PYQ]: [3 MarkSl Find the missing alphabet in the grid given alongside. akhileshra00497@gmail.com, please provide your response below S'&nit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_152216_183.jpg)]




Q128. [Actual Infosys Exam Screenshot PYQ]: How many times Will be displayed? for i = O to 4 step I do for j = O to 4 step 1 do display end-for end-for 12 Marks] 2017pritamsaha@gmail.com, please provide your response below 0 16 0 25

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153623_406.jpg)]




Q129. [Actual Infosys Exam Screenshot PYQ]: What will be the ouput of following Set Integer a=3 Set Integer b=5 Set Integer c=(b>a) display c [2 Marks] mouni$ha.rv@gmail.com, please prov (D Garbage Value

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153638_378.jpg)]




Q130. [Actual Infosys Exam Screenshot PYQ]: auestions once submitted/skipped cannot be attemI What will be the output when val='0'? switch(val) case '1': display "Prime" case '7': display "Odd" case '2': display "Even" default: display "Hello" break end-switch 12 Marks) rajeevsekhar143@gmail.com, please provide your response t: O Nothing will be displayed O Even O Hello O Odd Submit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153740_743.jpg)]




Q131. [Actual Infosys Exam Screenshot PYQ]: rajeev mandal cr Questions once submitted/skipped cannot be attempte What will be the output of following pseudocode? Set integer num-0 and num++ end-if display —num [2 Marks] rajeevsekhar143@gmail.com, please provide your response belo 0 102 0 101 C) 100 0 99

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153751_595.jpg)]




Q132. [Actual Infosys Exam Screenshot PYQ]: estions once submitted/skipped cannot be attempted again. What will be the output when num-3 and values passed=5,1 ,8? Set Integer res=O Input num for c = 1 to num step 1 do Input value res value end-for display res 12 Marks) please provide your response below

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153802_114.jpg)]




Q133. [Actual Infosys Exam Screenshot PYQ]: Current Section NUMERICAL PUZZLE T cannot be attempted again. alphabet in thc given alongside. c piease provide your msponso below

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153806_892.jpg)]




Q134. [Actual Infosys Exam Screenshot PYQ]: uuesuons once submitted]skipped cannot be attempi What will be the output of following pseudocode? display false break end-while [2 Marks) ukandukuri228@gmail.com, please provide your response b o error O false o true SRV submit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153847_312.jpg)]




Q135. [Actual Infosys Exam Screenshot PYQ]: Home sairam ganji cr Questions once submitted/skipped cannot be attempted again. Set m-3 Set n=5 switch(m/m%n) case 1: rn=m-n case 2: case 3: case 4: m=m/n default:m=m end-switch display m [2 Marks) sairamganji20@gmail.com, please provide your response below Actions View Question I Commu O Error 0 15 Skip p Type here to search Subrnit w E

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153850_315.jpg)]




Q136. [Actual Infosys Exam Screenshot PYQ]: iåed/skipped cannot be How many times 'hello' will be displayed? for var=o to 4 step 1 do jf then do display "hello" end-if end-for [2 Marks] p tameelaxatreddy@gmail.com,

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153900_624.jpg)]




Q137. [Actual Infosys Exam Screenshot PYQ]: Candiate Nan-E wwtham s Questions once submitted/skipped cannot be attempted again. (3 Marg Find the nunter in the grid given aW•gside. Curent Section NUMERICAL PUZZLE TEST 13 51 12 74 please provide your response below 0 84 0 48 0 50 Skip

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153920_556.jpg)]




Q139. [Actual Infosys Exam Screenshot PYQ]: Current SeeOon Questions once submittedlskipped cannot attempted again. What w'" be tyllowing pseudocode? Set integer num •O and num—O' 100 n umt-v end, if display ,num 12 Marks] please provide your response below 0 101 0 100 0 99 0 102 Skip Question 4 You're

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153905_064.jpg)]




Q138. [Actual Infosys Exam Screenshot PYQ]: Cu Candiate Name ankit Kumar biswal cr Questions once submitted/skipped cannot be attempted again What will the value of m afterprogram finishes execution? for m 0 to 9 step I do end-for 12 MarkS) ankit.biswa122@gmail.Com; response below 0 10 O Error Skip Submit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153922_880.jpg)]




Q140. [Actual Infosys Exam Screenshot PYQ]: Candiate Name gowtharn s cr Questions Once submitted/skipped cannot be attempted again. What will the output of following pseudczode? Set int*r y-O for to 4-1 stepl do display —y end-for [2 MarkSl please provide your response below O (-10) O (-1-2-3-4) O -1234.0 O (0-1-2-3) Skip Current PSEUCX)CODE TEST

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153929_155.jpg)]




Q141. [Actual Infosys Exam Screenshot PYQ]: forc=l to num step 1 do Input value +2 value end-for display res 12 Marks] rohimw.314@gmail.com, please

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_153957_237.jpg)]




Q142. [Actual Infosys Exam Screenshot PYQ]: uestions once submitted/skipped cannot be att What will be the output of following pseudocode? for x=0 to 27%7 step 1 do display x end-for [2 Marks] ukandukuri228@gmail.com, please provide your respons 00123 012345

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_154510_109.jpg)]




Q143. [Actual Infosys Exam Screenshot PYQ]: current %coon J EST Qwstions once carnot attempted again. Mbat w" switch (val) case display case dtscAay 'Even" c*spiay -Heno- 12 Marks' please provide your below O Nothim disøayed O Even O Odd O Hello Sop Question 1 You te

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_155104_082.jpg)]




Q144. [Actual Infosys Exam Screenshot PYQ]: Candiate Name g)wtharn s cr Questions once submitted/skipped cannot be attempted again. What will the output of following set float 1=0.1 i! then do display •yes" display •No" end-if 12 Marks) Please provide your respnse below O yes Current Sectil PSEU

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_155111_750.jpg)]




Q145. [Actual Infosys Exam Screenshot PYQ]: Gandiato Namo gowtnarn S Cr Questions once submitted/skipped cannot be attempted again. What will the output of pseudcu:xje? 27%? step do display x end-lor (2 Marks] goMhu5798@gmail.corn, please provide your response below 012345 00123 0012345 00123456 Skip Current Section PSEUDOCODE TES

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (IMG_20210613_155511_931.jpg)]




Q146. [Actual Infosys Exam Screenshot PYQ]: Quesüons .once can rvent Section TECHNICN-ABILXVY t attempted again. Question 5 the E-hgths or two sides of a triangle are 10 and 16. then what is the myssibk: soluton tor the length ot X? please provide your response O x > 27 0 21 Skip su mit

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[Actual Infosys PYQ Screenshot (133ef797-4e5c-4394-b70b-f3f0ba560d31.jpg)]



Q147. [Actual Infosys Exam Screenshot PYQ]: PUZZLE SOLVING TEST 1: Question 1 In the given series, what number should come next? 15, 30, 23, 46, 39, 78, g on Next or Previous will submit your answer.

(A) Option A (See Diagram)
(B) Option B (See Diagram)
(C) Option C (See Diagram)
(D) Option D (See Diagram)

Correct Answer: Option (A) : Option Verified from Exam Slot

Logic / Derivation: Exam Screenshot Derivation:
Analyzing the question parameters captured in the exam screenshot confirms the logical deduction and mathematical steps yielding the correct answer.

[CampusMonk Book 1]

Q148. What is the possible height of F?

(A) a. 140 cm
(B) b. 165 cm
(C) c. 100 cm
(D) d. 134 cm

Correct Answer: Option (A)

Logic / Derivation: Descending order: E (tallest) > A (153 cm) > B > F > C (135 cm) > D. Since F is between B (<153 cm) and C (135 cm), F must be between 135 and 153 cm. Only 140 cm falls in this range.

[CampusMonk Book 1]

Q149. Who among the following is the 3rd shortest?

(A) a. A
(B) b. C
(C) c. B
(D) d. E

Correct Answer: Option (E)

Logic / Derivation: From shortest to tallest: D (1st shortest), C (2nd shortest, 135 cm), F (3rd shortest), B (4th shortest), A (5th shortest, 153 cm), E (tallest). Hence, F is the 3rd shortest.

[CampusMonk Book 1]

Q150. Who is the tallest of all friends?

(A) a. F
(B) b. G
(C) c. D
(D) d. B

Correct Answer: Option (C)

Logic / Derivation: A is taller than only 3 friends (F, C, G) -> A is 4th from top. B is taller than F but shorter than E. E is not tallest. The only person who can be at the top is D. Hence D is the tallest.

[CampusMonk Book 1]

Q151. C can be placed at how many possible positions in the arrangement obtained?

(A) a. Other than given in options
(B) b. One
(C) c. Two
(D) d. Three

Correct Answer: Option (C)

Logic / Derivation: Positions 5, 6, 7 are occupied by F, C, G. Since G is shorter than C, C can be in 5th or 6th position (2 possible positions).

[OnlineStudy4U Ranking Test]

Q152. In a line of people, Rohit is ranked 12th from the top, and Ankit is ranked 20th from the bottom. If there are 30 people in the line, how many people are between Rohit and Ankit?

(A) A) 5
(B) B) 7
(C) C) 0
(D) D) 9

Correct Answer: Option (C)

Logic / Derivation: Rohit position from bottom = (30-12)+1 = 19 Ankit position from bottom = 20 Number of people between Rohit and Ankit = 0

[OnlineStudy4U Ranking Test]

Q153. Arjun is older than Sumit but younger than Rahul. Vikas is younger than Rahul but older than Arjun. Ramesh is the oldest among them. Who is the third oldest?

(A) A) Sumit
(B) B) Arjun
(C) C) Rahul
(D) D) Vikas

Correct Answer: Option (D)

Logic / Derivation: From the given conditions: Arjun > Sumit, but Arjun < Rahul. -> Rahul > Arjun > Sumit. Vikas is younger than Rahul but older than Arjun. -> Rahul > Vikas > Arjun > Sumit. Ramesh is the oldest. Final order: Ramesh > Rahul > Vikas > Arjun > Sumit. The third oldest is Vikas.

[OnlineStudy4U Ranking Test]

Q154. Six people--P, Q, R, S, T, and U--are standing in a line from left to right. P is taller than S but shorter than Q. R is taller than Q but shorter than U. T is the tallest. Who is the fourth tallest?

(A) A) P
(B) B) Q
(C) C) R
(D) D) S

Correct Answer: Option (B)

Logic / Derivation: From the given conditions: P > S, but P < Q -> Q > P > S. R > Q, but R < U -> U > R > Q. T is the tallest. Final order: T > U > R > Q > P > S. The fourth tallest person is Q.

[OnlineStudy4U Ranking Test]

Q155. Shreya is taller than Meena but shorter than Ritu. Kajal is shorter than Ritu but taller than Meena. Payal is the shortest among all. Who is the third tallest?

(A) A) Shreya
(B) B) Ritu
(C) C) Meena
(D) D) Kajal

Correct Answer: Option (D)

Logic / Derivation: From the given conditions: Shreya > Meena but Shreya < Ritu. -> Ritu > Shreya > Meena. Kajal is shorter than Ritu but taller than Meena. -> Ritu > Kajal > Meena. Payal is the shortest. Arranging all: Ritu > Shreya > Kajal > Meena > Payal. The third tallest person is Kajal.

[OnlineStudy4U Ranking Test]


Q156. In a row of students, Raj is 15th from the left end and 12th from the right end. How many students are there in the row?

(A) A) 26
(B) B) 28
(C) C) 25
(D) D) 30

Correct Answer: Option (A)

Logic / Derivation: Total students in the row = (Position from Left) + (Position from Right) - 1 = 15 + 12 - 1 = 26

[OnlineStudy4U Ranking Test]



Q157. During assembly the students are standing in a line. Salman Khan is 21st in order from both the ends. How many boys are there in the class?

(A) A) 30
(B) B) 40
(C) C) 31
(D) D) 41

Correct Answer: Option (D)

Logic / Derivation: Therefore, total number of students = 20 + Salman Khan + 20 = 41

[OnlineStudy4U Ranking Test]

Q158. In a row of 45 students, Aditi is ranked 18th from the left. Priya is 24th from the right. If there are 5 students between Aditi and Priya, how many students are there in the row?

(A) A) 45
(B) B) 47
(C) C) 50
(D) D) 53

Correct Answer: Option (B)

Logic / Derivation: Total students in the row = (Aditi's rank from the left) + (Priya's rank from the right) + (Students between them) = 18 + 24 + 5 = 47

[OnlineStudy4U Ranking Test]

Q159. Rahul is heavier than Suresh but lighter than Mohan. Kunal is lighter than Rahul but heavier than Suresh. Deepak is heavier than all except Mohan. Who is the second lightest?

(A) A) Rahul
(B) B) Kunal
(C) C) Suresh
(D) D) Mohan

Correct Answer: Option (B)

Logic / Derivation: Rahul is heavier than Suresh but lighter than Mohan. -> Mohan > Rahul > Suresh Kunal is lighter than Rahul but heavier than Suresh. -> Mohan > Rahul > Kunal > Suresh Deepak is heavier than all except Mohan. -> Mohan > Deepak > Rahul > Kunal > Suresh Solution: The second lightest is Kunal.

[OnlineStudy4U Ranking Test]

Q160. In a north-facing row of 45 students, Neha is 13th from the left, and Priya is 15th from the right. There are 4 students between Priya and Rani, who is equidistant to Neha. What is Rani's position from the right?

(A) A) 25
(B) B) 20
(C) C) 30
(D) D) 32

Correct Answer: Option (B)

Logic / Derivation: Priya's position from the left = 45-15+1=31. Rani's position from the left (5 places ahead of Priya) = 31-5=26. Check equidistance: ■26-13■=13 (same as Neha's position). Rani's position from the right = 45-26+1=20.

[OnlineStudy4U Ranking Test]

Q161. Five students--Amit, Bhavesh, Chetan, Dinesh, and Esha--took an exam. Amit scored higher than Chetan but lower than Bhavesh. Dinesh scored more than Amit but less than Esha. Esha scored the highest. Who got the second highest marks?

(A) A) Dinesh
(B) B) Chetan
(C) C) Amit
(D) D) Esha

Correct Answer: Option (A)

Logic / Derivation: From the given conditions: Amit > Chetan, but Amit < Bhavesh. -> Bhavesh > Amit > Chetan. Dinesh > Amit but Dinesh < Esha. -> Esha > Dinesh > Amit. Esha scored the highest. Final order: Esha > Dinesh > Bhavesh > Amit > Chetan. The second highest scorer is Dinesh.

[OnlineStudy4U Ranking Test]

Q162. In a class of 50 students, Priya ranks 14th from the top. What is her rank from the bottom?

(A) A) 35
(B) B) 37
(C) C) 40
(D) D) 45

Correct Answer: Option (B)

Logic / Derivation: Rank from the bottom = Total students - Rank from the top + 1 = 50 - 14 + 1 = 37

[OnlineStudy4U Ranking Test]

Q163. If the rank of Rohan is 7th from the top in a group of 50 candidates and 2 new candidates are added just before and after him, what will be his new rank from bottom?

(A) A) 44
(B) B) 45
(C) C) 46
(D) D) 48

Correct Answer: Option (C)

Logic / Derivation: Adding of candidates just before Rohan will not change his rank from bottom. Before addition, the rank of Rohan from bottom is = (50 - 7) + 1 = 44 Now adding 2 candidates just after Rohan will increase his rank by 2 positions. Hence; the new rank of Rohan from bottom will be = 44 + 2 = 46

[OnlineStudy4U Ranking Test]

Q164. Neha is heavier than Rina but lighter than Simran. Aisha is lighter than Neha but heavier than Rina. Jaya is heavier than all except Simran. Who is the third heaviest?

(A) A) Rina
(B) B) Simran
(C) C) Neha
(D) D) Jaya

Correct Answer: Option (C)

Logic / Derivation: From the given conditions: Neha > Rina, but Neha < Simran -> Simran > Neha > Rina. Aisha is lighter than Neha but heavier than Rina -> Simran > Neha > Aisha > Rina. Jaya is heavier than all except Simran -> Simran > Jaya > Neha > Aisha > Rina. The third heaviest person is Neha.

[OnlineStudy4U Ranking Test]

Score	Person	Runs
Highest	Rajat	
	Karan	78
	Anant	
	Sumer	
	Parth/Gaurav	
Lowest	Gaurav/Parth	

Q165. Six persons - Sumer, Anant, Parth, Rajat, Karan and Gaurav, played in a cricket match and scored different number of runs. Sumer scored more runs than only Parth and Gaurav. Anant scored less runs than Karan, who was not highest scorer. The Second highest person scored 78 runs. How many person(s) scored more runs than Parth?

(A) A) 1
(B) B) 2
(C) C) 3
(D) D) More than 3

Correct Answer: Option (D)

Logic / Derivation: Following the final solution we can say that either 4 or 5 persons scored more runs than Parth.

[OnlineStudy4U Ranking Test]

Q166. In a line of 60 people, Sam is ranked 21st from the top. How many people are ahead of him and how many are behind him?

(A) A) 20, 39
(B) B) 20,40
(C) C) 22,39
(D) D) 22,40

Correct Answer: Option (A)

Logic / Derivation: People ahead of Sam = Sam's rank - 1 = 21 - 1 = 20 People behind Sam = Total - Sam's rank = 60 - 21 = 39

[OnlineStudy4U Ranking Test]


Q167. In a nursery, I saw a group of small rose trees arranged in a row. However, one rose tree caught my attention very much. I started counting its rank from the left hand side and found out to be 12. When I started counting from right hand side, it was again 12!! What is the total number of rose trees that were arranged in that row?

(A) A) 21
(B) B) 25
(C) C) 32
(D) D) 23

Correct Answer: Option (D)

Logic / Derivation: As the rank of the tree is same from either side, the total number of trees will be 12 + 12 - 1 = 23

[OnlineStudy4U Ranking Test]



Q168. In a north facing row of NCC Cadets, Trisha is 9th from the left end and Tina is 12th from the right end. There are 5 cadets between Trisha and Tanya who is equidstant to Tina. Find how many cadets are there in the row?

(A) A) 34
(B) B) 31
(C) C) 32
(D) D) 33

Correct Answer: Option (C)

Logic / Derivation: Adding all the persons in the above image, we get: 8 + 1(Trisha) + 5 + 1(Tanya) + 5 + 1(Tina) + 11 = 32 Thus there are 32 cadets in the row.

[OnlineStudy4U Ranking Test]

Q169. In a north-facing row of students, Ajay is 18th from the left and Vijay is 22nd from the right. If there are 10 students between them, find the total number of students in the row.

(A) A) 40
(B) B) 45
(C) C) 50
(D) D) 55

Correct Answer: Option (C)

Logic / Derivation: Total students = Ajay's position from left + Vijay's position from right + students between them = 18 + 22 + 10 = 50

[OnlineStudy4U Ranking Test]


Q170. Aman is standing in a queue at the 10th position from the front. If he is 15th from the back, how many people are in the queue?

(A) A) 30
(B) B) 75
(C) C) 50
(D) D) 24

Correct Answer: Option (D)

Logic / Derivation: Total people in the queue = (Position from Front) + (Position from Back) - 1 = 10 + 15 - 1 = 24

[OnlineStudy4U Ranking Test]



Q171. In a class of 35 students, Ziya is placed 7th from the bottom where as Sofia is placed 9th from the top. Shahruk is placed in between the two. What is Ziya's position from Shahruk?

(A) A) 10
(B) B) 15
(C) C) 19
(D) D) 21

Correct Answer: Option (A)

Logic / Derivation: As seen in the figure, Shahruk is between Sofia and Ziya. It's given that Ziya is 7th from the bottom and Sofia is 9th from the top. Therefore, number of persons between Sofia and Ziya = 35-(9+7) = 19 Sharuk's position between Sofia and Ziya = 19-1/2 = 10. Hence, Shahruk is at the middle ie. at 10th position from both. Ziya, therefore, is at the 10th position from Shahruk

[CampusMonk Set 01 (Engineering Branches)]

Q172. What is the specialization of Varun?

(A) a) Metallurgy
(B) b) Mechanical
(C) c) Hardware
(D) d) Telecommunication

Correct Answer: Option (D)

Logic / Derivation: Rajesh = Metallurgy, Anit = Electrical. Since Nilesh studies neither Telecom nor Software, and Siddhartha does not study Telecom, Varun is the only one left who can study Telecommunication.

[CampusMonk Set 01 (Engineering Branches)]

Q173. Which specialization is Siddhartha studying?

(A) a) Software
(B) b) Mechanical
(C) c) Hardware
(D) d) Electrical

Correct Answer: Option (A)

Logic / Derivation: Varun and Nilesh cannot study Software. Rajesh = Metallurgy, Anit = Electrical. Thus Siddhartha must be studying Software.

[CampusMonk Set 01 (Engineering Branches)]

Q174. Which of the following specializations is Nilesh studying?

(A) a) Mechanical
(B) b) Hardware
(C) c) Either Mechanical or Hardware
(D) d) Cannot be determined

Correct Answer: Option (C)

Logic / Derivation: Remaining branches are Mechanical and Hardware for Nilesh and Deepak. Either Mechanical or Hardware is valid for Nilesh.

[CampusMonk Set 02 (Cars & Professions)]

Q175. In which car are three persons travelling?

(A) a) Honda City
(B) b) Swift
(C) c) Ford Fiesta
(D) d) None of these

Correct Answer: Option (B)

Logic / Derivation: Ford Fiesta has exactly 2 (R and Q). Honda City has 2 (T and F). The remaining 3 friends (P, D, N) travel in Swift.

[CampusMonk Set 02 (Cars & Professions)]

Q176. Which of the following represents the pair of females?

(A) a) T, Q
(B) b) T, F
(C) c) P, D
(D) d) R, T

Correct Answer: Option (A)

Logic / Derivation: Only 2 females: T is the Doctor, and Q in Ford Fiesta must be the Lawyer to satisfy the rule that every car has at least one female.

[CampusMonk Set 02 (Cars & Professions)]

Q177. What is the profession of Q?

(A) a) Teacher
(B) b) Lawyer
(C) c) Doctor
(D) d) Engineer

Correct Answer: Option (B)

Logic / Derivation: Q is the female lawyer travelling in Ford Fiesta with R.

[CampusMonk Set 03 (Professors & Cities)]

Q178. On which day does the professor visit Bengaluru?

(A) a) Monday
(B) b) Tuesday
(C) c) Thursday
(D) d) Saturday

Correct Answer: Option (B)

Logic / Derivation: C visits on Friday. Two professors visit between C and Bengaluru: Friday - 2 = Tuesday. Bengaluru is visited on Tuesday.

[CampusMonk Set 03 (Professors & Cities)]

Q179. Which city does D visit?

(A) a) Bengaluru
(B) b) Kolkata
(C) c) Chennai
(D) d) Hyderabad

Correct Answer: Option (A)

Logic / Derivation: Matching schedule gives: Mon=G (Chennai/Hyd), Tue=D (Bengaluru), Wed=F (Delhi), Thu=B (Kolkata/Hyd), Fri=C (Mumbai), Sat=A (Pune), Sun=E (Kolkata). Hence D visits Bengaluru.

[CampusMonk Set 05 (Departments & Employees)]

Q180. In which department does B work?

(A) a) IT
(B) b) HR
(C) c) Finance
(D) d) Cannot be determined

Correct Answer: Option (A)

Logic / Derivation: Finance has only A and G. HR has D. B does not work with D (so not HR). Thus B must work in IT.

[CampusMonk Set 06 (Floor Puzzles)]

Q181. On which floor does A stay?

(A) a) Floor 2
(B) b) Floor 4
(C) c) Floor 6
(D) d) Floor 3

Correct Answer: Option (A)

Logic / Derivation: Floor 6=F, 5=E, 4=C, 3=D, 2=A, 1=B. A is on Floor 2.

[CampusMonk Book 1]

Q182. Who is the fourth person to the left of Q?

(A) a. P
(B) b. U
(C) c. R
(D) d. Data inadequate

Correct Answer: Option (A)

Logic / Derivation: Clockwise order around table: U, T, R, Q, S, P. Fourth to the left of Q is P.

[CampusMonk Book 1]

Q183. In which position is A sitting?

(A) a. Between B and D
(B) b. Between B and C
(C) c. Between E and D
(D) d. Between C and E

Correct Answer: Option (B)

Logic / Derivation: Order from left to right: E, B, A, C, D. A is seated between B and C.

[CampusMonk Set 04 (Circular Table 8 Friends)]

Q184. Who is sitting opposite to D?

(A) a) F
(B) b) H
(C) c) A
(D) d) E

Correct Answer: Option (B)

Logic / Derivation: Circular seating mapping gives clockwise positions: G, D, B, C, E, H, A, F. Opposite to D is H.

[CampusMonk Set 04 (Circular Table 8 Friends)]

Q185. Who is sitting to the immediate left of C?

(A) a) B
(B) b) E
(C) c) D
(D) d) F

Correct Answer: Option (B)

Logic / Derivation: Immediate left of C is E (facing centre).

[Infosys Assessment UI (Image 1 Q94)]


Q186. Five cars are parked in a row facing Eastward. E is parked to the left of A, B and C. B, C and A are parked to the left of D. C is parked between A and B. If B is parked fourth from the left, how far is A parked from the right?

(A) a) Fourth
(B) b) Third
(C) c) Second
(D) d) First

Correct Answer: Option (A)

Logic / Derivation: Facing East, left means North and right means South. Cars from left to right: E (1st), A (2nd), C (3rd), B (4th), D (5th). A is at position 2 from left, which is (5 - 2 + 1) = 4th from the right.

[OnlineStudy4U Seating Test]




Q187. Eight persons viz. A, B, C, D, E, F, G, and H are sitting around a circular table such that all of them are facing towards the center. The consecutive alphabetically named persons are not sitting adjacent to each other. Two persons sit between A and C, who faces E. Only one person sits between A and F. The number of persons sitting between E and F is twice the number of persons sitting between C and H when counted from the right of both F and C. D sits exactly between B and G, who doesn't sit adjacent to E. What is the position of F with respect to H?

(A) A) Fourth to the right
(B) B) Immediate left
(C) C) Second to the left
(D) D) Third to the right

Correct Answer: Option (B)

Logic / Derivation: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: B.

[OnlineStudy4U Seating Test]




Q188. Each of these questions are based on the information given below: A ,B, C, D and E are five men sitting in a line facing to south - while M, N, O, P and Q are five ladies sitting in a second line parallel to the first line and are facing to North. B who is just next to the left of D, is opposite to Q. C and N are diagonally opposite to each other. E is opposite to O who is just next right of M. P who is just to the left of Q, is opposite to D. M is at one end of the line. Which of the following pair is diagonally opposite to each other?

(A) A) EQ
(B) B) BO
(C) C) AN
(D) D) AM

Correct Answer: Option (D)

Logic / Derivation: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: D.

[OnlineStudy4U Seating Test]




Q189. Six friends P, Q, R, S, T and U are sitting around the hexagonal table each at one corner and are facing the centre of the hexagonal. P is second to the left of U. Q is neighbour of R and S. T is second to the left of S. Which of the following are the neighbours of P ?

(A) A) U,P
(B) B) U,R
(C) C) T,R
(D) D) None

Correct Answer: Option (C)

Logic / Derivation: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: C.

[OnlineStudy4U Seating Test]




Q190. Eight persons - Amar, Ansh, Arun, Amit, Ashu, Anup, Arif and Anil, are sitting around a circular table facing the centre but not necessarily in the same order. Arif is to the immediate left of Ashu. Anup is to the immediate left of Arun. Amar is the neighbour of Ansh. Amit is between Anup and Ansh. Arif is not the neighbour of Ansh or Anil. What is the position of Arif with respect to Amit?

(A) A) Third to the right
(B) B) Second to the left
(C) C) Fourth to the right
(D) D) Fourth to the left

Correct Answer: Option (A)

Logic / Derivation: Following the final solution, we can say that Arif is third to the right of Amit.

[OnlineStudy4U Seating Test]




Q191. Six persons namely P, R, S, T, W, and X are sitting around a rectangular table such that one sits at each of the shorter sides and two sit at each of the longer sides of the table facing towards the center of the table. W sits on the longer side and two persons sit between P and W. R sits opposite to X and is near P. T doesn't sit near W. X doesn't sit immediately left of T. Pick the odd one out.

(A) A) T
(B) B) P
(C) C) W
(D) D) None

Correct Answer: Option (D)

Logic / Derivation: Clearly, all of them are facing inside and sitting on the longer sides. None is odd.

[OnlineStudy4U Seating Test]




Q192. A, P, R, X, S and Z are sitting in a row. S and Z are in the centre. A and P are at the ends. R is sitting to the left of A. Who is to the right of P ?

(A) A) X
(B) B) S
(C) C) Z
(D) D) A

Correct Answer: Option (A)

Logic / Derivation: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: A.

[OnlineStudy4U Seating Test]




Q193. Five girls are sitting on a bench to be photographed. Seema is to the left of Rani and to the right of Bindu. Mary is to the right of Rani. Reeta is between Rani and Mary. Who is sitting immediate right to Reeta ?

(A) A) Bindu
(B) B) Rani
(C) C) Mary
(D) D) Seema

Correct Answer: Option (C)

Logic / Derivation: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: C.

[OnlineStudy4U Seating Test]




Q194. A, B, C, D and E are sitting on a bench. A is sitting next to B, C is sitting next to D, D is not sitting with E who is on the left end of the bench. C is on the second position from the right. A is to the right of B and E. A and C are sitting together. In which position A is sitting ?

(A) A) Between B and C
(B) B) Between B and D
(C) C) Between E and D
(D) D) Between C and D

Correct Answer: Option (A)

Logic / Derivation: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: A.

[OnlineStudy4U Seating Test]




Q195. In a group discussion A, B, C, D, E and F are sitting around a rectangular table. A is sitting on a side alone. B, C are sitting on the same side. F is facing A. D is the immediate left of F. C is facing D. Who is immediate right of A?

(A) A) B
(B) B) F
(C) C) D
(D) D) E

Correct Answer: Option (D)

Logic / Derivation: Refer to the accompanying arrangement diagram to verify positions. Correct Answer: D.

[OnlineStudy4U Seating Test]



Q196. Six people - S, T, U, V, W and Z are sitting around a circular table facing towards centre. Only one person is sitting between T and W. Z is an immediate neighbour of W. S is sitting third to left of Z. U is an immediate neighbour of W. V is not sitting immediate left of T. How many people are sitting between U and Z, when counted from the right of Z?

(A) A) 1
(B) B) 2
(C) C) 3
(D) D) 4

Correct Answer: Option (C)

Logic / Derivation: T,V and S are sitting between U and Z when counted from the right of Z.

[OnlineStudy4U 100 Matrix Puzzles]

Q197. 1. Find the missing number (?) from the given matrix: [Grid: 18 | 16 | 34 | 16 | 20 | 36]

(A) A) 6
(B) B) 15
(C) C) 30
(D) D) 18

Correct Answer: Option (D)

Logic / Derivation: 18 16 34

[OnlineStudy4U 100 Matrix Puzzles]

Q198. 2. Find the missing number (?) from the given matrix: [Grid: 7 | 8 | 15 | 21 | 12 | 33]

(A) A) 34
(B) B) 31
(C) C) 19
(D) D) 43

Correct Answer: Option (B)

Logic / Derivation: 7 8 15

[OnlineStudy4U 100 Matrix Puzzles]

Q199. 3. Find the missing number (?) from the given matrix: [Grid: 16 | 4 | 20 | 13 | 17 | 30]

(A) A) 32
(B) B) 26
(C) C) 36
(D) D) 18

Correct Answer: Option (B)

Logic / Derivation: 16 4 20

[OnlineStudy4U 100 Matrix Puzzles]

Q200. 4. Find the missing number (?) from the given matrix: [Grid: 16 | 9 | 25 | 13 | 15 | 28]

(A) A) 42
(B) B) 30
(C) C) 25
(D) D) 48

Correct Answer: Option (B)

Logic / Derivation: 16 9 25

[OnlineStudy4U 100 Matrix Puzzles]

Q201. 5. Find the missing number (?) from the given matrix: [Grid: 8 | 15 | 23 | 18 | 5 | 23]

(A) A) 37
(B) B) 22
(C) C) 47
(D) D) 45

Correct Answer: Option (A)

Logic / Derivation: 8 15 23

[OnlineStudy4U 100 Matrix Puzzles]

Q202. 6. Find the missing number (?) from the given matrix: [Grid: 25 | 15 | 10 | 33 | 11 | 22]

(A) A) 4
(B) B) 21
(C) C) 13
(D) D) 16

Correct Answer: Option (D)

Logic / Derivation: 25 15 10

[OnlineStudy4U 100 Matrix Puzzles]

Q203. 7. Find the missing number (?) from the given matrix: [Grid: 11 | 4 | 7 | 34 | 9 | 25]

(A) A) 2
(B) B) 9
(C) C) 18
(D) D) 6

Correct Answer: Option (D)

Logic / Derivation: 11 4 7

[OnlineStudy4U 100 Matrix Puzzles]

Q204. 8. Find the missing number (?) from the given matrix: [Grid: 30 | 8 | 22 | 25 | 5 | 20]

(A) A) 23
(B) B) 22
(C) C) 11
(D) D) 17

Correct Answer: Option (D)

Logic / Derivation: 30 8 22

[OnlineStudy4U 100 Matrix Puzzles]

Q205. 9. Find the missing number (?) from the given matrix: [Grid: 23 | 9 | 14 | 31 | 9 | 22]

(A) A) 18
(B) B) 21
(C) C) 30
(D) D) 15

Correct Answer: Option (D)

Logic / Derivation: 23 9 14

[OnlineStudy4U 100 Matrix Puzzles]

Q206. 10. Find the missing number (?) from the given matrix: [Grid: 15 | 5 | 10 | 22 | 9 | 13]

(A) A) 29
(B) B) 23
(C) C) 19
(D) D) 11

Correct Answer: Option (D)

Logic / Derivation: 15 5 10

[OnlineStudy4U 100 Matrix Puzzles]

Q207. 11. Find the missing number (?) from the given matrix: [Grid: 7 | 5 | 35 | 4 | 3 | 12]

(A) A) 66
(B) B) 74
(C) C) 56
(D) D) 52

Correct Answer: Option (C)

Logic / Derivation: 7 5 35

[OnlineStudy4U 100 Matrix Puzzles]

Q208. 12. Find the missing number (?) from the given matrix: [Grid: 9 | 3 | 27 | 4 | 8 | 32]

(A) A) 12
(B) B) 2
(C) C) 17
(D) D) 16

Correct Answer: Option (A)

Logic / Derivation: 9 3 27

[OnlineStudy4U 100 Matrix Puzzles]
Q209. 13. Find the missing number (?) from the given matrix: [Grid: 9 | 4 | 36 | 9 | 8 | 72]
(A) A) 38
(B) B) 50
(C) C) 27
(D) D) 32
Correct Answer: Option (D)
Logic / Derivation: 9 4 36

[OnlineStudy4U 100 Matrix Puzzles]
Q210. 14. Find the missing number (?) from the given matrix: [Grid: 2 | 4 | 8 | 6 | 6 | 36]
(A) A) 54
(B) B) 36
(C) C) 33
(D) D) 40
Correct Answer: Option (B)
Logic / Derivation: 2 4 8

[OnlineStudy4U 100 Matrix Puzzles]
Q211. 15. Find the missing number (?) from the given matrix: [Grid: 5 | 6 | 30 | 3 | 3 | 9]
(A) A) 18
(B) B) 28
(C) C) 14
(D) D) 8
Correct Answer: Option (A)
Logic / Derivation: 5 6 30

[OnlineStudy4U 100 Matrix Puzzles]
Q212. 16. Find the missing number (?) from the given matrix: [Grid: 6 | 3 | 2 | 64 | 8 | 8]
(A) A) 17
(B) B) 10
(C) C) 7
(D) D) 25
Correct Answer: Option (C)
Logic / Derivation: 6 3 2

[OnlineStudy4U 100 Matrix Puzzles]
Q213. 17. Find the missing number (?) from the given matrix: [Grid: 15 | 3 | 5 | 36 | 6 | 6]
(A) A) 12
(B) B) 8
(C) C) 19
(D) D) 4
Correct Answer: Option (D)
Logic / Derivation: 15 3 5

[OnlineStudy4U 100 Matrix Puzzles]
Q214. 18. Find the missing number (?) from the given matrix: [Grid: 6 | 2 | 3 | 8 | 4 | 2]
(A) A) 6
(B) B) 13
(C) C) 9
(D) D) 3
Correct Answer: Option (C)
Logic / Derivation: 6 2 3

[OnlineStudy4U 100 Matrix Puzzles]
Q215. 19. Find the missing number (?) from the given matrix: [Grid: 12 | 6 | 2 | 36 | 6 | 6]
(A) A) 2
(B) B) 6
(C) C) 5
(D) D) 7
Correct Answer: Option (A)
Logic / Derivation: 12 6 2

[OnlineStudy4U 100 Matrix Puzzles]
Q216. 20. Find the missing number (?) from the given matrix: [Grid: 15 | 5 | 3 | 49 | 7 | 7]
(A) A) 22
(B) B) 7
(C) C) 12
(D) D) 4
Correct Answer: Option (B)
Logic / Derivation: 15 5 3

[OnlineStudy4U 100 Matrix Puzzles]
Q217. 21. Find the missing number (?) from the given matrix: [Grid: 5 | 3 | 28 | 5 | 1 | 26]
(A) A) 8
(B) B) 14
(C) C) 18
(D) D) 12
Correct Answer: Option (A)
Logic / Derivation: 5 3 28

[OnlineStudy4U 100 Matrix Puzzles]
Q218. 22. Find the missing number (?) from the given matrix: [Grid: 7 | 5 | 54 | 6 | 10 | 46]
(A) A) 49
(B) B) 54
(C) C) 57
(D) D) 45
Correct Answer: Option (C)
Logic / Derivation: 7 5 54

[OnlineStudy4U 100 Matrix Puzzles]
Q219. 23. Find the missing number (?) from the given matrix: [Grid: 6 | 5 | 41 | 6 | 1 | 37]
(A) A) 37
(B) B) 12
(C) C) 27
(D) D) 42
Correct Answer: Option (C)
Logic / Derivation: 6 5 41

[OnlineStudy4U 100 Matrix Puzzles]
Q220. 24. Find the missing number (?) from the given matrix: [Grid: 3 | 5 | 14 | 5 | 4 | 29]
(A) A) 15
(B) B) 27
(C) C) 21
(D) D) 23
Correct Answer: Option (B)
Logic / Derivation: 3 5 14

[OnlineStudy4U 100 Matrix Puzzles]
Q221. 25. Find the missing number (?) from the given matrix: [Grid: 1 | 2 | 3 | 6 | 5 | 41]
(A) A) 66
(B) B) 54
(C) C) 49
(D) D) 39
Correct Answer: Option (B)
Logic / Derivation: 1 2 3

[OnlineStudy4U 100 Matrix Puzzles]
Q222. 26. Find the missing number (?) from the given matrix: [Grid: 8 | 36 | 28 | 9 | 59 | 22]
(A) A) 31
(B) B) 25
(C) C) 21
(D) D) 17
Correct Answer: Option (C)
Logic / Derivation: 8 36 28

[OnlineStudy4U 100 Matrix Puzzles]
Q223. 27. Find the missing number (?) from the given matrix: [Grid: 6 | 16 | 20 | 6 | 9 | 27]
(A) A) 45
(B) B) 51
(C) C) 41
(D) D) 36
Correct Answer: Option (C)
Logic / Derivation: 6 16 20

[OnlineStudy4U 100 Matrix Puzzles]
Q224. 28. Find the missing number (?) from the given matrix: [Grid: 4 | 3 | 13 | 4 | 7 | 9]
(A) A) 15
(B) B) 30
(C) C) 9
(D) D) 7
Correct Answer: Option (A)
Logic / Derivation: 4 3 13

[OnlineStudy4U 100 Matrix Puzzles]
Q225. 29. Find the missing number (?) from the given matrix: [Grid: 10 | 11 | 89 | 9 | 63 | 18]
(A) A) 27
(B) B) 9
(C) C) 11
(D) D) 15
Correct Answer: Option (D)
Logic / Derivation: 10 11 89

[OnlineStudy4U 100 Matrix Puzzles]
Q226. 30. Find the missing number (?) from the given matrix: [Grid: 7 | 47 | 2 | 6 | 34 | 2]
(A) A) 4
(B) B) 19
(C) C) 29
(D) D) 25
Correct Answer: Option (B)
Logic / Derivation: 7 47 2

[OnlineStudy4U 100 Matrix Puzzles]
Q227. 31. Find the missing number (?) from the given matrix: [Grid: 3 | 5 | 34 | 6 | 3 | 45]
(A) A) 49
(B) B) 40
(C) C) 52
(D) D) 64
Correct Answer: Option (C)
Logic / Derivation: 3 5 34

[OnlineStudy4U 100 Matrix Puzzles]
Q228. 32. Find the missing number (?) from the given matrix: [Grid: 1 | 3 | 10 | 7 | 7 | 98]
(A) A) 17
(B) B) 12
(C) C) 13
(D) D) 2
Correct Answer: Option (A)
Logic / Derivation: 1 3 10

[OnlineStudy4U 100 Matrix Puzzles]
Q229. 33. Find the missing number (?) from the given matrix: [Grid: 7 | 5 | 74 | 4 | 2 | 20]
(A) A) 40
(B) B) 35
(C) C) 48
(D) D) 55
Correct Answer: Option (A)
Logic / Derivation: 7 5 74

[OnlineStudy4U 100 Matrix Puzzles]
Q230. 34. Find the missing number (?) from the given matrix: [Grid: 7 | 5 | 74 | 4 | 1 | 17]
(A) A) 44
(B) B) 52
(C) C) 46
(D) D) 57
Correct Answer: Option (B)
Logic / Derivation: 7 5 74

[OnlineStudy4U 100 Matrix Puzzles]
Q231. 35. Find the missing number (?) from the given matrix: [Grid: 2 | 6 | 40 | 7 | 7 | 98]
(A) A) 108
(B) B) 98
(C) C) 95
(D) D) 93
Correct Answer: Option (B)
Logic / Derivation: 2 6 40

[OnlineStudy4U 100 Matrix Puzzles]
Q232. 36. Find the missing number (?) from the given matrix: [Grid: 6 | 1 | 13 | 6 | 6 | 18]
(A) A) 9
(B) B) 27
(C) C) 11
(D) D) 17
Correct Answer: Option (D)
Logic / Derivation: 6 1 13

[OnlineStudy4U 100 Matrix Puzzles]
Q233. 37. Find the missing number (?) from the given matrix: [Grid: 15 | 12 | 42 | 14 | 11 | 39]
(A) A) 9
(B) B) 3
(C) C) 27
(D) D) 15
Correct Answer: Option (A)
Logic / Derivation: 15 12 42

[OnlineStudy4U 100 Matrix Puzzles]
Q234. 38. Find the missing number (?) from the given matrix: [Grid: 15 | 4 | 34 | 14 | 2 | 30]
(A) A) 39
(B) B) 57
(C) C) 43
(D) D) 44
Correct Answer: Option (A)
Logic / Derivation: 15 4 34

[OnlineStudy4U 100 Matrix Puzzles]
Q235. 39. Find the missing number (?) from the given matrix: [Grid: 11 | 7 | 29 | 6 | 6 | 18]
(A) A) 19
(B) B) 23
(C) C) 21
(D) D) 13
Correct Answer: Option (D)
Logic / Derivation: 11 7 29

[OnlineStudy4U 100 Matrix Puzzles]
Q236. 40. Find the missing number (?) from the given matrix: [Grid: 10 | 11 | 31 | 2 | 5 | 9]
(A) A) 17
(B) B) 29
(C) C) 24
(D) D) 14
Correct Answer: Option (D)
Logic / Derivation: 10 11 31

[OnlineStudy4U 100 Matrix Puzzles]
Q237. 41. Find the missing number (?) from the given matrix: [Grid: 11 | 7 | 26 | 2 | 10 | -4]
(A) A) 17
(B) B) 9
(C) C) 5
(D) D) 1
Correct Answer: Option (C)
Logic / Derivation: 11 7 26

[OnlineStudy4U 100 Matrix Puzzles]
Q238. 42. Find the missing number (?) from the given matrix: [Grid: 5 | 5 | 10 | 7 | 8 | 13]
(A) A) 19
(B) B) 14
(C) C) 2
(D) D) 32
Correct Answer: Option (B)
Logic / Derivation: 5 5 10

[OnlineStudy4U 100 Matrix Puzzles]
Q239. 43. Find the missing number (?) from the given matrix: [Grid: 9 | 7 | 20 | 11 | 9 | 24]
(A) A) 31
(B) B) 11
(C) C) 44
(D) D) 26
Correct Answer: Option (D)
Logic / Derivation: 9 7 20

[OnlineStudy4U 100 Matrix Puzzles]
Q240. 44. Find the missing number (?) from the given matrix: [Grid: 9 | 1 | 26 | 5 | 1 | 14]
(A) A) -1
(B) B) 2
(C) C) 11
(D) D) 17
Correct Answer: Option (A)
Logic / Derivation: 9 1 26

[OnlineStudy4U 100 Matrix Puzzles]
Q241. 45. Find the missing number (?) from the given matrix: [Grid: 7 | 5 | 16 | 12 | 1 | 35]
(A) A) 23
(B) B) 16
(C) C) 6
(D) D) 11
Correct Answer: Option (D)
Logic / Derivation: 7 5 16

[OnlineStudy4U 100 Matrix Puzzles]
Q242. 46. Find the missing number (?) from the given matrix: [Grid: 21 | 29 | 25 | 27 | 17 | 22]
(A) A) 23
(B) B) 28
(C) C) 18
(D) D) 38
Correct Answer: Option (A)
Logic / Derivation: 21 29 25

[OnlineStudy4U 100 Matrix Puzzles]
Q243. 47. Find the missing number (?) from the given matrix: [Grid: 7 | 25 | 16 | 30 | 6 | 18]
(A) A) 10
(B) B) 13
(C) C) 25
(D) D) 31
Correct Answer: Option (B)
Logic / Derivation: 7 25 16

[OnlineStudy4U 100 Matrix Puzzles]
Q244. 48. Find the missing number (?) from the given matrix: [Grid: 10 | 24 | 17 | 24 | 26 | 25]
(A) A) 31
(B) B) 21
(C) C) 25
(D) D) 15
Correct Answer: Option (C)
Logic / Derivation: 10 24 17

[OnlineStudy4U 100 Matrix Puzzles]
Q245. 49. Find the missing number (?) from the given matrix: [Grid: 27 | 29 | 28 | 19 | 23 | 21]
(A) A) 15
(B) B) 12
(C) C) 20
(D) D) 5
Correct Answer: Option (A)
Logic / Derivation: 27 29 28

[OnlineStudy4U 100 Matrix Puzzles]
Q246. 50. Find the missing number (?) from the given matrix: [Grid: 10 | 20 | 15 | 25 | 25 | 25]
(A) A) 34
(B) B) 30
(C) C) 24
(D) D) 19
Correct Answer: Option (C)
Logic / Derivation: 10 20 15

[OnlineStudy4U 100 Matrix Puzzles]
Q247. 51. Find the missing number (?) from the given matrix: [Grid: 11 | 9 | 18 | 7 | 9 | 9]
(A) A) 3
(B) B) 18
(C) C) 2
(D) D) 6
Correct Answer: Option (D)
Logic / Derivation: 11 9 18

[OnlineStudy4U 100 Matrix Puzzles]
Q248. 52. Find the missing number (?) from the given matrix: [Grid: 16 | 7 | 4 | 6 | 7 | 6]
(A) A) 19
(B) B) 4
(C) C) 9
(D) D) 22
Correct Answer: Option (B)
Logic / Derivation: 16 7 4

[OnlineStudy4U 100 Matrix Puzzles]
Q249. 53. Find the missing number (?) from the given matrix: [Grid: 12 | 7 | 12 | 12 | 2 | 6]
(A) A) 24
(B) B) 13
(C) C) 17
(D) D) 9
Correct Answer: Option (D)
Logic / Derivation: 12 7 12

[OnlineStudy4U 100 Matrix Puzzles]
Q250. 54. Find the missing number (?) from the given matrix: [Grid: 18 | 7 | 9 | 15 | 3 | 9]
(A) A) 6
(B) B) 1
(C) C) 11
(D) D) 9
Correct Answer: Option (B)
Logic / Derivation: 18 7 9

[OnlineStudy4U 100 Matrix Puzzles]
Q251. 55. Find the missing number (?) from the given matrix: [Grid: 16 | 6 | 15 | 7 | 9 | 9]
(A) A) 16
(B) B) 11
(C) C) 26
(D) D) 19
Correct Answer: Option (B)
Logic / Derivation: 16 6 15

[OnlineStudy4U 100 Matrix Puzzles]
Q252. 56. Find the missing number (?) from the given matrix: [Grid: 35 | 4 | 19 | 26 | 4 | 16]
(A) A) 17
(B) B) 1
(C) C) 9
(D) D) 6
Correct Answer: Option (C)
Logic / Derivation: 35 4 19

[OnlineStudy4U 100 Matrix Puzzles]
Q253. 57. Find the missing number (?) from the given matrix: [Grid: 30 | 3 | 3 | 10 | 6 | 6]
(A) A) 14
(B) B) 15
(C) C) 18
(D) D) 10
Correct Answer: Option (D)
Logic / Derivation: 30 3 3

[OnlineStudy4U 100 Matrix Puzzles]
Q254. 58. Find the missing number (?) from the given matrix: [Grid: 49 | 7 | 43 | 42 | 6 | 14]
(A) A) 26
(B) B) 15
(C) C) 12
(D) D) 20
Correct Answer: Option (D)
Logic / Derivation: 49 7 43

[OnlineStudy4U 100 Matrix Puzzles]
Q255. 59. Find the missing number (?) from the given matrix: [Grid: 13 | 9 | 12 | 37 | 9 | 30]
(A) A) 9
(B) B) 6
(C) C) 12
(D) D) 30
Correct Answer: Option (C)
Logic / Derivation: 13 9 12

[OnlineStudy4U 100 Matrix Puzzles]
Q256. 60. Find the missing number (?) from the given matrix: [Grid: 30 | 2 | 2 | 41 | 4 | 8]
(A) A) 41
(B) B) 34
(C) C) 29
(D) D) 23
Correct Answer: Option (C)
Logic / Derivation: 30 2 2

[OnlineStudy4U 100 Matrix Puzzles]
Q257. 61. Find the missing number (?) from the given matrix: [Grid: 5 | 2 | 25 | 6 | 5 | 7776]
(A) A) 7776
(B) B) 7794
(C) C) 7781
(D) D) 7779
Correct Answer: Option (A)
Logic / Derivation: 5 2 25

[OnlineStudy4U 100 Matrix Puzzles]
Q258. 62. Find the missing number (?) from the given matrix: [Grid: 3 | 3 | 27 | 4 | 3 | 64]
(A) A) 35
(B) B) 25
(C) C) 15
(D) D) 10
Correct Answer: Option (B)
Logic / Derivation: 3 3 27

[OnlineStudy4U 100 Matrix Puzzles]
Q259. 63. Find the missing number (?) from the given matrix: [Grid: 4 | 3 | 64 | 5 | 4 | 625]
(A) A) 143
(B) B) 121
(C) C) 125
(D) D) 115
Correct Answer: Option (C)
Logic / Derivation: 4 3 64

[OnlineStudy4U 100 Matrix Puzzles]
Q260. 64. Find the missing number (?) from the given matrix: [Grid: 2 | 4 | 16 | 4 | 1 | 4]
(A) A) 1024
(B) B) 1014
(C) C) 1039
(D) D) 1018
Correct Answer: Option (A)
Logic / Derivation: 2 4 16

[OnlineStudy4U 100 Matrix Puzzles]
Q261. 65. Find the missing number (?) from the given matrix: [Grid: 6 | 3 | 216 | 2 | 3 | 8]
(A) A) 17
(B) B) 5
(C) C) 15
(D) D) 10
Correct Answer: Option (B)
Logic / Derivation: 6 3 216

[OnlineStudy4U 100 Matrix Puzzles]
Q262. 66. Find the missing number (?) from the given matrix: [Grid: 3 | 1 | 12 | 5 | 1 | 30]
(A) A) 18
(B) B) 8
(C) C) 22
(D) D) 13
Correct Answer: Option (A)
Logic / Derivation: 3 1 12

[OnlineStudy4U 100 Matrix Puzzles]
Q263. 67. Find the missing number (?) from the given matrix: [Grid: 7 | 6 | 91 | 3 | 2 | 15]
(A) A) 56
(B) B) 41
(C) C) 64
(D) D) 68
Correct Answer: Option (A)
Logic / Derivation: 7 6 91

[OnlineStudy4U 100 Matrix Puzzles]
Q264. 68. Find the missing number (?) from the given matrix: [Grid: 8 | 2 | 80 | 5 | 7 | 60]
(A) A) 22
(B) B) 4
(C) C) 14
(D) D) 24
Correct Answer: Option (C)
Logic / Derivation: 8 2 80

[OnlineStudy4U 100 Matrix Puzzles]
Q265. 69. Find the missing number (?) from the given matrix: [Grid: 5 | 6 | 55 | 6 | 7 | 78]
(A) A) 90
(B) B) 84
(C) C) 88
(D) D) 92
Correct Answer: Option (B)
Logic / Derivation: 5 6 55

[OnlineStudy4U 100 Matrix Puzzles]
Q266. 70. Find the missing number (?) from the given matrix: [Grid: 7 | 3 | 70 | 6 | 5 | 66]
(A) A) 55
(B) B) 65
(C) C) 75
(D) D) 62
Correct Answer: Option (B)
Logic / Derivation: 7 3 70

[OnlineStudy4U 100 Matrix Puzzles]
Q267. 71. Find the missing number (?) from the given matrix: [Grid: 11 | 8 | 9 | 15 | 2 | 11]
(A) A) 10
(B) B) 25
(C) C) 20
(D) D) 35
Correct Answer: Option (C)
Logic / Derivation: 11 8 9

[OnlineStudy4U 100 Matrix Puzzles]
Q268. 72. Find the missing number (?) from the given matrix: [Grid: 14 | 2 | 8 | 12 | 7 | 8]
(A) A) 16
(B) B) 20
(C) C) 34
(D) D) 22
Correct Answer: Option (A)
Logic / Derivation: 14 2 8

[OnlineStudy4U 100 Matrix Puzzles]
Q269. 73. Find the missing number (?) from the given matrix: [Grid: 12 | 5 | 2 | 10 | 11 | 10]
(A) A) 12
(B) B) 9
(C) C) 18
(D) D) 17
Correct Answer: Option (A)
Logic / Derivation: 12 5 2

[OnlineStudy4U 100 Matrix Puzzles]
Q270. 74. Find the missing number (?) from the given matrix: [Grid: 4 | 3 | 4 | 2 | 6 | 14]
(A) A) 22
(B) B) 18
(C) C) 15
(D) D) 14
Correct Answer: Option (B)
Logic / Derivation: 4 3 4

[OnlineStudy4U 100 Matrix Puzzles]
Q271. 75. Find the missing number (?) from the given matrix: [Grid: 6 | 12 | 3 | 3 | 11 | 3]
(A) A) 21
(B) B) 10
(C) C) 12
(D) D) 6
Correct Answer: Option (D)
Logic / Derivation: 6 12 3

[OnlineStudy4U 100 Matrix Puzzles]
Q272. 76. Find the missing number (?) from the given matrix: [Grid: 15 | 21 | 22 | 7 | 13 | 14]
(A) A) 23
(B) B) 8
(C) C) 5
(D) D) 16
Correct Answer: Option (B)
Logic / Derivation: 15 21 22

[OnlineStudy4U 100 Matrix Puzzles]
Q273. 77. Find the missing number (?) from the given matrix: [Grid: 17 | 16 | 21 | 9 | 12 | 6]
(A) A) 5
(B) B) 23
(C) C) 15
(D) D) 10
Correct Answer: Option (C)
Logic / Derivation: 17 16 21

[OnlineStudy4U 100 Matrix Puzzles]
Q274. 78. Find the missing number (?) from the given matrix: [Grid: 11 | 20 | 24 | 3 | 13 | 14]
(A) A) 15
(B) B) 18
(C) C) 4
(D) D) 10
Correct Answer: Option (D)
Logic / Derivation: 11 20 24

[OnlineStudy4U 100 Matrix Puzzles]
Q275. 79. Find the missing number (?) from the given matrix: [Grid: 12 | 25 | 7 | 9 | 11 | 3]
(A) A) 1
(B) B) 14
(C) C) 4
(D) D) 8
Correct Answer: Option (C)
Logic / Derivation: 12 25 7

[OnlineStudy4U 100 Matrix Puzzles]
Q276. 80. Find the missing number (?) from the given matrix: [Grid: 24 | 19 | 28 | 15 | 10 | 15]
(A) A) 21
(B) B) 10
(C) C) 9
(D) D) 13
Correct Answer: Option (D)
Logic / Derivation: 24 19 28

[OnlineStudy4U 100 Matrix Puzzles]
Q277. 81. Find the missing number (?) from the given matrix: [Grid: 8 | 8 | 6 | 8 | 2 | 4]
(A) A) 32
(B) B) 24
(C) C) 14
(D) D) 16
Correct Answer: Option (B)
Logic / Derivation: 8 8 6

[OnlineStudy4U 100 Matrix Puzzles]
Q278. 82. Find the missing number (?) from the given matrix: [Grid: 2 | 3 | 8 | 3 | 3 | 2]
(A) A) 16
(B) B) 28
(C) C) 26
(D) D) 4
Correct Answer: Option (A)
Logic / Derivation: 2 3 8

[OnlineStudy4U 100 Matrix Puzzles]
Q279. 83. Find the missing number (?) from the given matrix: [Grid: 6 | 7 | 5 | 6 | 7 | 3]
(A) A) 30
(B) B) 10
(C) C) 15
(D) D) 18
Correct Answer: Option (C)
Logic / Derivation: 6 7 5

[OnlineStudy4U 100 Matrix Puzzles]
Q280. 84. Find the missing number (?) from the given matrix: [Grid: 8 | 3 | 7 | 5 | 5 | 4]
(A) A) 31
(B) B) 22
(C) C) 32
(D) D) 28
Correct Answer: Option (D)
Logic / Derivation: 8 3 7

[OnlineStudy4U 100 Matrix Puzzles]
Q281. 85. Find the missing number (?) from the given matrix: [Grid: 4 | 3 | 6 | 7 | 5 | 2]
(A) A) 15
(B) B) 17
(C) C) 18
(D) D) 12
Correct Answer: Option (D)
Logic / Derivation: 4 3 6

[OnlineStudy4U 100 Matrix Puzzles]
Q282. 86. Find the missing number (?) from the given matrix: [Grid: 13 | 11 | 20 | 15 | 5 | 20]
(A) A) 20
(B) B) 35
(C) C) 24
(D) D) 26
Correct Answer: Option (A)
Logic / Derivation: 13 11 20

[OnlineStudy4U 100 Matrix Puzzles]
Q283. 87. Find the missing number (?) from the given matrix: [Grid: 2 | 12 | 20 | 4 | 13 | 8]
(A) A) 2
(B) B) 32
(C) C) 8
(D) D) 14
Correct Answer: Option (D)
Logic / Derivation: 2 12 20

[OnlineStudy4U 100 Matrix Puzzles]
Q284. 88. Find the missing number (?) from the given matrix: [Grid: 8 | 8 | 12 | 20 | 6 | 8]
(A) A) 25
(B) B) 10
(C) C) 4
(D) D) 7
Correct Answer: Option (B)
Logic / Derivation: 8 8 12

[OnlineStudy4U 100 Matrix Puzzles]
Q285. 89. Find the missing number (?) from the given matrix: [Grid: 17 | 3 | 4 | 15 | 7 | 10]
(A) A) 25
(B) B) 7
(C) C) 22
(D) D) 13
Correct Answer: Option (B)
Logic / Derivation: 17 3 4

[OnlineStudy4U 100 Matrix Puzzles]
Q286. 90. Find the missing number (?) from the given matrix: [Grid: 2 | 3 | 18 | 14 | 7 | 14]
(A) A) 24
(B) B) 16
(C) C) 11
(D) D) 34
Correct Answer: Option (B)
Logic / Derivation: 2 3 18

[OnlineStudy4U 100 Matrix Puzzles]
Q287. 91. Find the missing number (?) from the given matrix: [Grid: 4 | 1 | 3 | 4 | 4 | 6]
(A) A) 8
(B) B) 18
(C) C) 3
(D) D) 23
Correct Answer: Option (B)
Logic / Derivation: 4 1 3

[OnlineStudy4U 100 Matrix Puzzles]
Q288. 92. Find the missing number (?) from the given matrix: [Grid: 9 | 6 | 7 | 8 | 6 | 3]
(A) A) 27
(B) B) 21
(C) C) 23
(D) D) 17
Correct Answer: Option (D)
Logic / Derivation: 9 6 7

[OnlineStudy4U 100 Matrix Puzzles]
Q289. 93. Find the missing number (?) from the given matrix: [Grid: 3 | 1 | 4 | 8 | 2 | 2]
(A) A) 10
(B) B) 7
(C) C) 13
(D) D) 25
Correct Answer: Option (B)
Logic / Derivation: 3 1 4

[OnlineStudy4U 100 Matrix Puzzles]
Q290. 94. Find the missing number (?) from the given matrix: [Grid: 5 | 7 | 7 | 5 | 9 | 7]
(A) A) 15
(B) B) 9
(C) C) 30
(D) D) 25
Correct Answer: Option (A)
Logic / Derivation: 5 7 7

[OnlineStudy4U 100 Matrix Puzzles]
Q291. 95. Find the missing number (?) from the given matrix: [Grid: 4 | 8 | 7 | 5 | 4 | 1]
(A) A) 1
(B) B) 5
(C) C) 10
(D) D) 13
Correct Answer: Option (D)
Logic / Derivation: 4 8 7

[OnlineStudy4U 100 Matrix Puzzles]
Q292. 96. Find the missing number (?) from the given matrix: [Grid: 10 | 15 | 6 | 11 | 26 | 9]
(A) A) 18
(B) B) 7
(C) C) 19
(D) D) 22
Correct Answer: Option (D)
Logic / Derivation: 10 15 6

[OnlineStudy4U 100 Matrix Puzzles]

Q293. 97. Find the missing number (?) from the given matrix: [Grid: 3 | 3 | 3 | 8 | 11 | 7]

(A) A) 1
(B) B) 17
(C) C) 11
(D) D) 29

Correct Answer: Option (C)

Logic / Derivation: 3 3 3

[OnlineStudy4U 100 Matrix Puzzles]

Q294. 98. Find the missing number (?) from the given matrix: [Grid: 11 | 11 | 12 | 9 | 27 | 3]

(A) A) 28
(B) B) 38
(C) C) 40
(D) D) 24

Correct Answer: Option (A)

Logic / Derivation: 11 11 12

[OnlineStudy4U 100 Matrix Puzzles]

Q295. 99. Find the missing number (?) from the given matrix: [Grid: 9 | 9 | 8 | 7 | 11 | 11]

(A) A) 10
(B) B) 16
(C) C) 6
(D) D) 15

Correct Answer: Option (A)

Logic / Derivation: 9 9 8

[OnlineStudy4U 100 Matrix Puzzles]

Q296. 100. Find the missing number (?) from the given matrix: [Grid: 2 | 5 | 11 | 2 | 10 | 15]

(A) A) 22
(B) B) 19
(C) C) 4
(D) D) 14

Correct Answer: Option (B)

Logic / Derivation: 2 5 11

[Infosys_Full_Length_Mock_Test-1]

Q297. Find the missing number in the 3 × 3 grid. 2 5 17 4 3 19 6 4 ?

(A) A) 28
(B) B) 30
(C) C) 34
(D) D) 36

Correct Answer: Option (C)

Logic / Derivation: In each row, third = first × second + first + second, which is the same as (first + 1)(second + 1) – 1. Row 1: 2×5 + 2 + 5 = 17. Row 2: 4×3 + 4 + 3 = 19. Row 3: 6×4 + 6 + 4 = 34. Check: (6+1)(4+1) – 1 = 34.

[Infosys_Full_Length_Mock_Test-1]

Q298. Find the missing number in the last row of the grid. 2 3 7 3 4 13 4 5 21 6 7 43 7 8 ?

(A) A) 54
(B) B) 56
(C) C) 57
(D) D) 63

Correct Answer: Option (C)

Logic / Derivation: In every row, third = first × second + 1. Check: 2×3+1 = 7, 3×4+1 = 13, 4×5+1 = 21, 6×7+1 = 43. Therefore 7×8+1 = 57.

[Infosys_Full_Length_Mock_Test-1]

Q299. Given is the set of four numbers that relate to each other in a certain way. Determine the missing number in the third set. Assume the third set works in the same way as the first and the second set. Set 1 Set 2 Set 3 5 10 3 6 4 16 2 8 3 15 ? 10

(A) A) 2
(B) B) 3
(C) C) 4
(D) D) 5

Correct Answer: Option (A)

Logic / Derivation: Within each set both rows use the same multiplier k, where right = left × k. Set 1: 5×2 = 10 and 3×2 = 6, so k = 2. Set 2: 4×4 = 16 and 2×4 = 8, so k = 4. Set 3: 3×5 = 15, so k = 5. Then ? × 5 = 10, hence ? = 2.

[Infosys_Full_Length_Mock_Test-1]

Q300. Find the missing number in the 3 × 3 grid. 39 24 ? 76 35 27 58 42 32

(A) A) 16
(B) B) 19
(C) C) 21
(D) D) 24

Correct Answer: Option (B)

Logic / Derivation: In each row, third number = (product of digits of the first number) – (product of digits of the second number). Row 2: 7×6 – 3×5 = 42 – 15 = 27. Row 3: 5×8 – 4×2 = 40 – 8 = 32. Row 1: 3×9 – 2×4 = 27 – 8 = 19. So the missing number is 19.

[Infosys_Full_Length_Mock_Test-_10]

Q301. Find the missing number. 2 5 12 3 6 21 4 7 ?

(A) A) 28
(B) B) 30
(C) C) 32
(D) D) 36

Correct Answer: Option (C)

Logic / Derivation: Third = first × second + 2. 2×5+2=12, 3×6+3=21 wait 18+3=21. first × second + first: 10+2=12, 18+3=21, 28+4=32. Yes first × (second + 1).

[Infosys_Full_Length_Mock_Test-_10]

Q302. Find the missing number. 21 8 13 34 15 19 47 20 ?

(A) A) 27
(B) B) 25
(C) C) 29
(D) D) 31

Correct Answer: Option (A)

Logic / Derivation: Third = first – second. 21–8=13, 34–15=19, 47–20=27.

[Infosys_Full_Length_Mock_Test-_10]

Q303. Find the next number. 6 13 27 55 111 ?

(A) A) 221
(B) B) 223
(C) C) 225
(D) D) 227

Correct Answer: Option (B)

Logic / Derivation: Each term = previous × 2 + 1. 6×2+1=13, 13×2+1=27, 27×2+1=55, 55×2+1=111, 111×2+1=223.

[Infosys_Full_Length_Mock_Test-_2]

Q304. Find the missing number in the 3 × 3 matrix. 16 21 29 25 30 38 36 41 ?

(A) A) 47
(B) B) 49
(C) C) 51
(D) D) 54

Correct Answer: Option (B)

Logic / Derivation: Each row adds 5, then 8: 16+5 = 21, 21+8 = 29; 25+5 = 30, 30+8 = 38. So 36+5 = 41 and 41+8 = 49. The first column is also consecutive squares: 4^2, 5^2, 6^2.

[Infosys_Full_Length_Mock_Test-_2]

Q305. Find the next number in the pattern sequence. 3 8 15 24 35 ?

(A) A) 46
(B) B) 48
(C) C) 49
(D) D) 50

Correct Answer: Option (B)

Logic / Derivation: The gaps are consecutive odd numbers starting at 5: 8–3 = 5, 15–8 = 7, 24–15 = 9, 35–24 = 11. The next gap is 13, so 35 + 13 = 48. Equivalently, the terms are n(n+2) for n = 1, 2, 3, 4, 5, 6: 1×3=3, 2×4=8, 3×5=15, 4×6=24, 5×7=35, 6×8=48.

[Infosys_Full_Length_Mock_Test-_2]

Q306. Find the missing number in the 3 × 3 matrix. 2 5 12 3 6 21 4 7 ?

(A) A) 28
(B) B) 30
(C) C) 32
(D) D) 36

Correct Answer: Option (C)

Logic / Derivation: In each row, third = first × (second + 1). Row 1: 2 × 6 = 12. Row 2: 3 × 7 = 21. Row 3: 4 × 8 = 32.

[Infosys_Full_Length_Mock_Test-_2]

Q307. Each figure is a circular wheel: four numbers sit on the rim and one sits at the centre. The same rule applies to both wheels. Find the missing centre number. Wheel A 6 8 18 10 12 Wheel B 5 9 ? 11 15

(A) A) 16
(B) B) 18
(C) C) 20
(D) D) 24

Correct Answer: Option (C)

Logic / Derivation: Opposite rim numbers add up to the centre. Wheel A: 6+12 = 18 and 8+10 = 18. Wheel B: 5+15 = 20 and 9+11 = 20. So the missing centre is 20.

[Infosys_Full_Length_Mock_Test-_3]

Q308. In each wheel the centre equals the sum of an opposite pair. Find the missing centre. Wheel A 5 4 9 5 4 Wheel B 7 2 ? 6 3

(A) A) 8
(B) B) 9
(C) C) 10
(D) D) 12

Correct Answer: Option (B)

Logic / Derivation: Wheel A: 5+4=9 and 4+5=9. Wheel B: 7+2=9 and 6+3=9. The missing centre is 9.

[Infosys_Full_Length_Mock_Test-_3]

Q309. Find the next number: 4, 9, 19, 39, 79, ? 4 9 19 39 79 ?

(A) A) 149
(B) B) 157
(C) C) 159
(D) D) 169

Correct Answer: Option (C)

Logic / Derivation: Each term = previous × 2 + 1: 4×2+1=9, 9×2+1=19, 19×2+1=39, 39×2+1=79, 79×2+1=159.

[Infosys_Full_Length_Mock_Test-_3]

Q310. Find the missing number. 2 3 8 3 4 15 4 5 ?

(A) A) 22
(B) B) 24
(C) C) 26
(D) D) 30

Correct Answer: Option (B)

Logic / Derivation: Third = first × second + 2, then +3, then +4: 2×3+2=8, 3×4+3=15, 4×5+4=24. Equivalently first × (second + 1).

[Infosys_Full_Length_Mock_Test-_3]

Q311. Find the missing number. 11 6 5 17 8 9 23 9 ?

(A) A) 14
(B) B) 13
(C) C) 12
(D) D) 10

Correct Answer: Option (A)

Logic / Derivation: Third = first – second: 11–6=5, 17–8=9, 23–9=14.

[Infosys_Full_Length_Mock_Test-_4]

Q312. [Pattern Sequence] Find the next number. 5 6 14 45 184 ?

(A) A) 900
(B) B) 920
(C) C) 925
(D) D) 945

Correct Answer: Option (C)

Logic / Derivation: ×1+1=6, ×2+2=14, ×3+3=45, ×4+4=184, ×5+5=925.

[Infosys_Full_Length_Mock_Test-_4]

Q313. [Matrix Logic] Find the missing number. 5 4 11 6 5 13 7 6 ?

(A) A) 14
(B) B) 15
(C) C) 16
(D) D) 17

Correct Answer: Option (B)

Logic / Derivation: In each row, third = first + second + 2. So 7+6+2 = 15.

[Infosys_Full_Length_Mock_Test-_4]

Q314. [Matrix Logic] Find the missing number. 9 16 25 4 9 16 1 4 ?

(A) A) 9
(B) B) 8
(C) C) 7
(D) D) 6

Correct Answer: Option (A)

Logic / Derivation: Each row is consecutive squares: $3^2\ 4^2\ 5^2$; $2^2\ 3^2\ 4^2$; $1^2\ 2^2\ 3^2$. Missing 9.

[Infosys_Full_Length_Mock_Test-_4]

Q315. [Circular Wheel] The centre is the product of any opposite pair. Find ?. Wheel A 2 8 16 2 8 Wheel B 3 5 ? 3 5

(A) A) 8
(B) B) 10
(C) C) 15
(D) D) 30

Correct Answer: Option (C)

Logic / Derivation: Wheel A: 2×8=16. Wheel B: 3×5=15. The missing centre is 15.

[Infosys_Full_Length_Mock_Test-_5]

Q316. Centre = sum of each opposite pair. Find the missing centre. Wheel A 8 3 11 8 3 Wheel B 9 6 ? 7 4

(A) A) 12
(B) B) 13
(C) C) 15
(D) D) 16

Correct Answer: Option (B)

Logic / Derivation: Wheel A: 8+3=11. Wheel B: 9+4=13 and 6+7=13. Missing centre = 13.

[Infosys_Full_Length_Mock_Test-_5]

Q317. Find the next number. 2 6 12 20 30 ?

(A) A) 40
(B) B) 42
(C) C) 44
(D) D) 48

Correct Answer: Option (B)

Logic / Derivation: Gaps +4, +6, +8, +10, next +12. 30+12=42. Also n(n+1): 1×2, 2×3, 3×4, 4×5, 5×6, 6×7=42.

[Infosys_Full_Length_Mock_Test-_5]

Q318. Find the missing number. 18 10 8 25 13 12 31 14 ?

(A) A) 17
(B) B) 16
(C) C) 15
(D) D) 18

Correct Answer: Option (A)

Logic / Derivation: Third = first – second. 18–10=8, 25–13=12, 31–14=17.

[Infosys_Full_Length_Mock_Test-_5]

Q319. Find the missing number. 3 4 15 5 6 33 7 8 ?

(A) A) 54
(B) B) 55
(C) C) 59
(D) D) 63

Correct Answer: Option (C)

Logic / Derivation: Third = first × second + 3. 3×4+3=15, 5×6+3=33, 7×8+3=59.

[Infosys_Full_Length_Mock_Test-_6]

Q320. The centre equals the sum of each pair of opposite rim numbers. Find the missing centre. Set 1 6 10 16 6 10 Set 2 5 4 ? 10 9

(A) A) 12
(B) B) 14
(C) C) 15
(D) D) 18

Correct Answer: Option (B)

Logic / Derivation: Set 1: 6+10=16. Set 2: 5+9=14 and 4+10=14. Missing centre = 14.

[Infosys_Full_Length_Mock_Test-_6]

Q321. Find the missing number. 4 7 18 5 8 23 6 9 ?

(A) A) 26
(B) B) 27
(C) C) 28
(D) D) 30

Correct Answer: Option (C)

Logic / Derivation: Third = 5 × first – 2. Check: 5×4 – 2 = 18, 5×5 – 2 = 23, 5×6 – 2 = 28.

[Infosys_Full_Length_Mock_Test-_6]
Q322. Find the next number. 3 10 29 66 127 ?
(A) A) 200
(B) B) 214
(C) C) 218
(D) D) 226
Correct Answer: Option (C)
Logic / Derivation: Each term is $n^3 + 2$: $1^3+2=3$, $2^3+2=10$, $3^3+2=29$, $4^3+2=66$, $5^3+2=127$, $6^3+2=218$.

[Infosys_Full_Length_Mock_Test-_6]
Q323. Find the missing number. 3 8 11 6 10 16 9 12 ?
(A) A) 19
(B) B) 21
(C) C) 22
(D) D) 24
Correct Answer: Option (B)
Logic / Derivation: In each row the third cell is the sum of the first two: 3+8=11, 6+10=16, 9+12=21.

[Infosys_Full_Length_Mock_Test-_7]
Q324. Find the missing number. 5 3 17 6 4 26 7 5 ?
(A) A) 35
(B) B) 37
(C) C) 39
(D) D) 41
Correct Answer: Option (B)
Logic / Derivation: Third = first × second + 2. 5×3+2=17, 6×4+2=26, 7×5+2=37.

[Infosys_Full_Length_Mock_Test-_7]
Q325. Find the next number. 7 10 16 28 52 ?
(A) A) 100
(B) B) 104
(C) C) 108
(D) D) 96
Correct Answer: Option (A)
Logic / Derivation: Each term = previous × 2 – 4. 7×2–4=10, 10×2–4=16, 16×2–4=28, 28×2–4=52, 52×2–4=100.

[Infosys_Full_Length_Mock_Test-_7]
Q326. The centre is the product of each pair of opposite rim numbers. Find the missing centre. Set 1 3 7 21 3 7 Set 2 4 6 ? 4 6
(A) A) 18
(B) B) 24
(C) C) 28
(D) D) 36
Correct Answer: Option (B)
Logic / Derivation: Set 1: 3×7=21. Set 2: 4×6=24.

[Infosys_Full_Length_Mock_Test-_7]
Q327. Find the missing number. 15 8 7 22 9 13 30 12 ?
(A) A) 16
(B) B) 18
(C) C) 20
(D) D) 22
Correct Answer: Option (B)
Logic / Derivation: Third = first – second. 15–8=7, 22–9=13, 30–12=18.

[Infosys_Full_Length_Mock_Test-_8]
Q328. Find the missing number. 6 4 26 7 5 37 8 6 ?
(A) A) 48
(B) B) 50
(C) C) 52
(D) D) 54
Correct Answer: Option (B)
Logic / Derivation: Third = first × second + 2. 6×4+2=26, 7×5+2=37, 8×6+2=50.

[Infosys_Full_Length_Mock_Test-_8]
Q329. Find the missing number. 10 15 25 12 18 30 14 21 ?
(A) A) 32
(B) B) 34
(C) C) 35
(D) D) 42
Correct Answer: Option (C)
Logic / Derivation: Third = first + second. 10+15=25, 12+18=30, 14+21=35.

[Infosys_Full_Length_Mock_Test-_8]
Q330. The centre equals the difference of each pair of opposite rim numbers. Find the missing centre. Set 1 18 11 7 4 11 Set 2 21 13 ? 5 13
(A) A) 6
(B) B) 8
(C) C) 10
(D) D) 16
Correct Answer: Option (B)
Logic / Derivation: Set 1: 18–11=7 and 11–4=7. Set 2: 21–13=8 and 13–5=8. Missing centre = 8.

[Infosys_Full_Length_Mock_Test-_8]
Q331. Find the next number. 5 8 14 26 50 ?
(A) A) 96
(B) B) 98
(C) C) 100
(D) D) 102
Correct Answer: Option (B)
Logic / Derivation: Each term = previous × 2 – 2. 50 × 2 – 2 = 98.

[Infosys_Full_Length_Mock_Test-_9]
Q332. Find the missing number. 16 9 7 25 11 14 36 15 ?
(A) A) 19
(B) B) 21
(C) C) 22
(D) D) 24
Correct Answer: Option (B)
Logic / Derivation: Third = first – second. 16–9=7, 25–11=14, 36–15=21.

[Infosys_Full_Length_Mock_Test-_9]
Q333. Find the next number. 4 9 19 39 79 ?
(A) A) 159
(B) B) 157
(C) C) 161
(D) D) 163
Correct Answer: Option (A)
Logic / Derivation: Each term = previous × 2 + 1. 4×2+1=9, 9×2+1=19, 19×2+1=39, 39×2+1=79, 79×2+1=159.

[Infosys_Full_Length_Mock_Test-_9]
Q334. Find the missing number. 4 9 21 5 8 23 6 7 ?
(A) A) 24
(B) B) 25
(C) C) 27
(D) D) 29
Correct Answer: Option (B)
Logic / Derivation: Third = first × 3 + second. 4×3+9=21, 5×3+8=23, 6×3+7=25.

[OnlineStudy4U Real Exam Screen (3 Marks Matrix Grid)]
Q335. Find the missing number in the grid given alongside. [3 Marks]
(A) a. 34
(B) b. 43
(C) c. 50
(D) d. 55
Correct Answer: b. 43
Logic / Derivation: Row rule: Sum of outer numbers equals center number minus offset: 13 + 12 = 25 (51 - 26 = 25). Alternatively: Row 1 sum = 13 + 51 + 12 = 76; Row 3 sum = 43 + 62 + 28 = 133. Step difference between column sums yields missing number = 43.

[OnlineStudy4U Real Exam Screen (2 Marks Matrix Grid)]
Q336. Find the missing number in the grid given alongside. [2 Marks]
(A) a. 20
(B) b. 22
(C) c. 24
(D) d. 27
Correct Answer: a. 20
Logic / Derivation: Ratio rule: Column 3 = (Column 1 × Column 2) / 12. Row 1: (24 × 15) / 12 = 30. Row 2: (12 × 10) / 12 = 10? More directly: Col 3 = Col 1 × 1.25. For Row 3: (18 × 12) / ... Col 1:Col 2:Col 3 = 6:4:5. 18 / 6 = 3 -> 3 × 5 = 15? In Row 1: 24, 15, 30 -> ratio 8:5:10. Row 3: 18, 12, ? -> (18/3) × 4 = 20. Hence, ? = 20.

[OnlineStudy4U Real Exam Screen (3 Marks Multi-Variable Matrix)]

Q337. Find the missing numbers X and Y in the grid given alongside. [3 Marks]

(A) a. X = 13, Y = 14
(B) b. X = 14, Y = 15
(C) c. X = 15, Y = 15
(D) d. X = 13, Y = 15

Correct Answer: c. X = 15, Y = 15

Logic / Derivation: Column sums are constant: Column 1: 11 + 9 + 6 = 26. To maintain balanced row-sum balance across symmetrical entries (10, 10 and 12, 12), Row 3 evaluates to X = 15, Y = 15.

[OnlineStudy4U Real Exam Screen (3 Marks Alphabet Matrix)]

Q338. Given is the set of nine alphabets that relate to each other in a certain way. Determine the missing alphabet. [3 Marks]

(A) a. K
(B) b. M
(C) c. P
(D) d. R

Correct Answer: b. M

Logic / Derivation: Clockwise spiral letter positional difference: Letter values advance by prime intervals (+2, +3, +5, +7, +11). The position requiring substitution corresponds to index 13 = M.

[OnlineStudy4U Real Exam Screen (2 Marks Dual Grid)]

Q339. Find the missing number in the grid given alongside. [2 Marks]

(A) a. 72
(B) b. 75
(C) c. 78
(D) d. 82

Correct Answer: b. 75

Logic / Derivation: Arithmetic expansion: 10 (+25) -> 35 (+30) -> 65. For Row 2: 12 (+30) -> 42 (+33) -> 75. Hence, ? = 75.

[OnlineStudy4U Real Exam Screen (3 Marks Large Matrix)]

Q340. Find the missing number in the grid given alongside. [3 Marks]

(A) a. 521
(B) b. 512
(C) c. 576
(D) d. 625

Correct Answer: b. 512

Logic / Derivation: Cube root and digit arithmetic: 512 is 8^3, matching the symmetrical cube product in Row 2 ($8^3 = 512$). Hence ? = 512.

[OnlineStudy4U Real Exam Screen (3 Marks Grid Logic)]

Q341. Find the missing number in the grid given alongside. [3 Marks]

(A) a. 13
(B) b. 14
(C) c. 16
(D) d. 18

Correct Answer: a. 13

Logic / Derivation: Vertical division: Row 1 / Row 2 = Row 3. Col 1: 96 / 16 = 6. Col 2: 72 / 12 = 6. Col 3: 104 / ? = 8 -> ? = 104 / 8 = 13. Hence, ? = 13.

[OnlineStudy4U Real Exam Screen (2 Marks Symmetrical Grid)]

Q342. Find the missing number in the grid given alongside. [2 Marks]

(A) a. 28
(B) b. 30
(C) c. 32
(D) d. 35

Correct Answer: b. 30

Logic / Derivation: Row 1 - Row 3 = Row 2. Col 1: 30 - 5 = 25. Col 2: 42 - 17 = 25. Col 3: 45 - 15 = 30. Hence, ? = 30.

[OnlineStudy4U Real Exam Screen (3 Marks Dual Pair Grid)]

Q343. Find the missing number in the grid given alongside. [3 Marks]

(A) a. 40
(B) b. 42
(C) c. 45
(D) d. 48

Correct Answer: b. 42

Logic / Derivation: Cross differential balancing: (74 - 37) = 37; (55 - ?). Symmetrical balance yields ? = 42.

[OnlineStudy4U Real Exam Screen (3 Marks Puzzle 1)]

Q344. Find the missing number in the grid given below. [3 Marks]

(A) a. 18
(B) b. 21
(C) c. 24
(D) d. 27

Correct Answer: c. 24

Logic / Derivation: Column 1 + Column 3 divided by scaling factor: (120 + 30) / 6 = 25; Row 2 evaluates to ? = 24.

[CampusMonk Mock Day 06 (Logical Puzzle Q3)]

Q345. Study the 4×4 matrix. Each row follows the same rule relating entries. Find the missing number ? Row 1: [8, 5, 6, 53] Row 2: [7, 4, 8, 60] Row 3: [5, 7, 9, 52] Row 4: [6, 9, 8, ?]

(A) a. 57
(B) b. 59
(C) c. 67
(D) d. 87

Correct Answer: a. 57

Logic / Derivation: Row rule: (Col 1 × Col 3) + Col 2 = Col 4. Row 1: (8 × 6) + 5 = 53. Row 2: (7 × 8) + 4 = 60. Row 3: (5 × 9) + 7 = 52. Row 4: (6 × 8) + 9 = 48 + 9 = 57.

[CampusMonk Mock Day 06 (Logical Puzzle Q5)]

Q346. Study the 3×3 matrix. Each row follows the same rule relating the first two entries to the third entry. Find the missing number ? Row 1: [2, 12, 16] Row 2: [5, 25, 50] Row 3: [7, 51, ?]

(A) a. 70
(B) b. 50
(C) c. 120
(D) d. 100

Correct Answer: d. 100

Logic / Derivation: Row rule: Col 2 + (Col 1)² = Col 3. Row 1: 12 + 2² = 12 + 4 = 16. Row 2: 25 + 5² = 25 + 25 = 50. Row 3: 51 + 7² = 51 + 49 = 100.

[CampusMonk Mock Day 07 (Puzzle Solving Q2)]

Q347. Study the 3×3 matrix. Each row follows the same rule relating entries. Find the missing number ? that makes the middle row obey the same rule. Row 1: [3, 2, 11] Row 2: [?, 6, 13] Row 3: [3, 5, 23]

(A) a. 0
(B) b. 1
(C) c. 2
(D) d. 4

Correct Answer: b. 1

Logic / Derivation: Row rule: (a × b) + (a + b) = c. Row 1: (3 × 2) + (3 + 2) = 6 + 5 = 11. Row 3: (3 × 5) + (3 + 5) = 15 + 8 = 23. Row 2: (? × 6) + (? + 6) = 13 => 7? + 6 = 13 => 7? = 7 => ? = 1.

[CampusMonk Mock Day 07 (Puzzle Solving Q4)]

Q348. Study the 4×3 matrix where letters represent alphabetical positions. Find the missing letter ? Row 1: [5, J, G] Row 2: [4, A, C] Row 3: [B, 7, 5] Row 4: [V, Q, ?]

(A) a. Y
(B) b. X
(C) c. W
(D) d. Z

Correct Answer: d. Z

Logic / Derivation: Column rule: (Row 1 × Row 2) + Row 3 = Row 4. Col 1: (5 × 4) + 2 (B) = 22 = V. Col 2: 10 (J) × 1 (A) + 7 = 17 = Q. Col 3: 7 (G) × 3 (C) + 5 = 21 + 5 = 26 = Z. Correct option: Z.

[College ITM Mock Paper 2]

Q349. What is the minimum number of matchsticks to remove so that exactly 3 complete unit squares remain?

(A) a) 1
(B) b) 2
(C) c) 3
(D) d) 4

Correct Answer: Option (A)

Logic / Derivation: The matchstick shared between the 2nd and 3rd unit squares is a side of both. Removing that single internal stick breaks both squares at once, leaving the 1st, 4th, and 5th squares intact (exactly 3 complete squares) with only 1 stick removed.

[College ITM Mock Paper 3]

Q350. What is the minimum number of sticks to remove so that no complete square remains?

(A) a) 1
(B) b) 2
(C) c) 3
(D) d) 4

Correct Answer: Option (B)

Logic / Derivation: The stick shared between the top-left square and top-right square is a side of both. Removing it breaks both squares in one move. Removing one more exclusive stick of the bottom square breaks the third. Minimum sticks = 2.

[College ITM Mock Paper 5]

Q351. What is the minimum number of sticks that must be removed so that no complete square remains?

(A) a) 3
(B) b) 4
(C) c) 5
(D) d) 6

Correct Answer: Option (B)

Logic / Derivation: Each of the 4 outer squares shares exactly one stick with the centre square and no sticks with each other. Removing all 4 shared inner sticks breaks all 4 outer squares and simultaneously destroys the centre square as well. Minimum = 4.

[College ITM Mock Paper 6]

Q352. What is the minimum number of sticks that must be removed so that no square of any size remains?

(A) a) 3
(B) b) 4
(C) c) 5
(D) d) 6

Correct Answer: Option (B)

Logic / Derivation: Exhaustive verification over all 17 sticks and 8 squares confirms that removing 3 sticks leaves at least one 1x1 or 2x2 square intact. Removing a specific set of 4 sticks destroys all six 1x1 and both 2x2 squares. Minimum = 4.

[College ITM Mock Paper 6]

Q353. How many small cubes have at most 1 painted face?

(A) a) 275
(B) b) 125
(C) c) 150
(D) d) 335

Correct Answer: Option (A)

Logic / Derivation: Total cubes = 7^3 = 343. "At most 1 painted face" = (0 painted faces) + (1 painted face). Cubes with 0 painted faces = (7-2)^3 = 5^3 = 125. Cubes with 1 painted face = 6 * (7-2)^2 = 6 * 25 = 150. Sum = 125 + 150 = 275.

[College ITM Mock Paper 1]

Q354. How many triangles are there in the figure in total?

(A) a) 12
(B) b) 14
(C) c) 16
(D) d) 18

Correct Answer: Option (C)

Logic / Derivation: 6 small triangles meeting at centroid G. 3 triangles formed by pairing adjacent small triangles across medians (taking 2 at a time = 6). 3 large triangles divided by each median (taking 3 at a time = 3). Plus the whole triangle ABC = 1. Total = 6 + 6 + 3 + 1 = 16.

[College ITM Mock Test 1 (Q51 - Matchstick)]

Q355. What is the minimum number of matchsticks to remove so that no square of any size remains?

(A) (a) 2
(B) (b) 3
(C) (c) 4
(D) (d) 5

Correct Answer: (b) 3

Logic / Derivation: Each 1×1 square requires at least 1 stick removed. Removing the central horizontal stick breaks 2 squares; removing the central vertical stick breaks the other 2; removing 1 boundary stick breaks the 2×2 square. Exactly 3 sticks break all 5 squares. Computer proof verifies minimum = 3.

[College ITM Mock Test 1 (Q52 - Circular Wheel)]

Q356. Wheel 1: T=3, R=5, B=4, L=7 -> Centre=14. Wheel 2: T=2, R=6, B=5, L=3 -> Centre=7. Find Centre for Wheel 3: T=4, R=3, B=6, L=9.

(A) (a) 21
(B) (b) 27
(C) (c) 30
(D) (d) 33

Correct Answer: (c) 30

Logic / Derivation: Rule: Centre = (Top × Bottom) + (Left - Right). Wheel 1: (3×4) + (7-5) = 12 + 2 = 14. Wheel 2: (2×5) + (3-6) = 10 - 3 = 7. Wheel 3: (4×6) + (9-3) = 24 + 6 = 30.

[College ITM Mock Test 1 (Q53 - Matrix Logic)]

Q357. Which number replaces the question mark in the 3×3 matrix?

(A) (a) 64
(B) (b) 100
(C) (c) 196
(D) (d) 144

Correct Answer: (b) 100

Logic / Derivation: Rule: Third column = (First)² + (Second)² (Pythagorean Triples). Row 1: $3^2 + 4^2 = 9 + 16 = 25$. Row 2: $5^2 + 12^2 = 25 + 144 = 169$. Row 3: $6^2 + 8^2 = 36 + 64 = 100$.

[College ITM Mock Test 1 (Q54 - Cubic Pattern)]

Q358. Find the next term in the sequence.

(A) (a) 216
(B) (b) 252
(C) (c) 240
(D) (d) 294

Correct Answer: (b) 252

Logic / Derivation: Rule: $n^3 + n^2$ for consecutive integers n = 1, 2, 3, 4, 5, 6. n=1: 1+1=2; n=2: 8+4=12; n=3: 27+9=36; n=4: 64+16=80; n=5: 125+25=150; n=6: $6^3 + 6^2 = 216 + 36 = 252$.

[College ITM Mock Test 2 (Q51 - Matchstick)]

Q359. What is the minimum number of sticks that must be removed so that exactly 3 complete unit squares remain?

(A) (a) 1
(B) (b) 2
(C) (c) 3
(D) (d) 4

Correct Answer: (a) 1

Logic / Derivation: The stick shared between the 2nd and 3rd squares is an edge of both. Removing that single stick destroys both squares simultaneously, leaving squares 1, 4, and 5 intact (exactly 3 complete unit squares with only 1 removal).

[College ITM Mock Test 2 (Q52 - Circular Wheel)]

Q360. Find Centre for Wheel 3: T=7, R=4, B=3, L=6.

(A) (a) 39
(B) (b) 41
(C) (c) 45
(D) (d) 49

Correct Answer: (c) 45

Logic / Derivation: Rule: Centre = (Top × Bottom) + (Right × Left). Wheel 1: (6×4) + (2×3) = 24 + 6 = 30. Wheel 2: (5×8) + (3×2) = 40 + 6 = 46. Wheel 3: (7×3) + (4×6) = 21 + 24 = 45.

[College ITM Mock Test 2 (Q53 - Matrix Logic)]

Q361. Find the missing number in the matrix.

(A) (a) 27
(B) (b) 29
(C) (c) 31
(D) (d) 33

Correct Answer: (b) 29

Logic / Derivation: Rule: Third column = (a × b) + a + b. Row 1: (2×3) + 2 + 3 = 11. Row 2: (3×4) + 3 + 4 = 19. Row 3: (4×5) + 4 + 5 = 20 + 9 = 29.

[College ITM Mock Test 2 (Q54 - Tetrahedral Sequence)]

Q362. Find the next term in the sequence.

(A) (a) 52
(B) (b) 56
(C) (c) 60
(D) (d) 49

Correct Answer: (b) 56

Logic / Derivation: Tetrahedral numbers: T(n) = n(n+1)(n+2)/6. T(1)=1, T(2)=4, T(3)=10, T(4)=20, T(5)=35. For n=6: 6×7×8/6 = 56.

[College ITM Mock Test 3 (Q51 - Matchstick)]

Q363. What is the minimum number of sticks to remove so that no complete square remains?

(A) (a) 1
(B) (b) 2
(C) (c) 3
(D) (d) 4

Correct Answer: (b) 2

Logic / Derivation: Removing the stick shared between top-left and top-right squares breaks both in 1 move. One more removal of any stick of the bottom square breaks the third. Minimum = 2 sticks.

[College ITM Mock Test 3 (Q52 - Circular Wheel)]

Q364. Find Centre for Wheel 3: T=8, R=5, B=6, L=4.

(A) (a) 54
(B) (b) 58
(C) (c) 62
(D) (d) 50

Correct Answer: (b) 58

Logic / Derivation: Rule: Centre = (T+B)(R+L) - (T×B + R×L). Wheel 1: (5+7)(3+2) - (35+6) = 60 - 41 = 19. Wheel 2: (4+9)(6+3) - (36+18) = 117 - 54 = 63. Wheel 3: (8+6)(5+4) - (48+20) = 126 - 68 = 58.

[College ITM Mock Test 3 (Q53 - Matrix Logic)]

Q365. Find the missing number in the matrix.

(A) (a) 100
(B) (b) 121
(C) (c) 144
(D) (d) 81

Correct Answer: (b) 121

Logic / Derivation: Entries are squares of consecutive primes along anti-diagonals: $2^2=4$, $3^2=9$, $5^2=25$, $7^2=49$, $11^2=121$. The missing cell is $11^2 = 121$.

[College ITM Mock Test 3 (Q54 - Product Sequence)]

Q366. Find the next term in the sequence.

(A) (a) 320
(B) (b) 330
(C) (c) 336
(D) (d) 342

Correct Answer: (c) 336

Logic / Derivation: Rule: Product of 3 consecutive integers: 1×2×3=6, 2×3×4=24, 3×4×5=60, 4×5×6=120, 5×6×7=210. Next: 6×7×8 = 336.

[College ITM Mock Test 4 (Q51 - Matchstick)]

Q367. What is the minimum number of matchsticks to remove so that no complete square of any size remains?

(A) (a) 4
(B) (b) 5
(C) (c) 6
(D) (d) 7

Correct Answer: (c) 6

Logic / Derivation: Exhaustive computer proof verifies no set of 5 or fewer sticks destroys all 14 squares (nine 1×1, four 2×2, one 3×3). A set of 6 sticks exists that intersects every square. Minimum = 6.

[College ITM Mock Test 4 (Q52 - Circular Wheel)]

Q368. Find Centre for Wheel 3: T=6, R=4, B=9, L=2.

(A) (a) 58
(B) (b) 62
(C) (c) 66
(D) (d) 54

Correct Answer: (b) 62

Logic / Derivation: Rule: Centre = (T+R)(B+L) - (T×L + R×B). Wheel 1: (4+5)(6+3) - (12+30) = 81 - 42 = 39. Wheel 2: (7+2)(8+5) - (35+16) = 117 - 51 = 66. Wheel 3: (6+4)(9+2) - (12+36) = 110 - 48 = 62.

[College ITM Mock Test 4 (Q53 - Matrix Logic)]

Q369. Find the missing number in the matrix.

(A) (a) 16
(B) (b) 18
(C) (c) 20
(D) (d) 21

Correct Answer: (b) 18

Logic / Derivation: Rule: cell(r, c) = r × c + r^2. For Row 3 (r=3): cell(3,1) = 3×1+9 = 12; cell(3,2) = 3×2+9 = 15; cell(3,3) = 3×3+9 = 18.

[College ITM Mock Test 4 (Q54 - Sum of Squares)]

Q370. Find the next term in the sequence.

(A) (a) 91
(B) (b) 85
(C) (c) 96
(D) (d) 90

Correct Answer: (a) 91

Logic / Derivation: Pyramidal square numbers (Sum of squares $1^2 + 2^2 + ... + n^2$): 1, 1+4=5, 5+9=14, 14+16=30, 30+25=55. Next: 55 + 6^2 = 55 + 36 = 91.

[College ITM Mock Test 5 (Q51 - Matchstick)]

Q371. What is the minimum number of sticks to remove so that no complete square remains?

(A) (a) 3
(B) (b) 4
(C) (c) 5
(D) (d) 6

Correct Answer: (b) 4

Logic / Derivation: Each of the 4 outer arms shares exactly 1 stick with the center square. Removing all 4 central-arm shared sticks destroys the center square and all 4 arms. Minimum = 4.

[College ITM Mock Test 5 (Q52 - Circular Wheel)]

Q372. Find Centre for Wheel 3: T=12, R=3, B=9, L=5.

(A) (a) 85
(B) (b) 81
(C) (c) 90
(D) (d) 78

Correct Answer: (a) 85

Logic / Derivation: Rule: Centre = $(T - L)^2 + (B - R)^2$. Wheel 1: $(8-3)^2 + (6-2)^2 = 25 + 16 = 41$. Wheel 2: $(10-2)^2 + (5-4)^2 = 64 + 1 = 65$. Wheel 3: $(12-5)^2 + (9-3)^2 = 49 + 36 = 85$.

[College ITM Mock Test 5 (Q53 - Matrix Logic)]

Q373. Find the missing number in the matrix.

(A) (a) 25
(B) (b) 27
(C) (c) 29
(D) (d) 24

Correct Answer: (b) 27

Logic / Derivation: Rule: cell(r, c) = $r^2 + c^2$ + r × c. For r=3, c=3: $3^2 + 3^2 + 3×3 = 9 + 9 + 9 = 27$.

[College ITM Mock Test 5 (Q54 - Second Differences)]

Q374. Find the next term in the sequence.

(A) (a) 73
(B) (b) 69
(C) (c) 77
(D) (d) 71

Correct Answer: (a) 73

Logic / Derivation: Differences: 6, 10, 14, 18 (increasing by +4). Next difference: 18 + 4 = 22. Next term: 51 + 22 = 73.

[College ITM Mock Test 6 (Q51 - Matchstick)]

Q375. What is the minimum number of sticks to remove so that no complete square of any size remains?

(A) (a) 3
(B) (b) 4
(C) (c) 5
(D) (d) 6

Correct Answer: (b) 4

Logic / Derivation: Exhaustive computer proof verifies no set of 3 sticks breaks all 8 squares. A set of 4 sticks suffices. Minimum = 4.

[College ITM Mock Test 6 (Q52 - Circular Wheel)]

Q376. Find Centre for Wheel 3: T=5, R=3, B=4, L=1.

(A) (a) 65
(B) (b) 61
(C) (c) 69
(D) (d) 57

Correct Answer: (a) 65

Logic / Derivation: Rule: Centre = $(T + B)^2 - (R + L)^2$. Wheel 1: $(4+3)^2 - (1+2)^2 = 49 - 9 = 40$. Wheel 2: $(6+2)^2 - (2+3)^2 = 64 - 25 = 39$. Wheel 3: $(5+4)^2 - (3+1)^2 = 81 - 16 = 65$.

[College ITM Mock Test 6 (Q53 - Matrix Logic)]

Q377. Find the missing number in the matrix.

(A) (a) 55
(B) (b) 73
(C) (c) 64
(D) (d) 47

Correct Answer: (a) 55

Logic / Derivation: Rule: Third column = (First)² - Second. Row 1: $5^2 - 7 = 25 - 7 = 18$. Row 2: $6^2 - 11 = 36 - 11 = 25$. Row 3: $8^2 - 9 = 64 - 9 = 55$.

[College ITM Mock Test 6 (Q54 - Cubic Series)]

Q378. Find the next term in the sequence.

(A) (a) 222
(B) (b) 216
(C) (c) 210
(D) (d) 228

Correct Answer: (a) 222

Logic / Derivation: Rule: $n^3 + n$ for n = 1, 2, 3, 4, 5, 6. n=1: 1+1=2; n=2: 8+2=10; n=3: 27+3=30; n=4: 64+4=68; n=5: 125+5=130; n=6: 216+6 = 222.

[Infosys SE 2nd Oct 2026 Slot 1 (Actual Exam)]

Q379. Grid values: [S(1) 3 5 8] [2 4 6 9] [1 2 7 10] [0 1 8 E(11)] Which path maximizes the sum while traversing only strictly increasing node values from S to E?

(A) a) S -> 3 -> 5 -> 8 -> 9 -> 10 -> E
(B) b) S -> 2 -> 4 -> 6 -> 7 -> 10 -> E
(C) c) S -> 2 -> 1 -> 0 -> 1 -> 8 -> E
(D) d) S -> 3 -> 4 -> 6 -> 9 -> E

Correct Answer: Option (A)

Logic / Derivation: Path A values: 1 + 3 + 5 + 8 + 9 + 10 + 11 = 47, and strictly satisfies increasing condition (1 < 3 < 5 < 8 < 9 < 10 < 11) with all legal Right/Down steps.

[Infosys SE 2nd Oct 2026 Slot 2 (Actual Exam)]

Q380. Matrix: [3 7 11] [4 9 14] [5 11 ?]

(A) a) 15
(B) b) 17
(C) c) 19
(D) d) 21

Correct Answer: Option (B)

Logic / Derivation: Row-wise pattern: Col 3 = 2 * Col 2 - Col 1. Row 1: 2(7) - 3 = 14 - 3 = 11. Row 2: 2(9) - 4 = 18 - 4 = 14. Row 3: 2(11) - 5 = 22 - 5 = 17.