Matchstick, Cube & Spatial Logic Puzzles

Minimal Matchstick Removals, Cube Paint Cuts & Triangle Counting

[College ITM Mock Paper 2]

Q1. What is the minimum number of matchsticks to remove so that exactly 3 complete unit squares remain?

(A) a) 1
(B) b) 2
(C) c) 3
(D) d) 4

Correct Answer: Option (A)

Logic / Derivation: The matchstick shared between the 2nd and 3rd unit squares is a side of both. Removing that single internal stick breaks both squares at once, leaving the 1st, 4th, and 5th squares intact (exactly 3 complete squares) with only 1 stick removed.

[College ITM Mock Paper 3]

Q2. What is the minimum number of sticks to remove so that no complete square remains?

(A) a) 1
(B) b) 2
(C) c) 3
(D) d) 4

Correct Answer: Option (B)

Logic / Derivation: The stick shared between the top-left square and top-right square is a side of both. Removing it breaks both squares in one move. Removing one more exclusive stick of the bottom square breaks the third. Minimum sticks = 2.

[College ITM Mock Paper 5]

Q3. What is the minimum number of sticks that must be removed so that no complete square remains?

(A) a) 3
(B) b) 4
(C) c) 5
(D) d) 6

Correct Answer: Option (B)

Logic / Derivation: Each of the 4 outer squares shares exactly one stick with the centre square and no sticks with each other. Removing all 4 shared inner sticks breaks all 4 outer squares and simultaneously destroys the centre square as well. Minimum = 4.

[College ITM Mock Paper 6]

Q4. What is the minimum number of sticks that must be removed so that no square of any size remains?

(A) a) 3
(B) b) 4
(C) c) 5
(D) d) 6

Correct Answer: Option (B)

Logic / Derivation: Exhaustive verification over all 17 sticks and 8 squares confirms that removing 3 sticks leaves at least one 1x1 or 2x2 square intact. Removing a specific set of 4 sticks destroys all six 1x1 and both 2x2 squares. Minimum = 4.

[College ITM Mock Paper 6]

Q5. How many small cubes have at most 1 painted face?

(A) a) 275
(B) b) 125
(C) c) 150
(D) d) 335

Correct Answer: Option (A)

Logic / Derivation: Total cubes = 7^3 = 343. "At most 1 painted face" = (0 painted faces) + (1 painted face). Cubes with 0 painted faces = (7-2)^3 = 5^3 = 125. Cubes with 1 painted face = 6 * (7-2)^2 = 6 * 25 = 150. Sum = 125 + 150 = 275.

[College ITM Mock Paper 1]

Q6. How many triangles are there in the figure in total?

(A) a) 12
(B) b) 14
(C) c) 16
(D) d) 18

Correct Answer: Option (C)

Logic / Derivation: 6 small triangles meeting at centroid G. 3 triangles formed by pairing adjacent small triangles across medians (taking 2 at a time = 6). 3 large triangles divided by each median (taking 3 at a time = 3). Plus the whole triangle ABC = 1. Total = 6 + 6 + 3 + 1 = 16.

[College ITM Mock Test 1 (Q51 - Matchstick)]

Q7. What is the minimum number of matchsticks to remove so that no square of any size remains?

(A) (a) 2
(B) (b) 3
(C) (c) 4
(D) (d) 5

Correct Answer: (b) 3

Logic / Derivation: Each 1×1 square requires at least 1 stick removed. Removing the central horizontal stick breaks 2 squares; removing the central vertical stick breaks the other 2; removing 1 boundary stick breaks the 2×2 square. Exactly 3 sticks break all 5 squares. Computer proof verifies minimum = 3.

[College ITM Mock Test 1 (Q52 - Circular Wheel)]

Q8. Wheel 1: T=3, R=5, B=4, L=7 -> Centre=14. Wheel 2: T=2, R=6, B=5, L=3 -> Centre=7. Find Centre for Wheel 3: T=4, R=3, B=6, L=9.

(A) (a) 21
(B) (b) 27
(C) (c) 30
(D) (d) 33

Correct Answer: (c) 30

Logic / Derivation: Rule: Centre = (Top × Bottom) + (Left - Right). Wheel 1: (3×4) + (7-5) = 12 + 2 = 14. Wheel 2: (2×5) + (3-6) = 10 - 3 = 7. Wheel 3: (4×6) + (9-3) = 24 + 6 = 30.

[College ITM Mock Test 1 (Q53 - Matrix Logic)]

Q9. Which number replaces the question mark in the 3×3 matrix?

(A) (a) 64
(B) (b) 100
(C) (c) 196
(D) (d) 144

Correct Answer: (b) 100

Logic / Derivation: Rule: Third column = (First)² + (Second)² (Pythagorean Triples). Row 1: $3^2 + 4^2 = 9 + 16 = 25$. Row 2: $5^2 + 12^2 = 25 + 144 = 169$. Row 3: $6^2 + 8^2 = 36 + 64 = 100$.

[College ITM Mock Test 1 (Q54 - Cubic Pattern)]

Q10. Find the next term in the sequence.

(A) (a) 216
(B) (b) 252
(C) (c) 240
(D) (d) 294

Correct Answer: (b) 252

Logic / Derivation: Rule: $n^3 + n^2$ for consecutive integers n = 1, 2, 3, 4, 5, 6. n=1: 1+1=2; n=2: 8+4=12; n=3: 27+9=36; n=4: 64+16=80; n=5: 125+25=150; n=6: $6^3 + 6^2 = 216 + 36 = 252$.

[College ITM Mock Test 2 (Q51 - Matchstick)]

Q11. What is the minimum number of sticks that must be removed so that exactly 3 complete unit squares remain?

(A) (a) 1
(B) (b) 2
(C) (c) 3
(D) (d) 4

Correct Answer: (a) 1

Logic / Derivation: The stick shared between the 2nd and 3rd squares is an edge of both. Removing that single stick destroys both squares simultaneously, leaving squares 1, 4, and 5 intact (exactly 3 complete unit squares with only 1 removal).

[College ITM Mock Test 2 (Q52 - Circular Wheel)]

Q12. Find Centre for Wheel 3: T=7, R=4, B=3, L=6.

(A) (a) 39
(B) (b) 41
(C) (c) 45
(D) (d) 49

Correct Answer: (c) 45

Logic / Derivation: Rule: Centre = (Top × Bottom) + (Right × Left). Wheel 1: (6×4) + (2×3) = 24 + 6 = 30. Wheel 2: (5×8) + (3×2) = 40 + 6 = 46. Wheel 3: (7×3) + (4×6) = 21 + 24 = 45.

[College ITM Mock Test 2 (Q53 - Matrix Logic)]

Q13. Find the missing number in the matrix.

(A) (a) 27
(B) (b) 29
(C) (c) 31
(D) (d) 33

Correct Answer: (b) 29

Logic / Derivation: Rule: Third column = (a × b) + a + b. Row 1: (2×3) + 2 + 3 = 11. Row 2: (3×4) + 3 + 4 = 19. Row 3: (4×5) + 4 + 5 = 20 + 9 = 29.

[College ITM Mock Test 2 (Q54 - Tetrahedral Sequence)]

Q14. Find the next term in the sequence.

(A) (a) 52
(B) (b) 56
(C) (c) 60
(D) (d) 49

Correct Answer: (b) 56

Logic / Derivation: Tetrahedral numbers: T(n) = n(n+1)(n+2)/6. T(1)=1, T(2)=4, T(3)=10, T(4)=20, T(5)=35. For n=6: 6×7×8/6 = 56.

[College ITM Mock Test 3 (Q51 - Matchstick)]

Q15. What is the minimum number of sticks to remove so that no complete square remains?

(A) (a) 1
(B) (b) 2
(C) (c) 3
(D) (d) 4

Correct Answer: (b) 2

Logic / Derivation: Removing the stick shared between top-left and top-right squares breaks both in 1 move. One more removal of any stick of the bottom square breaks the third. Minimum = 2 sticks.

[College ITM Mock Test 3 (Q52 - Circular Wheel)]

Q16. Find Centre for Wheel 3: T=8, R=5, B=6, L=4.

(A) (a) 54
(B) (b) 58
(C) (c) 62
(D) (d) 50

Correct Answer: (b) 58

Logic / Derivation: Rule: Centre = (T+B)(R+L) - (T×B + R×L). Wheel 1: (5+7)(3+2) - (35+6) = 60 - 41 = 19. Wheel 2: (4+9)(6+3) - (36+18) = 117 - 54 = 63. Wheel 3: (8+6)(5+4) - (48+20) = 126 - 68 = 58.

[College ITM Mock Test 3 (Q53 - Matrix Logic)]

Q17. Find the missing number in the matrix.

(A) (a) 100
(B) (b) 121
(C) (c) 144
(D) (d) 81

Correct Answer: (b) 121

Logic / Derivation: Entries are squares of consecutive primes along anti-diagonals: $2^2=4$, $3^2=9$, $5^2=25$, $7^2=49$, $11^2=121$. The missing cell is $11^2 = 121$.

[College ITM Mock Test 3 (Q54 - Product Sequence)]

Q18. Find the next term in the sequence.

(A) (a) 320
(B) (b) 330
(C) (c) 336
(D) (d) 342

Correct Answer: (c) 336

Logic / Derivation: Rule: Product of 3 consecutive integers: 1×2×3=6, 2×3×4=24, 3×4×5=60, 4×5×6=120, 5×6×7=210. Next: 6×7×8 = 336.

[College ITM Mock Test 4 (Q51 - Matchstick)]

Q19. What is the minimum number of matchsticks to remove so that no complete square of any size remains?

(A) (a) 4
(B) (b) 5
(C) (c) 6
(D) (d) 7

Correct Answer: (c) 6

Logic / Derivation: Exhaustive computer proof verifies no set of 5 or fewer sticks destroys all 14 squares (nine 1×1, four 2×2, one 3×3). A set of 6 sticks exists that intersects every square. Minimum = 6.

[College ITM Mock Test 4 (Q52 - Circular Wheel)]

Q20. Find Centre for Wheel 3: T=6, R=4, B=9, L=2.

(A) (a) 58
(B) (b) 62
(C) (c) 66
(D) (d) 54

Correct Answer: (b) 62

Logic / Derivation: Rule: Centre = (T+R)(B+L) - (T×L + R×B). Wheel 1: (4+5)(6+3) - (12+30) = 81 - 42 = 39. Wheel 2: (7+2)(8+5) - (35+16) = 117 - 51 = 66. Wheel 3: (6+4)(9+2) - (12+36) = 110 - 48 = 62.

[College ITM Mock Test 4 (Q53 - Matrix Logic)]

Q21. Find the missing number in the matrix.

(A) (a) 16
(B) (b) 18
(C) (c) 20
(D) (d) 21

Correct Answer: (b) 18

Logic / Derivation: Rule: cell(r, c) = r × c + r^2. For Row 3 (r=3): cell(3,1) = 3×1+9 = 12; cell(3,2) = 3×2+9 = 15; cell(3,3) = 3×3+9 = 18.

[College ITM Mock Test 4 (Q54 - Sum of Squares)]

Q22. Find the next term in the sequence.

(A) (a) 91
(B) (b) 85
(C) (c) 96
(D) (d) 90

Correct Answer: (a) 91

Logic / Derivation: Pyramidal square numbers (Sum of squares $1^2 + 2^2 + ... + n^2$): 1, 1+4=5, 5+9=14, 14+16=30, 30+25=55. Next: 55 + 6^2 = 55 + 36 = 91.

[College ITM Mock Test 5 (Q51 - Matchstick)]

Q23. What is the minimum number of sticks to remove so that no complete square remains?

(A) (a) 3
(B) (b) 4
(C) (c) 5
(D) (d) 6

Correct Answer: (b) 4

Logic / Derivation: Each of the 4 outer arms shares exactly 1 stick with the center square. Removing all 4 central-arm shared sticks destroys the center square and all 4 arms. Minimum = 4.

[College ITM Mock Test 5 (Q52 - Circular Wheel)]

Q24. Find Centre for Wheel 3: T=12, R=3, B=9, L=5.

(A) (a) 85
(B) (b) 81
(C) (c) 90
(D) (d) 78

Correct Answer: (a) 85

Logic / Derivation: Rule: Centre = $(T - L)^2 + (B - R)^2$. Wheel 1: $(8-3)^2 + (6-2)^2 = 25 + 16 = 41$. Wheel 2: $(10-2)^2 + (5-4)^2 = 64 + 1 = 65$. Wheel 3: $(12-5)^2 + (9-3)^2 = 49 + 36 = 85$.

[College ITM Mock Test 5 (Q53 - Matrix Logic)]

Q25. Find the missing number in the matrix.

(A) (a) 25
(B) (b) 27
(C) (c) 29
(D) (d) 24

Correct Answer: (b) 27

Logic / Derivation: Rule: cell(r, c) = $r^2 + c^2$ + r × c. For r=3, c=3: $3^2 + 3^2 + 3×3 = 9 + 9 + 9 = 27$.

[College ITM Mock Test 5 (Q54 - Second Differences)]

Q26. Find the next term in the sequence.

(A) (a) 73
(B) (b) 69
(C) (c) 77
(D) (d) 71

Correct Answer: (a) 73

Logic / Derivation: Differences: 6, 10, 14, 18 (increasing by +4). Next difference: 18 + 4 = 22. Next term: 51 + 22 = 73.

[College ITM Mock Test 6 (Q51 - Matchstick)]

Q27. What is the minimum number of sticks to remove so that no complete square of any size remains?

(A) (a) 3
(B) (b) 4
(C) (c) 5
(D) (d) 6

Correct Answer: (b) 4

Logic / Derivation: Exhaustive computer proof verifies no set of 3 sticks breaks all 8 squares. A set of 4 sticks suffices. Minimum = 4.

[College ITM Mock Test 6 (Q52 - Circular Wheel)]

Q28. Find Centre for Wheel 3: T=5, R=3, B=4, L=1.

(A) (a) 65
(B) (b) 61
(C) (c) 69
(D) (d) 57

Correct Answer: (a) 65

Logic / Derivation: Rule: Centre = $(T + B)^2 - (R + L)^2$. Wheel 1: $(4+3)^2 - (1+2)^2 = 49 - 9 = 40$. Wheel 2: $(6+2)^2 - (2+3)^2 = 64 - 25 = 39$. Wheel 3: $(5+4)^2 - (3+1)^2 = 81 - 16 = 65$.

[College ITM Mock Test 6 (Q53 - Matrix Logic)]

Q29. Find the missing number in the matrix.

(A) (a) 55
(B) (b) 73
(C) (c) 64
(D) (d) 47

Correct Answer: (a) 55

Logic / Derivation: Rule: Third column = $(\text{First})^2 - \text{Second}$. Row 1: $5^2 - 7 = 25 - 7 = 18$. Row 2: $6^2 - 11 = 36 - 11 = 25$. Row 3: $8^2 - 9 = 64 - 9 = 55$.

[College ITM Mock Test 6 (Q54 - Cubic Series)]

Q30. Find the next term in the sequence.

(A) (a) 222
(B) (b) 216
(C) (c) 210
(D) (d) 228

Correct Answer: (a) 222

Logic / Derivation: Rule: $n^3 + n$ for n = 1, 2, 3, 4, 5, 6. n=1: 1+1=2; n=2: 8+2=10; n=3: 27+3=30; n=4: 64+4=68; n=5: 125+5=130; n=6: 216+6 = 222.