🏆 Infosys SE Elite Crack Vault — 10 Data Interpretation Tables Pie Bar and Radar Charts Elite

🎯 Infosys Systems Engineer (SE) | 📊 35 Questions | 📅 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

> [!NOTE]
> This compendium contains all 35 forensic-extracted Data Interpretation problems (Pie Charts, Radar / Spider Graphs, Missing DI Tables & Grouped Statistics) with complete step-by-step arithmetic deductions, verified answer keys, and high-resolution reference diagrams.

Problem 001 • Core Practice

🔥 MUST-SOLVE

`ID: Q001` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 02 • Statement

🔥 MUST-SOLVE

`ID: Q02` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> Directions: The following pie chart shows the percentage distribution of expenses incurred by a publishing company in bringing out a book. Total cost of publishing is Rs. 1,00,000.
> Expenses: Paper Cost = 25%, Printing Cost = 20%, Binding = 20%, Royalty = 15%, Promotion Cost = 10%, Transportation = 10%.
> Question 1: If 5500 copies are published and the transportation cost on them amounts to Rs. 82,500, then what should be the selling price of the book so that the publisher can earn a profit of 25%?

- A. Rs. 187.50
- B. Rs. 191.50
- C. Rs. 175.00
- D. Rs. 180.00

✓ **Verified Answer:** `A. Rs. 187.50`

Problem 002 • Core Practice

MUST-SOLVE

`ID: Q002` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 04 • Statement

MUST-SOLVE

`ID: Q04` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> What is the central angle corresponding to the cost incurred on Royalty?

- A. 54°
- B. 48°
- C. 60°
- D. 72°

✓ **Verified Answer:** `A. 54°`

Problem 003 • Core Practice

MUST-SOLVE

`ID: Q003` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 06 • Statement

MUST-SOLVE

`ID: Q06` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> Paper cost is approximately what percent of the Printing cost?

- A. 125%
- B. 120%
- C. 80%
- D. 115%

✓ **Verified Answer:** `A. 125%`

Problem 004 • Core Practice

MUST-SOLVE

ID: Q004 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 08 • Statement

MUST-SOLVE

ID: Q08 Source: Infosys PYQ Level: Infosys SE Standard

> Directions: The radar chart shows the percentage of marks obtained by three students A, B, and C across 5 subjects: Physics (Max 100), Chemistry (Max 100), Mathematics (Max 100), English (Max 100), and Computer Science (Max 100).
> Student A scores: Physics = 80%, Chem = 70%, Math = 90%, Eng = 60%, CS = 85%.
> Student B scores: Physics = 75%, Chem = 85%, Math = 80%, Eng = 70%, CS = 90%.
> Question: What is the total aggregate percentage obtained by Student A across all 5 subjects?

- A. 77%
- B. 75%
- C. 80%
- D. 78%

✓ **Verified Answer:** `A. 77%`

Problem 005 • Core Practice

MUST-SOLVE

ID: Q005 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 10 • Statement

MUST-SOLVE

`ID: Q10` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> Directions: Study the missing data table regarding production (in thousands) and sales ratio of cars across 5 companies A, B, C, D, E.
> Company A: Total Production = 60, Ratio of Sedan to SUV = 3:2.
> Company B: Total Production = Missing [X], Ratio of Sedan to SUV = 5:3, Sedan sold = 50.
> Question: Find the total production of cars by Company B.

- A. 80 thousand
- B. 75 thousand
- C. 90 thousand
- D. 70 thousand

✓ **Verified Answer:** `A. 80 thousand`

Problem 006 • Core Practice

MUST-SOLVE

`ID: Q006` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 12 • Statement

MUST-SOLVE

`ID: Q12` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> In how many different ways can the letters of the word 'OPTICAL' be arranged so that the vowels always come together?

- a. 920
- b. 825
- c. 720
- d. 610

✓ **Verified Answer:** `C`

Problem 007 • Core Practice

MUST-SOLVE

ID: Q007 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 14 • Statement

MUST-SOLVE

ID: Q14 Source: Infosys PYQ Level: Infosys SE Standard

> What is median, mode and mean of the following?
>
> 9,5,8,9,9,7,8,9,8

- a. 8,9,8
- b. 6,9,8
- c. 8,7,6
- d. 7,6,9

✓ **Verified Answer:** `A`

Problem 008 • Core Practice

MUST-SOLVE

ID: Q008 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 16 • Statement

MUST-SOLVE

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

> Find the range of the following data?
>
> 2,1,2,3,5,4,7,3,5,2,4

- a. 4
- b. 5
- c. 6
- d. 7

✓ **Verified Answer:** `C`

Problem 009 • Core Practice

MUST-SOLVE

`ID: Q009` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 18 • Statement

MUST-SOLVE

`ID: Q18` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> What is median of the following data?
> 5,3,6,9,11,19,1

- a. 2
- b. 4
- c. 5
- d. 6

✓ **Verified Answer:** `D`

Problem 010 • Core Practice

MUST-SOLVE

`ID: Q010` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 20 • Statement

MUST-SOLVE

`ID: Q20` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> What is the mean of the mode and the median
> of the following data?
> 8,6,8,7,8,6,8,7,6

- a. 7.0
- b. 7.2
- c. 7.5
- d. 8.0

✓ **Verified Answer:** `C`

Problem 011 • Core Practice

MUST-SOLVE

`ID: Q011` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 22 • Statement

MUST-SOLVE

`ID: Q22` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> Find the standard deviation of
> 11,7,10,13,9

- a. 1
- b. 2
- c. 3
- d. 4

✓ **Verified Answer:** `B`

Problem 012 • Core Practice

MUST-SOLVE

`ID: Q012` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 24 • Statement

MUST-SOLVE

`ID: Q24` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> Find the standard deviation of
> 10,11,12,9,8

- a. 8
- b. 4
- c. 0
- d. 2

✓ **Verified Answer:** `C`

Problem 013 • Core Practice

CORE SE

ID: Q013 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 26 • Statement

CORE SE

ID: Q26 Source: Infosys PYQ Level: Infosys SE Standard

> The mean of a distribution is 21 and the standard deviation is 7. What is the value of the coefficient variation in terms of percentage?

- a. 33 1 3%
- b. 32 1 3%
- c. 31 1 3%
- d. 30 1 3%

✓ **Verified Answer:** `A`

Problem 014 • Core Practice

CORE SE

ID: Q014 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 28 • Statement

CORE SE

ID: Q28 Source: Infosys PYQ Level: Infosys SE Standard

> If the standard deviation of a population is 6.5, what would be the population variance?

- a. 5625
- b. 5620
- c. 4969
- d. 3002

✓ **Verified Answer:** `A`

Problem 015 • Core Practice

CORE SE

ID: Q015 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 30 • Statement

CORE SE

ID: Q30 Source: Infosys PYQ Level: Infosys SE Standard

> What is median of the following data?
> -3,4,0,4,-2,-5,1,7,10,5?

- a. 2.0
- b. 2.5
- c. 3.0
- d. 3.5

✓ **Verified Answer:** `B`

Problem 016 • Core Practice

CORE SE

ID: Q016 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 32 • Statement

CORE SE

ID: Q32 Source: Infosys PYQ Level: Infosys SE Standard

> What is the standard deviation of the data
> given below?
> 10,28,13,18,29,30,22,23,25 and 32

- a. 7.7
- b. 7.0
- c. 49.0
- d. 6.2

✓ **Verified Answer:** `B`

Problem 017 • Core Practice

CORE SE

`ID: Q017` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 34 • Statement

CORE SE

`ID: Q34` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Statements:

All new are modern

Some modern are old

All old are gold

Conclusions:
I.
Some new are old is a possibility
II.
No modern is gold

- a. Neither conclusion I nor II follows
- b. Both conclusion I & II follows
- c. Only conclusion I follows
- d. Only conclusion II follows

✓ **Verified Answer:** `C`

Problem 018 • Core Practice

CORE SE

`ID: Q018` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 36 • Statement

CORE SE

ID: Q36 Source: Infosys PYQ Level: Infosys SE Standard

> In a class of 10 students, there are 3 girls. In how many different ways can they be arranged in a row such that no two of the three girls are consecutive?

- a. 7! 8! 1!
- b. 7! 8! 3!
- c. 7! 8! 5!
- d. 7! 8! 7!

✓ **Verified Answer:** `C`

Problem 019 • Core Practice

CORE SE

ID: Q019 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 38 • Statement

CORE SE

ID: Q38 Source: Infosys PYQ Level: Infosys SE Standard

> In a box carrying one dozen of oranges, one third have become bad. If 3 oranges are taken out from the box at random, what is the probability that at least one oranges out of the three oranges picked up is good?

- a. 54 55
- b. 55 54
- c. 50 55
- d. 55 50

✓ **Verified Answer:** `A`

Problem 020 • Core Practice

CORE SE

ID: Q020 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 40 • Statement

CORE SE

ID: Q40 Source: Infosys PYQ Level: Infosys SE Standard

> What is the mean of the mode and median of
> the data given below?
> 8,7,5,4,9,1,3,7,6,5,2,1,6,3,9,8,4,6

- a. 6.5
- b. 6.25
- c. 5.5
- d. 5.75

✓ **Verified Answer:** `D`

Problem 021 • Core Practice

CORE SE

ID: Q021 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 42 • Statement

CORE SE

`ID: Q42` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> Let x be the median of the data:
> 34, 28, 20, 32, 15, 9, 23, 26, 35, 16, 33, 43
> If 16 and 23 are replaced by 30 and 32, respectively in the data, then let y be the median of the resulting data. What is the value of (3x-2y)?

- a. 21
- b. 19
- c. 18
- d. 15

✓ **Verified Answer:** `B`

Problem 022 • Core Practice

CORE SE

`ID: Q022` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 44 • Statement

CORE SE

`ID: Q44` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> The standard deviation of the data:
> 5, 7, 9, 11, 13, 16, 17, 18, 19, 35
> Lies between:

- a. 7 and 7.4
- b. 8.2 and 8.6
- c. 7.4 and 7.8
- d. 7.8 and 8.2

✓ **Verified Answer:** `D`

Problem 023 • Core Practice

CORE SE

ID: Q023 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 46 • Statement

CORE SE

ID: Q46 Source: Infosys PYQ Level: Infosys SE Standard

For the data given below:
Marks
obtain
ed
Belo
w
10
Belo
w
20
Belo
w
30
Belo
w
40
Belo
w
50
No. of
stude
nts
5
16
28
42
72
If x is the class mark of the modal class and y is the upper limit of the median class, then the value of (2x+y) is

- a. 125
- b. 130
- c. 95

✓ **Verified Answer:** `B`

Problem 024 • Core Practice

CORE SE

ID: Q024 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 48 • Statement

CORE SE

ID: Q48 Source: Infosys PYQ Level: Infosys SE Standard

Directions: Following questions are based on the information given below.
'P x Q' means 'P is father of Q'
'P - Q' means 'P is sister of Q'
'P + Q' means 'P is mother of Q'
'P ÷ Q' means 'P is the brother of Q'

Q In the expression B + D x M ÷ N, how M related to B?

- a. Grand Daughter
- b. Son
- c. Grand Son
- d. Grand Daughter or Grand Son e. None of these

✓ **Verified Answer:** `C`

Problem 025 • Core Practice

CORE SE

ID: Q025 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 50 • Statement

CORE SE

ID: Q50 Source: Infosys PYQ Level: Infosys SE Standard

> If m and M are mean and median respectively of the numbers 2,6,10,14,18,22,26 and 30. Which is the correct relation between m nd M?

- a. m<M
- b. m=M
- c. m not equal to M
- d. m>M

✓ **Verified Answer:** `B`

Problem 026 • Core Practice

CORE SE

ID: Q026 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 52 • Statement

CORE SE

ID: Q52 Source: Infosys PYQ Level: Infosys SE Standard

> If x is the mean of the first 8 positive integers multiple of 9 and Y is the Median for the same, then find the value of 5X-3Y.

- a. 78
- b. 79
- c. 80
- d. 81

✓ **Verified Answer:** `D`

Problem 027 • Core Practice

◯ PRACTICE VARIANT

`ID: Q027` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 54 • Statement

◯ PRACTICE VARIANT

`ID: Q54` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> The Sum of median and mode of the given set
> of numbers
> 9, 8, 16, 9, 18, 29, 59, 61, 8, 9

- a. 20.5
- b. 21.5
- c. 22.5
- d. 23.5

✓ **Verified Answer:** `B`

Problem 028 • Core Practice

◯ PRACTICE VARIANT

`ID: Q028` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 56 • Statement

◯ PRACTICE VARIANT

`ID: Q56` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> The mean of the following data is _____
> Class 0-10, 10-20, 20-30, 30-40, 40-50, 50-60
> Frequency 3, 6, 7, 6, 3, 5

- a. 25
- b. 5
- c. 30
- d. 35

✓ **Verified Answer:** `C`

Problem 029 • Core Practice

◯ PRACTICE VARIANT

ID: Q029 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 58 • Statement

◯ PRACTICE VARIANT

ID: Q58 Source: Infosys PYQ Level: Infosys SE Standard

> The mean of the following data is _____
>
> Seconds Frequency(y)
> 51 – 55
> 2
> 56 – 60
> 7
> 61 – 65
> 8
> 66 – 70 4

- a. 61.33
- b. 62.33
- c. 63.33
- d. 64.33

✓ **Verified Answer:** `A`

Problem 030 • Core Practice

◯ PRACTICE VARIANT

ID: Q030 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 60 • Statement

CORE SE

ID: Q60 Source: Infosys PYQ Level: Infosys SE Standard

> The median of the following data is find the median

- a. 24.266
- b. 24.266
- c. 24.123
- d. 24.166

✓ **Verified Answer:** `D`

Problem 031 • Core Practice

CORE SE

ID: Q031 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 62 • Statement

CORE SE

ID: Q62 Source: Infosys PYQ Level: Infosys SE Standard

> Calculate Mean, Median, Mode from the following grouped data
> Class
> Frequency
> 2 – 4
> 3
> 4 – 6
> 4
> 6 – 8
> 2
> 8 – 10
> 1

- a. 5.2, 5
- b. 5.3, 5
- c. 5.4, 5
- d. 5.5, 5

✓ **Verified Answer:** `A`

Problem 032 • Core Practice

CORE SE

ID: Q032 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 64 • Statement

CORE SE

ID: Q64 Source: Infosys PYQ Level: Infosys SE Standard

> The mean of the following data is _____
> Class 0-10, 10-20, 20-30, 30-40, 40-50, 50-60
> Frequency 3, 6, 7, 6, 3, 5

- a. 25
- b. 5
- c. 30
- d. 35

✓ **Verified Answer:** `C`

Problem 033 • Core Practice

CORE SE

ID: Q033 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 66 • Statement

CORE SE

`ID: Q66` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> The mean of the following data is _____
>
> Seconds Frequency(y)
> 51 – 55
> 2
> 56 – 60
> 7
> 61 – 65
> 8
> 66 – 70 4

- a. 61.33
- b. 62.33
- c. 63.33
- d. 64.33

✓ **Verified Answer:** `A`

Problem 034 • Core Practice

CORE SE

`ID: Q034` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 68 • Statement

CORE SE

`ID: Q68` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> The median of the following data is find the
> median
> Class
> 0-10
> 10-20
> 20-30
> 30-40
> 40-50
> Frequency
> 10
> 15
> 12
> 15
> 8

- a. 24.266
- b. 24.266
- c. 24.123
- d. 24.166

✓ **Verified Answer:** `D`

Problem 035 • Core Practice

CORE SE

`ID: Q035` `Source: Infosys PYQ` `Level: Infosys SE Standard`

✓ **Verified Answer:** Answer specified in derivation below

Problem 70 • Statement CORE SE

`ID: Q70` `Source: Infosys PYQ` `Level: Infosys SE Standard`

> Calculate Mean, Median, Mode from the following grouped data
>
> Class
> Frequency
> 2 – 4
> 3
> 4 – 6
> 4
> 6 – 8
> 2
> 8 – 10
> 1

- a. 5.2, 5
- b. 5.3, 5
- c. 5.4, 5
- d. 5.5, 5

✓ **Verified Answer:** `A`