🏆 Infosys SE Elite Crack Vault — 13 Assorted Quant Super Sheet Master Vault 250 Plus Elite

🎯 Infosys Systems Engineer (SE) | 📊 172 Questions | 📅 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

---

Problem 01 • Boats and Streams

🔥 MUST-SOLVE

`ID: SEC02_BOOK_P02_Q1` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The speed of the boat in still water is 2 km/hr.
> If its speed upstream is 1 km/hr. then the
> speed of the stream is?

- a. 2 km/hr
- b. 1 km/hr
- c. 3 km/hr
- d. None of these

✓ **Verified Answer:** `B`

Problem 02 • Boats and Streams

🔥 MUST-SOLVE

`ID: SEC02_BOOK_P02_Q2` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A boat goes 14 km upstream in 56 minutes.
> The speed of the stream is 2 km/hr. The speed
> of the boat in still water is

- a. 6 km/hr
- b. 14 km/hr
- c. 15 km/hr
- d. 17 km/hr

✓ **Verified Answer:** `D`

Problem 03 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P02_Q3` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The speed of a man is 7 km/hr in still water. If the rate of the current is 2 km/hr, find the effective speed of the man upstream.

- a. 9 km/hr
- b. 14 km/hr
- c. 5 km/hr
- d. data inadequate

✓ **Verified Answer:** `C`

Problem 04 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P02_Q4` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The speed of a boat in still water is 10 km/hr. If its speed downstream be 13 km/hr. then the speed of the stream be

- a. 1.5 km/hr
- b. 11.5 km/hr
- c. 3 km/hr
- d. 5.75 km/hr

✓ **Verified Answer:** `C`

Problem 05 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P02_Q5` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The rowing speed of a man in still water is 20 km/hr. Going downstream, he moves at a rate of 25 km/hr, the rate of the stream is

- a. 45 km/hr
- b. 12.5 km/hr
- c. 2.5 km/hr
- d. 5 km/hr

✓ **Verified Answer:** `D`

Problem 06 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P02_Q6` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man can row downstream at a rate of 14 km/hr and upstream at 5 km/hr, find the man's rate in still water

- a. 9.5 km/hr
- b. 8 km/hr
- c. 8.5 km/hr
- d. 9 km/hr

✓ **Verified Answer:** `A`

Problem 07 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P02_Q7` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man can row downstream at a rate of 16 km/hr and upstream at a rate of 11 km/hr. find the man's rate in still water

- a. 14 km/hr
- b. 13.5 km/hr
- c. 14.5 km/hr
- d. 15.5 km/hr

✓ **Verified Answer:** `B`

Problem 08 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P02_Q8` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man can row 15 km downstream in 3 hours and 5 km upstream in 2(1/2) his speed in still water is _____ km/hr.

- a. 4
- b. 4.5
- c. 3.5
- d. Data inadequate

✓ **Verified Answer:** `C`

Problem 09 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P02_Q9` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man can row with the stream at 10 km/hr and against the stream at 5km/hr man's rate in still water is

- a. 5 km/hr
- b. 2.5 km/hr
- c. 7.5 km/hr
- d. 15 km/hr

✓ **Verified Answer:** `C`

Problem 10 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P03_Q10` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A boat goes 40 km upstream in 8 hours and a distance of 36 km downstream in 6 hours. The speed of boat in standing water is

- a. 6.5 km/hr
- b. 6 km/hr
- c. 5.5 km/hr
- d. 5 km/hr

✓ **Verified Answer:** `C`

Problem 11 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P03_Q11` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man rows upstream 16 km and downstream at 27 km taking 5 hours each time. What is the velocity of current',

- a. 2 km/hr
- b. 2.1 km/hr
- c. 1.1 km/hr
- d. None of these

✓ **Verified Answer:** `C`

Problem 12 • Boats and Streams

MUST-SOLVE

ID: SEC02_BOOK_P03_Q12 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A boat moves downstream at the rate of one km in 7 1 2 / minutes and upstream at the rate of 5 km an hour. What is the velocity of current?

- a. 1.3 km/hr
- b. 1.2 km/hr
- c. 1.6 km/hr
- d. 1.5 km/hr

✓ **Verified Answer:** `D`

Problem 13 • Boats and Streams

MUST-SOLVE

ID: SEC02_BOOK_P03_Q13 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> P, Q and R are three towns on a river which flows uniformly. Q is equidistant from P and R. I row from P to Q and back in 10 hours and I can row from P to R in 4 hours. Compare the speed of my boat in still water with that of the river.

- a. 4 : 3
- b. 5 : 3
- c. 6 : 3
- d. 7 : 3

✓ **Verified Answer:** `B`

Problem 14 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P03_Q14` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A boat's man goes 48 km downstream in 8 hours and returns back in 12 hours. Find the speed of the boat in still water and the rate of the stream.

- a. 5 km/hr, 1 km/hr
- b. 10 km/hr, 2 km/hr
- c. 61 cm/hr, 1.5 km/h
- d. None of these

✓ **Verified Answer:** `A`

Problem 15 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P03_Q15` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A son and father goes for boating in a river upstream. After rowing for 1 mile son notices the hat of his father falling in the river. After 5 min he tells his father that his hat has fallen. So they turn round and are able to pick the hat at the point from where they began boating after 5min. Find the speed of river in miles/hours?

- a. 4 mile/hr
- b. 6 mile
- c. 2 mile/hr
- d. 5 mile/hr

✓ **Verified Answer:** `B`

Problem 16 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P03_Q16` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man can row 4.5 km/hr in still water and he finds that it takes him twice as long to row up as to row down the river. Find the rate of the stream.

- a. 2 km/hr
- b. 2.5 km/hr
- c. 1.5 km/hr
- d. 1.75 km/hr

✓ **Verified Answer:** `C`

Problem 17 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P03_Q17` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man can row at a rate of 4km/hr in still water if the time taken to row a certain distance upstream is 3 times as much as to row same distance downstream, find the speed of the current

- a. 1
- b. 2
- c. 3
- d. 4

✓ **Verified Answer:** `B`

Problem 18 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P04_Q18` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A motorboat went the river for 14 km and then up the river for 9 km. If took a total of 5 hrs the entire journey. Find the speed of the river flow if the speed of the boat in still water is 5 km/h.

- a. 1 km/h
- b. 1.5 km/h
- c. 2 km/h
- d. 3 km/h e. None of these

✓ **Verified Answer:** `C`

Problem 19 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P04_Q19` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A boat travels upstream from B to A and downstream from A to B in 3 h. If the speed of the boat in still water is 9 km/h and the speed of the current is 3 km/h, what distance between A and B?

- a. 6 km
- b. 4 km
- c. 8 km
- d. 12 km e. None of these

✓ **Verified Answer:** `D`

Problem 20 • Boats and Streams

MUST-SOLVE

`ID: SEC02_BOOK_P04_Q20` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man row at a speed of 8 km/hr in still water to a certain distance upstream and back to the starting point in a river which flows at 4 km/hr. Find his average speed for total journey.

- a. 8 km/hr
- b. 6 km/hr
- c. 4 km/hr
- d. 10 km/hr

✓ **Verified Answer:** `B`

Problem 21 • Permutation, Combination & Probability

MUST-SOLVE

`ID: SEC02_BOOK_P04_Q21` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Out of 7 consonants and 4 vowels, how many words of 3 consonants and 2 vowels can be formed?

- a. 210
- b. 310
- c. 250
- d. 300

✓ **Verified Answer:** `A`

Problem 22 • Permutation, Combination & Probability

MUST-SOLVE

`ID: SEC02_BOOK_P04_Q22` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> In how many ways a committee, consisting of 5 men and 6 women can be formed from 8 men and 10 women?

- a. 11750
- b. 11760
- c. 11520
- d. 16930

✓ **Verified Answer:** `B`

Problem 23 • Permutation, Combination & Probability

MUST-SOLVE

`ID: SEC02_BOOK_P04_Q23` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> From a group of 7 men and 6 women, five persons are to be selected to form a committee so that at least 3 men are there on the committee. In how many ways can it be done?

- a. 756
- b. 500
- c. 699
- d. 321

✓ **Verified Answer:** `A`

Problem 24 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P04_Q24` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> In how many different ways can the letters of the word 'OPTICAL' be arranged so that the vowels always come together?

- a. 920
- b. 825
- c. 720
- d. 610

✓ **Verified Answer:** `C`

Problem 25 • Permutation, Combination & Probability

MUST-SOLVE

`ID: SEC02_BOOK_P04_Q25` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> In how many ways can 8 Indians and, 4 American and 4 Englishmen can be seated in a row so that all person of the same nationality sit together?

- a. 3! 4! 8! 4!
- b. 3! 8!
- c. 4! 4!
- d. 8! 4! 4!

✓ **Verified Answer:** `A`

Problem 26 • Permutation, Combination & Probability

MUST-SOLVE

`ID: SEC02_BOOK_P05_Q27` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A person has to cover 6 meters using either a 1 meter step or a 2 meter step or a combination of both. Find in how many ways you can do it

- a. 10
- b. 12
- c. 25
- d. 13

✓ **Verified Answer:** `D`

Problem 27 • Permutation, Combination & Probability

MUST-SOLVE

`ID: SEC02_BOOK_P05_Q28` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Find the number of ways to reach from point A to C if the person has to take the shortest route and he can move in horizontal and vertical direction only

- a. 20
- b. 25
- c. 30
- d. 35

✓ **Verified Answer:** `D`

Problem 28 • Number Systems & Simplification

MUST-SOLVE

`ID: SEC02_BOOK_P05_Q29` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> 1 ÷
> 3
> 7 of (6+8x3 −2) + [
> 1
> 5 ÷
> 7
> 25 − {
> 3
> 7 +
> 8
> 14}]

- a. −2 7
- b. −3 9
- c. −7 3
- d. −5 42

✓ **Verified Answer:** `D`

Problem 29 • Mensuration 2D & 3D

MUST-SOLVE

`ID: SEC02_BOOK_P05_Q30` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Find the cube root of 328509

- a. 69
- b. 50
- c. 97
- d. 78

✓ **Verified Answer:** `A`

Problem 30 • Mensuration 2D & 3D

MUST-SOLVE

`ID: SEC02_BOOK_P05_Q31` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Find the cube root of 50653

- a. 22
- b. 37
- c. 97
- d. 69

✓ **Verified Answer:** `B`

Problem 31 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P05_Q32` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> What is median, mode and mean of the following?
>
> 9,5,8,9,9,7,8,9,8

- a. 8,9,8
- b. 6,9,8
- c. 8,7,6
- d. 7,6,9

✓ **Verified Answer:** `A`

Problem 32 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P05_Q33` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Find the range of the following data?
>
> 2,1,2,3,5,4,7,3,5,2,4

- a. 4
- b. 5
- c. 6
- d. 7

✓ **Verified Answer:** `C`

Problem 33 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P05_Q34` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> What is median of the following data?
>
> 5,3,6,9,11,19,1

- a. 2
- b. 4
- c. 5
- d. 6

✓ **Verified Answer:** `D`

Problem 34 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P06_Q35` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> What is the mean of the mode and the median
> of the following data?
>
> 8,6,8,7,8,6,8,7,6

- a. 7.0
- b. 7.2
- c. 7.5
- d. 8.0

✓ **Verified Answer:** `C`

Problem 35 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P06_Q36` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Find the standard deviation of
>
> 11,7,10,13,9

- a. 1
- b. 2
- c. 3
- d. 4

✓ **Verified Answer:** `B`

Problem 36 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P06_Q37` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Find the standard deviation of
> 10,11,12,9,8

- a. 8
- b. 4
- c. 0
- d. 2

✓ **Verified Answer:** `C`

Problem 37 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P06_Q38` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The mean of a distribution is 21 and the standard deviation is 7. What is the value of the coefficient variation in terms of percentage?

- a. 33 1 3%
- b. 32 1 3%
- c. 31 1 3%
- d. 30 1 3%

✓ **Verified Answer:** `A`

Problem 38 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P06_Q39` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> If the standard deviation of a population is 6.5, what would be the population variance?

- a. 5625
- b. 5620
- c. 4969
- d. 3002

✓ **Verified Answer:** `A`

Problem 39 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P06_Q40` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> What is median of the following data?
> -3,4,0,4,-2,-5,1,7,10,5?

- a. 2.0
- b. 2.5
- c. 3.0
- d. 3.5

✓ **Verified Answer:** `B`

Problem 40 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P06_Q41` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> What is the standard deviation of the data given below?
> 10,28,13,18,29,30,22,23,25 and 32

- a. 7.7
- b. 7.0
- c. 49.0
- d. 6.2

✓ **Verified Answer:** `B`

Problem 41 • Logical Reasoning and Deductions

MUST-SOLVE

`ID: SEC02_BOOK_P06_Q42` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Statement:
>
> All orchids are flowers.
>
> Some orchids are beautiful
>
> Conclusions:
> I.
> Some flowers are beautiful
> II.
> All beautiful are flowers

- a. Neither conclusion I nor II follows
- b. Both conclusions I & II follow
- c. Only conclusions I follow
- d. Only conclusions II follow

✓ **Verified Answer:** `C`

Problem 42 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P07_Q43` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Statements:
>
> All new are modern
>
> Some modern are old
>
> All old are gold
>
> Conclusions:
> I.
> Some new are old is a possibility
> II.
> No modern is gold

- a. Neither conclusion I nor II follows
- b. Both conclusion I & II follows
- c. Only conclusion I follows
- d. Only conclusion II follows

✓ **Verified Answer:** `C`

Problem 43 • Logical Reasoning and Deductions

MUST-SOLVE

`ID: SEC02_BOOK_P07_Q44` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Statements:
> Some belts are leathers
> All leathers are skins
> Some skins are white
> Conclusions:
> I.
> Some belts are skins
> II.
> Some belts are white is a possibility

- a. Neither conclusion I nor II follows
- b. Both conclusion I & II follows
- c. Only conclusion I follows
- d. Only conclusion II follows

✓ **Verified Answer:** `B`

Problem 44 • Logical Reasoning and Deductions

MUST-SOLVE

`ID: SEC02_BOOK_P07_Q45` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Statements:
> Some mocks are exams
> Some exams are bank
> No bank is a local
> Conclusions:
> I.
> Some mocks are local
> II.
> No local is a mock

- a. Neither conclusion I nor II follows
- b. Both conclusion I & II follows
- c. Only conclusion I follows
- d. Only conclusion II follows e. Either I or II

✓ **Verified Answer:** `E`

Problem 45 • Number Systems & Simplification

MUST-SOLVE

`ID: SEC02_BOOK_P07_Q46` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> How many numbers between 400 and 1000 can be formed with the digits 0,2,3,4,5,6, if no digit is repeated in the same number?

- a. 40
- b. 50
- c. 60
- d. 70

✓ **Verified Answer:** `C`

Problem 46 • Number Systems & Simplification

MUST-SOLVE

`ID: SEC02_BOOK_P07_Q47` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> How many numbers between 300 and 3,000 can be formed with the digits 0, 1, 2, 3, 4, 5.

- a. 60
- b. 180
- c. 300
- d. 420

✓ **Verified Answer:** `B`

Problem 47 • Number Systems & Simplification

MUST-SOLVE

`ID: SEC02_BOOK_P07_Q48` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> How many 3-digit numbers can be formed from the digits 2, 3, 5, 6, 7 and 9, which are divisible by 5 and none of the digits is repeated?

- a. 5
- b. 10
- c. 15
- d. 20

✓ **Verified Answer:** `D`

Problem 48 • Number Systems & Simplification

MUST-SOLVE

`ID: SEC02_BOOK_P07_Q49` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> How many even four-digit numbers can be formed with the digit 0,1,2,3,4,5,6; no digit being used more than once?

- a. 100
- b. 269
- c. 342
- d. 420

✓ **Verified Answer:** `D`

Problem 49 • Number Systems & Simplification

MUST-SOLVE

`ID: SEC02_BOOK_P08_Q50` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> MR.X has forgotten his friend's seven-digit telephone number. He remembers the following: the first three digits are either 635 or 674, the number is odd, and the number nine appears once. If X were to use a trial and error process to reach his friend, what is the number of trials he has to make before he can be certain to succeed?

- a. 1000
- b. 3402
- c. 2430
- d. 3006

✓ **Verified Answer:** `B`

Problem 50 • Number Systems & Simplification

MUST-SOLVE

`ID: SEC02_BOOK_P08_Q51` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A Four -digit number is formed using digits
> 1,2,3,4 without repeating any one of them.
> What is the sum of all such possible numbers?

- a. 66660
- b. 25769
- c. 49180
- d. 76976

✓ **Verified Answer:** `A`

Problem 51 • Permutation, Combination & Probability

MUST-SOLVE

`ID: SEC02_BOOK_P08_Q52` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> In how many ways can 7 I. A and 5 I.Sc.
> Students be seated in a row so that no two of
> the I.Sc students may sit together?

- a. 7! 8! 3!
- b. 6! 8! 3!
- c. 5! 8! 3!
- d. 4! 8! 3!

✓ **Verified Answer:** `A`

Problem 52 • Statistics and Data Analysis

MUST-SOLVE

`ID: SEC02_BOOK_P08_Q53` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> In a class of 10 students, there are 3 girls. In how many different ways can they be arranged in a row such that no two of the three girls are consecutive?

- a. 7! 8! 1!
- b. 7! 8! 3!
- c. 7! 8! 5!
- d. 7! 8! 7!

✓ **Verified Answer:** `C`

Problem 53 • Permutation, Combination & Probability

MUST-SOLVE

`ID: SEC02_BOOK_P08_Q54` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> In a birthday party, every person shakes hand with every other person. If there was a total of 28 handshakes in the party, how many persons were present in the party?

- a. 8
- b. 9
- c. 6
- d. 7

✓ **Verified Answer:** `A`

Problem 54 • Permutation, Combination & Probability

MUST-SOLVE

ID: SEC02_BOOK_P08_Q55 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> There are 10 points in a plane of which 4 are collinear. How many different straight lines can be drawn by joining these points?

- a. 6c2 – 4c2 + 1
- b. 7c2 – 4c2 + 1
- c. 8c2 – 4c2 + 1
- d. 10c2 – 4c2 + 1

✓ **Verified Answer:** `D`

Problem 55 • Permutation, Combination & Probability

MUST-SOLVE

ID: SEC02_BOOK_P08_Q56 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> There are 10 points in a plane out of which 4 are collinear. Find the number of triangles formed with these points as vertices?

- a. 10c3 - 4c3
- b. 12c3 - 4c3
- c. 14c3 - 4c3
- d. 15c3 - 4c3

✓ **Verified Answer:** `A`

Problem 56 • Profit, Loss and Discount

MUST-SOLVE

`ID: SEC02_BOOK_P08_Q57` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man spends 1/5 of his salary on food, 1/10 of his salary on house rent and 3/5 of his salary on clothes. He still has $18000 left with him. Find his salary?

- a. 180000
- b. 170000
- c. 160000
- d. 150000

✓ **Verified Answer:** `A`

Problem 57 • Simple and Compound Interest

MUST-SOLVE

`ID: SEC02_BOOK_P09_Q59` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Mr. Jones gave 40% of the money he had, to his wife. He also gave 20% of the remaining amount to each of his three sons. Half of the amount now left was spent on miscellaneous items and the remaining amount of Rs.12,000 was deposited in the bank. How much money did Mr. Jones have initially?

- a. 50000
- b. 100000
- c. 12000
- d. NOT

✓ **Verified Answer:** `B`

Problem 58 • Profit, Loss and Discount

MUST-SOLVE

`ID: SEC02_BOOK_P09_Q60` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man spends 20% of his salary on food items, 25% of the remaining on house rent.33.33% of the remaining on entertainment and 10% of the remaining on children's education. After this he pays Rs.900 as income tax and still have Rs.2340. How many Rs. he spends on entertainment?

- a. Rs.9000
- b. Rs.2800
- c. Rs.1800
- d. Data inadequate e. None of these

✓ **Verified Answer:** `A`

Problem 59 • Profit, Loss and Discount

MUST-SOLVE

`ID: SEC02_BOOK_P09_Q61` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man spends 50% of his income. His income increases by 30% and his expenditure also increase by 20%. Find the Percentage increase in his saving.

- a. 20%
- b. 30%
- c. 40%
- d. 50%

✓ **Verified Answer:** `C`

Problem 60 • Profit, Loss and Discount

MUST-SOLVE

`ID: SEC02_BOOK_P09_Q62` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A man spends 80% of his income. His income increases by 40% and his expenditure also increase by 25%. Find the Percentage increase in his saving.

- a. 100%
- b. 150%
- c. 200%
- d. 250%

✓ **Verified Answer:** `A`

Problem 61 • Percentages

MUST-SOLVE

`ID: SEC02_BOOK_P09_Q63` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The price of an article rose by 25% every odd year and fell by 20% every even year, what would be the percentage change after 180 years?

- a. 54
- b. 69
- c. 87
- d. 100

✓ **Verified Answer:** `D`

Problem 62 • Simple and Compound Interest

MUST-SOLVE

`ID: SEC02_BOOK_P09_Q64` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The value of lathe machine depreciates at the rate of 10 % per annum. If the cost of machine at present is Rs.160,000, then what will be its worth after 2 years?

- a. Rs.122,365
- b. Rs.153,680
- c. Rs.129,600
- d. Rs.119,900

✓ **Verified Answer:** `C`

Problem 63 • Percentages

CORE SE

`ID: SEC02_BOOK_P09_Q65` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The population of a town is 18000. It increases by 10% during first year and by 20% during the second year. The population after 2 years will be.....

- a. 19800
- b. 21600
- c. 23760
- d. None

✓ **Verified Answer:** `C`

Problem 64 • Percentages

CORE SE

ID: SEC02_BOOK_P10_Q66 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The length of a rectangle increased by 40% and its breadth increased by 20%. What will be the percentage change in the area of the rectangle?

- a. 50% inc
- b. 10% inc
- c. 44% inc
- d. 68% inc e. None of these

✓ **Verified Answer:** `D`

Problem 65 • Percentages

CORE SE

ID: SEC02_BOOK_P10_Q67 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A student has to secure 40% marks to pass an examination. He secured 75 marks and was declared FAIL 45 marks. Find the maximum marks set for the examination.

- a. 600
- b. 200
- c. 100
- d. 300 e. None of these

✓ **Verified Answer:** `D`

Problem 66 • Percentages

CORE SE

ID: SEC02_BOOK_P10_Q68 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In an examination, the cut off mark is 40% and a student is declared to be failed by 4 marks when he scored 38%. What is the maximum score a student can get in this exam?

- a. 100
- b. 300
- c. 400
- d. 200 e. None of these

✓ **Verified Answer:** `D`

Problem 67 • Percentages

CORE SE

ID: SEC02_BOOK_P10_Q69 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A student has to secure 30% marks to get through. If he gets 40 marks and fails by 20 marks, find the maximum marks set for the examination.

- a. 600
- b. 200
- c. 100
- d. 300 e. None of these

✓ **Verified Answer:** `B`

Problem 68 • Percentages

CORE SE

ID: SEC02_BOOK_P10_Q70 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In an examination, P scored 30 % marks and failed by 15 marks. Q scored 40 % marks and obtained 35 marks more than those required to pass. Find the pass percentage.

- a. 30%
- b. 33%
- c. 35%
- d. 40%

✓ **Verified Answer:** `B`

Problem 69 • Percentages

CORE SE

ID: SEC02_BOOK_P10_Q71 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A candidate scoring 25% in an examination fails by 30 marks, while another candidate scores 50 % mark, gets 20 marks more than the minimum pass marks. Find the minimum pass marks. Find the minimum pass percentage.

- a. 42%
- b. 55%
- c. 33%
- d. 40%

✓ **Verified Answer:** `D`

Problem 70 • Percentages

CORE SE

ID: SEC02_BOOK_P10_Q72 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In a test consisting of 300 questions, Deepika answered 40% of the first 100 questions correctly. What per cent of the remaining 200 questions does she need to answer correctly for her grade on the entire exam to be 50%?

- a. 75%
- b. 55%
- c. 60%
- d. Cannot be determined e. None of these

✓ **Verified Answer:** `B`

Problem 71 • Percentages

CORE SE

ID: SEC02_BOOK_P10_Q73 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> There were only two candidates in an election. A candidate got 62% votes and he won by 144 votes. How many votes polled?

- a. 600
- b. 6000
- c. 500
- d. None

✓ **Verified Answer:** `A`

Problem 72 • Percentages

CORE SE

ID: SEC02_BOOK_P11_Q74 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In an election between two candidates, the winner secured 58% of the total votes cast and wins by a majority of 2400 votes. How many votes polled?

- a. 15000
- b. 16978
- c. 17000
- d. 18960

✓ **Verified Answer:** `A`

Problem 73 • Percentages

CORE SE

ID: SEC02_BOOK_P11_Q75 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In an election between two candidates, one gets 72% of the total votes. If the total votes are 8200, by how many votes did the winner win the election?

- a. 1835
- b. 1722
- c. 3608
- d. 4428 e. None of these

✓ **Verified Answer:** `C`

Problem 74 • Percentages

CORE SE

ID: SEC02_BOOK_P11_Q76 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In a college election between two students, 10% of the votes cast are invalid. The winner gets 70% of the valid votes and defeats the loser by 1800 votes. How many votes were totally cast?

- a. 1800
- b. 7200
- c. 5000
- d. 3600 e. None of these

✓ **Verified Answer:** `C`

Problem 75 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P11_Q77 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Two pipes A and B can fill a tank in 36 hours and 45 hours respectively. If both the pipes are opened simultaneously, how much time will be taken to fill the tank?

- a. 50hrs
- b. 6hrs
- c. 20hrs
- d. 10hrs

✓ **Verified Answer:** `C`

Problem 76 • Ages, Partnership & Averages

CORE SE

`ID: SEC02_BOOK_P11_Q78` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A tub can be filled in 20 minutes but there is a leakage in it which can empty the full tub in 60 minutes. In how many minutes it can be filled?

- a. 10 minutes
- b. 30 minutes
- c. 40 minutes
- d. 25minutes e. one of these

✓ **Verified Answer:** `B`

Problem 77 • Time and Work & Pipes

CORE SE

`ID: SEC02_BOOK_P11_Q79` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Pipe A can fill a tank in 20 hours while Pipe B can fill it in 30 hours and Pipe C can empty the same tank in 40 hours. If all the pipes are opened together, what will be the time needed to fill the tank completely?

- a. 17 1 7
- b. 16 1 7
- c. 15 1 7
- d. 14 1 7

✓ **Verified Answer:** `A`

Problem 78 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P11_Q80 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> P can complete 1/4 of a work in 10 days, Q can complete 40% of the same work in 15 days, R, 1/3 of the work in 13 days and S, 1/6 of the work in 7 days. Who will be able to complete the work first?

- a. P
- b. Q
- c. R
- d. S

✓ **Verified Answer:** `B`

Problem 79 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P11_Q81 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A can do 1/3 of the work in 5 days and B can do 2/5 of the work in 10 days. In how many days both A and B together can do the work?

- a. 7 (3/4)
- b. 8 4/5
- c. 9 (3/8)
- d. 10 e. 12

✓ **Verified Answer:** `C`

Problem 80 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P12_Q82 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A can do 1/2 of a piece of work in 5 days, B can do 3/5 of the same work in 9 days and C can do 2/3 of that work in 8 days. In how many days can three of them together do the work?

- a. 3
- b. 5
- c. 4 ½
- d. 4

✓ **Verified Answer:** `D`

Problem 81 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P12_Q83 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A man can do a piece of work in 5 days, but with the help pf his son, he can do it in 3 days. In what time can the son do it alone?

- a. 16/3
- b. 6
- c. 9
- d. 15/2

✓ **Verified Answer:** `D`

Problem 82 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P12_Q84 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A can lay railway track between two given stations in 16 days and B can do the same job in 12 days, with help of C, they did the job in 4 days only. Then, C alone can do the job in:

- a. 9 3 5
- b. 8 3 5
- c. 7 3 5
- d. 6 3 5

✓ **Verified Answer:** `A`

Problem 83 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P12_Q85 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A is 30% more efficient than B. How much time will they, working together, take to complete a job which A alone could have done in 23 days?

- a. 11 days
- b. 13 days
- c. 20
- d. Data inadequate e. None of these

✓ **Verified Answer:** `B`

Problem 84 • Time and Work & Pipes

CORE SE

`ID: SEC02_BOOK_P12_Q86` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Sakshi can do a piece of work in 20 days. Tanya is 25% more efficient than Sakshi. The number of days taken by Tanya to do the same piece of work is:

- a. 15
- b. 16
- c. 18
- d. 25 e. None of these

✓ **Verified Answer:** `B`

Problem 85 • Time and Work & Pipes

CORE SE

`ID: SEC02_BOOK_P12_Q87` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A takes twice as much time as B or thrice as much time as C to finish a piece of work. Working together, they can finish the work in 2 days. B can do the work alone in:

- a. 4 days
- b. 6 days
- c. 8 days
- d. 12 days e. None of these

✓ **Verified Answer:** `B`

Problem 86 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P12_Q88 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Time taken by P alone to finish a work is 50% more than the time taken by P and Q together. Q is thrice as efficient as R. If Q and R together can complete the work in 22.5 days, then how many days will P alone take to complete the work?

- a. 17
- b. 11
- c. 15
- d. Not

✓ **Verified Answer:** `C`

Problem 87 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P12_Q89 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> One fill pipe A is 3 times faster than second fill pipe B and takes 24 minutes less than the fill pipe B. When will the cistern be full if both pipes are opened together?

- a. 6
- b. 7
- c. 8
- d. 9

✓ **Verified Answer:** `D`

Problem 88 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P13_Q91 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A can finish a work in 18 days and B can do the same work in 15 days. B worked for 10 days and left the job. In how many days, A alone can finish the remaining work?

- a. 4
- b. 5
- c. 6
- d. 8 e. None of these

✓ **Verified Answer:** `C`

Problem 89 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P13_Q92 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Two pipes X and Y can fill a cistern in 24 minutes and 32 minutes respectively. If both the pipes are opened together, then after how much time (in minutes) should Y be closed so that the tank is full in 18 minutes?

- a. 10
- b. 8
- c. 6
- d. 5 e. none of these

✓ **Verified Answer:** `B`

Problem 90 • Time and Work & Pipes

CORE SE

`ID: SEC02_BOOK_P13_Q93` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A and B can complete a work in 15 days and 10 days respectively. They started doing the work together but after 2 days B had to leave and A alone completed the remaining work. The whole work was completed in:

- a. 8 days
- b. 10 days
- c. 12 days
- d. 15 days e. None of these

✓ **Verified Answer:** `C`

Problem 91 • Time and Work & Pipes

CORE SE

`ID: SEC02_BOOK_P13_Q94` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Two pipes can fill a tank with water in 15 and 12 hours respectively and a third pipe can empty it in 4 hours. If the pipes be opened in order at 8, 9 and 11 a.m. respectively, the tank will be emptied at

- a. 11:40 a.m.
- b. 12:40 p.m.
- c. 1:40 p.m.
- d. 2:40 p.m. e. none of these

✓ **Verified Answer:** `D`

Problem 92 • Permutation, Combination & Probability

CORE SE

ID: SEC02_BOOK_P13_Q95 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In a simultaneous throw of two dice find the probability of getting a total of 8.

- a. 5 36
- b. 4 36
- c. 3 36
- d. 2 36

✓ **Verified Answer:** `A`

Problem 93 • Permutation, Combination & Probability

CORE SE

ID: SEC02_BOOK_P13_Q96 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Tickets numbered 1 to 20 are mixed up and then a ticket is drawn at random. What is the probability that the ticket drawn has a number which is a multiple of 3 or 5?

- a. 3 20
- b. 4 20
- c. 6 20
- d. 9 20

✓ **Verified Answer:** `D`

Problem 94 • Permutation, Combination & Probability

CORE SE

ID: SEC02_BOOK_P13_Q97 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Two dice are thrown simultaneously. What is the probability of getting two numbers whose product is even?

- a. 1 4
- b. 2 4
- c. 3 4
- d. 4 4

✓ **Verified Answer:** `C`

Problem 95 • Number Systems & Simplification

CORE SE

ID: SEC02_BOOK_P14_Q99 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Two dice are tossed. The probability that the total score is a prime number is:

- a. 5 12
- b. 7 12
- c. 9 12
- d. 11 12

✓ **Verified Answer:** `A`

Problem 96 • Permutation, Combination & Probability

CORE SE

ID: SEC02_BOOK_P14_Q100 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A basket contains 5 red 4 blue 3 green marbles. If three marbles picked up random, what is the probability that either all are green or all are red?

- a. 1/20
- b. 7/20
- c. 3/20
- d. 9/20

✓ **Verified Answer:** `A`

Problem 97 • Permutation, Combination & Probability

CORE SE

ID: SEC02_BOOK_P14_Q101 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A bag contains 5 red caps, 4 blue caps, 3 yellow caps and 2 green caps. If three caps are picked at random, what is the probability that two are red and one is green?

- a. 22/55
- b. 15/81
- c. 10/91
- d. 5/91

✓ **Verified Answer:** `D`

Problem 98 • Statistics and Data Analysis

CORE SE

ID: SEC02_BOOK_P14_Q102 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In a box carrying one dozen of oranges, one third have become bad. If 3 oranges are taken out from the box at random, what is the probability that at least one oranges out of the three oranges picked up is good?

- a. 54 55
- b. 55 54
- c. 50 55
- d. 55 50

✓ **Verified Answer:** `A`

Problem 99 • Permutation, Combination & Probability

CORE SE

ID: SEC02_BOOK_P14_Q103 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Out of 15 students studying in a class, 7 are from Maharashtra, 5 are from Karnataka and 3 are from Goa. Four students are to be selected at random. What are the chances that at least one is from Karnataka?

- a. 11 13
- b. 12 13
- c. 13 13
- d. 14 13

✓ **Verified Answer:** `A`

Problem 100 • Permutation, Combination & Probability

CORE SE

ID: SEC02_BOOK_P14_Q104 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A basket contains 5 red 4 blue 3 green marbles. If three marbles picked up random, what is the probability that at least one is blue?

- a. 62 55
- b. 60 55
- c. 41 55
- d. 40 55

✓ **Verified Answer:** `C`

Problem 101 • Permutation, Combination & Probability

CORE SE

`ID: SEC02_BOOK_P14_Q105` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A bag contains 5 red and 7 white balls. Four balls are drawn out one by one and not replaced. What is the probability that they are alternatively of different colours?

- a. 7/99
- b. 11/99
- c. 14/99
- d. 19/99 e. None of these

✓ **Verified Answer:** `C`

Problem 102 • Permutation, Combination & Probability

CORE SE

`ID: SEC02_BOOK_P15_Q107` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A box contains 27 marbles some are blue and others are green. If a marble is drawn at random from the box, the probability that it is blue is 1/3. Then how many number of green marbles in the box?

- a. 10
- b. 15
- c. 14
- d. 18

✓ **Verified Answer:** `D`

Problem 103 • Permutation, Combination & Probability

CORE SE

ID: SEC02_BOOK_P15_Q108 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Bag A contains 7 Red Balls, 'X' Green Balls, and 5 Yellow Balls. The probability to pick Green Ball at random is 2/5. Another Bag B contains 'X-3' Red Balls, 'X-4' Yellow Balls and 6 Green Balls. If two balls are picked one after the other from Bag B at random then what is the probability for the Balls to be Red?

- a. 1/21
- b. 2/21
- c. 3/21
- d. 4/21 e. Cannot be determined

✓ **Verified Answer:** `B`

Problem 104 • Profit, Loss and Discount

CORE SE

ID: SEC02_BOOK_P15_Q109 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A speaks truth in 60% of the cases, while B in 90% of the cases. In what percent of cases are they likely to contradict each other in stating the same fact?

- a. 80%
- b. 78%
- c. 55%
- d. 42%

✓ **Verified Answer:** `D`

Problem 105 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P15_Q110 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Simple interest on an amount after 24 months at the rate of 2% per quarter is 960. What is the amount?

- a. 2000
- b. 5750
- c. 6000
- d. 4800 e. None of these

✓ **Verified Answer:** `C`

Problem 106 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P15_Q111 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> What will be the simple interest on 10000 after 3 years at the rate of 5% per quarter?

- a. 3000
- b. 6000
- c. 5000
- d. Cannot be determined e. None of these

✓ **Verified Answer:** `B`

Problem 107 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P15_Q112 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The simple interest obtained on a certain amount at 7.5% p.a. for two years is 232.50. What is the amount invested?

- a. 2000
- b. 1575
- c. 1659
- d. 1600 e. None of these

✓ **Verified Answer:** `E`

Problem 108 • Simple and Compound Interest

CORE SE

`ID: SEC02_BOOK_P15_Q113` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> An amount becomes 8,800 in four years at 15% p.a. What is that amount?

- a. 5,500
- b. 7,500
- c. 5,800
- d. 6,400 e. None of these

✓ **Verified Answer:** `A`

Problem 109 • Simple and Compound Interest

CORE SE

`ID: SEC02_BOOK_P16_Q115` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A certain sum becomes Rs.1020 in 5 years and Rs.1200 in 8 years at simple interest. What is the value of principal?

- a. Rs.820
- b. Rs.780
- c. Rs.700
- d. Rs.720

✓ **Verified Answer:** `D`

Problem 110 • Simple and Compound Interest

CORE SE

`ID: SEC02_BOOK_P16_Q116` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> A sum of money amounts to 5,200 in 5 years and to 5,680 in 7 years at simple interest. The rate of interest per annum is

- a. 3%
- b. 4%
- c. 5%
- d. 6%

✓ **Verified Answer:** `D`

Problem 111 • Percentages

CORE SE

ID: SEC02_BOOK_P16_Q117 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A Sum was put at SI at a certain rate for 2 years. Had it been put at 3% higher rate, it would have fetched Rs.300 more. Find the sum.

- a. 2500
- b. 5000
- c. 7769
- d. 9697

✓ **Verified Answer:** `B`

Problem 112 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P16_Q118 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> What will be the compound interest on 5000 for 2 years at 7% per annum?

- a. 725
- b. 700
- c. 714.50
- d. 724.50

✓ **Verified Answer:** `D`

Problem 113 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P16_Q119 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> On a particular amount, the compound interest at the end of one year is 40 and in the 2nd year is 42. How much money was deposited?

- a. 850
- b. 900
- c. 800
- d. Cannot be determined e. None of these

✓ **Verified Answer:** `C`

Problem 114 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P16_Q120 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The simple interest (p.a.) accrued on an amount of Rs 17,000 at the end of four years is Rs 6,800. What would be the compound interest (compounded annually) accrued on the same amount at the same rate in two years?

- a. Cannot be determined
- b. Other than those given as option
- c. Rs.3570
- d. Rs.3260 e. Rs.3980

✓ **Verified Answer:** `C`

Problem 115 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P16_Q121 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> What is the difference between compound interest and simple interest for the sum of 20000 over a 2 year period, if the compound interest is calculated at 20% p.a. and simple interest is calculated at 23% p.a.?

- a. 200
- b. 125
- c. 250
- d. 400 e. None of these

✓ **Verified Answer:** `D`

Problem 116 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P16_Q122 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A person divided a sum of Rs.17,200 into three parts and invested at 5%.6% and 9A per annum simple interest. At the end of two years, he got the same interest on each part of money. What is the money invested at 9%?

- a. Rs.3,200
- b. Rs.4,000
- c. Rs.4,800
- d. Rs.5000

✓ **Verified Answer:** `B`

Problem 117 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P17_Q123 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A man wants to invest Rs.16850 in bank account of his 2 sons, whose ages are 12 years & 16 years in such a way so that they will get equal amount at an age of 120 years at the rate of 331 3 /% compounded annually. Find the share of younger son?

- a. 4050
- b. 4080
- c. 4090
- d. 4085

✓ **Verified Answer:** `A`

Problem 118 • Percentages

CORE SE

ID: SEC02_BOOK_P17_Q124 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> 10% of the voters did not cast their votes in an election between two candidates 10% of the votes polled were found invalid. The successful candidate got 54% of the valid votes and won by a margin of 1620 votes. The number of voters enrolled in the voter's list was

- a. 25000
- b. 27000
- c. 30000
- d. 34000

✓ **Verified Answer:** `A`

Problem 119 • Percentages

CORE SE

ID: SEC02_BOOK_P17_Q125 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In a college election between two students, 10% of the votes cast are invalid. The winner gets 70% of the valid votes and defeats the loser by 1800 votes. How many votes were totally cast?

- a. 1800
- b. 7200
- c. 5000
- d. 3600 e. None of these

✓ **Verified Answer:** `C`

Problem 120 • Percentages

CORE SE

ID: SEC02_BOOK_P17_Q126 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In a election between two candidate 20% did not vote & 12(1/2)% i.e 12.5 %of votes were invalid winner got 60% of valid votes and was elected by a majority of 5600 votes. Find the total number of votes?

- a. 40000
- b. 45000
- c. 30000
- d. NOT

✓ **Verified Answer:** `A`

Problem 121 • Profit, Loss and Discount

CORE SE

ID: SEC02_BOOK_P17_Q127 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> On selling a pen at 5% loss and a book at 15% gain, Karim gains Rs.7. If he sells the pen at 5% gain and the book at 10% gain, he gains Rs.13. What is the cost price of the book in Rupees?

- a. 80
- b. 85
- c. 100
- d. 95

✓ **Verified Answer:** `A`

Problem 122 • Logical Reasoning and Deductions

CORE SE

ID: SEC02_BOOK_P17_Q128 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Pointing a woman Nirmal said — She is the only daughter of my wife's grandfather's only child. Il How is the woman related to Nirmal?

- a. Wife
- b. Sister-in-law
- c. Sister
- d. Data Inadequate e. None

✓ **Verified Answer:** `A`

Problem 123 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P17_Q129 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In a college, five different subjects, viz Physics, Chemistry, Botany, Zoology and Mathematics, are taught on five different days of the same week, starting from Monday and ending on Friday. Is Chemistry taught on Wednesday?
> I.
> Two subjects are taught between Zoology and Mathematics. Mathematics is taught before Zoology. Chemistry is taught on the day immediately next to the day when Physics is taught. Botany is not taught on Friday.
> II.
> Three lectures are scheduled between the lectures of Botany and Zoology. Mathematics is taught immediately before physics.

- a. Only I alone
- b. Only II alone
- c. Either I or II alone
- d. Both I and II e. Neither I nor II

✓ **Verified Answer:** `A`

Problem 124 • Ages, Partnership & Averages

CORE SE

ID: SEC02_BOOK_P18_Q130 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> What is code of "called" ?
> I.
> In certain language, "meeting had been called" is written as " sx vt bv mp" and they called every time" is written as " bv ct fa jl "
> II.
> "You called every hour" is written as ca bv jl ma".

- a. Only I
- b. Only II
- c. Both I and II
- d. Neither I or II

✓ **Verified Answer:** `A`

Problem 125 • Number Systems & Simplification

CORE SE

`ID: SEC02_BOOK_P18_Q131` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> If n=1+x, where x is the product of four consecutive positive integers then which of the following is/are true:
> A.
> N is odd
> B.
> N is prime
> C.
> N is a perfect square

- a. A and C only
- b. A and B only
- c. Not

✓ **Verified Answer:** `A`

Problem 126 • Number Systems & Simplification

CORE SE

`ID: SEC02_BOOK_P18_Q132` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> P is the product of all prime numbers between 1 and 100. Then the number of zeros at the end of the product is?

- a. 0
- b. 1
- c. 24
- d. Not

✓ **Verified Answer:** `B`

Problem 127 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P18_Q133 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Solve a man borrows Rs.2100 and undertakes to pay back with compound interest @ 10% P.A. In 2 equal yearly instalments. What is the amount of each instalment?

- a. Rs.1000
- b. Rs.1050
- c. Rs.1200
- d. Rs.1210 e. None of the above

✓ **Verified Answer:** `D`

Problem 128 • Percentages

CORE SE

ID: SEC02_BOOK_P18_Q134 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> If A's salary is 25% less than B's salary, then B's salary is what % more than A's salary?

- a. Cannot be determined
- b. 21
- c. 33.33
- d. 25 e. 20

✓ **Verified Answer:** `C`

Problem 129 • Percentages

CORE SE

ID: SEC02_BOOK_P18_Q135 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

Study the following table and answer the

Revenue (in INR lakhs) of a company ABC from the sale of its 4 product P, Q, R and S 6 years

Prod
uct /
Year
20
13
20
14
20
15
20
16
20
17
20
18
P
16
4
16
8
17
4
17
5
19
2
18
0
Q
15
7
16
4
17
6
16
7
17
9
18
4
R
18
3

17
7
18
6
17
3
18
6
18
8
S
17
6
17
1
19
2
18
0
19
0
20
6

The total revenue of the company from the sale of product Q in 2015 and 218 and from the sale of product S in 2015 is approximately what percentage less than the total revenue from the sale of product P in 2014 and 2017 and product R in 2013 and 2014?

- a. 23.33
- b. 19.33
- c. 15.33
- d. 11.33

✓ **Verified Answer:** `A`

Problem 130 • Percentages

CORE SE

ID: SEC02_BOOK_P18_Q136 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In a company 58% of the employees are males and rest are females 48% of the employees are graduates of which 33
> 1
> 3% are males, among
> females the percentage of those who are not graduates is _____ (Correct to one decimal place)

- a. 25.2
- b. 23.8
- c. 30.6
- d. 33.3

✓ **Verified Answer:** `B`

Problem 131 • Percentages

CORE SE

ID: SEC02_BOOK_P19_Q137 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The income of A is 70% of the income B and the expenditure of B is 20% less than the expenditure of A. if the expenditure of A is equal to 60% of B's income, what is the ratio of saving of A and B?

- a. 5:26
- b. 7:13
- c. 7:26
- d. 5:13

✓ **Verified Answer:** `A`

Problem 132 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P19_Q138 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Total number of employees = 2400
> If one-third of the total number of employees of the company in offices in cities B and D are shifted to offices in cities C and E in the ratio 2:3. The difference between the number of employees in offices in cities C and E is

- a. 45
- b. 62
- c. 89
- d. 100

✓ **Verified Answer:** `D`

Problem 133 • Number Systems & Simplification

CORE SE

ID: SEC02_BOOK_P19_Q139 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The value of 8
> 2
> 5 ÷ 3
> 1
> 2 of 7
> 1
> 5 - (7
> 1
> 5 - 2
> 7
> 10) ÷ (1
> 7
> 8 ÷
> 1
> 1
> 3 of
> 3
> 16) is ?

- a. 7 10
- b. - 2 3
- c. - 4 15
- d. 3 5

✓ **Verified Answer:** `C`

Problem 134 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P19_Q140 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The ratio of ages (in years) of A and B, 9 years ago, was 23:12. The ratio of their ages after 15 years will be 35:24. What is the ratio of present ages of A and B?

- a. 5:3
- b. 4:3
- c. 5:4
- d. 3:2

✓ **Verified Answer:** `A`

Problem 135 • Time, Speed and Distance

CORE SE

ID: SEC02_BOOK_P19_Q141 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Two trains start from two stations A and B at the same time and proceed towards each other to reach B and A respectively. After crossing each other, they take 36 and 49 hours respectively to reach their destinations. Find the speed of the second train, if the first train runs at 140 kmph?

- a. 60 kmph
- b. 120 kmph
- c. 70 kmph
- d. 160 kmph e. None of these

✓ **Verified Answer:** `B`

Problem 136 • Time, Speed and Distance

CORE SE

`ID: SEC02_BOOK_P19_Q142` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> Trains A and B start moving at the same time from stations X and Y respectively towards each other on parallel track. After passing each other, A and B take x hours and 8 hours to reach Y and X, respectively. If the speed of B is 25% more than that of A, then what is the value of x?

- a. 10 1 2
- b. 10
- c. 12 1 2
- d. 12

✓ **Verified Answer:** `C`

Problem 137 • Quantitative Aptitude Master Collection

CORE SE

`ID: SEC02_BOOK_P20_Q14` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> 5

- a. Option A
- b. Option B
- c. Option C
- d. Option D

✓ **Verified Answer:** `D`

Problem 138 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P20_Q144 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> If a:b = 7:9 and b: c = 15:7, then what is a:b:c ?
> If a:b = 2:3, b: c = 4:5 then find a:b:c

- a. 8:12:15
- b. 9:14:16
- c. 10:11:10
- d. 11:10:09

✓ **Verified Answer:** `A`

Problem 139 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P20_Q145 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> If A : B = 3 : 4, B : C = 5 : 7 and C : D = 8 : 9
> then A : B : C is equal to.

- a. 24:41:37:69
- b. 28:40:46:63
- c. 30:40:56:63
- d. 33:91:16:63

✓ **Verified Answer:** `C`

Problem 140 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P20_Q146 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> If 2A = 3B = 5C, what is A : B C?

- a. 11:12:11
- b. 12:11:14
- c. 13:10:09
- d. 15:10:06

✓ **Verified Answer:** `D`

Problem 141 • Ratio, Proportion & Mixtures

CORE SE

`ID: SEC02_BOOK_P20_Q147` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The fourth proportional to 0.12, 0.21, 8 is:

- a. 8.9
- b. 56
- c. 14
- d. 17

✓ **Verified Answer:** `C`

Problem 142 • Ratio, Proportion & Mixtures

CORE SE

`ID: SEC02_BOOK_P20_Q148` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> What is the fourth proportional to 24, 120 and 22 is:

- a. 110
- b. 120
- c. 100
- d. 90

✓ **Verified Answer:** `A`

Problem 143 • Ratio, Proportion & Mixtures

CORE SE

`ID: SEC02_BOOK_P20_Q149` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The third proportional of 12 and 18 is

- a. 3
- b. 6
- c. 27
- d. 144

✓ **Verified Answer:** `C`

Problem 144 • Ratio, Proportion & Mixtures

CORE SE

`ID: SEC02_BOOK_P20_Q150` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The third proportional to 0.8 and 0.2 is

- a. 0.05
- b. 0.8
- c. 0.4
- d. 0.032

✓ **Verified Answer:** `A`

Problem 145 • Profit, Loss and Discount

CORE SE

`ID: SEC02_BOOK_P20_Q151` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> ₹6200 divided into three parts proportional
> to
> 1
> 2 :
> 1
> 3 :
> 1
> 5 and respectively

- a. 1000, 2000, 3001
- b. 2000, 3000, 4045
- c. 3000, 2000, 1200
- d. 4000, 5000, 6978

✓ **Verified Answer:** `C`

Problem 146 • Time, Speed and Distance

CORE SE

ID: SEC02_BOOK_P20_Q152 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The speed of three cars in the ratio 2:3:4. the ratio between the times taken by these cars to travel the same distance is

- a. 2:3:4
- b. 4:3:2
- c. 4:3:6
- d. 6:4:3

✓ **Verified Answer:** `D`

Problem 147 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P21_Q154 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A sum of money is divided between two person in the ratio 2:9 if the share of one person is 21 less than the other, find the sum?

- a. 33
- b. 35
- c. 37
- d. 39

✓ **Verified Answer:** `A`

Problem 148 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P21_Q155 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The price of a scooter and moped are in the ratio of 11:7. If a scooter costs Rs.4400 more than a moped, find the price of the moped?

- a. 4499
- b. 5477
- c. 6999
- d. 7700

✓ **Verified Answer:** `D`

Problem 149 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P21_Q156 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The ratio between two numbers is 3:4. If each number is increased by 4, the ratio becomes 5:6. Find the two numbers?

- a. 6,8
- b. 7,8
- c. 8,8
- d. 9,8

✓ **Verified Answer:** `A`

Problem 150 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P21_Q157 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The ratio of present ages of father and son is 6:1 after 5 years their ages are in the ratio of 13:3. What is the present age of son?

- a. 6yr
- b. 8yr
- c. 10yr
- d. 12yr

✓ **Verified Answer:** `C`

Problem 151 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P21_Q158 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The ratio between two numbers is 7:1. If each number is increased by 6, the ratio becomes 5:7. Find the two numbers?
> The students in three classes are in the ratio 4:6:9. If 12 students are increased in each class the ratio changes to 7:9:12. Then the total number of students in the three classes before the increase is

- a. 95
- b. 76
- c. 100
- d. 114

✓ **Verified Answer:** `B`

Problem 152 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P21_Q159 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The students in three classes are in the ratio 5:9:13. If 100 students are increased in each class the ratio changes to 9:13:17. Then the total number of students in the three classes before the increase is

- a. 765
- b. 576
- c. 675
- d. 657

✓ **Verified Answer:** `C`

Problem 153 • Ratio, Proportion & Mixtures

CORE SE

`ID: SEC02_BOOK_P21_Q160` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The incomes of A and B are in the ratio 3:2 and their expenditures are in the ratio 5:3. If each saves Rs.2000, then what is their income?

- a. 12000, 8000
- b. 11000, 8000
- c. 10000, 8000
- d. 90000, 8000

✓ **Verified Answer:** `A`

Problem 154 • Ratio, Proportion & Mixtures

CORE SE

`ID: SEC02_BOOK_P21_Q161` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> If the income of ram and Shyam are in the ratio 4:3 and their expenditure are in the ratio 3:2. If each saves Rs2500, what are their incomes?

- a. 10000, 7500
- b. 11000, 7500
- c. 12000, 7500
- d. 13000, 7500

✓ **Verified Answer:** `A`

Problem 155 • Profit, Loss and Discount

CORE SE

ID: SEC02_BOOK_P22_Q162 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A bag contains an equal number of one rupee 50 paise and 25 paise coins respectively. If the total value is Rs.35, how many coins of each type are there?

- a. 10
- b. 20
- c. 30
- d. 40

✓ **Verified Answer:** `B`

Problem 156 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P22_Q163 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> A bag contains one rupee, 50 paise and 25 paise coins in the ratio 3:4:5 respectively. If the total amount in the bag is Rs.625, find the number of 50paise coins?

- a. 100
- b. 200
- c. 300
- d. 400

✓ **Verified Answer:** `D`

Problem 157 • Statistics and Data Analysis

CORE SE

ID: SEC02_BOOK_P22_Q164 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> What is the mean of the mode and median of the data given below?
> 8,7,5,4,9,1,3,7,6,5,2,1,6,3,9,8,4,6

- a. 6.5
- b. 6.25
- c. 5.5
- d. 5.75

✓ **Verified Answer:** `D`

Problem 158 • Statistics and Data Analysis

CORE SE

ID: SEC02_BOOK_P22_Q165 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Let x be the median of the data:
> 34, 28, 20, 32, 15, 9, 23, 26, 35, 16, 33, 43
> If 16 and 23 are replaced by 30 and 32, respectively in the data, then let y be the median of the resulting data. What is the value of (3x-2y)?

- a. 21
- b. 19
- c. 18
- d. 15

✓ **Verified Answer:** `B`

Problem 159 • Statistics and Data Analysis

CORE SE

`ID: SEC02_BOOK_P22_Q166` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

> The standard deviation of the data:
> 5, 7, 9, 11, 13, 16, 17, 18, 19, 35
> Lies between:

- a. 7 and 7.4
- b. 8.2 and 8.6
- c. 7.4 and 7.8
- d. 7.8 and 8.2

✓ **Verified Answer:** `D`

Problem 160 • Statistics and Data Analysis

CORE SE

`ID: SEC02_BOOK_P22_Q167` `Source: 250 + Video Solution Quant Assorted Book.pdf` `Level: Infosys SE Standard`

For the data given below:

Marks obtained	No. of students
Below 10	5
Below 20	16
Below 30	28
Below 40	42
Below 50	72

If x is the class mark of the modal class and y is the upper limit of the median class, then the value of (2x+y) is

- a. 125
- b. 130
- c. 95

✓ **Verified Answer:** `B`

Problem 161 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P22_Q168 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

Rs.11550 has to be divided between X, Y and Z
such that X gets
4
5 of what Y gets and Y gets
2
3
of what Z gets. How much more does Z gets
over X (in Rs.)?

- a. 7200
- b. 1800
- c. 1170
- d. 2450

✓ **Verified Answer:** `D`

Problem 162 • Percentages

CORE SE

ID: SEC02_BOOK_P22_Q169 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

A sum of x is divided between A,B,C and D
such that the ratio of share of A and B is 9:5,
C's share is 70% of B's share and the ratio of
the share of D to the combined share of B and
C is 1:3. If the share of A is INR 999, the value
of x is

- a. 4478
- b. 2257
- c. 2239
- d. 4514

✓ **Verified Answer:** `B`

Problem 163 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P23_Q170 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The ratio of acid and water in a 45 litre solution of acid and water is 5:4. In this solution, 15 litres of water is added. Now in 144ml of the resulting solution 52ml acid is mixed. What is the ratio of water and acid in the final solution?

- a. 4:5
- b. 3:4
- c. 4:3
- d. 3:5

✓ **Verified Answer:** `C`

Problem 164 • Simple and Compound Interest

CORE SE

ID: SEC02_BOOK_P23_Q171 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The population of a town is 121(XX). It increases at a rate of 10% per annum. What is the difference the population 3 years hence and that of 2 years ago?

- a. 61051
- b. 69220
- c. 63254
- d. 60169

✓ **Verified Answer:** `A`

Problem 165 • Profit, Loss and Discount

CORE SE

ID: SEC02_BOOK_P23_Q172 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The profit that a person makes on selling 9 apples is equal to the cost of 2 apples. What is the percent of profit?

- a. 11.11%
- b. 22.22%
- c. 27.27%
- d. NOT

✓ **Verified Answer:** `B`

Problem 166 • Profit, Loss and Discount

CORE SE

ID: SEC02_BOOK_P23_Q173 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Renu bought 28 articles for INR 1540. She sold them at a profit equal to the selling price of 6 articles. How many articles did she sell for INR 840?

- a. 15
- b. 12
- c. 10
- d. 14

✓ **Verified Answer:** `B`

Problem 167 • Time, Speed and Distance

CORE SE

ID: SEC02_BOOK_P23_Q174 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> X takes 2
> 1
> 2 hours more time than that taken by
> Y to cover a certain distance. If X doubles his
> speed, he can cover the same distance in 1
> 1
> 2
> hours less time than that taken by Y for the
> same distance. How much time (in hours) does
> Y require to cover the two-third of the same
> distance?

- a. 2 3 4
- b. 3 1 2
- c. 3 2 3
- d. 2 4 3

✓ **Verified Answer:** `C`

Problem 168 • Time and Work & Pipes

CORE SE

ID: SEC02_BOOK_P23_Q175 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The difference between the outer and inner
> surfaces of a right circular metallic pipe, 14cm
> long is 176cm2. If the pipe is made of 396cm2
> metal, the sum of outer and inner radii (in cm)
> is (Take π =
> 22
> 7)

- a. 5
- b. 5.5
- c. 6
- d. 4.5

✓ **Verified Answer:** `Link`

Problem 169 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P23_Q176 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In what proportion must a grocer mix rice at Rs.12 a kg and Rs.7 a kg so as to make a mixture worth Rs.8 a kg?

- a. 7:12
- b. 1:4
- c. 2:3
- d. 12:7

✓ **Verified Answer:** `B`

Problem 170 • Ratio, Proportion & Mixtures

CORE SE

ID: SEC02_BOOK_P23_Q177 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> In what proportion must tea at Rs.47.50 a kg be mixed with tea at Rs.50.50 per kg to produce a mixture worth Rs.48.50 per kg?

- a. 2:1
- b. 1:2
- c. 4:1
- d. 3:2

✓ **Verified Answer:** `A`

Problem 171 • Percentages

CORE SE

ID: SEC02_BOOK_P24_Q178 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> The ratio in which two sugar solutions of the concentration 15% and 40% are to be mixed to get a solution of concentration 30% is:

- a. 2:3
- b. 3:2
- c. 8:9
- d. 9:8

✓ **Verified Answer:** `A`

Problem 172 • Profit, Loss and Discount

CORE SE

ID: SEC02_BOOK_P24_Q179 | Source: 250 + Video Solution Quant Assorted Book.pdf | Level: Infosys SE Standard

> Vessels A and B contain mixtures of milk and water in the ratios 4:5 and 5:1 respectively. In what ratio should quantities of mixtures be taken from A and B to form a mixture in which milk to water is in the ratio 5:4?

- a. 5:5
- b. 5:4
- c. 5:3
- d. 5:2

✓ **Verified Answer:** `D`