🏆 Infosys SE Elite Crack Vault — 04 Geometric Polygon and Circle Vertex Puzzles Elite

🎯 Infosys Systems Engineer (SE) | 📊 10 Questions | 🗓️ 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

Problem 1 • Matrix Number Puzzle 61

🔥 MUST-SOLVE

`ID: Q1` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
5	2	25
6	5	7776
6	5	?

- [x] **A)** 7776
- [ ] **B)** 7794
- [ ] **C)** 7781
- [ ] **D)** 7779

✓ **Verified Answer:** ### Correct Answer Option A) 7776** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first raised to the power of second. So ? = 6^5 = 7776. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 7776$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 7776. #### Distractor & Elimination Analysis - **Option A (7776):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option B (7794):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (7781):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (7779):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 2 • Matrix Number Puzzle 62

MUST-SOLVE

ID: Q2 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
3	3	27
4	3	64
5	2	?

- [ ] **A)** 35
- [x] **B)** 25
- [ ] **C)** 15
- [ ] **D)** 10

✓ **Verified Answer:** ### Correct Answer Option B) 25** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first raised to the power of second. So ? = 5^2 = 25. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 25$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 25. #### Distractor & Elimination Analysis - **Option A (35):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (25):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (15):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (10):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 3 • Matrix Number Puzzle 63

MUST-SOLVE

ID: Q3 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
4	3	64
5	4	625
5	3	?

- [ ] **A)** 143
- [ ] **B)** 121
- [x] **C)** 125
- [ ] **D)** 115

✓ **Verified Answer:** ### Correct Answer Option C) 125** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first raised to the power of second. So ? = 5^3 = 125. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 125$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 125. #### Distractor & Elimination Analysis - **Option A (143):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (121):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (125):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option D (115):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 4 • Matrix Number Puzzle 64

CORE SE

ID: Q4 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
2	4	16
4	1	4
4	5	?

- [x] **A)** 1024
- [ ] **B)** 1014
- [ ] **C)** 1039
- [ ] **D)** 1018

✓ **Verified Answer:** ### Correct Answer Option A) 1024** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first raised to the power of second. So ? = 4^5 = 1024. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 1024$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 1024. #### Distractor & Elimination Analysis - **Option A (1024):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option B (1014):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (1039):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (1018):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 5 • Matrix Number Puzzle 65

CORE SE

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
6	3	216
2	3	8
5	1	?

- [ ] **A)** 17
- [x] **B)** 5
- [ ] **C)** 15
- [ ] **D)** 10

✓ **Verified Answer:** ### Correct Answer Option B) 5** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first raised to the power of second. So ? = 5^1 = 5. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 5$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 5. #### Distractor & Elimination Analysis - **Option A (17):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (5):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (15):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (10):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 6 • Matrix Number Puzzle 66

CORE SE

ID: Q6 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
3	1	12
5	1	30
3	3	?

- [x] **A)** 18
- [ ] **B)** 8
- [ ] **C)** 22
- [ ] **D)** 13

✓ **Verified Answer:** ### Correct Answer Option A) 18** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first × (first + second). So ? = 3×(3+3) = 18. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 18$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 18. #### Distractor & Elimination Analysis - **Option A (18):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option B (8):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (22):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (13):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 7 • Matrix Number Puzzle 67

CORE SE

ID: Q7 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
7	6	91
3	2	15
7	1	?

- [x] **A)** 56
- [ ] **B)** 41
- [ ] **C)** 64
- [ ] **D)** 68

✓ **Verified Answer:** ### Correct Answer Option A) 56** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first × (first + second). So ? = 7×(7+1) = 56. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 56$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 56. #### Distractor & Elimination Analysis - **Option A (56):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option B (41):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (64):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (68):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 8 • Matrix Number Puzzle 68

CORE SE

ID: Q8 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
8	2	80
5	7	60
2	5	?

- [ ] **A)** 22
- [ ] **B)** 4
- [x] **C)** 14
- [ ] **D)** 24

✓ **Verified Answer:** ### Correct Answer Option C) 14** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first × (first + second). So ? = 2×(2+5) = 14. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 14$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 14. #### Distractor & Elimination Analysis - **Option A (22):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (4):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (14):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option D (24):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 9 • Matrix Number Puzzle 69

CORE SE

ID: Q9 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
5	6	55
6	7	78
7	5	?

- [ ] **A)** 90
- [x] **B)** 84
- [ ] **C)** 88
- [ ] **D)** 92

✓ **Verified Answer:** ### Correct Answer Option B) 84** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first × (first + second). So ? = 7×(7+5) = 84. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 84$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 84. #### Distractor & Elimination Analysis - **Option A (90):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (84):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (88):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (92):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 10 • Matrix Number Puzzle 70

CORE SE

ID: Q10 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
7	3	70
6	5	66
5	8	?

- [ ] **A)** 55
- [x] **B)** 65
- [ ] **C)** 75
- [ ] **D)** 62

✓ **Verified Answer:** ### Correct Answer Option B) 65** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first × (first + second). So ? = 5×(5+8) = 65. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 65$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 65. #### Distractor & Elimination Analysis - **Option A (55):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (65):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (75):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (62):** Incorrect. Violates the established matrix row/column transformation rule.