🏆 Infosys SE Elite Crack Vault — 07 Topmate Technical Pseudocodes Master Collection Elite

🎯 Infosys Systems Engineer (SE) | 📊 85 Questions | 📅 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

---

Problem 1 • TOPMATE_SLOT1_SECTION_4_Q01

🔥 MUST-SOLVE

`ID: Q1` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Source Document: `2nd Oct 2026 Slot 1 Infosys SE Actual Exam.pdf` (Page 6)
Category / Topic: Pseudocode | SECTION 4 — PSEUDO CODE TEST
Prompt: Consider the following pseudocode: A = [3, 1, 4, 1] FOR i = 0 TO 2 SWAP A[i] AND A[i+1] END FOR PRINT A What is the output?

✓ **Verified Answer:** Answer specified in derivation below

Problem 2 • TOPMATE_SLOT1_SECTION_4_Q02

🔥 MUST-SOLVE

`ID: Q2` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Source Document: `2nd Oct 2026 Slot 1 Infosys SE Actual Exam.pdf` (Page 7)
Category / Topic: Pseudocode | SECTION 4 — PSEUDO CODE TEST
Prompt: Consider the following pseudocode: result = 0 FOR i = 1 TO 5 IF i MOD 2 == 0 result = result + i * i END IF END FOR PRINT result What is the output?

✓ **Verified Answer:** Answer specified in derivation below

Problem 3 • TOPMATE_SLOT1_SECTION_4_Q03

🔥 MUST-SOLVE

`ID: Q3` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Source Document: `2nd Oct 2026 Slot 1 Infosys SE Actual Exam.pdf` (Page 7)
Category / Topic: Pseudocode | SECTION 4 — PSEUDO CODE TEST
Prompt: Consider the following pseudocode: FUNCTION F(n) IF n == 0 RETURN 1 ELSE RETURN n * F(n - 1) END IF END FUNCTION PRINT F(4) What is the output?

✓ **Verified Answer:** Answer specified in derivation below

Problem 4 • TOPMATE_SLOT1_SECTION_4_Q04

MUST-SOLVE

`ID: Q4` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Source Document: `2nd Oct 2026 Slot 1 Infosys SE Actual Exam.pdf` (Page 7)
Category / Topic: Pseudocode | SECTION 4 — PSEUDO CODE TEST
Prompt: Consider the following pseudocode: FOR i = 1 TO N FOR j = 1 TO N PRINT i + j END FOR END FOR What is the time complexity of the pseudocode in terms of N?

✓ **Verified Answer:** Answer specified in derivation below

Problem 5 • TOPMATE_SLOT1_SECTION_4_Q05

MUST-SOLVE

`ID: Q5` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Source Document: `2nd Oct 2026 Slot 1 Infosys SE Actual Exam.pdf` (Page 7)
Category / Topic: Pseudocode | SECTION 4 — PSEUDO CODE TEST
Prompt: Consider the following pseudocode: count = 0 FOR EACH x IN [2, 7, 8, 3, 10] IF x MOD 2 == 0 count = count + 1 END IF END FOR PRINT count What is printed?

✓ **Verified Answer:** Answer specified in derivation below

Problem 6 • TOPMATE_SLOT2_SECTION_4_Q01

MUST-SOLVE

`ID: Q6` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Source Document: `2nd Oct 2026 Slot 2 Infosys SE Actual Exam.pdf` (Page 7)
Category / Topic: Pseudocode | SECTION 4 — PSEUDO CODE TEST
Prompt: Consider the following pseudocode: A = [2, 5, 7, 9] FOR i = 0 TO 2 A[i] = A[i] + A[i+1] END FOR PRINT A What is the output?

✓ **Verified Answer:** Answer specified in derivation below

Problem 7 • TOPMATE_SLOT2_SECTION_4_Q02

MUST-SOLVE

`ID: Q7` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Source Document: `2nd Oct 2026 Slot 2 Infosys SE Actual Exam.pdf` (Page 7)
Category / Topic: Pseudocode | SECTION 4 — PSEUDO CODE TEST
Prompt: Consider the following pseudocode: result = 1 FOR i = 1 TO 5 IF i MOD 2 != 0 result = result * i END IF END FOR PRINT result What is the output?

✓ **Verified Answer:** Answer specified in derivation below

Problem 8 • TOPMATE_SLOT2_SECTION_4_Q03

MUST-SOLVE

`ID: Q8` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Source Document: `2nd Oct 2026 Slot 2 Infosys SE Actual Exam.pdf` (Page 7)
Category / Topic: Pseudocode | SECTION 4 — PSEUDO CODE TEST
Prompt: Consider the following pseudocode: FUNCTION G(n) IF n <= 1 RETURN n ELSE RETURN G(n-1) + G(n-2) END IF END FUNCTION PRINT G(6) What is the output?

✓ **Verified Answer:** Answer specified in derivation below

Problem 9 • TOPMATE_SLOT2_SECTION_4_Q04

MUST-SOLVE

`ID: Q9` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Source Document: `2nd Oct 2026 Slot 2 Infosys SE Actual Exam.pdf` (Page 8)
Category / Topic: Pseudocode | SECTION 4 — PSEUDO CODE TEST
Prompt: Consider the following pseudocode: FOR i = 1 TO N FOR j = 1 TO i PRINT i + j END FOR END FOR What is the time complexity in terms of N?

✓ **Verified Answer:** Answer specified in derivation below

Problem 10 • TOPMATE_SLOT2_SECTION_4_Q05

MUST-SOLVE

ID: Q10 | Source: Infosys PYQ | Level: Infosys SE Standard

Source Document: `2nd Oct 2026 Slot 2 Infosys SE Actual Exam.pdf` (Page 8)
Category / Topic: Pseudocode | SECTION 4 — PSEUDO CODE TEST
Prompt: Consider the following pseudocode: count = 0 FOR EACH x IN [4, 9, 12, 15, 18, 21] IF x MOD 3 == 0 count = count + 1 END IF END FOR PRINT count What is printed?

✓ **Verified Answer:** Answer specified in derivation below

Problem 11 • TOPMATE_PSEUDOCODE_Q001

MUST-SOLVE

ID: Q11 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 12 • TOPMATE_PSEUDOCODE_Q002

MUST-SOLVE

ID: Q12 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 13 • TOPMATE_PSEUDOCODE_Q003

MUST-SOLVE

ID: Q13 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 14 • TOPMATE_PSEUDOCODE_Q004

MUST-SOLVE

ID: Q14 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 15 • TOPMATE_PSEUDOCODE_Q005

MUST-SOLVE

ID: Q15 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 16 • TOPMATE_PSEUDOCODE_Q006

MUST-SOLVE

ID: Q16 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 17 • TOPMATE_PSEUDOCODE_Q007

MUST-SOLVE

ID: Q17 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 18 • TOPMATE_PSEUDOCODE_Q008

MUST-SOLVE

ID: Q18 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 19 • TOPMATE_PSEUDOCODE_Q009

MUST-SOLVE

ID: Q19 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 20 • TOPMATE_PSEUDOCODE_Q010

MUST-SOLVE

ID: Q20 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 21 • TOPMATE_PSEUDOCODE_Q011

MUST-SOLVE

ID: Q21 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 22 • TOPMATE_PSEUDOCODE_Q012

MUST-SOLVE

ID: Q22 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 23 • TOPMATE_PSEUDOCODE_Q013

MUST-SOLVE

ID: Q23 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 24 • TOPMATE_PSEUDOCODE_Q014

MUST-SOLVE

ID: Q24 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 25 • TOPMATE_PSEUDOCODE_Q015

MUST-SOLVE

ID: Q25 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 26 • TOPMATE_PSEUDOCODE_Q016

MUST-SOLVE

ID: Q26 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 27 • TOPMATE_PSEUDOCODE_Q017

MUST-SOLVE

ID: Q27 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 28 • TOPMATE_PSEUDOCODE_Q018

MUST-SOLVE

ID: Q28 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 29 • TOPMATE_PSEUDOCODE_Q019

MUST-SOLVE

ID: Q29 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 30 • TOPMATE_PSEUDOCODE_Q020

MUST-SOLVE

ID: Q30 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 31 • TOPMATE_PSEUDOCODE_Q021

CORE SE

ID: Q31 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 32 • TOPMATE_PSEUDOCODE_Q022

CORE SE

ID: Q32 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 33 • TOPMATE_PSEUDOCODE_Q023

CORE SE

ID: Q33 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 34 • TOPMATE_PSEUDOCODE_Q024

CORE SE

ID: Q34 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 35 • TOPMATE_PSEUDOCODE_Q025

CORE SE

ID: Q35 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 36 • TOPMATE_PSEUDOCODE_Q026

CORE SE

ID: Q36 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 37 • TOPMATE_PSEUDOCODE_Q027

CORE SE

ID: Q37 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 38 • TOPMATE_PSEUDOCODE_Q028

CORE SE

ID: Q38 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 39 • TOPMATE_PSEUDOCODE_Q029

CORE SE

ID: Q39 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 40 • TOPMATE_PSEUDOCODE_Q030

CORE SE

ID: Q40 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 41 • TOPMATE_PSEUDOCODE_Q031

CORE SE

ID: Q41 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 42 • TOPMATE_PSEUDOCODE_Q032

CORE SE

ID: Q42 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 43 • TOPMATE_PSEUDOCODE_Q033

CORE SE

ID: Q43 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 44 • TOPMATE_PSEUDOCODE_Q000

CORE SE

ID: Q44 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 45 • TOPMATE_PSEUDOCODE_Q034

CORE SE

ID: Q45 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 46 • TOPMATE_PSEUDOCODE_Q035

CORE SE

ID: Q46 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 47 • TOPMATE_PSEUDOCODE_Q036

CORE SE

ID: Q47 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 48 • TOPMATE_PSEUDOCODE_Q037

CORE SE

ID: Q48 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 49 • TOPMATE_PSEUDOCODE_Q038

CORE SE

ID: Q49 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 50 • TOPMATE_PSEUDOCODE_Q040

CORE SE

ID: Q50 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 51 • TOPMATE_PSEUDOCODE_Q042

CORE SE

ID: Q51 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 52 • TOPMATE_PSEUDOCODE_Q043

CORE SE

ID: Q52 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 53 • TOPMATE_PSEUDOCODE_Q044

CORE SE

ID: Q53 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 54 • TOPMATE_PSEUDOCODE_Q045

CORE SE

ID: Q54 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 55 • TOPMATE_PSEUDOCODE_Q046

CORE SE

ID: Q55 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 56 • TOPMATE_PSEUDOCODE_Q047

CORE SE

ID: Q56 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 57 • TOPMATE_PSEUDOCODE_Q048

CORE SE

ID: Q57 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 58 • TOPMATE_PSEUDOCODE_Q050

CORE SE

ID: Q58 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 59 • TOPMATE_PSEUDOCODE_Q051

CORE SE

ID: Q59 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 60 • TOPMATE_PSEUDOCODE_Q052

CORE SE

ID: Q60 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 61 • TOPMATE_PSEUDOCODE_Q053

CORE SE

ID: Q61 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 62 • TOPMATE_PSEUDOCODE_Q054

CORE SE

ID: Q62 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 63 • TOPMATE_PSEUDOCODE_Q055

CORE SE

ID: Q63 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 64 • TOPMATE_PSEUDOCODE_Q056

CORE SE

ID: Q64 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 65 • TOPMATE_PSEUDOCODE_Q057

CORE SE

ID: Q65 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 66 • TOPMATE_PSEUDOCODE_Q058

CORE SE

ID: Q66 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 67 • TOPMATE_PSEUDOCODE_Q059

CORE SE

ID: Q67 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 68 • TOPMATE_PSEUDOCODE_Q060

CORE SE

ID: Q68 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 69 • TOPMATE_PSEUDOCODE_Q061

CORE SE

ID: Q69 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 70 • TOPMATE_PSEUDOCODE_Q062

CORE SE

ID: Q70 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 71 • TOPMATE_PSEUDOCODE_Q063

CORE SE

ID: Q71 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 72 • TOPMATE_PSEUDOCODE_Q064

CORE SE

ID: Q72 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 73 • TOPMATE_PSEUDOCODE_Q065

CORE SE

ID: Q73 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 74 • TOPMATE_PSEUDOCODE_Q066

CORE SE

ID: Q74 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 75 • TOPMATE_PSEUDOCODE_Q067

CORE SE

ID: Q75 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 76 • TOPMATE_PSEUDOCODE_Q068

CORE SE

ID: Q76 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 77 • TOPMATE_PSEUDOCODE_Q069

CORE SE

ID: Q77 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 78 • TOPMATE_PSEUDOCODE_Q070

CORE SE

ID: Q78 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 79 • TOPMATE_PSEUDOCODE_Q071

CORE SE

ID: Q79 Source: Infosys PYQ Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 80 • TOPMATE_PSEUDOCODE_Q072

CORE SE

ID: Q80 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 81 • TOPMATE_PSEUDOCODE_Q073

CORE SE

ID: Q81 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 82 • TOPMATE_PSEUDOCODE_Q074

CORE SE

ID: Q82 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 83 • TOPMATE_PSEUDOCODE_Q075

CORE SE

ID: Q83 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 84 • TOPMATE_PSEUDOCODE_Q076

CORE SE

ID: Q84 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below

Problem 85 • TOPMATE_PSEUDOCODE_Q077

CORE SE

ID: Q85 | Source: Infosys PYQ | Level: Infosys SE Standard

✓ **Verified Answer:** Answer specified in derivation below