🏆 Infosys SE Elite Crack Vault — 01 Row and Column Sum Difference Matrix Puzzles Elite

🎯 Infosys Systems Engineer (SE) | 📊 11 Questions | 📅 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

---

Problem 1 • Matrix Number Puzzle 1

🔥 MUST-SOLVE

`ID: Q1` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
18	16	34
16	20	36
5	13	?

- [ ] **A)** 6
- [ ] **B)** 15
- [ ] **C)** 30
- [x] **D)** 18

✓ **Verified Answer:** ### Correct Answer Option D) 18** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first + second. So ? = 5 + 13 = 18. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 18$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 18. #### Distractor & Elimination Analysis - **Option A (6):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (15):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (30):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (18):** Correct. Exactly matches the derived mathematical rule with zero contradiction.

Problem 2 • Matrix Number Puzzle 2

MUST-SOLVE

ID: Q2 | Source: Infosys PYQ | Level: Infosys SE Standard

> Find the missing number (?) from the given matrix:
>
> | Column 1 | Column 2 | Column 3 |
> | :---: | :---: | :---: |
> | 7 | 8 | 15 |
> | 21 | 12 | 33 |
> | 12 | 19 | ? |

- [ ] **A)** 34
- [x] **B)** 31
- [ ] **C)** 19
- [ ] **D)** 43

✓ **Verified Answer:** ### Correct Answer Option B) 31** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first + second. So ? = 12 + 19 = 31. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 31$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 31. #### Distractor & Elimination Analysis - **Option A (34):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (31):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (19):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (43):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 3 • Matrix Number Puzzle 3

MUST-SOLVE

ID: Q3 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
16	4	20
13	17	30
21	5	?

- [ ] **A)** 32
- [x] **B)** 26
- [ ] **C)** 36
- [ ] **D)** 18

✓ **Verified Answer:** ### Correct Answer Option B) 26** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first + second. So ? = 21 + 5 = 26. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 26$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 26. #### Distractor & Elimination Analysis - **Option A (32):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (26):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (36):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (18):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 4 • Matrix Number Puzzle 4

MUST-SOLVE

ID: Q4 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
16	9	25
13	15	28
18	12	?

- [ ] **A)** 42
- [x] **B)** 30
- [ ] **C)** 25
- [ ] **D)** 48

✓ **Verified Answer:** ### Correct Answer Option B) 30** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first + second. So ? = 18 + 12 = 30. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 30$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 30. #### Distractor & Elimination Analysis - **Option A (42):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (30):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (25):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (48):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 5 • Matrix Number Puzzle 5

MUST-SOLVE

ID: Q5 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
8	15	23
18	5	23
21	16	?

- [x] **A)** 37
- [ ] **B)** 22
- [ ] **C)** 47
- [ ] **D)** 45

✓ **Verified Answer:** ### Correct Answer Option A) 37** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first + second. So ? = 21 + 16 = 37. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 37$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 37. #### Distractor & Elimination Analysis - **Option A (37):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option B (22):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (47):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (45):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 6 • Matrix Number Puzzle 6

CORE SE

ID: Q6 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
25	15	10
33	11	22
26	10	?

- [ ] **A)** 4
- [ ] **B)** 21
- [ ] **C)** 13
- [x] **D)** 16

✓ **Verified Answer:** ### Correct Answer Option D) 16** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first − second. So ? = 26 − 10 = 16. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 16$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 16. #### Distractor & Elimination Analysis - **Option A (4):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (21):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (13):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (16):** Correct. Exactly matches the derived mathematical rule with zero contradiction.

Problem 7 • Matrix Number Puzzle 7

CORE SE

ID: Q7 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
11	4	7
34	9	25
14	8	?

- [ ] **A)** 2
- [ ] **B)** 9
- [ ] **C)** 18
- [x] **D)** 6

✓ **Verified Answer:** ### Correct Answer Option D) 6** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first − second. So ? = 14 − 8 = 6. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 6$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 6. #### Distractor & Elimination Analysis - **Option A (2):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (9):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (18):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (6):** Correct. Exactly matches the derived mathematical rule with zero contradiction.

Problem 8 • Matrix Number Puzzle 8

CORE SE

ID: Q8 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
30	8	22
25	5	20
31	14	?

- [ ] **A)** 23
- [ ] **B)** 22
- [ ] **C)** 11
- [x] **D)** 17

✓ **Verified Answer:** ### Correct Answer Option D) 17** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first − second. So ? = 31 − 14 = 17. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 17$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 17. #### Distractor & Elimination Analysis - **Option A (23):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (22):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (11):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (17):** Correct. Exactly matches the derived mathematical rule with zero contradiction.

Problem 9 • Matrix Number Puzzle 9

CORE SE

ID: Q9 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
23	9	14
31	9	22
20	5	?

- [ ] **A)** 18
- [ ] **B)** 21
- [ ] **C)** 30
- [x] **D)** 15

✓ **Verified Answer:** ### Correct Answer Option D) 15** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first − second. So ? = 20 − 5 = 15. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 15$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 15. #### Distractor & Elimination Analysis - **Option A (18):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (21):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (30):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (15):** Correct. Exactly matches the derived mathematical rule with zero contradiction.

Problem 10 • Matrix Number Puzzle 10

CORE SE

ID: Q10 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
15	5	10
22	9	13
14	3	?

- [ ] **A)** 29
- [ ] **B)** 23
- [ ] **C)** 19
- [x] **D)** 11

✓ **Verified Answer:** ### Correct Answer Option D) 11** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first − second. So ? = 14 − 3 = 11. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 11$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 11. #### Distractor & Elimination Analysis - **Option A (29):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (23):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (19):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (11):** Correct. Exactly matches the derived mathematical rule with zero contradiction.

Problem 11 • Matrix Number Puzzle 11

CORE SE

ID: Q11 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
7	5	35
4	3	12
8	7	?

- [ ] **A)** 66
- [ ] **B)** 74
- [x] **C)** 56
- [ ] **D)** 52

✓ **Verified Answer:** ### Correct Answer Option C) 56** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = first × second. So ? = 8 × 7 = 56. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 56$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 56. #### Distractor & Elimination Analysis - **Option A (66):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (74):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (56):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option D (52):** Incorrect. Violates the established matrix row/column transformation rule.