🏆 Infosys SE Elite Crack Vault — 03 Digit Manipulation and Digital Root Axioms Elite

🎯 Infosys Systems Engineer (SE) | 📊 10 Questions | 🗓️ 5-6 Nov 2026 Drive | ⚡ 100% Pure SE Verified

Problem 1 • Matrix Number Puzzle 46

🔥 MUST-SOLVE

`ID: Q1` `Source: Infosys PYQ` `Level: Infosys SE Standard`

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
21	29	25
27	17	22
26	20	?

- [x] **A)** 23
- [ ] **B)** 28
- [ ] **C)** 18
- [ ] **D)** 38

✓ **Verified Answer:** ### Correct Answer Option A) 23** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = average of first and second. So ? = (26 + 20) ÷ 2 = 23. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 23$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 23. #### Distractor & Elimination Analysis - **Option A (23):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option B (28):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (18):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (38):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 2 • Matrix Number Puzzle 47

MUST-SOLVE

ID: Q2 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
7	25	16
30	6	18
13	13	?

- [ ] **A)** 10
- [x] **B)** 13
- [ ] **C)** 25
- [ ] **D)** 31

✓ **Verified Answer:** ### Correct Answer Option B) 13** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = average of first and second. So ? = (13 + 13) ÷ 2 = 13. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 13$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 13. #### Distractor & Elimination Analysis - **Option A (10):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (13):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (25):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (31):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 3 • Matrix Number Puzzle 48

MUST-SOLVE

ID: Q3 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
10	24	17
24	26	25
26	24	?

- [ ] **A)** 31
- [ ] **B)** 21
- [x] **C)** 25
- [ ] **D)** 15

✓ **Verified Answer:** ### Correct Answer Option C) 25** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = average of first and second. So ? = (26 + 24) ÷ 2 = 25. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 25$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 25. #### Distractor & Elimination Analysis - **Option A (31):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (21):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (25):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option D (15):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 4 • Matrix Number Puzzle 49

CORE SE

ID: Q4 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
27	29	28
19	23	21
4	26	?

- [x] **A)** 15
- [ ] **B)** 12
- [ ] **C)** 20
- [ ] **D)** 5

✓ **Verified Answer:** ### Correct Answer Option A) 15** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = average of first and second. So ? = (4 + 26) ÷ 2 = 15. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 15$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 15. #### Distractor & Elimination Analysis - **Option A (15):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option B (12):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (20):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (5):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 5 • Matrix Number Puzzle 50

CORE SE

ID: Q5 Source: Infosys PYQ Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
10	20	15
25	25	25
24	24	?

- [ ] **A)** 34
- [ ] **B)** 30
- [x] **C)** 24
- [ ] **D)** 19

✓ **Verified Answer:** ### Correct Answer Option C) 24** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row follows: third = average of first and second. So ? = (24 + 24) ÷ 2 = 24. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 24$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 24. #### Distractor & Elimination Analysis - **Option A (34):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (30):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (24):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option D (19):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 6 • Matrix Number Puzzle 51

CORE SE

ID: Q6 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
11	9	18
7	9	9
6	4	?

- [ ] **A)** 3
- [ ] **B)** 18
- [ ] **C)** 2
- [x] **D)** 6

✓ **Verified Answer:** ### Correct Answer Option D) 6** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row gives the digit sum of (first × second). For the last row: 6×4=24; digit sum = 6. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 6$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 6. #### Distractor & Elimination Analysis - **Option A (3):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (18):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (2):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (6):** Correct. Exactly matches the derived mathematical rule with zero contradiction.

Problem 7 • Matrix Number Puzzle 52

CORE SE

ID: Q7 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
16	7	4
6	7	6
20	2	?

- [ ] **A)** 19
- [x] **B)** 4
- [ ] **C)** 9
- [ ] **D)** 22

✓ **Verified Answer:** ### Correct Answer Option B) 4** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row gives the digit sum of (first × second). For the last row: 20×2=40; digit sum = 4. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 4$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 4. #### Distractor & Elimination Analysis - **Option A (19):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (4):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (9):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (22):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 8 • Matrix Number Puzzle 53

CORE SE

ID: Q8 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
12	7	12
12	2	6
18	6	?

- [ ] **A)** 24
- [ ] **B)** 13
- [ ] **C)** 17
- [x] **D)** 9

✓ **Verified Answer:** ### Correct Answer Option D) 9** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row gives the digit sum of (first × second). For the last row: 18×6=108; digit sum = 9. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 9$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 9. #### Distractor & Elimination Analysis - **Option A (24):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (13):** Incorrect. Violates the established matrix row/column transformation rule. - **Option C (17):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (9):** Correct. Exactly matches the derived mathematical rule with zero contradiction.

Problem 9 • Matrix Number Puzzle 54

CORE SE

ID: Q9 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
18	7	9
15	3	9
5	2	?

- [ ] **A)** 6
- [x] **B)** 1
- [ ] **C)** 11
- [ ] **D)** 9

✓ **Verified Answer:** ### Correct Answer Option B) 1** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row gives the digit sum of (first × second). For the last row: 5×2=10; digit sum = 1. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 1$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 1. #### Distractor & Elimination Analysis - **Option A (6):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (1):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (11):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (9):** Incorrect. Violates the established matrix row/column transformation rule.

Problem 10 • Matrix Number Puzzle 55

CORE SE

ID: Q10 | Source: Infosys PYQ | Level: Infosys SE Standard

Find the missing number (?) from the given matrix:

Column 1	Column 2	Column 3
16	6	15
7	9	9
14	4	?

- [ ] **A)** 16
- [x] **B)** 11
- [ ] **C)** 26
- [ ] **D)** 19

✓ **Verified Answer:** ### Correct Answer Option B) 11** #### Detailed Mathematical Derivation 1. **Matrix Layout & Dimensions:** The puzzle presents a matrix of dimensions 3 x 3. 2. **Governing Rule & Logic:** Each row gives the digit sum of (first × second). For the last row: 14×4=56; digit sum = 11. 3. **Step-by-Step Algebraic Verification:** - Evaluating the operations across corresponding rows and columns confirms this uniform pattern. - Applying the identical transformation to the row/column containing the target cell produces True = 11$. 4. **Conclusion:** The unique missing value that preserves structural and arithmetic invariance across the entire grid is 11. #### Distractor & Elimination Analysis - **Option A (16):** Incorrect. Violates the established matrix row/column transformation rule. - **Option B (11):** Correct. Exactly matches the derived mathematical rule with zero contradiction. - **Option C (26):** Incorrect. Violates the established matrix row/column transformation rule. - **Option D (19):** Incorrect. Violates the established matrix row/column transformation rule.