🏆 Infosys SE Elite Crack Vault — Mock Test 05 (College ITM Master Full Simulation 05)

> **Target Role: Infosys Systems Engineer (SE)** (3.6 – 4.0 LPA Recruitment Drive)
> **Test Architecture: 54 Questions | 100 Minutes | Strict Sectional Cutoffs | Zero Negative Marking**
> **Sectional Breakdown:**
>
> - 🧠 **Section 1: Reasoning Ability** (15 Questions | 25 Mins | Cutoff: 70%+)
> - 📐 **Section 2: Mathematical Ability** (10 Questions | 35 Mins | Cutoff: 70%+)
> - 📖 **Section 3: Verbal Ability** (20 Questions | 20 Mins | Cutoff: 65%+)
> - 💻 **Section 4: Pseudocode & Technical** (5 Questions | 10 Mins | Cutoff: 70%+)
> - 🧩 **Section 5: Puzzle Solving** (4 Questions | 10 Mins | Cutoff: 75%+) **Verification Score:** 100% Mathematically & Deductively Proven with Zero Hallucination

---

> [!IMPORTANT] **Instructions for Candidate:**
>
> 1. You cannot navigate back to a completed section once its timer has expired.
> 2. There is no negative marking, so ensure every question is attempted.
> 3. Puzzles carry 2 to 3 marks each; allocate at least 2 minutes per puzzle.

Problem 01: Section 1: Reasoning Ability (Q01) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q01` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Statements: All servers are machines. Some machines are laptops. No laptop is portable. Conclusions: I. Some machines are not portable. II. Some servers are laptops. III. No server is portable.

(a) Only I follows
(b) I and III follow
(c) I and II follow
(d) None follows

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

Some machines are laptops, and no laptop is portable, so those machines are not portable — I follows. Nothing links servers specifically to laptops or to portability, so II and III don't follow.

Problem 02: Section 1: Reasoning Ability (Q02) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q02` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Statements: All circles are squares. No square is a triangle. Some triangles are rectangles. Conclusions: I. No circle is a triangle. II. Some rectangles are not squares. III. Some squares are not triangles.

(a) I and III only
(b) I only
(c) I, II and III
(d) II and III only

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((C))**

Step-by-Step Mathematical & Logical Derivation

Circles squares, and squares have no overlap with triangles, so circles have none either (I). Some ⊆ triangles are rectangles, and since no triangle is a square, those rectangles are not squares (II). Since no square is a triangle, it's also true that some squares are not triangles (III).

Problem 03: Section 1: Reasoning Ability (Q03) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q03` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Data Sufficiency. Is the integer n divisible by 6? I. n is divisible by 4. II. n is divisible by 9.

(a) I alone is sufficient
(b) II alone is sufficient
(c) Both together are sufficient, neither alone
(d) Even both together are not sufficient

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((C))**

Step-by-Step Mathematical & Logical Derivation

I alone fails (n = 4 is not divisible by 6). II alone fails (n = 9 is not divisible by 6). Together, a number divisible by both 4 and 9 is divisible by their LCM, 36, which is always divisible by 6.

Problem 04: Section 1: Reasoning Ability (Q04) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q04` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Data Sufficiency. What is the cost price of an article? I. It was sold at a profit of 20%. II. If sold at ₹150 more, the profit would have been 32%.

(a) I alone is sufficient
(b) II alone is sufficient
(c) Both together are sufficient, neither alone
(d) Even both together are not sufficient

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

II alone: 12% of CP = ₹150, so CP = ₹1,250 — sufficient. I alone gives only a percentage, not an absolute value.

Problem 05: Section 1: Reasoning Ability (Q05) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q05` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

In a code, every letter is shifted 3 places forward in the alphabet (wrapping Z→C), so FLOWER is written as IORZHU. Using the same code, how is GARDEN written?

(a) JDUGHQ
(b) JDUFHQ
(c) JCUGHQ
(d) JDVGHQ

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

Applying the same +3 shift: G→J, A→D, R→U, D→G, E→H, N→Q, giving JDUGHQ.

Problem 06: Section 1: Reasoning Ability (Q06) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)

> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q06` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

In a code, "data flows fast" = "zu ka mo", "fast network grows" = "ka ta ri", "network data secure" = "zu ta ve". What is the code for "grows secure data"?

(a) ri ve zu
(b) ta ve zu
(c) ri ve ka
(d) ka ve zu

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

"fast" is common to statements 1 and 2 → ka. "data" is common to 1 and 3 → zu. "network" is common to 2 and 3 → ta. By elimination: flows = mo, grows = ri, secure = ve. So "grows secure data" = ri ve zu.

Problem 07: Section 1: Reasoning Ability (Q07) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q07` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

A cube is painted red on one pair of opposite faces, blue on another pair, and green on the last pair. It is then cut into 27 identical small cubes. How many small cubes have exactly one face painted?

(a) 6
(b) 8
(c) 9
(d) 12

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

In a 3×3×3 cube, only the centre cube of each face touches just one painted face — 1 per face × 6 faces = 6, regardless of the colour scheme.

Problem 08: Section 1: Reasoning Ability (Q08) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q08` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

A rectangle is divided into a 3 × 3 grid of smaller cells by 2 evenly spaced vertical lines and 2 evenly spaced horizontal lines drawn inside it. How many rectangles (of any size) are there in the whole figure?

(a) 30
(b) 36
(c) 27
(d) 24

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

With 2 interior + 2 boundary lines in each direction, there are 4 vertical and 4 horizontal lines. Rectangles = C(4,2) × C(4,2) = 6 × 6 = 36.

Problem 09: Section 1: Reasoning Ability (Q09) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q09` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Pointing to a photograph, a man says, "She is the daughter of my grandfather's only son." How is the woman in the photograph related to the man?

(a) Sister
(b) Daughter
(c) Niece
(d) Mother

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

The grandfather's only son is the man's father. The daughter of the man's father is his sister.

Problem 10: Section 1: Reasoning Ability (Q10) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q10` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

If A ÷ B means A is the daughter of B, A + B means A is the son of B, and A − B means A is the wife of B, which expression correctly shows that M is the granddaughter of N?

(a) M ÷ P + N
(b) M + P ÷ N
(c) M − P ÷ N
(d) M ÷ P − N

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

M ÷ P: M is daughter of P. P + N: P is son of N. So M is P's daughter, and P is N's son — M is N's granddaughter.

Problem 11: Section 1: Reasoning Ability (Q11) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q11` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Priya starts at a point, faces south and walks 8 m. She turns left and walks 5 m, turns left again and walks 8 m, then turns right and walks 3 m. How far is she from the starting point, and in which direction?

(a) 8 m East
(b) 8 m West
(c) 2 m East
(d) 2 m West

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

Tracking positions from (0,0): south 8 → (0,−8); left turn faces east, walk 5 → (5,−8); left turn faces north, walk 8 → (5,0); right turn faces east, walk 3 → (8,0). Net displacement is 8 m East.

Problem 12: Section 1: Reasoning Ability (Q12) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q12` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

A man facing South turns 45° anticlockwise, then 90° clockwise, then 225° anticlockwise. Which direction is he facing now?

(a) North
(b) South-East

(c) South-West
(d) West

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

Using bearings (clockwise from North): South = 180°. −45° (anticlockwise) = 135°; +90° (clockwise) = 225°; −225° (anticlockwise) = 0°, which is North.

Problem 13: Section 1: Reasoning Ability (Q13) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q13` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Find the next term: 2, 6, 15, 31, 56, ?

(a) 92
(b) 88
(c) 90
(d) 84

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

Differences are 4, 9, 16, 25 (perfect squares), so the next difference is 36: 56 + 36 = 92.

Problem 14: Section 1: Reasoning Ability (Q14) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q14` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Find the next term: 5, 11, 23, 47, 95, ?

(a) 189
(b) 191
(c) 193
(d) 190

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

Each term = previous × 2 + 1: 95 × 2 + 1 = 191.

Problem 15: Section 1: Reasoning Ability (Q15) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q15` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Find the next letter-pair: CE, FI, IM, LQ, ?

(a) OT
(b) OU
(c) NT
(d) PU

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

First letters C, F, I, L rise by 3 each time → next is O. Second letters E, I, M, Q rise by 4 each time → next is U. Answer: OU. Page 8 of 10

Infosys System Engineer | Hard-Level Mock Test Section 2: Quant

---

Problem 16: Section 2: Mathematical Ability (Q16) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q16` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

In how many ways can the letters of the word MANAGEMENT be arranged so that all the vowels come together?

(a) 7560
(b) 15120
(c) 3780
(d) 30240

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

MANAGEMENT has M2, A2, N2, G1, E2, T1 (10 letters). Vowels A,A,E,E form one block: internal arrangements = 4!/(2!2!) = 6. Treating the block as one unit alongside the 6 consonants (M2,N2,G1,T1) gives 7 units: 7!/(2!2!) = 1260. Total = 1260 × 6 = 7,560.

Problem 17: Section 2: Mathematical Ability (Q17) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q17` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

From a group of 6 men and 5 women, a team of 4 is to be selected such that it contains at most 2 women. In how many ways can this be done?

(a) 265
(b) 295
(c) 310
(d) 325

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

0 women: C(6,4)=15. 1 woman: C(6,3)×C(5,1)=100. 2 women: C(6,2)×C(5,2)=150. Total = 15+100+150 = 265.

Problem 18: Section 2: Mathematical Ability (Q18) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q18` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Three coins are tossed together, and it is known that at least one head appeared. What is the probability that exactly two heads appeared?

(a) 3/7
(b) 1/2
(c) 3/8
(d) 2/7

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

Excluding TTT leaves 7 equally likely outcomes. Exactly two heads: HHT, HTH, THH = 3 outcomes. Probability = 3/7.

Problem 19: Section 2: Mathematical Ability (Q19) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q19 | **Source:** College ITM Master Paper 2

Question Statement & Options:

A box contains 6 defective and 14 non-defective bulbs. Two bulbs are drawn at random without replacement. What is the probability that at least one is defective?

(a) 99/190
(b) 91/190
(c) 33/95
(d) 29/95

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

P(no defective) = (14×13)/(20×19) = 91/190. P(at least one defective) = 1 − 91/190 = 99/190.

Problem 20: Section 2: Mathematical Ability (Q20) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q20 | **Source:** College ITM Master Paper 2

Question Statement & Options:

A trader marks his goods at a price that would give him a 25% profit, but he actually gives a discount of 12% on the marked price and also uses a weight that is 10% less than it should be. Find his actual profit percentage.

(a) 20%
(b) 22.2%
(c) 25%
(d) 18%

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

Take CP = 100 per unit weight, so marked price = 125 (25% intended profit). After a 12% discount, SP = 125 × 0.88 = 110. But he delivers only 0.9 units (10% short weight) whose true cost is 90. Profit = 110 − 90 = 20 on a cost of

90, giving 20/90 × 100 ≈ 22.2%.

Problem 21: Section 2: Mathematical Ability (Q21) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q21 | **Source:** College ITM Master Paper 2

Question Statement & Options:

A and B together can complete a task in 15 days. They worked together for 5 days, after which A left and B completed the remaining work alone in 20 more days. In how many days can A alone complete the task?

(a) 20 days
(b) 24 days
(c) 25 days
(d) 30 days

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((D))**

Step-by-Step Mathematical & Logical Derivation

In 5 days together, they finish 5/15 = 1/3. The remaining 2/3 is done by B alone in 20 days, so B's rate = (2/3)/20 = 1/30/day (B alone takes 30 days). Combined rate = 1/15, so A's rate = 1/15 − 1/30 = 1/30/day — A alone also takes 30 days.

Problem 22: Section 2: Mathematical Ability (Q22) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q22 | **Source:** College ITM Master Paper 2

Question Statement & Options:

A boat's speed in still water is 15 km/h. It travels 60 km downstream and returns upstream to the starting point, taking a total of 9 hours. Find the speed of the stream.

(a) 4 km/h
(b) 5 km/h
(c) 6 km/h
(d) 3 km/h

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

$60/(15+s) + 60/(15-s) = 9$. Simplifying: $1800 = 9(225 - s^2)$, so $s^2 = 25$, $s = 5$ km/h.

Problem 23: Section 2: Mathematical Ability (Q23) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q23` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

A town's population increases by 10% in the first year and decreases by 8% in the second year. If the population at the end of two years is 27,324, what was the population at the start?

(a) 27,000
(b) 26,500
(c) 26,000
(d) 27,500

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

P × 1.10 × 0.92 = 27,324, so P × 1.012 = 27,324, giving P = 27,000.

Problem 24: Section 2: Mathematical Ability (Q24) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q24` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

A sum of money amounts to ₹13,000 after 3 years and to ₹15,000 after 5 years at the same rate of simple interest. Find the rate of interest per annum.

(a) 8%
(b) 10%
(c) 12%
(d) 9%

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

Interest for 2 years (year 5 − year 3) = 15,000 − 13,000 = 2,000, so 1 year's interest = 1,000. Principal = 13,000 − 3×1,000 = 10,000. Rate = 1,000/10,000 × 100 = 10%.

Problem 25: Section 2: Mathematical Ability (Q25) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)

> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q25` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

₹16,000 is invested for 2 years at compound interest, compounded annually, and yields the same interest as ₹18,000 invested for 2 years at 10% simple interest. Find the rate of compound interest (approximately).

(a) 9.5%
(b) 10.5%
(c) 11.5%
(d) 12.5% Read the passage and answer Q26–30. Automation in enterprise software is frequently sold on the promise of eliminating human error, yet the more interesting effect is often a redistribution of error rather than its removal. When a system automates data entry, the mistakes that once occurred at the point of typing largely disappear, but new failure modes emerge upstream, in the design of the rules the automation follows, and downstream, in the operators' declining vigilance once they trust the system implicitly. A well-documented pattern in aviation and, increasingly, in IT operations is that highly reliable automation breeds complacency: engineers stop cross-checking outputs precisely because the system rarely errs, so on the rare occasion it does, the mistake propagates further before anyone notices. This does not argue against automation; it argues for designing monitoring and escalation processes that assume the automation will occasionally fail silently, rather than processes that assume a human will always catch what the machine misses.

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

SI on ₹18,000 at 10% for 2 years = ₹3,600. Setting CI on ₹16,000 equal: 16,000×((1+r)² − 1) = 3,600 gives (1+r)² = 1.225, so r ≈ 10.5%. Section 3: Verbal

---

Problem 26: Section 3: Verbal Ability (Q26) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q26` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

> **Reading Comprehension Passage:** Read the passage and answer Q26–30. Automation in enterprise software is frequently sold on the promise of eliminating human error, yet the more interesting effect is often a redistribution of error rather than its removal. When a system automates data entry, the mistakes that once occurred at the point of typing largely disappear, but new failure modes emerge upstream, in the design of the rules the automation follows, and downstream, in the operators' declining vigilance once they trust the system implicitly. A well-documented pattern in aviation and, increasingly, in IT operations is that highly reliable automation breeds complacency: engineers stop cross-checking outputs precisely because the system rarely errs, so on the rare occasion it does, the mistake propagates further before anyone notices. This does not argue against automation; it argues for designing monitoring and escalation processes that assume the automation will occasionally fail silently, rather than processes that assume a human will always catch what the machine misses.

The passage primarily argues that:

(a) Automation should be avoided in critical systems
(b) Automation shifts the location of errors rather than eliminating them, so monitoring must assume silent failure
(c) Human operators are always more reliable than automated systems
(d) Aviation and IT face identical automation challenges

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

According to the reading comprehension passage for Paper 2, option (B) is directly supported and established by the author's primary thesis and supporting textual arguments.

Problem 27: Section 3: Verbal Ability (Q27) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q27 | **Source:** College ITM Master Paper 2

Question Statement & Options:

> **Reading Comprehension Passage:** Read the passage and answer Q26–30. Automation in enterprise software is frequently sold on the promise of eliminating human error, yet the more interesting effect is often a redistribution of error rather than its removal. When a system automates data entry, the mistakes that once occurred at the point of typing largely disappear, but new failure modes emerge upstream, in the design of the rules the automation follows, and downstream, in the operators' declining vigilance once they trust the system implicitly. A well-documented pattern in aviation and, increasingly, in IT operations is that highly reliable automation breeds complacency: engineers stop cross-checking outputs precisely because the system rarely errs, so on the rare occasion it does, the mistake propagates further before anyone notices. This does not argue against automation; it argues for designing monitoring and escalation processes that assume the automation will occasionally fail silently, rather than processes that assume a human will always catch what the machine misses.

According to the passage, complacency arises because:

(a) operators are poorly trained
(b) the automation is rarely wrong, so vigilance declines
(c) the rules are too complex to follow
(d) engineers do not trust the system

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

According to the reading comprehension passage for Paper 2, option (B) is directly supported and established by the author's primary thesis and supporting textual arguments.

Problem 28: Section 3: Verbal Ability (Q28) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q28` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

> **Reading Comprehension Passage:** Read the passage and answer Q26–30. Automation in enterprise software is frequently sold on the promise of eliminating human error, yet the more interesting effect is often a redistribution of error rather than its removal. When a system automates data entry, the mistakes that once occurred at the point of typing largely disappear, but new failure modes emerge upstream, in the design of the rules the automation follows, and downstream, in the operators' declining vigilance once they trust the system implicitly. A well-documented pattern in aviation and, increasingly, in IT operations is that highly reliable automation breeds complacency: engineers stop cross-checking outputs precisely because the system rarely errs, so on the rare occasion it does, the mistake propagates further before anyone notices. This does not argue against automation; it argues for designing monitoring and escalation processes that assume the automation will occasionally fail silently, rather than processes that assume a human will always catch what the machine misses.

The phrase "fail silently" in the passage most nearly means:

(a) the system stops working with an alarm
(b) the system errs without producing any visible warning
(c) the system asks for human confirmation
(d) the system shuts down automatically

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

According to the reading comprehension passage for Paper 2, option (B) is directly supported and established by the author's primary thesis and supporting textual arguments.

Problem 29: Section 3: Verbal Ability (Q29) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q29` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

> **Reading Comprehension Passage:** Read the passage and answer Q26–30. Automation in enterprise software is frequently sold on the promise of eliminating human error, yet the more interesting effect is often a redistribution of error rather than its removal. When a system automates data entry, the mistakes that once occurred at the point of typing largely disappear, but new failure modes emerge upstream, in the design of the rules the automation follows, and downstream, in the operators' declining vigilance once they trust the system implicitly. A well-documented pattern in aviation and, increasingly, in IT operations is that highly reliable automation breeds complacency: engineers stop cross-checking outputs precisely because the system rarely errs, so on the rare occasion it does, the mistake propagates further before anyone notices. This does not argue against automation; it argues for

> designing monitoring and escalation processes that assume the automation will occasionally fail silently, rather than processes that assume a human will always catch what the machine misses.

Which of these would the author most likely recommend?

(a) Removing automation from enterprise systems entirely
(b) Designing escalation processes that do not rely solely on human vigilance
(c) Increasing the frequency of manual data entry
(d) Trusting automated systems completely once proven reliable

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

According to the reading comprehension passage for Paper 2, option (B) is directly supported and established by the author's primary thesis and supporting textual arguments.

Problem 30: Section 3: Verbal Ability (Q30) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q30` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

> **Reading Comprehension Passage:** Read the passage and answer Q26–30. Automation in enterprise software is frequently sold on the promise of eliminating human error, yet the more interesting effect is often a redistribution of error rather than its removal. When a system automates data entry, the mistakes that once occurred at the point of typing largely disappear, but new failure modes emerge upstream, in the design of the rules the automation follows, and downstream, in the operators' declining vigilance once they trust the system implicitly. A well-documented pattern in aviation and, increasingly, in IT operations is that highly reliable automation breeds complacency: engineers stop cross-checking outputs precisely because the system rarely errs, so on the rare occasion it does, the mistake propagates further before anyone notices. This does not argue against automation; it argues for designing monitoring and escalation processes that assume the automation will occasionally fail silently, rather than processes that assume a human will always catch what the machine misses.

Which of the following is NOT stated or implied in the passage?

(a) New failure modes can appear in the design of automation rules
(b) Reliable automation can reduce the vigilance of human operators
(c) The passage argues automation should never be trusted
(d) Errors caught late can propagate further Sentence Correction (Q31–35).

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((C))**

Step-by-Step Mathematical & Logical Derivation

According to the reading comprehension passage for Paper 2, option (C) is directly supported and established by the author's primary thesis and supporting textual arguments.

Problem 31: Section 3: Verbal Ability (Q31) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q31 | **Source:** College ITM Master Paper 2

Question Statement & Options:

Each of the servers in the cluster have its own dedicated backup.

(a) No improvement
(b) has
(c) having
(d) had

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

"Each" is singular, so the verb must be "has".

Problem 32: Section 3: Verbal Ability (Q32) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q32 | **Source:** College ITM Master Paper 2

Question Statement & Options:

Scarcely had the deployment finished than the monitoring alerts started.

(a) No improvement
(b) Scarcely had the deployment finished when
(c) Scarcely did the deployment finish than
(d) Scarcely the deployment had finished when

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

"Scarcely...when" is the correct pairing, not "than".

Problem 33: Section 3: Verbal Ability (Q33) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)

> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q33` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

The report, along with its supporting data sheets, were submitted before the deadline.

(a) No improvement
(b) was submitted
(c) have been submitted
(d) are submitted

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

"The report" is the true (singular) subject; "along with..." does not pluralize it, so "was submitted".

Problem 34: Section 3: Verbal Ability (Q34) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q34` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

If I was you, I would escalate this incident immediately.

(a) No improvement
(b) If I were you
(c) If I am you
(d) If I had been you

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

Hypothetical conditions use the subjunctive "were" after "if", regardless of subject.

Problem 35: Section 3: Verbal Ability (Q35) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q35` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Not only the developer but also the testers was responsible for the missed defect.

(a) No improvement
(b) were responsible
(c) is responsible
(d) had been responsible Para-jumbles (Q36–38).

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

With "not only...but also" joining two subjects, the verb agrees with the nearer one (testers, plural), so "were responsible".

Problem 36: Section 3: Verbal Ability (Q36) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q36` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

P: Yet within weeks, unexplained crashes began appearing in production. Q: The new caching layer initially seemed to improve response times dramatically. R: Investigation traced the crashes to a race condition the load tests had never triggered. S: The team subsequently rewrote the load-testing suite to include concurrent write scenarios.

(a) QPRS
(b) QRPS
(c) PQRS
(d) QSPR

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

Sentence sequence: Q→P→R→S.. Coherent narrative progression establishes logical flow from premise to supporting detail and conclusion.

Problem 37: Section 3: Verbal Ability (Q37) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q37` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

P: They are, instead, thought experiments that isolate one variable at a time. Q: Economic models are often criticised for their unrealistic assumptions. R: This deliberate simplification is what makes them useful, not despite

the unrealism but because of it. S: Critics forget that the models were never meant to be literal descriptions of the economy.

(a) QSPR
(b) QPSR
(c) QSRP
(d) SQPR

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

Sentence sequence: Q→S→P→R.. Coherent narrative progression establishes logical flow from premise to supporting detail and conclusion.

Problem 38: Section 3: Verbal Ability (Q38) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q38` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

P: Consequently, the interface today handles ten times the daily traffic it was designed for. Q: The original API was built to serve a handful of internal tools. R: Over time, external partners began integrating with it as well. S: No one anticipated that this informal adoption would continue for years.

(a) QRSP
(b) QSRP
(c) QRPS
(d) RQSP Vocabulary, Synonyms and Antonyms (Q39–45).

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

Sentence sequence: Q→R→S→P.. Coherent narrative progression establishes logical flow from premise to supporting detail and conclusion.

Problem 39: Section 3: Verbal Ability (Q39) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q39` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

The consultant's cursory review missed several critical vulnerabilities. "Cursory" means:

(a) thorough
(b) hasty and superficial
(c) expensive
(d) delayed

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

Standard vocabulary / grammatical definition establishes that option (B) is the exact synonym/antonym/definition required in this context.

Problem 40: Section 3: Verbal Ability (Q40) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q40 | **Source:** College ITM Master Paper 2

Question Statement & Options:

The new policy was met with tacit approval from the board. "Tacit" means:

(a) loudly announced
(b) implied without being stated
(c) formally written
(d) rejected

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

Standard vocabulary / grammatical definition establishes that option (B) is the exact synonym/antonym/definition required in this context.

Problem 41: Section 3: Verbal Ability (Q41) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q41 | **Source:** College ITM Master Paper 2

Question Statement & Options:

Fill in the blank: Despite the outage, the support team remained _____, calmly working through the incident.

(a) frantic
(b) unflappable
(c) indifferent
(d) negligent

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

Standard vocabulary / grammatical definition establishes that option (B) is the exact synonym/antonym/definition required in this context.

Problem 42: Section 3: Verbal Ability (Q42) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q42` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Synonym of PRAGMATIC:

(a) idealistic
(b) practical
(c) theoretical
(d) emotional

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

Standard vocabulary / grammatical definition establishes that option (B) is the exact synonym/antonym/definition required in this context.

Problem 43: Section 3: Verbal Ability (Q43) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q43` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Synonym of VOLATILE:

(a) stable
(b) unpredictable
(c) calm
(d) gradual

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

Standard vocabulary / grammatical definition establishes that option (B) is the exact synonym/antonym/definition required in this context.

Problem 44: Section 3: Verbal Ability (Q44) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q44 | **Source:** College ITM Master Paper 2

Question Statement & Options:

Antonym of CONCISE:

(a) brief
(b) verbose
(c) clear
(d) precise

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

Standard vocabulary / grammatical definition establishes that option (B) is the exact synonym/antonym/definition required in this context.

Problem 45: Section 3: Verbal Ability (Q45) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q45 | **Source:** College ITM Master Paper 2

Question Statement & Options:

Antonym of DILIGENT:

(a) hardworking
(b) careful
(c) lazy
(d) thorough

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((C))**

Step-by-Step Mathematical & Logical Derivation

Section 4: Pseudo Code

Problem 46: Section 4: Pseudocode & Technical (Q46) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q46 | **Source:** College ITM Master Paper 2

Question Statement & Options:

What is printed? int f(int n) { if (n == 0) return 1; if (n == 1) return 2; return f(n-1) + f(n-2) * 2; } print(f(5))

(a) 26
(b) 30
(c) 32
(d) 34

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((C))**

Step-by-Step Mathematical & Logical Derivation

32. f(0)=1, f(1)=2, f(2)=2+2=4, f(3)=4+4=8, f(4)=8+8=16, f(5)=16+16=32.

Problem 47: Section 4: Pseudocode & Technical (Q47) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q47 | **Source:** College ITM Master Paper 2

Question Statement & Options:

What is printed? (x and y are unsigned integers) x = 58; y = 0; while (x > 0) { y = (y << 1) | (x & 1); x = x >> 1; } print(y)

(a) 23
(b) 29
(c) 37
(d) 41

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

23. The loop peels off bits of x from the LSB and rebuilds y by shifting left each time, which reverses the bit order of x within its significant bits. 58 = 111010_2 (6 bits); reversed = 010111_2 = 23. (Trace: y goes 0→0→1→2→5→11→23 as x's bits 0,1,0,1,1,1 are consumed in order.)

Problem 48: Section 4: Pseudocode & Technical (Q48) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q48 | **Source:** College ITM Master Paper 2

Question Statement & Options:

What is printed? s = 0 for i = 1 to 4 for j = 1 to 4 if (i == j) continue if (i + j > 6) break s = s + (i * j) end for end for print(s)

(a) 40
(b) 44
(c) 46
(d) 48

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((C))**

Step-by-Step Mathematical & Logical Derivation

46. i=1: skips j=1 (i==j); adds 1×2+1×3+1×4 = 9. i=2: skips j=2; adds 2×1+2×3+2×4 = 16 (running 25; note j=4 gives i+j=6, which is not >6, so it's included). i=3: skips j=3; adds 3×1+3×2 = 9, then j=4 gives i+j=7>6 → break (running 34). i=4: adds 4×1+4×2 = 12, then j=3 gives i+j=7>6 → break (running 46).

Problem 49: Section 4: Pseudocode & Technical (Q49) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q49 | **Source:** College ITM Master Paper 2

Question Statement & Options:

A queue is used (FIFO). What is printed? enqueue(2); enqueue(4); enqueue(6); a = dequeue(); enqueue(a + 10); b = dequeue(); c = dequeue(); print(b + c)

(a) 10
(b) 16
(c) 18
(d) 22

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

10. Queue [2,4,6] → dequeue 2 (a) → [4,6] → enqueue 12 → [4,6,12] → dequeue 4 (b) → dequeue 6 (c) → [12]. b + c = 4 + 6 = 10.

Problem 50: Section 4: Pseudocode & Technical (Q50) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q50 | **Source:** College ITM Master Paper 2

Question Statement & Options:

What is the final content of arr? (0-indexed; each statement uses the array's state at that point) arr = [1, 2, 3, 4, 5] temp = arr[0] arr[0] = arr[4] arr[4] = arr[2] arr[2] = arr[1] arr[1] = temp

(a) [5, 1, 2, 4, 3]
(b) [5, 1, 3, 4, 2]
(c) [5, 2, 1, 4, 3]
(d) [5, 1, 2, 4, 2]

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

temp=1. arr[0]=arr[4]=5 → [5,2,3,4,5]. arr[4]=arr[2]=3 → [5,2,3,4,3]. arr[2]=arr[1]=2 → [5,2,2,4,3]. arr[1]=temp=1 → final [5,1,2,4,3]. Page 9 of 10

Infosys System Engineer | Hard-Level Mock Test Section 5: Numeric Puzzles

---

Problem 51: Section 5: Puzzle Solving (Q51) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q51 | **Source:** College ITM Master Paper 2

Question Statement & Options:

Matchstick. Five identical unit squares are arranged in a row sharing sides, using 16 matchsticks in total. What is the minimum number of sticks that must be removed so that exactly 3 complete unit squares remain?

(a) 1
(b) 2
(c) 3
(d) 4

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((A))**

Step-by-Step Mathematical & Logical Derivation

1. The stick shared between the 2nd and 3rd squares is a side of both. Removing that single stick breaks both squares at once, leaving the 1st, 4th and 5th squares intact — exactly 3 complete squares, with only 1 stick removed.

Problem 52: Section 5: Puzzle Solving (Q52) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q52 | **Source:** College ITM Master Paper 2

Question Statement & Options:

Circular wheel. Each wheel has numbers at Top, Right, Bottom, Left and a Centre number formed by the same rule. Wheel 1: T = 6, R = 2, B = 4, L = 3, Centre = 30 Wheel 2: T = 5, R = 3, B = 8, L = 2, Centre = 46 Wheel 3: T = 7, R = 4, B = 3, L = 6, Centre = ?

(a) 39
(b) 41
(c) 45
(d) 49

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((C))**

Step-by-Step Mathematical & Logical Derivation

45. Rule: Centre = (T × B) + (R × L). Wheel 1: (6×4)+(2×3) = 24+6 = 30 . Wheel 2: (5×8)+(3×2) = 40+6 = ✓ 46 . Wheel 3: (7×3)+(4×6) = 21+24 = ✓ 45.

Problem 53: Section 5: Puzzle Solving (Q53) 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Target Difficulty:** Infosys SE Standard Level (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** MOCK05_Q53 | **Source:** College ITM Master Paper 2

Question Statement & Options:

Matrix logic. Find the missing number. 2 3 11 3 4 19 4 5 ?

(a) 27
(b) 29
(c) 31
(d) 33

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

29. Rule: third column = (a×b) + a + b. Row 1: (2×3)+2+3 = 11 . Row 2: (3×4)+3+4 = 19 . Row 3: ✓ ✓ (4×5)+4+5 = 20+9 = 29.

Problem 54: Section 5: Puzzle Solving (Q54) 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`

> 🎯 **Exam Priority:** 🔴 `[🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]`
> 📊 **Target Difficulty:** `Infosys SE Standard Level` (Single/Double Step Deduction)
> 💡 **Preparation Advice: MANDATORY FOR 5-6 NOV DRIVE** (Full-Length Timed Simulation)
> **Question ID:** `MOCK05_Q54` | **Source:** `College ITM Master Paper 2`

Question Statement & Options:

Pattern. Find the next term: 1, 4, 10, 20, 35, ?

(a) 52
(b) 56
(c) 60
(d) 49

Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

Step-by-Step Mathematical & Logical Derivation

56. These are tetrahedral numbers, C(n+2,3): 1, 4, 10, 20, 35, and next is C(8,3) = 56. Section 6: Grammar

---