# 💻 Infosys SE Elite Crack Vault — CampusMonk WhatsApp Premium Cloud & Technical MCQs

> **Target Role: Infosys Systems Engineer (SE)** (3.6 – 4.0 LPA Recruitment Drive)
> **Payload Architecture: Enterprise Cloud Architecture, Hypervisors, Virtualization & Networking MCQs**
> **Section Breakdown: Section 4: Pseudocode & Technical (5 Qs / 10 Mins)**
> **Verification Score:** 100% Industry Standard SLA, VPC & Hypervisor Specifications

---

## Problem 01: Technical Core MCQ (Cloud SLAs & High Availability) 🔴 [🔥 MUST-SOLVE | CAMPUSMONK]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Subtopic:** `Cloud SLAs & High Availability` | **Source:** `CampusMonk Cloud & Hypervisor Master PDF`
> **Question ID:** `CM_WA_TECH_Q01`

**Question Statement & Options:**

Which SLA provides the highest guaranteed availability (lowest downtime per year)?

(a) 99.9% (Three Nines)
(b) 99.99% (Four Nines)
(c) 99.999% (Five Nines)
(d) 99.0% (Two Nines)

### Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((C))**

### Technical Explanation

Five Nines (99.999%) permits only 5.26 minutes of downtime per year, representing the gold standard for mission-critical enterprise systems.

---

## Problem 02: Technical Core MCQ (Cloud Cost Models) 🔴 [🔥 MUST-SOLVE | CAMPUSMONK]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Subtopic:** `Cloud Cost Models` | **Source:** `CampusMonk Cloud & Hypervisor Master PDF`
> **Question ID:** `CM_WA_TECH_Q02`

**Question Statement & Options:**

Which pricing model provides the maximum cost discount for sustained, predictable workloads?

(a) On-Demand Instances
(b) Reserved Instances (1-3 Year Commitment)
(c) Spot Instances
(d) Pay-as-you-go

### Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

### Technical Explanation

Reserved Instances offer up to 72% discounts in exchange for committed capacity over 1 or 3 years.

---

## Problem 03: Technical Core MCQ (Type 1 vs Type 2 Hypervisors) 🔴 [🔥 MUST-SOLVE | CAMPUSMONK]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Subtopic:** Type 1 vs Type 2 Hypervisors | **Source:** CampusMonk Cloud & Hypervisor Master PDF
> **Question ID:** CM_WA_TECH_Q03

**Question Statement & Options:**

Which of the following is a Type-1 (Bare-Metal) Hypervisor?

(a) Oracle VirtualBox
(b) VMware Workstation
(c) VMware ESXi
(d) VMware Fusion

### Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((C))**

### Technical Explanation

VMware ESXi runs directly on host server hardware without an underlying host operating system.

---

## Problem 04: Technical Core MCQ (Virtualization Architectures) 🔴 [🔥 MUST-SOLVE | CAMPUSMONK]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Subtopic:** Virtualization Architectures | **Source:** CampusMonk Cloud & Hypervisor Master PDF
> **Question ID:** CM_WA_TECH_Q04

**Question Statement & Options:**

In a Type 2 Hypervisor, how does the hypervisor interact with hardware?

(a) Directly via bare metal BIOS
(b) Through the Host Operating System kernel
(c) Via micro-firmware only
(d) Direct memory access bypass

### Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

### Technical Explanation

Type 2 hypervisors run as software applications on top of an existing host OS (e.g. Windows/macOS/Linux).

---

## Problem 05: Technical Core MCQ (Containers vs Virtual Machines) 🔴 [🔥 MUST-SOLVE | CAMPUSMONK]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Subtopic:** Containers vs Virtual Machines | **Source:** CampusMonk Cloud & Hypervisor Master PDF

> **Question ID:** `CM_WA_TECH_Q05`

**Question Statement & Options:**

Why do Docker containers achieve significantly faster startup times compared to traditional VMs?

(a) Containers bundle an entire guest OS kernel
(b) Containers share the host OS kernel and isolate user-space only
(c) Containers bypass CPU scheduling entirely
(d) Containers compile directly to assembly

### Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

### Technical Explanation

Containers share the host operating system kernel, avoiding the overhead of booting a full guest OS.

---

## Problem 06: Technical Core MCQ (Cloud Networking: VPC vs VNet) 🔴 [🔥 MUST-SOLVE | CAMPUSMONK]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Subtopic:** `Cloud Networking: VPC vs VNet` | **Source:** `CampusMonk Cloud & Hypervisor Master PDF`
> **Question ID:** `CM_WA_TECH_Q06`

**Question Statement & Options:**

What is the equivalent AWS VPC construct in Microsoft Azure?

(a) Azure Security Group (ASG)
(b) Azure Virtual Network (VNet)
(c) Azure ExpressRoute
(d) Azure Route Table

### Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

### Technical Explanation

Azure Virtual Network (VNet) is the fundamental building block for private network isolation in Azure, matching AWS VPC.

---

## Problem 07: Technical Core MCQ (CIDR Subnetting) 🔴 [🔥 MUST-SOLVE | CAMPUSMONK]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Subtopic:** `CIDR Subnetting` | **Source:** `CampusMonk Cloud & Hypervisor Master PDF`
> **Question ID:** `CM_WA_TECH_Q07`

**Question Statement & Options:**

How many usable host IP addresses are available in a /28 subnet?

(a) 16
(b) 14

(c) 32
(d) 30

### Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

### Technical Explanation

A /28 subnet has $2^{32-28} = 16$ total IP addresses. Subtracting Network ID and Broadcast ID leaves $16 - 2 = 14$ usable host IPs.

---

## Problem 08: Technical Core MCQ (Data Protection Laws) 🔴 [🔥 MUST-SOLVE | CAMPUSMONK]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Subtopic:** Data Protection Laws | **Source:** CampusMonk Cloud & Hypervisor Master PDF
> **Question ID:** CM_WA_TECH_Q08

**Question Statement & Options:**

Under GDPR and DPDP Act, what is the mandatory requirement for storing sensitive customer personal data?

(a) Data must be unencrypted for indexing
(b) Explicit user consent and end-to-end cryptographic encryption at rest
(c) Data must be stored on local USB drives
(d) Data cannot be backed up

### Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

### Technical Explanation

Enterprise compliance mandates explicit consent, purpose limitation, and strong AES-256 encryption at rest.

---

## Problem 09: Technical Core MCQ (Cloud Migration Strategies) 🔴 [🔥 MUST-SOLVE | CAMPUSMONK]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Subtopic:** Cloud Migration Strategies | **Source:** CampusMonk Cloud & Hypervisor Master PDF
> **Question ID:** CM_WA_TECH_Q09

**Question Statement & Options:**

Which 6-R migration strategy involves moving an application to the cloud with zero code changes?

(a) Refactoring
(b) Replatforming
(c) Rehosting (Lift and Shift)
(d) Repurchasing

### Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((C))**

### Technical Explanation

Rehosting (Lift and Shift) migrates applications to cloud VMs without architectural or code modifications.

---

### Problem 10: Technical Core MCQ (Multi-Cloud Architecture) 🔴 [🔥 MUST-SOLVE | CAMPUSMONK]

> 🎯 **Exam Priority:** 🔴 [🔥 MUST-SOLVE | INFOSYS SE ACTUAL PATTERN]
> 📊 **Subtopic:** Multi-Cloud Architecture | **Source:** CampusMonk Cloud & Hypervisor Master PDF
> **Question ID:** CM_WA_TECH_Q10

**Question Statement & Options:**

What is the primary architectural driver for adopting a multi-cloud strategy?

(a) Lower internet bandwidth cost
(b) Vendor lock-in avoidance and high-availability disaster recovery
(c) Eliminating firewall requirements
(d) Zero need for IP addresses

### Correct Answer

> [!IMPORTANT] **Verified Answer Key**: Option **((B))**

### Technical Explanation

Multi-cloud architectures distribute risk across AWS, Azure, and GCP to prevent vendor lock-in and provide geo-redundant failover.

---