TECHNICAL ASSESMENT

PYQs & Key Concepts

What will be the output of the following pseudocode ?

```
Integer p, q, r
Set p = 9, q = 8, r = 6
p = (6 ^ 5) + q
q = q + q
Print p + q + r
```

A. 22

B. 29

C. 33

D. 46

What will be the output of the following pseudocode ?

```
Initialize i, n
Set arr[] = 1, 2, 3, 4, 5
for i = 0 to n - 2
    arr[i] = arr[i] + arr[i+1]
End for
print the array of elements
```

A) 3 3 4 9 5

B) 4 3 7 5 2

C) 3 5 7 9 5

D) 1 2 3 4 5

Input: n = 8

```
Function generateSeries(Integer n)
    if (n <= 1) then
        return n
    else
        return generateSeries(n - 1) + generateSeries(n - 2)
End Function
```

a) 21

b) 34

c) 13

d) 55

What will be the output of the following pseudocode ?

```
Integer p, q, r, s
Set p = 4, q = 2, r = 1
s = (p AND q) OR (r + 1)
Print s
```

A) 1

B) 2

C) 3

D) 5

What will be the output of the following pseudocode ?

```
Integer x = 1, y = 2, z = 3
x = y + z
z = x - y
z = z + x
z = y + z
y = y + z
Print x, y, z
```

A) 1 2 3

B) 4 6 8

C) 5 12 10

D) 8 6 10

What will be the output of the following pseudocodefor n=2?

```
integer fun(int i)
if((i%2)!=0)
   return i;
else
   return fun(fun(i-1));
End function fun()
```

A. 1

B. 2

C. 3

D. Error

What will be the output of the following pseudocode ?

```
Integer a, b, c, d, e
Set a=50, b=3, c=3, e=0
while(c>0)
   d=a mod b
   e=e + d + a
   c=c - 1
End while
Print e
```

A. 165

B. 160

C. 156

D. Error

What will be the output of the following pseudocode for x=9, y=9?

```
fun(input x, input y)
if (x < y)
   return fun(y, x)
elseif (y != 0)
   return (x + fun(x, y - 1))
else
   return 0
```

A. 76

B. 56

C. 81

D. 68

What will be the output of the following pseudocode?

```
#include<stdio.h>
int main()
{
   int x=2, y=0, z=3;
   x > y ? printf("%d", z) : (return z);
}
```

A. 2

B. 3

C. Error

D. 11