ONLINESTUDY4U • MASTER COURSE SERIES

PUZZLE SOLVING

Infosys Puzzles & Numerical Logic Master E-Book

100 Matrix Puzzles, Mathematical Deduction, Lateral Thinking & PYQ Riddles

Target Role: Infosys SE (2026 Batch)

Total Questions: 139 Solved MCQs

Format: CampusMonk Master E-Book Standard

Status: 100% Verified & Answer-Keyed

Q001 NUMERICAL PUZZLES

Find the missing number.

2
5
12
3
6
21
4
7
?

(A) 28
(B) 30
(C) 32
(D) 36

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

Third
= first × second + 2. 2×5+2=12, 3×6+3=21 wait
18+3=21. first × second + first: 10+2=12, 18+3=21, 28+4=32.
Yes first × (second + 1).

Q002 NUMERICAL PUZZLES

Find the missing number.

21
8
13
34
15
19
47
20
?

(A) 27
(B) 25
(C) 29
(D) 31

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:

Third
= first − second. 21−8=13, 34−15=19, 47−20=27.

Q003 NUMERICAL PUZZLES

Find the missing number in the 3 × 3 grid.

2
5
17
4
3
19
6
4
?

A 28
B 30
C 34
D 36

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

In each row, third = first × second + first + second, which is the same as (first + 1)(second + 1) − 1. Row 1: 2×5 + 2 + 5 = 17. Row 2: 4×3 + 4 + 3 = 19. Row 3: 6×4 + 6 + 4 = 34. Check: (6+1)(4+1) − 1 = 34.

Q004 NUMERICAL PUZZLES

Find the missing number in the last row of the grid.

2
3
7
3
4
13
4
5
21
6
7
43
7
8
?

A 54
B 56
C 57
D 63

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

In every row, third = first × second +
1. Check: 2×3+1 = 7, 3×4+1 = 13, 4×5+1 = 21,
6×7+1 = 43. Therefore 7×8+1 = 57.

Q005 NUMERICAL PUZZLES

Find the missing number in the 3 × 3 grid.

39
24
?
76
35
27
58
42
32

A 16
B 19
C 21
D 24

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

In each row, third number = (product of digits of the first number) − (product of digits of the second number). Row 2: 7×6 − 3×5 = 42 − 15 = 27. Row 3: 5×8 − 4×2 = 40 − 8 = 32. Row 1: 3×9 − 2×4 = 27 − 8 = 19. So the missing number is 19.

Q006 NUMERICAL PUZZLES

Given is the set of four numbers that relate to each other in a certain way. Determine the missing number in the third set. Assume the third set works in the same way as the first and the second set.

Set 1	Set 2	Set 3
5		
10		
3		
6		
4		
16		
2		
8		
3		
15		
?		
10		

A 2
B 3
C 4
D 5

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
Within each set both rows use the same multiplier k, where right = left × k. Set 1: 5×2 = 10 and 3×2 = 6, so k = 2. Set 2: 4×4 = 16 and 2×4 = 8, so k = 4. Set 3: 3×5 = 15, so k = 5. Then ? × 5 = 10, hence ? = 2.

Q007 NUMERICAL PUZZLES

Find the next number.

6
13
27
55
111
?

A 221
B 223
C 225
D 227

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Each term = previous × 2 + 1. 6×2+1=13, 13×2+1=27, 27×2+1=55, 55×2+1=111, 111×2+1=223.

Q008 NUMERICAL PUZZLES

Find the missing number in the 3 × 3 matrix.

16
21
29
25
30
38
36
41
?

A 47
B 49
C 51
D 54

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

Each row adds 5, then 8: 16+5 = 21, 21+8 = 29; 25+5 = 30, 30+8 = 38. So 36+5 = 41 and 41+8 = 49. The first column is also consecutive squares: 4^2, 5^2, 6^2.

Q009 NUMERICAL PUZZLES

Find the next number in the pattern sequence.

3
8
15
24
35
?

A 46
B 48
C 49
D 50

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

The gaps are consecutive odd numbers starting at 5: 8−3 = 5, 15−8 = 7, 24−15 = 9, 35−24 = 11. The next gap is 13, so 35 + 13 = 48.
Equivalently, the terms are n(n+2) for n = 1, 2, 3, 4, 5, 6: 1×3=3, 2×4=8, 3×5=15, 4×6=24, 5×7=35, 6×8=48.

Q010 NUMERICAL PUZZLES

Find the missing number in the 3 × 3 matrix.
2
5
12
3
6
21
4
7
?

A 28
B 30
C 32
D 36

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
In each row, third = first × (second + 1). Row 1: 2 × 6 = 12. Row 2: 3 × 7 = 21. Row 3: 4 × 8 = 32.

Q011 NUMERICAL PUZZLES

Each figure is a circular wheel: four numbers sit on the rim and one sits at the centre. The same rule applies to both wheels. Find the missing centre number.
Wheel A
6
8
18
10
12
Wheel B
5
9
?
11
15

A 16
B 18
C 20
D 24

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
Opposite rim numbers add up to the centre.
Wheel A: 6+12 = 18 and 8+10 = 18. Wheel B: 5+15 = 20 and 9+11 = 20. So the missing centre is 20.

Q012 NUMERICAL PUZZLES

In each wheel the centre equals the sum of an opposite pair. Find the missing centre.
Wheel A
5
4
9
5
4
Wheel B
7
2
?
6
3

A 8
B 9
C 10
D 12

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Wheel A: 5+4=9 and 4+5=9. Wheel B: 7+2=9 and 6+3=9. The missing centre is 9.

Q013 NUMERICAL PUZZLES

Find the next number: 4, 9, 19, 39, 79, ?
4
9
19
39
79
?

A 149
B 157
C 159
D 169

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
Each term = previous × 2 + 1: 4×2+1=9, 9×2+1=19, 19×2+1=39, 39×2+1=79, 79×2+1=159.

Q014 NUMERICAL PUZZLES

Find the missing number.

2
3
8
3
4
15
4
5
?

A 22
B 24
C 26
D 30

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

Third = first × second + 2, then +3,
then +4: 2×3+2=8, 3×4+3=15, 4×5+4=24.
Equivalently first × (second + 1).

Q015 NUMERICAL PUZZLES

Find the missing number.

11
6
5
17
8
9
23
9
?

A 14
B 13
C 12
D 10

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:

Third = first − second: 11−6=5,
17−8=9, 23−9=14.

Q016 NUMERICAL PUZZLES

[Pattern Sequence] Find the next number.
5
6
14
45
184
?

A 900
B 920
C 925
D 945

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
×1+1=6, ×2+2=14, ×3+3=45,
×4+4=184, ×5+5=925.

Q017 NUMERICAL PUZZLES

[Matrix Logic] Find the missing number.
5
4
11
6
5
13
7
6
?

A 14
B 15
C 16
D 17

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
In each row, third = first + second + 2. So
7+6+2 = 15.

Q018 NUMERICAL PUZZLES

[Matrix Logic] Find the missing number.
9
16
25
4
9
16
1
4
?

A 9
B 8
C 7
D 6

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
Each row is consecutive squares: 3^2 4^2
5^2; 2^2 3^2 4^2; 1^2 2^2 3^2. Missing
9.

Q019 NUMERICAL PUZZLES

[Circular Wheel] The centre is the product of any opposite pair. Find ?.
Wheel A
2
8
16
2
8
Wheel B
3
5
?
3
5

A 8
B 10
C 15
D 30

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
Wheel A: 2×8=16. Wheel B: 3×5=15.
The missing centre is 15.

Q020 NUMERICAL PUZZLES

Centre = sum of each opposite pair. Find the missing centre.
Wheel A
8
3
11
8
3
Wheel B
9
6
?
7
4

A 12
B 13
C 15
D 16

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Wheel A: 8+3=11. Wheel B: 9+4=13 and 6+7=13.
Missing centre = 13.

Q021 NUMERICAL PUZZLES

Find the next number.
2
6
12
20
30
?

A 40
B 42
C 44
D 48

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Gaps +4, +6, +8, +10, next +12. 30+12=42.
Also n(n+1): 1×2, 2×3, 3×4, 4×5, 5×6,
6×7=42.

Q022 NUMERICAL PUZZLES

Find the missing number.
18
10
8
25
13
12
31
14
?

A 17
B 16
C 15
D 18

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
Third = first − second. 18−10=8,
25−13=12, 31−14=17.

Q023 NUMERICAL PUZZLES

Find the missing number.
3
4
15
5
6
33
7
8
?

A 54
B 55
C 59
D 63

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
Third = first × second + 3. 3×4+3=15,
5×6+3=33, 7×8+3=59.

Q024 NUMERICAL PUZZLES

The centre equals the sum of each pair of opposite rim numbers. Find the missing centre.

Set 1

6

10

16

6

10

Set 2

5

4

?

10

9

A 12

B 14

C 15

D 18

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

Set 1: 6+10=16. Set 2: 5+9=14 and 4+10=14.
Missing centre = 14.

Q025 NUMERICAL PUZZLES

Find the missing number.

4

7

18

5

8

23

6

9

?

A 26

B 27

C 28

D 30

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

Third = 5 × first − 2. Check:
5×4 − 2 = 18, 5×5 − 2 = 23, 5×6 −
2 = 28.

Q026 NUMERICAL PUZZLES

Find the next number.
3
10
29
66
127
?

A 200
B 214
C 218
D 226

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
Each term is $n^3 + 2$: $1^3+2=3$,
$2^3+2=10$, $3^3+2=29$, $4^3+2=66$, $5^3+2=127$, $6^3+2=218$.

Q027 NUMERICAL PUZZLES

Find the missing number.
3
8
11
6
10
16
9
12
?

A 19
B 21
C 22
D 24

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
In each row the third cell is the sum of the
first two: 3+8=11, 6+10=16, 9+12=21.

Q028 NUMERICAL PUZZLES

Find the missing number.
5
3
17
6
4
26
7
5
?

A 35
B 37
C 39
D 41

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Third
= first × second + 2. 5×3+2=17, 6×4+2=26,
7×5+2=37.

Q029 NUMERICAL PUZZLES

Find the next number.
7
10
16
28
52
?

A 100
B 104
C 108
D 96

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
Each
term = previous × 2 − 4. 7×2−4=10,
10×2−4=16, 16×2−4=28, 28×2−4=52,
52×2−4=100.

Q030 NUMERICAL PUZZLES

The centre is the product of each pair of opposite rim numbers. Find the missing centre.
Set 1
3
7
21
3
7
Set 2
4
6
?
4
6

A 18
B 24
C 28
D 36

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Set
1: 3×7=21. Set 2: 4×6=24.

Q031 NUMERICAL PUZZLES

Find the missing number.
15
8
7
22
9
13
30
12
?

A 16
B 18
C 20
D 22

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Third
= first − second. 15−8=7, 22−9=13, 30−12=18.

Q032 NUMERICAL PUZZLES

Find the missing number.
6
4
26
7
5
37
8
6
?

A 48
B 50
C 52
D 54

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Third
= first × second + 2. 6×4+2=26, 7×5+2=37,
8×6+2=50.

Q033 NUMERICAL PUZZLES

Find the missing number.
10
15
25
12
18
30
14
21
?

A 32
B 34
C 35
D 42

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
Third
= first + second. 10+15=25, 12+18=30, 14+21=35.

Q034 NUMERICAL PUZZLES

The centre equals the difference of each pair of opposite rim numbers. Find the missing centre.
Set 1
18
11
7
4
11
Set 2
21
13
?
5
13

A 6
B 8
C 10
D 16

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Set 1: 18−11=7 and 11−4=7. Set 2: 21−13=8 and 13−5=8. Missing centre = 8.

Q035 NUMERICAL PUZZLES

Find the next number.
5
8
14
26
50
?

A 96
B 98
C 100
D 102

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Each term = previous × 2 − 2. 50 × 2 − 2 = 98.

Q036 NUMERICAL PUZZLES

The
centre equals the sum of each pair of opposite rim numbers. Find the missing number.
13
10
?
8
5

A 16
B 18
C 21
D 23

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
13
+ 5 = 18 and 10 + 8 = 18. Missing centre = 18.

Q037 NUMERICAL PUZZLES

Find the missing number.
16
9
7
25
11
14
36
15
?

A 19
B 21
C 22
D 24

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Third
= first − second. 16−9=7, 25−11=14, 36−15=21.

Q038 NUMERICAL PUZZLES

Find the next number.
4
9
19
39
79
?

A 159
B 157
C 161
D 163

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
Each
term = previous × 2 + 1. 4×2+1=9, 9×2+1=19,
19×2+1=39, 39×2+1=79, 79×2+1=159.

Q039 NUMERICAL PUZZLES

Find the missing number.
4
9
21
5
8
23
6
7
?

A 24
B 25
C 27
D 29

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
Third
= first × 3 + second. 4×3+9=21, 5×3+8=23,
6×3+7=25.

Q040 MATRIX & GRID LOGIC

1. Find the missing number (?) from the given matrix:
18
16
34
16
20
36

A 6
B 15
C 30
D 18

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

18
16
34
16
20
36
5
13
?

Answer: D) 18

Solution: Each row follows: third = first + second. So ? = 5 + 13 = 18.

Q041 MATRIX & GRID LOGIC

2. Find the missing number (?) from the given matrix:
7
8
15
21
12
33

A 34
B 31
C 19
D 43

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
7
8
15
21
12
33
12
19
?
Answer: B) 31
Solution: Each row follows: third = first + second. So ? = 12 + 19 = 31.

Q042 MATRIX & GRID LOGIC

3. Find the missing number (?) from the given matrix:
16
4
20
13
17
30

A 32
B 26
C 36
D 18

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
16
4
20
13
17
30
21
5
?
Answer: B) 26
Solution: Each row follows: third = first + second. So ? = 21 + 5 = 26.

Q043 MATRIX & GRID LOGIC

4. Find the missing number (?) from the given matrix:

16
9
25
13
15
28

A 42
B 30
C 25
D 48

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

16
9
25
13
15
28
18
12
?

Answer: B) 30

Solution: Each row follows: third = first + second. So ? = 18 + 12 = 30.

Q044 MATRIX & GRID LOGIC

5. Find the missing number (?) from the given matrix:
8
15
23
18
5
23

A 37
B 22
C 47
D 45

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
8
15
23
18
5
23
21
16
?
Answer: A) 37
Solution: Each row follows: third = first + second. So ? = 21 + 16 = 37.

Q045 MATRIX & GRID LOGIC

6. Find the missing number (?) from the given matrix:

25
15
10
33
11
22

A 4
B 21
C 13
D 16

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

25
15
10
33
11
22
26
10
?

Answer: D) 16

Solution: Each row follows: third = first − second. So ? = 26 − 10 = 16.

Q046 MATRIX & GRID LOGIC

7. Find the missing number (?) from the given matrix:

11
4
7
34
9
25

A 2
B 9
C 18
D 6

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

11
4
7
34
9
25
14
8
?

Answer: D) 6

Solution: Each row follows: third = first − second. So ? = 14 − 8 = 6.

Q047 MATRIX & GRID LOGIC

8. Find the missing number (?) from the given matrix:
30
8
22
25
5
20

A 23
B 22
C 11
D 17

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

30
8
22
25
5
20
31
14
?

Answer: D) 17

Solution: Each row follows: third = first − second. So ? = 31 − 14 = 17.

Q048 MATRIX & GRID LOGIC

9. Find the missing number (?) from the given matrix:
23
9
14
31
9
22

A 18
B 21
C 30
D 15

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
23
9
14
31
9
22
20
5
?
Answer: D) 15
Solution: Each row follows: third = first − second. So ? = 20 − 5 = 15.

Q049 MATRIX & GRID LOGIC

10. Find the missing number (?) from the given matrix:

15
5
10
22
9
13

A 29
B 23
C 19
D 11

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

15
5
10
22
9
13
14
3
?

Answer: D) 11

Solution: Each row follows: third = first − second. So ? = 14 − 3 = 11.

Q050 MATRIX & GRID LOGIC

11. Find the missing number (?) from the given matrix:
7
5
35
4
3
12

A 66
B 74
C 56
D 52

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
7
5
35
4
3
12
8
7
?
Answer: C) 56
Solution: Each row follows: third = first × second. So ? = 8 × 7 = 56.

Q051 MATRIX & GRID LOGIC

12. Find the missing number (?) from the given matrix:

9
3
27
4
8
32

A 12
B 2
C 17
D 16

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:

9
3
27
4
8
32
2
6
?

Answer: A) 12

Solution: Each row follows: third = first × second. So ? = 2 × 6 = 12.

Q052 MATRIX & GRID LOGIC

13. Find the missing number (?) from the given matrix:
9
4
36
9
8
72

A 38
B 50
C 27
D 32

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
9
4
36
9
8
72
8
4
?
Answer: D) 32
Solution: Each row follows: third = first × second. So ? = 8 × 4 = 32.

Q053 MATRIX & GRID LOGIC

14. Find the missing number (?) from the given matrix:
2
4
8
6
6
36

A 54
B 36
C 33
D 40

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
2
4
8
6
6
36
9
4
?
Answer: B) 36
Solution: Each row follows: third = first × second. So ? = 9 × 4 = 36.

Q054 MATRIX & GRID LOGIC

15. Find the missing number (?) from the given matrix:

5
6
30
3
3
9

(A) 18
(B) 28
(C) 14
(D) 8

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:

5
6
30
3
3
9
9
2
?

Answer: A) 18

Solution: Each row follows: third = first × second. So ? = 9 × 2 = 18.

Q055 MATRIX & GRID LOGIC

16. Find the missing number (?) from the given matrix:
6
3
2
64
8
8

A 17
B 10
C 7
D 25

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
6
3
2
64
8
8
63
9
?
Answer: C) 7
Solution: Each row follows: third = first ÷ second. So ? = 63 ÷ 9 = 7.

Q056 MATRIX & GRID LOGIC

17. Find the missing number (?) from the given matrix:
15
3
5
36
6
6

A 12
B 8
C 19
D 4

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
15
3
5
36
6
6
8
2
?
Answer: D) 4
Solution: Each row follows: third = first ÷ second. So ? = 8 ÷ 2 = 4.

Q057 MATRIX & GRID LOGIC

18. Find the missing number (?) from the given matrix:

6
2
3
8
4
2

A 6
B 13
C 9
D 3

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

6
2
3
8
4
2
72
8
?

Answer: C) 9

Solution: Each row follows: third = first ÷ second. So ? = 72 ÷ 8 = 9.

Q058 MATRIX & GRID LOGIC

19. Find the missing number (?) from the given matrix:
12
6
2
36
6
6

A 2
B 6
C 5
D 7

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
12
6
2
36
6
6
8
4
?
Answer: A) 2
Solution: Each row follows: third = first ÷ second. So ? = 8 ÷ 4 = 2.

Q059 MATRIX & GRID LOGIC

20. Find the missing number (?) from the given matrix:

15
5
3
49
7
7

A 22
B 7
C 12
D 4

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

15
5
3
49
7
7
42
6
?

Answer: B) 7

Solution: Each row follows: third = first ÷ second. So ? = 42 ÷ 6 = 7.

Q060 MATRIX & GRID LOGIC

21. Find the missing number (?) from the given matrix:
5
3
28
5
1
26

A 8
B 14
C 18
D 12

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
5
3
28
5
1
26
1
7
?
Answer: A) 8
Solution: Each row follows: third = first^2 + second. So ? = 1^2 + 7 = 8.

Q061 MATRIX & GRID LOGIC

22. Find the missing number (?) from the given matrix:
7
5
54
6
10
46

A 49
B 54
C 57
D 45

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
7
5
54
6
10
46
7
8
?
Answer: C) 57
Solution: Each row follows: third = first^2 + second. So ? = 7^2 + 8 = 57.

Q062 MATRIX & GRID LOGIC

23. Find the missing number (?) from the given matrix:
6
5
41
6
1
37

A 37
B 12
C 27
D 42

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
6
5
41
6
1
37
5
2
?
Answer: C) 27
Solution: Each row follows: third = first^2 + second. So ? = 5^2 + 2 = 27.

Q063 MATRIX & GRID LOGIC

24. Find the missing number (?) from the given matrix:

3
5
14
5
4
29

A 15
B 27
C 21
D 23

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

3
5
14
5
4
29
5
2
?

Answer: B) 27

Solution: Each row follows: third = first^2 + second. So ? = 5^2 + 2 = 27.

Q064 MATRIX & GRID LOGIC

25. Find the missing number (?) from the given matrix:

1
2
3
6
5
41

A 66
B 54
C 49
D 39

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

1
2
3
6
5
41
7
5
?

Answer: B) 54

Solution: Each row follows: third = first^2 + second. So ? = 7^2 + 5 = 54.

Q065 MATRIX & GRID LOGIC

26. Find the missing number (?) from the given matrix:
8
36
28
9
59
22

A 31
B 25
C 21
D 17

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
8
36
28
9
59
22
9
60
?
Answer: C) 21
Solution: Each row follows: third = first^2 − second. So ? = 9^2 − 60 = 21.

Q066 MATRIX & GRID LOGIC

27. Find the missing number (?) from the given matrix:
6
16
20
6
9
27

A 45
B 51
C 41
D 36

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

6
16
20
6
9
27
9
40
?

Answer: C) 41

Solution: Each row follows: third = first^2 − second. So ? = 9^2 − 40 = 41.

Q067 MATRIX & GRID LOGIC

28. Find the missing number (?) from the given matrix:

4
3
13
4
7
9

A 15
B 30
C 9
D 7

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:

4
3
13
4
7
9
4
1
?

Answer: A) 15

Solution: Each row follows: third = first^2 − second. So ? = 4^2 − 1 = 15.

Q068 MATRIX & GRID LOGIC

29. Find the missing number (?) from the given matrix:
10
11
89
9
63
18

A 27
B 9
C 11
D 15

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
10
11
89
9
63
18
6
21
?
Answer: D) 15
Solution: Each row follows: third = first^2 − second. So ? = 6^2 − 21 = 15.

Q069 MATRIX & GRID LOGIC

30. Find the missing number (?) from the given matrix:
7
47
2
6
34
2

A 4
B 19
C 29
D 25

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
7
47
2
6
34
2
8
45
?
Answer: B) 19
Solution: Each row follows: third = first^2 − second. So ? = 8^2 − 45 = 19.

Q070 MATRIX & GRID LOGIC

31. Find the missing number (?) from the given matrix:

3
5
34
6
3
45

A 49
B 40
C 52
D 64

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

3
5
34
6
3
45
6
4
?

Answer: C) 52

Solution: Each row follows: third = first² + second². So ? = $6^2 + 4^2 = 52$.

Q071 MATRIX & GRID LOGIC

32. Find the missing number (?) from the given matrix:
1
3
10
7
7
98

A 17
B 12
C 13
D 2

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
1
3
10
7
7
98
1
4
?
Answer: A) 17
Solution: Each row follows: third = first^2 + second^2. So ? = $1^2 + 4^2 = 17$.

Q072 MATRIX & GRID LOGIC

33. Find the missing number (?) from the given matrix:
7
5
74
4
2
20

A 40
B 35
C 48
D 55

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
7
5
74
4
2
20
6
2
?
Answer: A) 40
Solution: Each row follows: third = first² + second². So ? = $6^2 + 2^2 = 40$.

Q073 MATRIX & GRID LOGIC

34. Find the missing number (?) from the given matrix:
7
5
74
4
1
17

A 44
B 52
C 46
D 57

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
7
5
74
4
1
17
6
4
?
Answer: B) 52
Solution: Each row follows: third = first² + second². So ? = $6^2 + 4^2 = 52$.

Q074 MATRIX & GRID LOGIC

35. Find the missing number (?) from the given matrix:
2
6
40
7
7
98

A 108
B 98
C 95
D 93

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
2
6
40
7
7
98
7
7
?
Answer: B) 98
Solution: Each row follows: third = first^2 + second^2. So ? = 7^2 + 7^2 = 98.

Q075 MATRIX & GRID LOGIC

36. Find the missing number (?) from the given matrix:
6
1
13
6
6
18

A 9
B 27
C 11
D 17

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
6
1
13
6
6
18
3
11
?
Answer: D) 17
Solution: Each row follows: third = 2×first + second. So ? = 2×3 + 11 = 17.

Q076 MATRIX & GRID LOGIC

37. Find the missing number (?) from the given matrix:
15
12
42
14
11
39

A 9
B 3
C 27
D 15

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
15
12
42
14
11
39
4
1
?
Answer: A) 9
Solution: Each row follows: third = 2×first + second. So ? = 2×4 + 1 = 9.

Q077 MATRIX & GRID LOGIC

38. Find the missing number (?) from the given matrix:
15
4
34
14
2
30

A 39
B 57
C 43
D 44

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
15
4
34
14
2
30
14
11
?
Answer: A) 39
Solution: Each row follows: third = 2×first + second. So ? = 2×14 + 11 = 39.

Q078 MATRIX & GRID LOGIC

39. Find the missing number (?) from the given matrix:
11
7
29
6
6
18

A 19
B 23
C 21
D 13

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
11
7
29
6
6
18
5
3
?
Answer: D) 13
Solution: Each row follows: third = 2×first + second. So ? = 2×5 + 3 = 13.

Q079 MATRIX & GRID LOGIC

40. Find the missing number (?) from the given matrix:

10
11
31
2
5
9

A 17
B 29
C 24
D 14

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

10
11
31
2
5
9
2
10
?

Answer: D) 14

Solution: Each row follows: third = 2×first + second. So ? = 2×2 + 10 = 14.

Q080 MATRIX & GRID LOGIC

41. Find the missing number (?) from the given matrix:
11
7
26
2
10
-4

A 17
B 9
C 5
D 1

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
11
7
26
2
10
-4
3
4
?
Answer: C) 5
Solution: Each row follows: third = 3×first − second. So ? = 3×3 − 4 = 5.

Q081 MATRIX & GRID LOGIC

42. Find the missing number (?) from the given matrix:

5
5
10
7
8
13

A 19
B 14
C 2
D 32

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

5
5
10
7
8
13
8
10
?

Answer: B) 14

Solution: Each row follows: third = 3×first − second. So ? = 3×8 − 10 = 14.

Q082 MATRIX & GRID LOGIC

43. Find the missing number (?) from the given matrix:
9
7
20
11
9
24

A 31
B 11
C 44
D 26

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
9
7
20
11
9
24
12
10
?
Answer: D) 26
Solution: Each row follows: third = 3×first − second. So ? = 3×12 − 10 = 26.

Q083 MATRIX & GRID LOGIC

44. Find the missing number (?) from the given matrix:
9
1
26
5
1
14

A -1
B 2
C 11
D 17

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
9
1
26
5
1
14
2
7
?
Answer: A) -1
Solution: Each row follows: third = 3×first − second. So ? = 3×2 − 7 = -1.

Q084 MATRIX & GRID LOGIC

45. Find the missing number (?) from the given matrix:
7
5
16
12
1
35

A 23
B 16
C 6
D 11

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
7
5
16
12
1
35
6
7
?
Answer: D) 11
Solution: Each row follows: third = 3×first − second. So ? = 3×6 − 7 = 11.

Q085 MATRIX & GRID LOGIC

46. Find the missing number (?) from the given matrix:
21
29
25
27
17
22

A 23
B 28
C 18
D 38

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
21
29
25
27
17
22
26
20
?
Answer: A) 23
Solution: Each row follows: third = average of first and second. So ? = (26 + 20) ÷ 2 = 23.

Q086 MATRIX & GRID LOGIC

47. Find the missing number (?) from the given matrix:
7
25
16
30
6
18

A 10
B 13
C 25
D 31

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
7
25
16
30
6
18
13
13
?
Answer: B) 13
Solution: Each row follows: third = average of first and second. So ? = (13 + 13) ÷ 2 = 13.

Q087 MATRIX & GRID LOGIC

48. Find the missing number (?) from the given matrix:
10
24
17
24
26
25

A 31
B 21
C 25
D 15

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
10
24
17
24
26
25
26
24
?
Answer: C) 25
Solution: Each row follows: third = average of first and second. So ? = (26 + 24) ÷ 2 = 25.

Q088 MATRIX & GRID LOGIC

49. Find the missing number (?) from the given matrix:
27
29
28
19
23
21

A 15
B 12
C 20
D 5

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
27
29
28
19
23
21
4
26
?
Answer: A) 15
Solution: Each row follows: third = average of first and second. So ? = (4 + 26) ÷ 2 = 15.

Q089 MATRIX & GRID LOGIC

50. Find the missing number (?) from the given matrix:
10
20
15
25
25
25

A 34
B 30
C 24
D 19

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
10
20
15
25
25
25
24
24
?
Answer: C) 24
Solution: Each row follows: third = average of first and second. So ? = (24 + 24) ÷ 2 = 24.

Q090 MATRIX & GRID LOGIC

51. Find the missing number (?) from the given matrix:
11
9
18
7
9
9

A 3
B 18
C 2
D 6

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
11
9
18
7
9
9
6
4
?
Answer: D) 6
Solution: Each row gives the digit sum of (first × second). For the last row: 6×4=24; digit sum = 6.

Q091 MATRIX & GRID LOGIC

52. Find the missing number (?) from the given matrix:
16
7
4
6
7
6

A 19
B 4
C 9
D 22

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
16
7
4
6
7
6
20
2
?
Answer: B) 4
Solution: Each row gives the digit sum of (first × second). For the last row: 20×2=40; digit sum = 4.

Q092 MATRIX & GRID LOGIC

53. Find the missing number (?) from the given matrix:

12
7
12
12
2
6

A 24
B 13
C 17
D 9

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

12
7
12
12
2
6
18
6
?

Answer: D) 9

Solution: Each row gives the digit sum of (first × second). For the last row: 18×6=108; digit sum = 9.

Q093 MATRIX & GRID LOGIC

54. Find the missing number (?) from the given matrix:
18
7
9
15
3
9

A 6
B 1
C 11
D 9

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
18
7
9
15
3
9
5
2
?
Answer: B) 1
Solution: Each row gives the digit sum of (first × second). For the last row: 5×2=10; digit sum = 1.

Q094 MATRIX & GRID LOGIC

55. Find the missing number (?) from the given matrix:

16
6
15
7
9
9

A 16
B 11
C 26
D 19

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

16
6
15
7
9
9
14
4
?

Answer: B) 11

Solution: Each row gives the digit sum of (first × second). For the last row: 14×4=56; digit sum = 11.

Q095 MATRIX & GRID LOGIC

56. Find the missing number (?) from the given matrix:
35
4
19
26
4
16

A 17
B 1
C 9
D 6

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

35
4
19
26
4
16
20
9
?

Answer: C) 9

Solution: Each row follows: third = product of digits of first + second. For the last row, digit product of 20 is 0, so ? = 0 + 9 = 9.

Q096 MATRIX & GRID LOGIC

57. Find the missing number (?) from the given matrix:
30
3
3
10
6
6

A 14
B 15
C 18
D 10

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

30
3
3
10
6
6
12
8
?

Answer: D) 10

Solution: Each row follows: third = product of digits of first + second. For the last row, digit product of 12 is 2, so ? = 2 + 8 = 10.

Q097 MATRIX & GRID LOGIC

58. Find the missing number (?) from the given matrix:
49
7
43
42
6
14

A 26
B 15
C 12
D 20

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
49
7
43
42
6
14
29
2
?
Answer: D) 20
Solution: Each row follows: third = product of digits of first + second. For the last row, digit product of 29 is 18, so ? = 18 + 2 = 20.

Q098 MATRIX & GRID LOGIC

59. Find the missing number (?) from the given matrix:
13
9
12
37
9
30

A 9
B 6
C 12
D 30

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
13
9
12
37
9
30
24
4
?
Answer: C) 12
Solution: Each row follows: third = product of digits of first + second. For the last row, digit product of 24 is 8, so ? = 8 + 4 = 12.

Q099 MATRIX & GRID LOGIC

60. Find the missing number (?) from the given matrix:
30
2
2
41
4
8

A 41
B 34
C 29
D 23

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

30
2
2
41
4
8
38
5
?

Answer: C) 29

Solution: Each row follows: third = product of digits of first + second. For the last row, digit product of 38 is 24, so ? = 24 + 5 = 29.

Q100 MATRIX & GRID LOGIC

61. Find the missing number (?) from the given matrix:
5
2
25
6
5
7776

A 7776
B 7794
C 7781
D 7779

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
5
2
25
6
5
7776
6
5
?
Answer: A) 7776
Solution: Each row follows: third = first raised to the power of second. So ? = 6^5 = 7776.

Q101 MATRIX & GRID LOGIC

62. Find the missing number (?) from the given matrix:
3
3
27
4
3
64

A 35
B 25
C 15
D 10

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

3
3
27
4
3
64
5
2
?

Answer: B) 25

Solution: Each row follows: third = first raised to the power of second. So ? = 5^2 = 25.

Q102 MATRIX & GRID LOGIC

63. Find the missing number (?) from the given matrix:
4
3
64
5
4
625

A 143
B 121
C 125
D 115

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
4
3
64
5
4
625
5
3
?
Answer: C) 125
Solution: Each row follows: third = first raised to the power of second. So ? = 5^3 = 125.

Q103 MATRIX & GRID LOGIC

64. Find the missing number (?) from the given matrix:
2
4
16
4
1
4

A 1024
B 1014
C 1039
D 1018

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
2
4
16
4
1
4
4
5
?
Answer: A) 1024
Solution: Each row follows: third = first raised to the power of second. So ? = 4^5 = 1024.

Q104 MATRIX & GRID LOGIC

65. Find the missing number (?) from the given matrix:
6
3
216
2
3
8

A 17
B 5
C 15
D 10

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
6
3
216
2
3
8
5
1
?
Answer: B) 5
Solution: Each row follows: third = first raised to the power of second. So ? = 5^1 = 5.

Q105 MATRIX & GRID LOGIC

66. Find the missing number (?) from the given matrix:

3
1
12
5
1
30

A 18
B 8
C 22
D 13

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:

3
1
12
5
1
30
3
3
?

Answer: A) 18

Solution: Each row follows: third = first × (first + second). So ? = 3×(3+3) = 18.

Q106 MATRIX & GRID LOGIC

67. Find the missing number (?) from the given matrix:
7
6
91
3
2
15

A 56
B 41
C 64
D 68

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
7
6
91
3
2
15
7
1
?
Answer: A) 56
Solution: Each row follows: third = first × (first + second). So ? = 7×(7+1) = 56.

Q107 MATRIX & GRID LOGIC

68. Find the missing number (?) from the given matrix:
8
2
80
5
7
60

A 22
B 4
C 14
D 24

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
8
2
80
5
7
60
2
5
?
Answer: C) 14
Solution: Each row follows: third = first × (first + second). So ? = 2×(2+5) = 14.

Q108 MATRIX & GRID LOGIC

69. Find the missing number (?) from the given matrix:
5
6
55
6
7
78

A 90
B 84
C 88
D 92

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
5
6
55
6
7
78
7
5
?
Answer: B) 84
Solution: Each row follows: third = first × (first + second). So ? = 7×(7+5) = 84.

Q109 MATRIX & GRID LOGIC

70. Find the missing number (?) from the given matrix:
7
3
70
6
5
66

A 55
B 65
C 75
D 62

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
7
3
70
6
5
66
5
8
?
Answer: B) 65
Solution: Each row follows: third = first × (first + second). So ? = 5×(5+8) = 65.

Q110 MATRIX & GRID LOGIC

71. Find the missing number (?) from the given matrix:
11
8
9
15
2
11

A 10
B 25
C 20
D 35

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
11
8
9
15
2
11
26
10
?
Answer: C) 20
Solution: Each bottom value is the sum of the two values above it in the same column. Thus ? = 9 + 11 = 20.

Q111 MATRIX & GRID LOGIC

72. Find the missing number (?) from the given matrix:
14
2
8
12
7
8

A 16
B 20
C 34
D 22

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:

14
2
8
12
7
8
26
9
?

Answer: A) 16

Solution: Each bottom value is the sum of the two values above it in the same column. Thus ? = 8 + 8 = 16.

Q112 MATRIX & GRID LOGIC

73. Find the missing number (?) from the given matrix:
12
5
2
10
11
10

A 12
B 9
C 18
D 17

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
12
5
2
10
11
10
22
16
?
Answer: A) 12
Solution: Each bottom value is the sum of the two values above it in the same column. Thus ? = 2 + 10 = 12.

Q113 MATRIX & GRID LOGIC

74. Find the missing number (?) from the given matrix:

4
3
4
2
6
14

A 22
B 18
C 15
D 14

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

4
3
4
2
6
14
6
9
?

Answer: B) 18

Solution: Each bottom value is the sum of the two values above it in the same column. Thus ? = 4 + 14 = 18.

Q114 MATRIX & GRID LOGIC

75. Find the missing number (?) from the given matrix:
6
12
3
3
11
3

A 21
B 10
C 12
D 6

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
6
12
3
3
11
3
9
23
?
Answer: D) 6
Solution: Each bottom value is the sum of the two values above it in the same column. Thus ? = 3 + 3 = 6.

Q115 MATRIX & GRID LOGIC

76. Find the missing number (?) from the given matrix:
15
21
22
7
13
14

A 23
B 8
C 5
D 16

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
15
21
22
7
13
14
8
8
?
Answer: B) 8
Solution: Each bottom value is top minus middle in the same column. Thus ? = 22 − 14 = 8.

Q116 MATRIX & GRID LOGIC

77. Find the missing number (?) from the given matrix:
17
16
21
9
12
6

A 5
B 23
C 15
D 10

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
17
16
21
9
12
6
8
4
?
Answer: C) 15
Solution: Each bottom value is top minus middle in the same column. Thus ? = 21 − 6 = 15.

Q117 MATRIX & GRID LOGIC

78. Find the missing number (?) from the given matrix:
11
20
24
3
13
14

A 15
B 18
C 4
D 10

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
11
20
24
3
13
14
8
7
?
Answer: D) 10
Solution: Each bottom value is top minus middle in the same column. Thus ? = 24 − 14 = 10.

Q118 MATRIX & GRID LOGIC

79. Find the missing number (?) from the given matrix:
12
25
7
9
11
3

A 1
B 14
C 4
D 8

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:
12
25
7
9
11
3
3
14
?
Answer: C) 4
Solution: Each bottom value is top minus middle in the same column. Thus ? = 7 − 3 = 4.

Q119 MATRIX & GRID LOGIC

80. Find the missing number (?) from the given matrix:
24
19
28
15
10
15

A 21
B 10
C 9
D 13

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

24
19
28
15
10
15
9
9
?

Answer: D) 13

Solution: Each bottom value is top minus middle in the same column. Thus ? = 28 − 15 = 13.

Q120 MATRIX & GRID LOGIC

81. Find the missing number (?) from the given matrix:

8
8
6
8
2
4

A 32
B 24
C 14
D 16

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

8
8
6
8
2
4
64
16
?

Answer: B) 24

Solution: Each bottom value is the product of the two values above it. Thus ? = 6 × 4 = 24.

Q121 MATRIX & GRID LOGIC

82. Find the missing number (?) from the given matrix:

2
3
8
3
3
2

A 16
B 28
C 26
D 4

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:

2
3
8
3
3
2
6
9
?

Answer: A) 16

Solution: Each bottom value is the product of the two values above it. Thus ? = 8 × 2 = 16.

Q122 MATRIX & GRID LOGIC

83. Find the missing number (?) from the given matrix:

6
7
5
6
7
3

A 30
B 10
C 15
D 18

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

6
7
5
6
7
3
36
49
?

Answer: C) 15

Solution: Each bottom value is the product of the two values above it. Thus ? = 5 × 3 = 15.

Q123 MATRIX & GRID LOGIC

84. Find the missing number (?) from the given matrix:

8
3
7
5
5
4

A 31
B 22
C 32
D 28

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

8
3
7
5
5
4
40
15
?

Answer: D) 28

Solution: Each bottom value is the product of the two values above it. Thus ? = 7 × 4 = 28.

Q124 MATRIX & GRID LOGIC

85. Find the missing number (?) from the given matrix:

4
3
6
7
5
2

A 15
B 17
C 18
D 12

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

4
3
6
7
5
2
28
15
?

Answer: D) 12

Solution: Each bottom value is the product of the two values above it. Thus ? = 6 × 2 = 12.

Q125 MATRIX & GRID LOGIC

86. Find the missing number (?) from the given matrix:
13
11
20
15
5
20

A 20
B 35
C 24
D 26

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
13
11
20
15
5
20
14
8
?
Answer: A) 20
Solution: Each bottom value is the average of the two values above it. Thus ? = (20 + 20) ÷ 2 = 20.

Q126 MATRIX & GRID LOGIC

87. Find the missing number (?) from the given matrix:
2
12
20
4
13
8

A 2
B 32
C 8
D 14

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

2
12
20
4
13
8
3
12
?

Answer: D) 14

Solution: Each bottom value is the average of the two values above it. Thus ? = (20 + 8) ÷ 2 = 14.

Q127 MATRIX & GRID LOGIC

88. Find the missing number (?) from the given matrix:

8
8
12
20
6
8

A 25
B 10
C 4
D 7

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

8
8
12
20
6
8
14
7
?

Answer: B) 10

Solution: Each bottom value is the average of the two values above it. Thus ? = (12 + 8) ÷ 2 = 10.

Q128 MATRIX & GRID LOGIC

89. Find the missing number (?) from the given matrix:
17
3
4
15
7
10

A 25
B 7
C 22
D 13

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
17
3
4
15
7
10
16
5
?
Answer: B) 7
Solution: Each bottom value is the average of the two values above it. Thus ? = (4 + 10) ÷ 2 = 7.

Q129 MATRIX & GRID LOGIC

90. Find the missing number (?) from the given matrix:

2
3
18
14
7
14

A 24
B 16
C 11
D 34

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

2
3
18
14
7
14
8
5
?

Answer: B) 16

Solution: Each bottom value is the average of the two values above it. Thus ? = (18 + 14) ÷ 2 = 16.

Q130 MATRIX & GRID LOGIC

91. Find the missing number (?) from the given matrix:

4
1
3
4
4
6

(A) 8
(B) 18
(C) 3
(D) 23

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

4
1
3
4
4
6
9
4
9
17
9
?

Answer: B) 18

Solution: The last row contains column-wise totals of the first three rows. Therefore ? = 3 + 6 + 9 = 18.

Q131 MATRIX & GRID LOGIC

92. Find the missing number (?) from the given matrix:

9
6
7
8
6
3

A 27
B 21
C 23
D 17

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

9
6
7
8
6
3
4
7
7
21
19
?

Answer: D) 17

Solution: The last row contains column-wise totals of the first three rows. Therefore ? = 7 + 3 + 7 = 17.

Q132 MATRIX & GRID LOGIC

93. Find the missing number (?) from the given matrix:

3
1
4
8
2
2

(A) 10
(B) 7
(C) 13
(D) 25

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:

3
1
4
8
2
2
4
1
1
15
4
?

Answer: B) 7

Solution: The last row contains column-wise totals of the first three rows. Therefore ? = 4 + 2 + 1 = 7.

Q133 MATRIX & GRID LOGIC

94. Find the missing number (?) from the given matrix:

5
7
7
5
9
7

A 15
B 9
C 30
D 25

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:

5
7
7
5
9
7
6
4
1
16
20
?

Answer: A) 15

Solution: The last row contains column-wise totals of the first three rows. Therefore ? = 7 + 7 + 1 = 15.

Q134 MATRIX & GRID LOGIC

95. Find the missing number (?) from the given matrix:

4
8
7
5
4
1

A 1
B 5
C 10
D 13

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:

4
8
7
5
4
1
6
2
5
15
14
?

Answer: D) 13

Solution: The last row contains column-wise totals of the first three rows. Therefore ? = 7 + 1 + 5 = 13.

Q135 MATRIX & GRID LOGIC

96. Find the missing number (?) from the given matrix:
10
15
6
11
26
9

A 18
B 7
C 19
D 22

CORRECT ANSWER Option (D)

STEP-BY-STEP LOGIC & EXPLANATION:
10
15
6
11
26
9
2
9
?
Answer: D) 22
Solution: Using the diagonal rule: center = top-left + bottom-right − top-right. Hence ? = center + top-right − top-left = 26 +
6 − 10 = 22.

Q136 MATRIX & GRID LOGIC

97. Find the missing number (?) from the given matrix:

3
3
3
8
11
7

A 1
B 17
C 11
D 29

CORRECT ANSWER Option (C)

STEP-BY-STEP LOGIC & EXPLANATION:

3
3
3
8
11
7
11
15
?

Answer: C) 11

Solution: Using the diagonal rule: center = top-left + bottom-right − top-right. Hence ? = center + top-right − top-left = 11 +
3 − 3 = 11.

Q137 MATRIX & GRID LOGIC

98. Find the missing number (?) from the given matrix:
11
11
12
9
27
3

A 28
B 38
C 40
D 24

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
11
11
12
9
27
3
2
11
?
Answer: A) 28
Solution: Using the diagonal rule: center = top-left + bottom-right − top-right. Hence ? = center + top-right − top-left = 27 +
12 − 11 = 28.

Q138 MATRIX & GRID LOGIC

99. Find the missing number (?) from the given matrix:
9
9
8
7
11
11

A 10
B 16
C 6
D 15

CORRECT ANSWER Option (A)

STEP-BY-STEP LOGIC & EXPLANATION:
9
9
8
7
11
11
10
6
?
Answer: A) 10
Solution: Using the diagonal rule: center = top-left + bottom-right − top-right. Hence ? = center + top-right − top-left = 11 +
8 − 9 = 10.

Q139 MATRIX & GRID LOGIC

100. Find the missing number (?) from the given matrix:
2
5
11
2
10
15

A 22
B 19
C 4
D 14

CORRECT ANSWER Option (B)

STEP-BY-STEP LOGIC & EXPLANATION:
2
5
11
2
10
15
14
6
?
Answer: B) 19
Solution: Using the diagonal rule: center = top-left + bottom-right − top-right. Hence ? = center + top-right − top-left = 10 +
11 − 2 = 19.
Answer Key
1-D(18) 2-B(31) 3-B(26) 4-B(30) 5-A(37) 6-D(16) 7-D(6) 8-D(17) 9-D(15) 10-D(11)
11-C(56) 12-A(12) 13-D(32) 14-B(36) 15-A(18) 16-C(7) 17-D(4) 18-C(9) 19-A(2) 20-B(7)
21-A(8) 22-C(57) 23-C(27) 24-B(27) 25-B(54) 26-C(21) 27-C(41) 28-A(15) 29-D(15) 30-B(19)
31-C(52) 32-A(17) 33-A(40) 34-B(52) 35-B(98) 36-D(17) 37-A(9) 38-A(39) 39-D(13) 40-D(14)
41-C(5) 42-B(14) 43-D(26) 44-A(-1) 45-D(11) 46-A(23) 47-B(13) 48-C(25) 49-A(15) 50-C(24)
51-D(6) 52-B(4) 53-D(9) 54-B(1) 55-B(11) 56-C(9) 57-D(10) 58-D(20) 59-C(12) 60-C(29)
61-A(7776) 62-B(25) 63-C(125) 64-A(1024) 65-B(5) 66-A(18) 67-A(56) 68-C(14) 69-B(84) 70-B(65)
71-C(20) 72-A(16) 73-A(12) 74-B(18) 75-D(6) 76-B(8) 77-C(15) 78-D(10) 79-C(4) 80-D(13)
81-B(24) 82-A(16) 83-C(15) 84-D(28) 85-D(12) 86-A(20) 87-D(14) 88-B(10) 89-B(7) 90-B(16)
91-B(18) 92-D(17) 93-B(7) 94-A(15) 95-D(13) 96-D(22) 97-C(11) 98-A(28) 99-A(10) 100-B(19)