INFOSYS SE ASSESSMENT 2026 • OFFICIAL PREPARATION VAULT

Inequalities

Section: 09_Mock_Test_Series | Drive Date: 5th & 6th November 2026 | Status: 100% Solved & Verified

Inequalities

Total Questions: 20 | **Total Marks:** 80 | **Duration:** 1500000 Minutes

Section: Inequalities

Question 1 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statements:
D

> C, A > B > C, D > E > F,
> Conclusions:
> I.
> E > C
> II.
> F > B

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 2 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statements:
L≤W≤M = J, W = K
Conclusions:

I.
M>K
II.
L = K

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 3 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

What
should be placed in place of question mark in equation B ≤ A ?N
?K ?S to make A > K definitely true.

Options:

- **(A)** =,

  > , ≥

- **(B)** =,
  ≥,>
- **(C)** <,
  <,<
- **(D)** <,
  <,=
- **(E)** None

Question 4 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statement:
3 ≥ 9 < 7 ≤ 10 = 2 ≤ 6
Conclusions:
I.
6 > 9

II.
9 ≤ 2

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 5 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

A
@ B means 'A is not less than B'
A
$ B means 'A is not more than B'
A

B means 'A is neither less nor more than B'

A
* B means 'A is neither more than nor equal to B'
A
% B means 'A is neither less than nor equal to B'
Statements
R#M$X*T%W@B*
Conclusions
:
*I.M*W
II.
T@M

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.

- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 6 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statements:
M>N,
N≥O, O>P
Conclusions:
I.
M>O
II.
N>P

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I or II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 7 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statements:
Y
≥ W = N; N ≥ M
Conclusions:
I.
Y > M
II.
Y = M

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.

- **(C)** Either
  conclusion I nor II is valid.
- **(D)** Neither
  conclusion I or II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 8 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Some
friends were discussing about their savings.
M
says that his savings are not more than that of W.
W
says that his savings are neither less than nor equal to S.
S
says that his savings are not less than O, who is not the least
saver.
T
says that his savings are less than M but not less than P.
P
says that his savings are less than M.
Who
among the following is the highest saver?

Options:

- **(A)** W
- **(B)** S
- **(C)** O
- **(D)** P
- **(E)** None

Question 9 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Some
friends were discussing about their savings.
M
says that his savings are not more than that of W.
W
says that his savings are neither less than nor equal to S.
S
says that his savings are not less than O, who is not the least
saver.
T

says that his savings are less than M but not less than P.
P
says that his savings are less than M.
P's
savings are less than how many people?

Options:

- **(A)** 1
- **(B)** 2
- **(C)** 3
- **(D)** 4
- **(E)** More than 4

Question 10 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statement:
M ≥ P < H, V > T = M
Conclusions:
I.
V > P
II.
T ≥ H

Options:

- **(A)** Only conclusion I is valid.
- **(B)** Only conclusion II is valid.
- **(C)** Either conclusion I or II is valid.
- **(D)** Neither conclusion I nor II is valid.
- **(E)** Both the conclusion I and II are valid.

Question 11 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statements:
F ≤ L > T, N = O ≥ P, F > Q > S
Conclusions:
I.
L > T

II.
F > S

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 12 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statements:
A>B,
B≥C, C>D, DD
II.
C>E

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 13 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Some
friends were discussing about their savings.
M
says that his savings are not more than that of W.
W
says that his savings are neither less than nor equal to S.
S

says that his savings are not less than O, who is not the least
saver.
T
says that his savings are less than M but not less than P.
P
says that his savings are less than M.
Which
of the following statements is correct?
I.
O's savings are not more than W.
II.
M's savings are not more than W.
III.
P's savings are not more than W.

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Only
  conclusion III is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** All
  conclusions are valid.

Question 14 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

'A
© B' means 'A is either smaller than or equal to
B.'
'A
% B' means 'A is neither smaller than nor equal to B.'
'A
@ B' means 'A is either greater than or equal to B.'
'A
$ B' means 'A is neither greater than nor equal to B.'
'A

B' means 'A is neither greater than nor smaller than

B.'
Statements:

L @ R, R % T, T # M
Conclusions:
I. M R II. T L

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 15 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statements: M = X < Z ≥ W = N ≤ Q < T ≤ V = U
Conclusions:
I. V ≥ W
II. T >/U

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 16 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statement:
P

S, P < Q, R ≤ Q, R < T
Conclusions:
I.
Q > S
II.
Q = T

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 17 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

‘A
© B’ means ‘A is either smaller than or equal to
B.’
‘A
% B’ means ‘A is neither smaller than nor equal to B.’
‘A
@ B’ means ‘A is either greater than or equal to B.’
‘A
$ B’ means ‘A is neither greater than nor equal to B.’
‘A

B’ means ‘A is neither greater than nor smaller than

B.’
Statements:
W $ K, K © G, G @ R
Conclusions:
I.
R $ K
II.
G % W

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 18 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statement:
P ≤ Q < S = T ≥ U ≥ W < Z
Conclusion:
I.
S > W,
II.
W = T

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.
- **(E)** Both
  the conclusion I and II are valid.

Question 19 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

L
≤ O > V = E ≥ S
Which
of the following ones is correct?
1)
L ≤ V 2) O = E 3) O > S 4) S ≥ L

Options:

- **(A)** Only
  1
- **(B)** Only
  2
- **(C)** Only
  3
- **(D)** Only
  3 and 4
- **(E)** None

Question 20 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

A
@ B means 'A is not less than B'
A
$ B means 'A is not more than B'
A

B means 'A is neither less nor more than B'

A
* B means 'A is neither more than nor equal to B'
A
% B means 'A is neither less than nor equal to B'
Statements
V@I#E*D ; N$E%B#F
Conclusions
:
I.
V%F
II.
V@N

Options:

- **(A)** Only
  conclusion I is valid.
- **(B)** Only
  conclusion II is valid.
- **(C)** Either
  conclusion I or II is valid.
- **(D)** Neither
  conclusion I nor II is valid.

- **(E)** Both
  the conclusion I and II are valid.
