INFOSYS SE ASSESSMENT 2026 • OFFICIAL PREPARATION VAULT

Pseudo Code

Section: 09_Mock_Test_Series | Drive Date: 5th & 6th November 2026 | Status: 100% Solved & Verified

Pseudo Code

Total Questions: 10 | **Total Marks:** 10 | **Duration:** 10 Minutes

Section: Technical Ability - Mathematics /Quantitative Aptitude

Question 1 [Marks: +1, -0]

Integer a, b, c Set a = 2, b = 4, c = 7 b = 7 + a if (c > b) b = b + b end if b = 6 + a if ((a + b) < (b - a) || c < a) b = (c + 4) + c else a = c + b end if c = (c + 9) ^ a Print a + b + c

Options:

- **(A)** 71
- **(B)** 56
- **(C)** 47
- **(D)** 54

Question 2 [Marks: +1, -0]

How many times campus monk will be printed? Set k = 1, p = 4 Int j = p + k / 2 If (j equals p) Print "campus monk" End if j = p + k / 5 If (j not equal p) Print "campus monk" End if Print "campus monk"

Options:

- **(A)** 1 Times
- **(B)** 2 Times
- **(C)** 3 Times
- **(D)** 4 Times

Question 3 [Marks: +1, -0]

Find the output of the following code. #include int main(void) { int a = 10, x; x = a-- + +445; printf ("%d", x); return 0; }

Options:

- **(A)** 19
- **(B)** 435

- **(C)** 455
- **(D)** 23

Question 4 [Marks: +1, -0]

Int p, q, r Set p = 6, q = 4, r = 7 p = (r + 5) + p If ((q & r & p) < (p & 6)) { r = 3 ^ r q = q & q } Print p + q + r

Options:

- **(A)** 44
- **(B)** 41
- **(C)** 11
- **(D)** 26

Question 5 [Marks: +1, -0]

What is the output of this code? Int p, q, r; Set p = 0, q = 7, r = 9; If ((q + p) < (p + q) && (p < r)) { p = 11 + q; } Print p + q + r;

Options:

- **(A)** 12
- **(B)** 16
- **(C)** 27
- **(D)** 10

Question 6 [Marks: +1, -0]

What will be the output of the following pseudocode? Initial values: a = 4, b = 4, c = 7 Int fun(int a, int b, int c) { For (each c from 3 to 5) { a = (c + c) ^ b; If ((a + c) < (c + a)) { b = (a + 11) + c; } Else { c = b + b; a = 3 + b; continue; } } Return a + b; }

Options:

- **(A)** 10
- **(B)** 12
- **(C)** Error
- **(D)** 11

Question 7 [Marks: +1, -0]

What will be the output of this pseudocode? a = 7, b = 2, c = 8 If ((b ^ a) < a && (2 ^ 7) < c) a = b + c Else c = (4 + 12) + a b = 11 + a End if Print (a + b + c)

Options:

- **(A)** 19
- **(B)** 21

- **(C)** 20
- **(D)** 22

Question 8 [Marks: +1, -0]

Find the output of the code snippet. Integer x, y, z Set x = 1, y = 8, z = 2 If (x ^ y && x ^ y && x ^ y ^ z) x = 1 End if Print x + y + z

Options:

- **(A)** 11
- **(B)** 13
- **(C)** 16
- **(D)** 9

Question 9 [Marks: +1, -0]

Find the output of the following code. #include void main() { int a = 10; if (a == 010) printf("BCA"); else printf("B.Tech"); }

Options:

- **(A)** BCA
- **(B)** B.tech
- **(C)** 10
- **(D)** Error

Question 10 [Marks: +1, -0]

Find the output of the following code. #include void main () { int x = 91; x >>= 2; printf ("%d\n", x); }

Options:

- **(A)** 182
- **(B)** 91
- **(C)** 22
- **(D)** 82
