INFOSYS SE ASSESSMENT 2026 • OFFICIAL PREPARATION VAULT

Technical MCQ - Pseudo Codes Based on PYQ 01

Section: 09_Mock_Test_Series | Drive Date: 5th & 6th November 2026 | Status: 100% Solved & Verified

Technical MCQ - Pseudo Codes Based on PYQ 01

Total Questions: 10 | **Total Marks:** 13 | **Duration:** 10 Minutes

Section: Technical Pseudo Codes -01

Question 1 [Marks: +1, -0]

Q1.) Integer p, q, r Set p = 0, q = 2, r = 9 r = 7 + p q = q + r for (each r from 4 to 7) p = (p + p) & q if ((p + q) < (r - p) || 8 < p) p = (p + 2) + q Jump out of the loop End if End for Print p + q

Options:

- **(A)** 5
- **(B)** 9
- **(C)** 19
- **(D)** 20

Question 2 [Marks: +1, -0]

Q2.) #include using namespace std; int main() { int a = 3, b = 2, c = 5; int result = (a++ << 2) + (--b << 1) - (c-- >> 1) + (a & b); cout << result; return 0; }

Options:

- **(A)** 12
- **(B)** 14
- **(C)** 10
- **(D)** 16

Question 3 [Marks: +1, -0]

Q3.) Integer value, n Set value = 1, n = 45 while (value less than equal to n) value = value << 1 end loop Print value

Options:

- **(A)** 16
- **(B)** 32

- **(C)** 64
- **(D)** 36

Question 4 [Marks: +1, -0]

Q4.) Predict the output of the following pseudocode. Integer x, y, z Set x = -2, y = 3, z = 1 if (x + (2 & 2) && y + (3 & 3) && z + (2 ^ 2)) x = x -2 y = x Else x = z y = y ^ 2 End if Print x + y + z

Options:

- **(A)** 2
- **(B)** 11
- **(C)** 0
- **(D)** 3

Question 5 [Marks: +1, -0]

Q5. What is the output int main() { int x = 10; int *y, **z; y = &x; z = &y; **z=7; print(x,*y,**z) return 0; }

Options:

- **(A)** 10 10 10
- **(B)** 10 7 7
- **(C)** 7 7 7
- **(D)** 10 10 7

Question 6 [Marks: +1, -0]

Q6. What is the output for p=15 and q=4. Integer solve (Integer p, Integer q) Integer value while(q) value = p MOD q p = q q = value End while return p End function solve()

Options:

- **(A)** 3
- **(B)** 1
- **(C)** 2
- **(D)** 0

Question 7 [Marks: +1, -0]

Q7.what is the output for number=4 int something(int number) { if(number <= 0) return 1; else return number * something(number-1); } something(4);

Options:

- **(A)** 12
- **(B)** 24
- **(C)** 1

- **(D)** 20

Question 8 [Marks: +2, -0]

Q8. What will be the output of the following pseudocode? int a , b ,c Set a=0,b=1,c=2 If (b^c || a&b || a>>1) c=9 a =b+c else c =1 a=a+c End if Print a+b+c

Options:

- **(A)** 20

Question 9 [Marks: +2, -0]

Q9. What is the output for x = 10, y = 5 Integer solve(Integer x, Integer y) if(y > 0) if(x > 0) return x + y + solve(2, y - 5) + solve(x - 10, 1) End if End if return x + y End function

Options:

- **(A)** undefined

Question 10 [Marks: +2, -0]

Q10. What is the output of following Integer value, n Set value = 32, n = 1 while(value >= n) value = value >> 1 end loop Print value

Options:

- **(A)** undefined
