INFOSYS SE ASSESSMENT 2026 • OFFICIAL PREPARATION VAULT

# INFOSYS TEST SERIES-1

Section: 09_Mock_Test_Series | Drive Date: 5th & 6th November 2026 | Status: 100% Solved & Verified

## INFOSYS TEST SERIES-1

**Total Questions:** 35 | **Total Marks:** 140 | **Duration:** 4200000 Minutes

### Section: Puzzles

#### Question 1 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

**Options:**

- **(A)** 76
- **(B)** 45
- **(C)** 67
- **(D)** 68

#### Question 2 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

**Options:**

- **(A)** 11
- **(B)** 33
- **(C)** 22
- **(D)** 32

#### Question 3 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

**Options:**

- **(A)** 4
- **(B)** 2
- **(C)** 6
- **(D)** 8

#### Question 4 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

**Options:**

- **(A)** 4
- **(B)** 3
- **(C)** 2
- **(D)** 1

---

### Question 5 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

**Options:**

- **(A)** J
- **(B)** T
- **(C)** I
- **(D)** O

---

## Section: Pseudo Code

### Question 6 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

**Options:**

- **(A)** 2
- **(B)** 13
- **(C)** 25
- **(D)** 5

---

### Question 7 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

**Options:**

- **(A)** None
- **(B)** 40
- **(C)** 50
- **(D)** 60

---

### Question 8 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

**Options:**

- **(A)** 6 times
- **(B)** 8 times
- **(C)** 5 times

- **(D)** 4
  times

---

### Question 9 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

What will be the
output of the following pseudo code
Integer
i, j, k, d
Set
j = 6, i = 8, k = 2, d = 1
if
((j ^ i) mod k equals 0) then
d = d + 1
else
d = d - 1
end
if
Print
d

**Options:**

- **(A)** 1
- **(B)** 3
- **(C)** 0
- **(D)** 2

---

### Question 10 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

**Options:**

- **(A)** 20
- **(B)** 40
- **(C)** 60
- **(D)** 80

---

## Section: Apttitude_Techncal Ability

### Question 11 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

If
a number is divided by 5, remainder = 2. If the same number is
divided by 7, remainder = 3. What is the smallest such number?

**Options:**

- **(A)** 17
- **(B)** 23
- **(C)** 38
- **(D)** 52

---

### Question 12 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

The
probability of getting a sum of 9 when two dice are thrown is:

**Options:**

- **(A)** 1/12
- **(B)** 1/9
- **(C)** 5/39
- **(D)** 7/36

---

### Question 13 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

The
sum of present ages of A and B is 60. 5 years ago, A was 5 times
B. What are their ages?

**Options:**

- **(A)** A=55,
  B=5
- **(B)** A=50,
  B=10
- **(C)** A=45,
  B=15
- **(D)** A=40,
  B=20

---

### Question 14 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

If
$x^2 - 5x + 6 = 0$, then find the value of $(1/x_1 +$
$1/x_2)$.

**Options:**

- **(A)** 1/2
- **(B)** 5/6
- **(C)** 2/3
- **(D)** 3/2

---

### Question 15 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

A
can complete a work in 20 days. B is 25% more efficient than A. In
how many days will B finish the same work?

**Options:**

- **(A)** 15
- **(B)** 16
- **(C)** 18
- **(D)** 20

---

### Question 16 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

A
shopkeeper allows 20% discount on the marked price and still makes
25% profit. If the marked price is ₹1000, what is the cost
price?

**Options:**

- **(A)** ₹600
- **(B)** ₹625
- **(C)** ₹650
- **(D)** ₹700

---

### Question 17 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

The
ratio of investments of A and B is 4:5. A gets ₹400 less
than B from the profit. Find the total profit.

**Options:**

- **(A)** ₹3600
- **(B)** ₹4000
- **(C)** ₹4200
- **(D)** ₹4800

---

### Question 18 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

A
sum of ₹10,000 is invested at 20% per annum compounded
annually. What will be the compound interest after 2 years?

**Options:**

- **(A)** ₹4000

- **(B)** ₹4200
- **(C)** ₹4400
- **(D)** ₹4800

---

### Question 19 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

The
average of 5 consecutive odd numbers is 35. What is the largest of
these numbers?

**Options:**

- **(A)** 37
- **(B)** 39
- **(C)** 41
- **(D)** 43

---

### Question 20 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Two
pipes can fill a tank in 15 min and 20 min respectively. If both
pipes are opened together, how long will it take to fill the tank?

**Options:**

- **(A)** 7
  min
- **(B)** 8
  min
- **(C)** 8
  min 34 sec
- **(D)** 9
  min

---

## Section: Reasoning

### Question 21 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Arrange
according to logical order:
(1)
Exam, (2) Study, (3) Result, (4) Admission.

**Options:**

- **(A)** 2-1-3-4
- **(B)** 1-2-3-4

- **(C)** 2-3-1-4
- **(D)** 4-2-1-3

---

### Question 22 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Complete
the series: 7, 26, 63, 124, ?

**Options:**

- **(A)** 215
- **(B)** 216
- **(C)** 225
- **(D)** 200

---

### Question 23 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Statements:
Some
pens are pencils.
All
pencils are erasers.
Conclusions:
I. Some pens are
erasers.
II. All erasers are pencils.

**Options:**

- **(A)** Only
  I follows
- **(B)** Only
  II follows
- **(C)** Both
  follow
- **(D)** Neither
  follow

---

### Question 24 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Six
friends A, B, C, D, E, F are sitting in a circle facing the
center. A is between D and F. C is to the left of D. E is between
B and C. Who is sitting between A and C?

**Options:**

- **(A)** D
- **(B)** E
- **(C)** F
- **(D)** B

---

### Question 25 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Find
the missing number:

**Options:**

- **(A)** 24
- **(B)** 36
- **(C)** 48
- **(D)** 36

---

### Question 26 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Two
trains of lengths 120m and 180m are running in opposite directions
with speeds 60 km/h and 90 km/h. In how much time will they cross
each other?

**Options:**

- **(A)** 6 sec
- **(B)** 8 sec
- **(C)** 10 sec
- **(D)** 12
  sec

---

### Question 27 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Pointing
to a boy, Seema said, “He is the son of my grandfather’s
only son.” How is the boy related to Seema?

**Options:**

- **(A)** Brother
- **(B)** Cousin
- **(C)** Uncle
- **(D)** Nephew

---

### Question 28 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

In
a row of 40 students, A is 12th from the left and B is 18th from
the right. How many students are between A and B?

**Options:**

- **(A)** 8
- **(B)** 9
- **(C)** 10
- **(D)** 11

---

### Question 29 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Five
friends scored different marks. P scored more than Q but less than
R. S scored less than Q but more than T. Who scored the lowest?

**Options:**

- **(A)** P
- **(B)** Q
- **(C)** S
- **(D)** T

---

### Question 30 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

If
‘A × B’ means A is the father of B, ‘A +
B’ means A is the sister of B, and ‘A – B’
means A is the mother of B, then P – Q × R means?

**Options:**

- **(A)** P
  is mother of R
- **(B)** P
  is sister of R
- **(C)** P
  is father of R
- **(D)** P
  is grandmother of R

---

### Question 31 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

Find
the missing term: AB, DE, HI, MN, ?

**Options:**

- **(A)** RS
- **(B)** ST
- **(C)** TU
- **(D)** VW

---

### Question 32 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

What
comes next?
2,
12, 36, 80, 150, ?

**Options:**

- **(A)** 252
- **(B)** 240
- **(C)** 260
- **(D)** 300

---

### Question 33 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

In
a certain code, FLOWER is written as EKNVDQ. How will GARDEN be
written?

**Options:**

- **(A)** FZQCDM
- **(B)** HBSFEP
- **(C)** FYQBCM
- **(D)** EZQCDM

---

### Question 34 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

A,
B, C, D, E are standing in a line. C is between A and E. B is to
the immediate left of E. D is to the right of A but not at the
end. Who is in the middle?

**Options:**

- **(A)** A
- **(B)** B
- **(C)** C
- **(D)** D

### Question 35 [Marks: +{'positive': 4, 'negative': 1, 'negativeUnattempted': 0}]

If
in a certain code 3 = 18, 4 = 32, 5 = 50, then 6 = ?

**Options:**

- **(A)** 60
- **(B)** 70
- **(C)** 72
- **(D)** 80