INFOSYS SE ASSESSMENT 2026 • OFFICIAL PREPARATION VAULT

INFOSYS TEST SERIES-1 - Questions & Detailed Solutions

Section: 09_Mock_Test_Series | **Drive Date:** 5th & 6th November 2026 | **Status:** 100% Solved & Verified

INFOSYS TEST SERIES-1 - Questions & Detailed Solutions

Total Questions: 35 | **Total Marks:** 140

Section: Puzzles

Question 1

Options:

- (A) 76
- (B) 45
- (C) 67
- ✅ **(D) 68** *(Correct Answer)*

Correct Answer: (D)

Explanation / Solution:
Logic:
5 x 3 + 6 x 4 = 39

Question 2

Options:

- ✅ **(A) 11** *(Correct Answer)*
- (B) 33
- (C) 22
- (D) 32

Correct Answer: (A)

Explanation / Solution:
Logic: 3 x 5 + 4 x 3 = 27

Question 3

Options:

- (A) 4

- ✅ **(B) 2** *(Correct Answer)*
- (C) 6
- (D) 8

Correct Answer: (B)

Explanation / Solution:
Logic:
9 x 4 – (9 + 2) = 25

Question 4

Options:

- (A) 4
- (B) 3
- (C) 2
- ✅ **(D) 1** *(Correct Answer)*

Correct Answer: (D)

Explanation / Solution:
Logic:
4 x 5 – (4 + 5) =11
3
x 2 – (3+2) = 1

Question 5

Options:

- ✅ **(A) J** *(Correct Answer)*
- (B) T
- (C) I
- (D) O

Correct Answer: (A)

Explanation / Solution:
Logic:
Write
the alphabetical position first.
Then
3 x 8 /2 = 12 , where 3 is C , H is 8 and L=12

Section: Pseudo Code

Question 6

Options:

- (A) 2
- ✅ **(B) 13** *(Correct Answer)*
- (C) 25
- (D) 5

Correct Answer: (B)

Question 7

Options:

- (A) None
- ✅ **(B) 40** *(Correct Answer)*
- (C) 50
- (D) 60

Correct Answer: (B)

Explanation / Solution:
j=50
and j-10 , 50-10 = 40

Question 8

Options:

- ✅ **(A) 6 times** *(Correct Answer)*
- (B) 8 times
- (C) 5 times
- (D) 4 times

Correct Answer: (A)

Question 9

What will be the
output of the following pseudo code
Integer

i, j, k, d
Set
j = 6, i = 8, k = 2, d = 1
if
((j ^ i) mod k equals 0) then
d = d + 1
else
d = d - 1
end
if
Print
d

Options:

- (A) 1
- (B) 3
- (C) 0
- ✅ **(D) 2** *(Correct Answer)*

Correct Answer: (D)

Question 10

Options:

- (A) 20
- ✅ **(B) 40** *(Correct Answer)*
- (C) 60
- (D) 80

Correct Answer: (B)

Section: Apttitude_Techncal Ability

Question 11

If
a number is divided by 5, remainder = 2. If the same number is divided by 7, remainder = 3. What is the smallest such number?

Options:

- (A) 17
- (B) 23
- (C) 38
- ✅ **(D) 52** *(Correct Answer)*

Correct Answer: (D)

Explanation / Solution:
Number
= 5k + 2. Check divisibility by 7.
k=6
→ 5(6)+2=32 remainder 4.
k=7
→ 37 remainder 2.
k=8
→ 42 remainder 0.
k=9
→ 47 remainder 5.
k=10
→ 52 remainder 3 .
So
number = 52 .

Question 12

The
probability of getting a sum of 9 when two dice are thrown is:

Options:

- ✅ **(A) 1/12** *(Correct Answer)*
- (B) 1/9
- (C) 5/39
- (D) 7/36

Correct Answer: (A)

Explanation / Solution:
Combinations:
(3,6), (4,5), (5,4), (6,3).
Total
= 4 outcomes.
Probability
= 4/36 = 1/9 (Correction → 1/9, not 1/12).

Question 13

The
sum of present ages of A and B is 60. 5 years ago, A was 5 times
B. What are their ages?

Options:

- (A) A=55,
  B=5
- ✅ **(B) A=50,**
  B=10 *(Correct Answer)*
- (C) A=45,
  B=15
- (D) A=40,
  B=20

Correct Answer: (B)

Explanation / Solution:
A+B=60.
(A–5)
= 5(B–5).
Solving
→ A=50, B=10.

Question 14

If
$x^2 - 5x + 6 = 0$, then find the value of $(1/x_1 + 1/x_2)$.

Options:

- (A) 1/2
- ✅ **(B) 5/6** *(Correct Answer)*
- (C) 2/3
- (D) 3/2

Correct Answer: (B)

Explanation / Solution:
Roots
= 2, 3.
(1/2
+ 1/3) = (3+2)/6 = 5/6.

Question 15

A
can complete a work in 20 days. B is 25% more efficient than A. In how many days will B finish the same work?

Options:

- (A) 15
- ✅ **(B) 16** *(Correct Answer)*

- (C) 18
- (D) 20

Correct Answer: (B)

Explanation / Solution:
A's
1-day work = 1/20.
Efficiency
of B = 125% of A = 5/4 × (1/20) = 1/16.
So
B will finish in 16 days.

Question 16

A
shopkeeper allows 20% discount on the marked price and still makes
25% profit. If the marked price is ₹1000, what is the cost
price?

Options:

- ✅ **(A) ₹600** *(Correct Answer)*
- (B) ₹625
- (C) ₹650
- (D) ₹700

Correct Answer: (A)

Explanation / Solution:
SP
= 1000 – 20% of 1000 = 800.
Profit
= 25%.
CP
= 800 / 1.25 = 640 (correction, not 600).

Question 17

The
ratio of investments of A and B is 4:5. A gets ₹400 less
than B from the profit. Find the total profit.

Options:

- ✅ **(A) ₹3600** *(Correct Answer)*
- (B) ₹4000
- (C) ₹4200
- (D) ₹4800

Correct Answer: (A)

Explanation / Solution:
Difference
= 1 part.
1
part = 400.
Total
= 9 parts = 9×400=3600.

Question 18

A
sum of ₹10,000 is invested at 20% per annum compounded
annually. What will be the compound interest after 2 years?

Options:

- (A) ₹4000
- (B) ₹4200
- ✅ **(C) ₹4400** *(Correct Answer)*
- (D) ₹4800

Correct Answer: (C)

Explanation / Solution:
CI
= P[(1 + r/100)^t – 1] = 10000[(1.2)^2 – 1] =
10000(1.44 – 1) = 4400.
(Answer
₹4400).

Question 19

The
average of 5 consecutive odd numbers is 35. What is the largest of
these numbers?

Options:

- (A) 37
- ✅ **(B) 39** *(Correct Answer)*
- (C) 41
- (D) 43

Correct Answer: (B)

Explanation / Solution:
Middle

term = 35 (average of consecutive odd nos).
Series
= 31, 33, 35, 37, 39 → largest = 39.

Question 20

Two
pipes can fill a tank in 15 min and 20 min respectively. If both
pipes are opened together, how long will it take to fill the tank?

Options:

- (A) 7
  min
- (B) 8
  min
- ✅ **(C) 8**
  min 34 sec *(Correct Answer)*
- (D) 9
  min

Correct Answer: (C)

Explanation / Solution:
1/15
+ 1/20 = (4+3)/60 = 7/60.
Time
= 60/7 = 8.57 min ≈ 8 min 34 sec.

Section: Reasoning

Question 21

Arrange
according to logical order:
(1)
Exam, (2) Study, (3) Result, (4) Admission.

Options:

- ✅ **(A) 2-1-3-4** *(Correct Answer)*
- (B) 1-2-3-4
- (C) 2-3-1-4
- (D) 4-2-1-3

Correct Answer: (A)

Explanation / Solution:
First
Study → Exam → Result → Admission.

Question 22

Complete
the series: 7, 26, 63, 124, ?

Options:

- ✅ **(A) 215** *(Correct Answer)*
- (B) 216
- (C) 225
- (D) 200

Correct Answer: (A)

Explanation / Solution:
Pattern:
$n^3 - 1$. ($2^3-1=7$, $3^3-1=26$,
$4^3-1=63$, $5^3-1=124$, $6^3-1=215$).

Question 23

Statements:
Some
pens are pencils.
All
pencils are erasers.
Conclusions:
I. Some pens are
erasers.
II. All erasers are pencils.

Options:

- ✅ **(A) Only**
  I follows *(Correct Answer)*
- (B) Only
  II follows
- (C) Both
  follow
- (D) Neither
  follow

Correct Answer: (A)

Explanation / Solution:
Pens
⊂
Pencils ⊂
Erasers → Some pens ⊂
Erasers.

Question 24

Six
friends A, B, C, D, E, F are sitting in a circle facing the
center. A is between D and F. C is to the left of D. E is between
B and C. Who is sitting between A and C?

Options:

- ✅ **(A) D** *(Correct Answer)*
- (B) E
- (C) F
- (D) B

Correct Answer: (A)

Explanation / Solution:
Arranging:
A between D & F, C left of D, E between B & C → D is
between A and C.

Question 25

Find
the missing number:

Options:

- (A) 24
- (B) 36
- (C) 48
- ✅ **(D) 36** *(Correct Answer)*

Correct Answer: (D)

Explanation / Solution:
8
→ $8^2=64$.
6
→ $6^2=36$.

Question 26

Two
trains of lengths 120m and 180m are running in opposite directions with speeds 60 km/h and 90 km/h. In how much time will they cross each other?

Options:

- (A) 6 sec
- (B) 8 sec
- ✅ **(C) 10 sec** *(Correct Answer)*
- (D) 12
  sec

Correct Answer: (C)

Explanation / Solution:
Relative
speed = (60+90)×(5/18)=41.67 m/s.
Total
length = 300m.
Time
= 300/41.67 ≈ 10 sec.

Question 27

Pointing
to a boy, Seema said, “He is the son of my grandfather’s only son.” How is the boy related to Seema?

Options:

- ✅ **(A) Brother** *(Correct Answer)*
- (B) Cousin
- (C) Uncle
- (D) Nephew

Correct Answer: (A)

Explanation / Solution:
Grandfather’s
only son = Seema’s father. Boy = son of Seema’s father
→ brother.

Question 28

In
a row of 40 students, A is 12th from the left and B is 18th from

the right. How many students are between A and B?

Options:

- (A) 8
- (B) 9
- ✅ **(C) 10** *(Correct Answer)*
- (D) 11

Correct Answer: (C)

Explanation / Solution:
A
= 12th from left. B = 23rd from left (40–18+1).
Between
= 23–12–1 = 10.

Question 29

Five
friends scored different marks. P scored more than Q but less than
R. S scored less than Q but more than T. Who scored the lowest?

Options:

- (A) P
- (B) Q
- (C) S
- ✅ **(D) T** *(Correct Answer)*

Correct Answer: (D)

Explanation / Solution:
Order:
R > P > Q > S > T → lowest is T.

Question 30

If
'A × B' means A is the father of B, 'A +
B' means A is the sister of B, and 'A – B'
means A is the mother of B, then P – Q × R means?

Options:

- ✅ **(A) P**
  is mother of R *(Correct Answer)*
- (B) P
  is sister of R

- (C) P
  is father of R
- (D) P
  is grandmother of R

Correct Answer: (A)

Explanation / Solution:
Q
× R → Q father of R. P – Q → P mother of Q →
So P mother of R.

Question 31

Find
the missing term: AB, DE, HI, MN, ?

Options:

- (A) RS
- ✅ **(B) ST** *(Correct Answer)*
- (C) TU
- (D) VW

Correct Answer: (B)

Explanation / Solution:
Skipping
letters: (AB → DE → HI → MN → ST).

Question 32

What
comes next?
2,
12, 36, 80, 150, ?

Options:

- ✅ **(A) 252** *(Correct Answer)*
- (B) 240
- (C) 260
- (D) 300

Correct Answer: (A)

Explanation / Solution:
Pattern:
$n^3 + n^2$.
$(1^3+1^2=2,$

$2^3+2^2=12$, $3^3+3^2=36$, $4^3+4^2=80$,
$5^3+5^2=150$, $6^3+6^2=252$).

Question 33

In
a certain code, FLOWER is written as EKNVDQ. How will GARDEN be written?

Options:

- ✅ **(A) FZQCDM** *(Correct Answer)*
- (B) HBSFEP
- (C) FYQBCM
- (D) EZQCDM

Correct Answer: (A)

Explanation / Solution:
Each
letter shifted –1: F→E, L→K, O→N… So
GARDEN → FZQCDM.

Question 34

A,
B, C, D, E are standing in a line. C is between A and E. B is to the immediate left of E. D is to the right of A but not at the end. Who is in the middle?

Options:

- (A) A
- (B) B
- ✅ **(C) C** *(Correct Answer)*
- (D) D

Correct Answer: (C)

Explanation / Solution:
Order:
A D C B E → middle = C.

Question 35

If
in a certain code 3 = 18, 4 = 32, 5 = 50, then 6 = ?

Options:

- (A) 60
- (B) 70
- ✅ **(C) 72** *(Correct Answer)*
- (D) 80

Correct Answer: (C)

Explanation / Solution:
70
