INFOSYS SE ASSESSMENT 2026 • OFFICIAL PREPARATION VAULT

Infosys Full Length Mock Test- 5

Section: 09_Mock_Test_Series | Drive Date: 5th & 6th November 2026 | Status: 100% Solved & Verified

Infosys Full Length Mock Test- 5

Total Questions: 60 | **Total Marks:** 76 | **Duration:** 7200000 Minutes

Section: Reasoning

Question 1 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

A 3×3 figure series fills one extra cell each step (1 cell, 2 cells, 3 cells). How many filled cells are in step 6?

Options:

- **(A)** 4
- **(B)** 5
- **(C)** 6
- **(D)** 8

Question 2 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

In what ratio is profit shared by A and B? S1: A invested ₹40,000 and B invested ₹60,000 for the same time. S2: The total profit is ₹20,000.

Options:

- **(A)** S1 alone is sufficient, S2 is not
- **(B)** S2 alone is sufficient, S1 is not
- **(C)** Either alone
- **(D)** Both needed

Question 3 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Statements: All kernels are programs. Some programs are drivers. No driver is a firmware blob. Conclusions: I. Some kernels are drivers. II. Some programs are not firmware blobs.

Options:

- **(A)** Only I follows
- **(B)** Only II follows
- **(C)** Both follow
- **(D)** Neither follows

Question 4 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Find the missing number.
8
4
2
27
9
3
64
16
?

Options:

- **(A)** 4
- **(B)** 6
- **(C)** 8
- **(D)** 2

Question 5 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

If A=1, B=2, ... and GAME is coded as
26, the same way TEAM is coded as

Options:

- **(A)** 36
- **(B)** 38
- **(C)** 39
- **(D)** 42

Question 6 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Find the missing number.
2
7
14
3

8
24
4
9
?

Options:

- **(A)** 32
- **(B)** 34
- **(C)** 36
- **(D)** 40

Question 7 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Who is taller, X or Y? S1: X is taller than
Z. S2: Z is taller than Y.

Options:

- **(A)** S1 alone
- **(B)** S2 alone
- **(C)** Either alone
- **(D)** Both together are needed

Question 8 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Statements: Some queues are stacks. All
stacks are linear. No linear structure is a graph. Conclusions: I.
Some queues are linear. II. No stack is a graph.

Options:

- **(A)** Only I
- **(B)** Only II
- **(C)** Both I and II
- **(D)** Neither

Question 9 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

If FILTER is coded as GJMUFS, how is BUFFER
coded?

Options:

- **(A)** CVGGFS
- **(B)** ATGEDQ
- **(C)** CVHGFS

- **(D)** BWGGFS

Question 10 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

What is the average of x and y? S1: x + y =
40. S2: x − y = 8.

Options:

- **(A)** S1 alone is sufficient, S2 is not
- **(B)** S2 alone is sufficient, S1 is not
- **(C)** Either alone is sufficient
- **(D)** Both are needed

Question 11 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Statements: All sprints are iterations. All
iterations are timeboxes. Some timeboxes are buffers. Conclusions:
I. All sprints are timeboxes. II. Some buffers are sprints.

Options:

- **(A)** Only I follows
- **(B)** Only II follows
- **(C)** Both follow
- **(D)** Neither follows

Question 12 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

If 2 * 3 = 10, 4 * 5 = 28 and 6 * 7 = 54,
then 8 * 9 = ?

Options:

- **(A)** 80
- **(B)** 84
- **(C)** 88
- **(D)** 90

Question 13 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Find the missing number.
3
5
16
4
7

25
5
9
?

Options:

- **(A)** 34
- **(B)** 36
- **(C)** 40
- **(D)** 45

Question 14 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Statements: No cache is a disk. Some disks
are tapes. All tapes are media. Conclusions: I. Some media are
disks. II. Some caches are tapes.

Options:

- **(A)** Only I follows
- **(B)** Only II follows
- **(C)** Both follow
- **(D)** Neither follows

Question 15 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Is integer n divisible by 6? S1: n is
divisible by 2 and by 3. S2: n ends with the digit 4.

Options:

- **(A)** S1 alone is sufficient, S2 is not
- **(B)** S2 alone is sufficient, S1 is not
- **(C)** Either alone
- **(D)** Both needed

Section: Aptitude (Technical Ability)

Question 16 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Two cards are drawn from 52 without
replacement. Probability both are aces is

Options:

- **(A)** 1/221
- **(B)** 1/169

- **(C)** 1/17
- **(D)** 2/52

Question 17 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

[P&C] The number of distinct
arrangements of the letters in LEVEL is

Options:

- **(A)** 30
- **(B)** 60
- **(C)** 120
- **(D)** 24

Question 18 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

A finishes in 20 days, B in 30 days. Working
together they take

Options:

- **(A)** 10 days
- **(B)** 12 days
- **(C)** 15 days
- **(D)** 25 days

Question 19 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

An item marked ₹2,500 is sold after
20% discount. If CP is ₹1,800, profit percent is

Options:

- **(A)** 10%
- **(B)** 11.11%
- **(C)** 12%
- **(D)** 20%

Question 20 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

A and B together take 8 days. A alone takes
12 days. B alone takes

Options:

- **(A)** 18 days
- **(B)** 20 days

- **(C)** 24 days
- **(D)** 30 days

Question 21 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

CP = ₹1,200 and profit = 15%. Selling
price is

Options:

- **(A)** ₹1,350
- **(B)** ₹1,360
- **(C)** ₹1,380
- **(D)** ₹1,400

Question 22 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

A fair coin is tossed three times.
Probability of exactly two heads is

Options:

- **(A)** 1/8
- **(B)** 3/8
- **(C)** 1/2
- **(D)** 3/4

Question 23 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

A bag has 3 white and 5 black balls. One
ball is drawn. Probability it is black is

Options:

- **(A)** 3/8
- **(B)** 1/2
- **(C)** 5/8
- **(D)** 2/5

Question 24 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

How many ways can 5 distinct books be
arranged on a shelf if two particular books must stay together?

Options:

- **(A)** 48
- **(B)** 60

- **(C)** 120
- **(D)** 240

Question 25 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

From 6 men and 4 women, a committee of 4
with exactly 2 women can be formed in how many ways?

Options:

- **(A)** 60
- **(B)** 90
- **(C)** 120
- **(D)** 180

Section: Verbal Ability

Question 26 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Arrange:
P: Two-minute demos expose that gap early. Q: Specs that never meet a user stay elegant and wrong. R: Put a real task in front of one stranger every Friday. S: Notes from that session beat another internal review.

Options:

- **(A)** Q
  P R S
- **(B)** Q
  P S R
- **(C)** Q R S P
- **(D)** P
  Q R S

Question 27 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the correct sentence.

Options:

- **(A)** Every
  one of the modules have a test.
- **(B)** Every one of the modules has a test.
- **(C)** Every
  one of the module has a test.

- **(D)** Every
  one of the modules having a test.

Question 28 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the correct sentence.

Options:

- **(A)** Little of the traffic has cleared.
- **(B)** Little
  of the traffic have cleared.
- **(C)** Few
  of the traffic has cleared.
- **(D)** Little
  of the traffics has cleared.

Question 29 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Passage
A service-level objective is useful only when the team can see the error budget being spent. If latency is promised at 300 ms for 99% of calls, the remaining 1% is not a licence to ignore timeouts. Burn-rate alerts that fire after the month is already lost teach nobody. The better habit is a short window alert plus a long window alert, so a sharp incident and a slow leak are both visible. Documents that list SLOs without owners become wallpaper.
Burn-rate alerts that fire after the month is lost

Options:

- **(A)** teach nobody
- **(B)** are
  the best design
- **(C)** replace
  owners
- **(D)** fix
  latency

Question 30 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the correct sentence.

Options:

- **(A)** She
  laid on the couch after the on-call.

- **(B)** She lay on the couch after the on-call.
- **(C)** She
  lied on the couch after the on-call.
- **(D)** She
  lain on the couch after the on-call.

Question 31 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Arrange:
P: A runbook that names the first three commands beats a long essay. Q: Night pages fail when the only help is a slide deck. R: Keep the commands in the same repo as the service. S: Then the next intern can act without a meeting.

Options:

- **(A)** Q
  R P S
- **(B)** P
  Q R S
- **(C)** Q P R S
- **(D)** Q
  P S R

Question 32 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Passage
A service-level objective is useful only when the team can see the error budget being spent. If latency is promised at 300 ms for 99% of calls, the remaining 1% is not a licence to ignore timeouts. Burn-rate alerts that fire after the month is already lost teach nobody. The better habit is a short window alert plus a long window alert, so a sharp incident and a slow leak are both visible. Documents that list SLOs without owners become wallpaper.
SLO documents without owners

Options:

- **(A)** run
  the pager
- **(B)** cut
  latency automatically
- **(C)** replace alerts
- **(D)** become wallpaper

Question 33 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

One-word:
Lasting only for a short time.

Options:

- **(A)** Chronic
- **(B)** Perennial
- **(C)** Ephemeral
- **(D)** Perpetual

Question 34 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Arrange:
P: Cardinality explosions then make the bill jump overnight. Q:
High-cardinality labels on every request look harmless in staging.
R: Cap the label set and sample the rest. S: Staging traffic is
too tidy to show the cost.

Options:

- **(A)** Q
  P R S
- **(B)** Q S P R
- **(C)** P
  Q R S
- **(D)** Q
  P S R

Question 35 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Arrange:
P: Feature flags then let the fix ride with the next build. Q:
Hotfix branches that live for weeks drift from main. R: A
short-lived branch plus a flag is usually enough. S: Long-lived
hotfix trains surprise the next release.

Options:

- **(A)** Q S R P
- **(B)** Q
  P R S
- **(C)** S
  Q P R
- **(D)** Q
  R S P

Question 36 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Passage
A service-level objective is useful only when the team can see the error budget being spent. If latency is promised at 300 ms for 99% of calls, the remaining 1% is not a licence to ignore timeouts. Burn-rate alerts that fire after the month is already lost teach nobody. The better habit is a short window alert plus a long window alert, so a sharp incident and a slow leak are both visible. Documents that list SLOs without owners become wallpaper.
Short-window plus long-window alerts help because

Options:

- **(A)** they
  hide slow leaks
- **(B)** a sharp incident and a slow leak are both visible
- **(C)** they
  remove the need for an SLO
- **(D)** they
  replace error budgets

Question 37 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Passage
A service-level objective is useful only when the team can see the error budget being spent. If latency is promised at 300 ms for 99% of calls, the remaining 1% is not a licence to ignore timeouts. Burn-rate alerts that fire after the month is already lost teach nobody. The better habit is a short window alert plus a long window alert, so a sharp incident and a slow leak are both visible. Documents that list SLOs without owners become wallpaper.
The main idea of the passage is that

Options:

- **(A)** a
  1% error budget means timeouts may be ignored
- **(B)** SLOs work only with visible budgets, dual-window alerts and owners
- **(C)** monthly
  alerts are better than short windows
- **(D)** latency
  promises should be deleted

Question 38 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Fill:
The outage postmortem was _____ and named every missed alert.

Options:

- **(A)** evasive

- **(B)** candid
- **(C)** obscure
- **(D)** reluctant

Question 39 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Antonym
of “amplify”:

Options:

- **(A)** Enlarge
- **(B)** Boost
- **(C)** Diminish
- **(D)** Raise

Question 40 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

“Move
the needle” means

Options:

- **(A)** Make a measurable difference
- **(B)** Rotate
  a compass
- **(C)** Delete
  a metric
- **(D)** Pause
  a release

Question 41 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the correct sentence.

Options:

- **(A)** No sooner had the job started than the queue grew.
- **(B)** No
  sooner the job started when the queue grew.
- **(C)** No
  sooner had the job started then the queue grew.
- **(D)** No
  sooner the job had started than the queue grew.

Question 42 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the correct sentence.

Options:

- **(A)** The
  criteria is listed in the RFC.
- **(B)** The
  criterias are listed in the RFC.
- **(C)** The criteria are listed in the RFC.
- **(D)** The
  criterion are listed in the RFC.

Question 43 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Synonym
of “succinct”:

Options:

- **(A)** Wordy
- **(B)** Brief
- **(C)** Vague
- **(D)** Loud

Question 44 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Passage
A service-level objective is useful only when the team can see the error budget being spent. If latency is promised at 300 ms for 99% of calls, the remaining 1% is not a licence to ignore timeouts. Burn-rate alerts that fire after the month is already lost teach nobody. The better habit is a short window alert plus a long window alert, so a sharp incident and a slow leak are both visible. Documents that list SLOs without owners become wallpaper.
The remaining 1% of calls

Options:

- **(A)** may
  ignore all timeouts
- **(B)** proves
  the SLO is optional
- **(C)** is not a licence to ignore timeouts
- **(D)** should
  be deleted from the dashboard

Question 45 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Arrange:
P: Secrets in container images leak the moment the image is pulled. Q: Inject secrets at runtime from a manager, not from a Dockerfile. R: Image scans will not catch a token baked in last year. S: Rotate anything that has already shipped inside a layer.

Options:

- **(A)** P R Q S
- **(B)** P
  Q R S
- **(C)** Q
  P R S
- **(D)** P
  R S Q

Section: Pseudo Code

Question 46 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

[Loops]
What is printed?
Integer
i, p
Set
p = 1
for
i = 1 to 4 do
p
= p * i
end
for
Print
p

Options:

- **(A)** 10
- **(B)** 16
- **(C)** 24
- **(D)** 120

Question 47 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

[Data
Structures] Queue Q receives 5, then 15, then 25. One dequeue
runs. What is front(Q)?
Queue
Q
enqueue(Q,
5)
enqueue(Q,
15)
enqueue(Q,
25)
dequeue(Q)
Print
front(Q)

Options:

- **(A)** 5
- **(B)** 15
- **(C)** 25
- **(D)** Empty

Question 48 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

[Data
Structures] After the operations, what does peek return?
Stack
S
push(S,
10)
push(S,
20)
push(S,
30)
pop(S)
push(S,
40)
Print
peek(S)

Options:

- **(A)** 10
- **(B)** 20
- **(C)** 40

- **(D)** 30

Question 49 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

[Bitwise]
What is printed?
Integer
a, b
Set
a = 13, b = 6
Print
a & b

Options:

- **(A)** 4
- **(B)** 5
- **(C)** 7
- **(D)** 11

Question 50 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

[Recursion]
What does P(4) return?
Function
P(n)
if
n == 1 then return 2
return
P(n - 1) * 2
End
Function
Print
P(4)

Options:

- **(A)** 8
- **(B)** 12
- **(C)** 16
- **(D)** 24

Section: Numerical Puzzles

Question 51 [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}]

Centre = sum of each opposite pair. Find the missing centre.
Wheel A
8
3
11
8
3
Wheel B
9
6
?
7
4

Options:

- **(A)** 12
- **(B)** 13
- **(C)** 15
- **(D)** 16

Question 52 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

Find the next number.
2
6
12
20
30
?

Options:

- **(A)** 40
- **(B)** 42
- **(C)** 44
- **(D)** 48

Question 53 [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}]

Find the missing number.
18
10

8
25
13
12
31
14
?

Options:

- **(A)** 17
- **(B)** 16
- **(C)** 15
- **(D)** 18

Question 54 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

Find the missing number.
3
4
15
5
6
33
7
8
?

Options:

- **(A)** 54
- **(B)** 55
- **(C)** 59
- **(D)** 63

Section: English Grammar

Question 55 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

[SVA]
A series of patches _____ scheduled for Sunday.

Options:

- **(A)** are
- **(B)** is
- **(C)** have

- **(D)** were

Question 56 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

[Error
Spotting] Identify the error: Neither of the servers are
reachable.

Options:

- **(A)** Neither
  of
- **(B)** are reachable
- **(C)** the
  servers
- **(D)** No
  error

Question 57 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

[Error
Spotting] Identify the error: I am used to work late during
releases.

Options:

- **(A)** I
  am used
- **(B)** to work late
- **(C)** during
  releases
- **(D)** No
  error

Question 58 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

[Prepositions]
The fix is consistent _____ the style guide.

Options:

- **(A)** to
- **(B)** with
- **(C)** from
- **(D)** against

Question 59 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

[Tenses]
She _____ the patch notes before the standup began.

Options:

- **(A)** writes
- **(B)** has
  write
- **(C)** had written
- **(D)** will
  wrote

Section: Essay Writting

Question 60 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Importance of Cybersecurity in the Digital Age

Options:

- **(A)**
