INFOSYS SE ASSESSMENT 2026 • OFFICIAL PREPARATION VAULT

# Infosys Full Length Mock Test- 8

**Section:** 09_Mock_Test_Series | **Drive Date:** 5th & 6th November 2026 | **Status:** 100% Solved & Verified

## Infosys Full Length Mock Test- 8

**Total Questions:** 60 | **Total Marks:** 76 | **Duration:** 7200000 Minutes

### Section: Reasoning

#### Question 1 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Find the missing number.
12
5
7
19
8
11
27
10
?

**Options:**

- **(A)** 17
- **(B)** 15
- **(C)** 16
- **(D)** 19

#### Question 2 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Statements:
All sprints are cycles. All cycles are plans. Some plans are buffers. Conclusions: I. All sprints are plans. II. Some buffers are sprints.

**Options:**

- **(A)** Only I follows
- **(B)** Only II follows

- **(C)** Both follow
- **(D)** Neither follows

---

### Question 3 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

If
TABLE is coded as UBCMF, how is CHAIR coded?

**Options:**

- **(A)** DIBJS
- **(B)** BGZHQ
- **(C)** DIBJR
- **(D)** CIBJS

---

### Question 4 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

What
is the average of m and n? Statement 1: m + n = 48. Statement 2: m − n = 12.

**Options:**

- **(A)** Statement 1 alone is sufficient, but Statement 2 alone is not
- **(B)** Statement 2 alone is sufficient, but Statement 1 alone is not
- **(C)** Either alone is sufficient
- **(D)** Both together are needed

---

### Question 5 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

If
1 * 2 = 5, 2 * 3 = 13 and 3 * 4 = 25, then 4 * 5 = ?

**Options:**

- **(A)** 39
- **(B)** 41
- **(C)** 45
- **(D)** 49

---

## Question 6 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Find the missing number.
3
6
21
4
7
32
5
8
?

**Options:**

- **(A)** 43
- **(B)** 44
- **(C)** 45
- **(D)** 48

---

## Question 7 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Statements:
All indexes are keys. Some keys are hashes. No hash is a heap.
Conclusions: I. Some indexes are hashes. II. Some keys are not heaps.

**Options:**

- **(A)** Only I follows
- **(B)** Only II follows
- **(C)** Both follow
- **(D)** Neither follows

---

## Question 8 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

If
BRIDGE is coded as CSJEHF, how is TUNNEL coded?

**Options:**

- **(A)** UVOOFM
- **(B)** STMMDK
- **(C)** UVOOEL
- **(D)** SVOOFM

### Question 9 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Find the missing number.
2
4
8
3
6
18
4
8
?

**Options:**

- **(A)** 24
- **(B)** 28
- **(C)** 32
- **(D)** 36

---

### Question 10 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

If
4 ⊗ 5 = 24, 6 ⊗ 3 = 21 and 7 ⊗ 2 = 16, then 8
⊗ 4 = ?

**Options:**

- **(A)** 28
- **(B)** 32
- **(C)** 36
- **(D)** 40

---

### Question 11 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Statements:
No cookie is a token. Some tokens are claims. All claims are fields. Conclusions: I. Some fields are tokens. II. Some cookies are claims.

**Options:**

- **(A)** Only I follows
- **(B)** Only II follows
- **(C)** Both follow

- **(D)** Neither follows

---

### Question 12 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Statements:
Some ports are sockets. All sockets are handles. No handle is a file. Conclusions: I. Some ports are handles. II. No socket is a file.

**Options:**

- **(A)** Only I
- **(B)** Only II
- **(C)** Both I and II
- **(D)** Neither

---

### Question 13 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

In what ratio did P and Q share the profit? Statement 1: P invested ₹24,000 and Q invested ₹36,000 for the same period.
Statement 2: The total profit was ₹15,000.

**Options:**

- **(A)** Statement 1 alone is sufficient, but Statement 2 alone is not
- **(B)** Statement 2 alone is sufficient, but Statement 1 alone is not
- **(C)** Either alone is sufficient
- **(D)** Both together are needed

---

### Question 14 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Is integer k divisible by 15? Statement 1: k is divisible by 3 and by 5. Statement 2: k ends with the digit 0.

**Options:**

- **(A)** Statement 1 alone is sufficient, but Statement 2 alone is not
- **(B)** Statement 2 alone is sufficient, but Statement 1 alone is not

- **(C)** Either
  alone is sufficient
- **(D)** Both
  together are needed

---

### Question 15 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Who
is older, G or H? Statement 1: G is older than I. Statement 2: I
is older than H.

**Options:**

- **(A)** Statement
  1 alone is sufficient
- **(B)** Statement
  2 alone is sufficient
- **(C)** Either
  alone is sufficient
- **(D)** Both statements together are needed

---

## Section: Aptitude (Technical Ability)

### Question 16 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

A
fair die is thrown. Probability of a number greater than 4 is

**Options:**

- **(A)** 1/6
- **(B)** 1/3
- **(C)** 1/2
- **(D)** 2/3

---

### Question 17 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

A
and B together take 9 days. A alone takes 18 days. B alone takes

**Options:**

- **(A)** 12
  days
- **(B)** 15
  days
- **(C)** 18 days

- **(D)** 27
  days

---

### Question 18 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

A
bag bought for ₹480 is sold for ₹552. The profit
percent is

**Options:**

- **(A)** 12%
- **(B)** 15%
- **(C)** 18%
- **(D)** 20%

---

### Question 19 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

How
many 3-digit numbers can be formed from 2, 3, 5, 7, 9 if digits
are not repeated?

**Options:**

- **(A)** 60
- **(B)** 120
- **(C)** 125
- **(D)** 15

---

### Question 20 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

From
8 people, a committee of 3 can be formed in how many ways?

**Options:**

- **(A)** 24
- **(B)** 56
- **(C)** 336
- **(D)** 512

---

### Question 21 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

An
item sold at 20% profit brings ₹720. The cost price is

**Options:**

- **(A)** ₹600
- **(B)** ₹576
- **(C)** ₹640
- **(D)** ₹700

---

### Question 22 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

A
bag has 5 white and 7 black balls. One ball is drawn. Probability
it is white is

**Options:**

- **(A)** 5/7
- **(B)** 1/2
- **(C)** 5/12
- **(D)** 7/12

---

### Question 23 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

A
finishes a job in 15 days and B in 10 days. Together they take

**Options:**

- **(A)** 5
  days
- **(B)** 6 days
- **(C)** 8
  days
- **(D)** 12.5
  days

---

### Question 24 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Two
coins are tossed. Probability of two heads is

**Options:**

- **(A)** 1/4
- **(B)** 1/2
- **(C)** 1/3
- **(D)** 3/4

---

### Question 25 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

The
letters of the word OFFER can be arranged in how many distinct
ways?

**Options:**

- **(A)** 60
- **(B)** 120
- **(C)** 24
- **(D)** 80

---

## Section: Verbal Ability

### Question 26 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Passage
Code comments age faster than tests. A comment that repeats the next line is noise. A comment that names why a bound is 17, not 16, still helps a year later. Teams that delete unused comments during the same patch keep the file honest. The review question is not “did you comment enough” but “will this sentence still be true after the next rename.”
Unused comments should be deleted

**Options:**

- **(A)** in
  a later cleanup quarter
- **(B)** during the same patch
- **(C)** only
  after a rename
- **(D)** never

---

### Question 27 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the one-word substitute: A person who speaks two languages.

**Options:**

- **(A)** Mute
- **(B)** Orator
- **(C)** Bilingual
- **(D)** Editor

---

### Question 28 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Arrange
the sentences. P: Stale locks then block the next deploy. Q: A job that dies mid-write must release its lock. R: Timeouts on the lock beat a manual reboot. S: Alerts should fire if a lock is held past two minutes.

**Options:**

- **(A)** Q
  P S R
- **(B)** Q P R S
- **(C)** P
  Q R S
- **(D)** Q
  R P S

---

### Question 29 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

“Back
to the drawing board” means

**Options:**

- **(A)** Start the plan again after a failure
- **(B)** Draw
  on a whiteboard for fun
- **(C)** Finish
  the release
- **(D)** Skip
  the design step

---

### Question 30 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Arrange
the sentences. P: A smoke test then proves the path still opens. Q: A merge that skips the happy path breaks first thing Monday. R: Keep one script that logs in and loads the home page. S: Run it on every build, not only on release day.

**Options:**

- **(A)** Q R P S
- **(B)** Q P R S
- **(C)** R Q P S
- **(D)** Q R S P

---

### Question 31 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Passage
Code comments age faster than tests. A comment that repeats the next line is noise. A comment that names why a bound is 17, not 16, still helps a year later. Teams that delete unused comments during the same patch keep the file honest. The review question is not “did you comment enough” but “will this sentence still be true after the next rename.”
The main idea of the passage is that

**Options:**

- **(A)** every
  line of code needs a comment
- **(B)** useful comments explain why, stay true later, and should not repeat the code
- **(C)** tests
  should replace all comments
- **(D)** reviews
  should count comments

---

### Question 32 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the word most opposite in meaning to “expand.”

**Options:**

- **(A)** Widen
- **(B)** Grow
- **(C)** Shrink
- **(D)** Spread

---

### Question 33 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the word most similar in meaning to “concise.”

**Options:**

- **(A)** Lengthy
- **(B)** Brief
- **(C)** Unclear
- **(D)** Loud

---

### Question 34 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the grammatically correct sentence.

**Options:**

- **(A)** Five
  kilometres are a short ride.
- **(B)** Five kilometres is a short ride.
- **(C)** Five
  kilometre is a short ride.
- **(D)** Five
  kilometres were a short ride now.

---

### Question 35 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Fill
in the blank: The estimate was _____ and had to be revised after
the first week.

**Options:**

- **(A)** exact
- **(B)** optimistic
- **(C)** final
- **(D)** binding

---

### Question 36 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Passage
Code comments age faster than tests. A comment that repeats the next line is noise. A comment that names why a bound is 17, not 16, still helps a year later. Teams that delete unused comments during the same patch keep the file honest. The review question is not “did you comment enough” but “will this sentence still be true after the next rename.”
The useful review question is

**Options:**

- **(A)** did
  you comment enough
- **(B)** how
  many comments exist
- **(C)** who
  wrote the comment
- **(D)** will this sentence still be true after the next rename

---

### Question 37 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Passage
Code comments age faster than tests. A comment that repeats the next line is noise. A comment that names

why a bound is 17, not 16, still helps a year later. Teams that delete unused comments during the same patch keep the file honest. The review question is not “did you comment enough” but “will this sentence still be true after the next rename.”
A comment that repeats the next line is called

**Options:**

- **(A)** noise
- **(B)** a
  test
- **(C)** a
  bound
- **(D)** a
  rename

---

### Question 38 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Passage
Code comments age faster than tests. A comment that repeats the next line is noise. A comment that names why a bound is 17, not 16, still helps a year later. Teams that delete unused comments during the same patch keep the file honest. The review question is not “did you comment enough” but “will this sentence still be true after the next rename.”
A comment that still helps a year later is one that

**Options:**

- **(A)** lists
  every variable
- **(B)** repeats
  the next line
- **(C)** names why a bound is 17, not 16
- **(D)** counts
  review comments

---

### Question 39 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the grammatically correct sentence.

**Options:**

- **(A)** Hardly had the mail gone when the server restarted.
- **(B)** Hardly
  the mail had gone than the server restarted.
- **(C)** Hardly
  had the mail gone then the server restarted.

- **(D)** Hardly
  the mail gone when the server restarted.

---

### Question 40 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the grammatically correct sentence.

**Options:**

- **(A)** She suggested that he join the later batch.
- **(B)** She
  suggested him to join the later batch.
- **(C)** She
  suggested that he joins the later batch.
- **(D)** She
  suggested him joining the later batch.

---

### Question 41 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Arrange
the sentences. P: Idle tests that never fail teach nothing. Q:
Delete or fix a test that has been green for a year with no
assertion. R: A short list of sharp tests beats a long list of
ornaments. S: Coverage percent alone is not a reason to keep them.

**Options:**

- **(A)** P
  Q S R
- **(B)** P Q R S
- **(C)** Q
  P R S
- **(D)** P
  R Q S

---

### Question 42 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the grammatically correct sentence.

**Options:**

- **(A)** Each
  of the files have a checksum.
- **(B)** Each of the files has a checksum.

- **(C)** Each
  of the file has a checksum.
- **(D)** Each
  of the files having a checksum.

---

### Question 43 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Arrange
the sentences. P: Readers then stop trusting the chart. Q: A dashboard with no unit looks precise and lies. R: Label every axis with the unit and the time zone. S: A note on the card beats a buried wiki page.

**Options:**

- **(A)** Q
  R P S
- **(B)** P
  Q R S
- **(C)** Q P R S
- **(D)** Q
  P S R

---

### Question 44 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Arrange
the sentences. P: Dual-running both paths for a week catches drift. Q: A cutover with no shadow traffic is a guess. R: Compare counts on the old and new path every hour. S: Only then switch the default.

**Options:**

- **(A)** Q P R S
- **(B)** Q
  R P S
- **(C)** P
  Q R S
- **(D)** Q
  P S R

---

### Question 45 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Choose
the grammatically correct sentence.

**Options:**

- **(A)** The
  furniture are new.
- **(B)** The
  furnitures are new.
- **(C)** The furniture is new.
- **(D)** The
  furniture were new always.

---

## Section: Pseudo Code

### Question 46 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

What
does U(4) return?
Function
U(n)
if
n == 0 then return 1
return
n + U(n - 1)
End
Function
Print
U(4)

**Options:**

- **(A)** 8
- **(B)** 9
- **(C)** 11
- **(D)** 24

---

### Question 47 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

What
is printed?
Integer
z
Set
z = 14
Print
z & 7

**Options:**

- **(A)** 6

- **(B)** 7
- **(C)** 8
- **(D)** 21

---

### Question 48 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

What
is printed?
Integer
i, n
Set
n = 0
for
i = 1 to 6 do
if
i % 3 == 0 then n = n + i
end
for
Print
n

**Options:**

- **(A)** 6
- **(B)** 9
- **(C)** 12
- **(D)** 21

---

### Question 49 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

What
is printed?
Queue
Q
enqueue(Q,
4)
enqueue(Q,
8)
enqueue(Q,
12)
dequeue(Q)
Print
front(Q)

**Options:**

- **(A)** 4

- **(B)** 8
- **(C)** 12
- **(D)** Empty

---

### Question 50 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

What
is printed?
Stack
S
push(S,
2)
push(S,
5)
push(S,
8)
pop(S)
push(S,
11)
Print
peek(S)

**Options:**

- **(A)** 2
- **(B)** 5
- **(C)** 11
- **(D)** 8

---

## Section: Numerical Puzzles

### Question 51 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

Find the missing number.
6
4
26
7
5
37
8
6
?

**Options:**

- **(A)** 48
- **(B)** 50
- **(C)** 52
- **(D)** 54

---

### Question 52 [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}]

Find the missing number.
10
15
25
12
18
30
14
21
?

**Options:**

- **(A)** 32
- **(B)** 34
- **(C)** 35
- **(D)** 42

---

### Question 53 [Marks: +{'positive': 3, 'negative': 0, 'negativeUnattempted': 0}]

The centre equals the difference of each pair of opposite rim numbers. Find the missing centre.
Set 1
18
11
7
4
11
Set 2
21
13
?
5
13

**Options:**

- **(A)** 6
- **(B)** 8
- **(C)** 10

- **(D)** 16

---

### Question 54 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

Find the next number.
5
8
14
26
50
?

**Options:**

- **(A)** 96
- **(B)** 98
- **(C)** 100
- **(D)** 102

---

## Section: English Grammar

### Question 55 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

She
is responsible _____ the nightly build.

**Options:**

- **(A)** for
- **(B)** to
- **(C)** of
- **(D)** with

---

### Question 56 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

The
number of open bugs _____ fallen this week.

**Options:**

- **(A)** have
- **(B)** has
- **(C)** are
- **(D)** were

---

### Question 57 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

Identify
the part that contains an error: Everybody have received the
invite.

**Options:**

- **(A)** Everybody have received
- **(B)** the
  invite
- **(C)** No
  error
- **(D)** Everybody
  have

---

### Question 58 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

By
next Friday the team _____ the migration.

**Options:**

- **(A)** finish
- **(B)** finished
- **(C)** will have finished
- **(D)** has
  finish

---

### Question 59 [Marks: +{'positive': 2, 'negative': 0, 'negativeUnattempted': 0}]

Identify
the part that contains an error: I prefer tea than coffee in the
morning.

**Options:**

- **(A)** I
  prefer tea
- **(B)** than coffee
- **(C)** in
  the morning
- **(D)** No
  error

---

## Section: Essay Writting

### Question 60 [Marks: +{'positive': 1, 'negative': 0, 'negativeUnattempted': 0}]

Importance of Teamwork in the Workplace

**Options:**

- **(A)**