

Structures of the Human Eye

A Synthetic Fixture for Parser Diagnostics

ANCHOR-F5A-01

Copyright

This document is synthetic. It contains no real textbook content.

Dedication

For anyone who has ever cited the wrong page.

Contents

Chapter 1 The Human Eye	1
-----------------------------------	---

Preface

Front matter is numbered separately from the body.

Preface, continued

The body restarts at arabic 1 on the seventh PDF page.

The Human Eye

The cornea is the transparent front layer of the eye.

The cornea is the transparent front layer of the eye.

The cornea is the transparent front layer of the eye.

The Cornea

Corneal curvature accounts for most of the eye's refractive power.

Corneal curvature accounts for most of the eye's refractive power.

Corneal curvature accounts for most of the eye's refractive power.

The Iris

The iris controls the diameter of the pupil.

The iris controls the diameter of the pupil.

The iris controls the diameter of the pupil.

The Pupil

Pupil diameter varies with ambient light intensity.

Pupil diameter varies with ambient light intensity.

Pupil diameter varies with ambient light intensity.

The Lens

The crystalline lens fine-tunes focus through accommodation.

The crystalline lens fine-tunes focus through accommodation.

The crystalline lens fine-tunes focus through accommodation.

Accommodation

Ciliary muscles change lens shape to focus on near objects.

Ciliary muscles change lens shape to focus on near objects.

Ciliary muscles change lens shape to focus on near objects.

The Vitreous Humour

The vitreous humour maintains intraocular pressure.

The vitreous humour maintains intraocular pressure.

The vitreous humour maintains intraocular pressure.

The Retina

The retina converts incident light into neural signals.

The retina converts incident light into neural signals.

The retina converts incident light into neural signals.

Rods and Cones

Rods handle low light; cones handle colour discrimination.

Rods handle low light; cones handle colour discrimination.

Rods handle low light; cones handle colour discrimination.

The Fovea

The fovea contains the highest density of cone cells.

The fovea contains the highest density of cone cells.

The fovea contains the highest density of cone cells.

The Optic Disc

The optic disc contains no photoreceptors, creating a blind spot.

The optic disc contains no photoreceptors, creating a blind spot.

The optic disc contains no photoreceptors, creating a blind spot.

The Optic Nerve

The optic nerve carries signals from retina to visual cortex.

The optic nerve carries signals from retina to visual cortex.

The optic nerve carries signals from retina to visual cortex.

Visual Pathways

Signals cross at the optic chiasm before reaching the thalamus.

Signals cross at the optic chiasm before reaching the thalamus.

Signals cross at the optic chiasm before reaching the thalamus.

Summary

Each structure contributes to forming a focused retinal image.

Each structure contributes to forming a focused retinal image.

Each structure contributes to forming a focused retinal image.